


FLOOD PLAIN SURVEY


DESCRIPTION: BEING ALL OF LOT THIRTY-SIX (36), VAN GROLL SUBDIVISION, TOWN OF MENASHA, WINNEBAGO COUNTY, WISCONSIN.

CLIENT:
SHERRY KINNEY
1616 PLANK ROAD
MENASHA, WI 54952



NOTES:

- 1) THE 100 YEAR REGIONAL FLOOD ELEVATION = 749.85
- 2) THE EXISTING FIRST FLOOR ELEVATION OF THE HOUSE = 753.98
- 3) THE LOWEST FLOOR ELEVATION = 745.45
- 4) THE EXISTING GARAGE FLOOR ELEVATION = 751.65
- 5) THE LOWEST GRADE IMMEDIATELY ADJACENT TO THE HOUSE = 750.2
- 6) THE LOWEST FLOOR OF ANY NEW ADDITION MUST BE AT A MINIMUM ELEVATION OF 751.85
- 7) THE FILL AROUND ANY NEW ADDITION MUST BE AT A MINIMUM ELEVATION OF 750.85
- 8) BENCHMARK: 5" SPIKE IN POWER POLE #61-1053. ELEVATION = 751.85
- 9) ALL ELEVATIONS SHOWN ARE NGVD 29 DATUM



Robert F. Reider 12-20-03



CAROW LAND SURVEYING CO., INC.

1837 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
PHONE 920-731-4168 FAX 731-5673

SCALE
1" = 30'
DRAWN BY
ac-jp DGV
PROJECT NO.
A854.65-03