

W.O. CRAMER
TOWN OF MENASHA


TOWN OF NEENAH

N. LINE SEC. 19-20-17 694.98'

SEC. 17 33'
SEC. 19 33'
SEC. 20 33'

553.08' To E. ROADS

HOUSE



CONC.
PAVE.

870.54' S. 55° E.
111.3'

305.8'

27.7'

1 A. 4/18/50

509.0' To E. "O"

2 A. 4/27/47

446.2' To E. "O"

263.8' To E. "O"

245.5'

91.10'

E. 1/2 OF N.E. 1/4
SEC. 19-20-17
TOWN OF NEENAH

OTTO FUHRMAN FARM

E. LINE SEC. 19-20-17

FENCE IN PLACE

2150

19-20-17

SURVEY FOR ART NEHRING
1 A. IN E. 1/2 OF N.E. 1/4 SEC. 19 4/18/50 R.F.W. HK

CITY OF OSHKOSH ENGINEERING DEPARTMENT R.F. WOLVERTON H.K.	DRAWN 4/27/47	SURVEY FOR ART NEHRING 2 A. (S. OF E. "O" & N. OF A FENCE IN PLACE AS SHOWN) IN E. 1/2 OF N.E. 1/4 SEC. 19
	SCALE 1"=100'	

TOWN OF NEENAH SEC. 19

TOWN OF MENASHA

SEC. 17 81-335

86439

Lowry

conc.
PAVE

2 OAK TREES

HOUSE

BARN

HOUSE -

2 A.
4/27/47

1 A. 4.18/50
T 4 30"

509.0' 7.0' 0"

2 A. to £"0"
7/16/50

620.5 To £ 10

7/16/50 1 A. T. & O.

671.2' To ϕ $\boxed{0}$

OTTO⁵_{7/8} FUHRMAN FARM

E. 1/2 of N.E. 1/4
SEC. 19-20-17
TOWN OF NEENAH

SURVEY 7/16/50 FOR ART NEHRING
2 A. PARCEL - 1 A. PARCEL
IN E. 1/2 OF N.E. 1/4 S. OF 40"
SEC. 19-20-17 R. 7.W. - H.K.

29-20-17

SURVEY FOR ART NEHRING
1 A. IN E. 1/2 OF NE. 1/4 SEC. 19 4/18/50 R.F.W.
HK

CITY OF OSHKOSH
ENGINEERING DEPARTMENT
R.F. WOLVERTON

DRAWN
4/27/47
SCALE
1"=100

SURVEY FOR ART MARKING
2 A. (S. OF E. 0" & N. OF A FENCE
IN PLACE AS SHOWN) IN E. 1/2 OF NE 1/4
SEC. 19

TOWN OF NGENAH SEC. 19

PLAT OF SURVEY

That part of the East 1/2 of the NORTH EAST 1/4 of Section Nineteen (19) Township Twenty (20) North, of Range Seventeen (17) East, in the Town of Neenah, Winnebago County, Wisconsin, described as follows, viz:-

Commencing at a point on the East line of said Section that is 553.08 feet south of the Northeast corner of said Section (said point being on the center line of County Trunk Highway "O"); thence north 51 degrees west, along the center line of said Highway, 305.8 feet, the place of beginning; thence south, parallel with the East line of said Section, 446.2 feet, to a fence line as located July 24, 1950; thence west, along said fence line, 91.1 feet; thence north, parallel with the East line of said Section, 509 feet, to the center line of said highway; thence south 51 degrees east, along the center line of said highway, 111.3 feet, to the place of beginning.


LEGEND

- = 1" IRON PIPE FOUND
- ◊ = 3/4" SOLID ROUND REBAR FOUND
- ⊗ = 3/4" x 24" SOLID ROUND REBAR SET, WEIGHING 1.502 lbs. per lin. ft.


NORTH IS REFERENCED TO THE SOUTHWESTERLY LINE OF C.T.H. "O" WHICH IS RECORDED TO BEAR N51°-00'-00"W.

CLIENT:

FOX CITIES MORTGAGE CORPORATION
P.O. BOX 1552
APPLETON, WISCONSIN 54913-1552



NOTE: EASEMENT DESCRIBED IN VOLUME 479, PAGE 534 CANNOT BE SPECIFICALLY LOCATED.



I HEREBY CERTIFY THAT I HAVE SURVEYED THE ABOVE DESCRIBED PROPERTY AS SHOWN ACCORDING TO THE OFFICIAL RECORDS AND THAT THIS PLAT OF SURVEY IS A CORRECT REPRESENTATION OF SAID SURVEY

Robert F. Reider
ROBERT F. REIDER, RLS-1251

11-15-90
DATED



CAROW LAND SURVEYING CO., INC.

1837 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
PHONE 414-731-4168 FAX 731-5673

SCALE
1"=100'
DRAWN BY
RF 66 RFR
PROJECT NO
A844.102-90