


FOR: JIM LEPLA
5045 MELMAR ST.
APPLETON, WI. 54915



GRADING NOTE:

Final lot line grading shall be graded to within 0.10 feet of the grades shown on the drainage plan.

Bearings are oriented to match MAHLER FARM pit bearings.

LEGEND

- O 3/4"x 24" Steel rebar set
- D 1"x 25" Iron pipe set
- E 3/4" Rebar found
- D 1" iron pipe found
- A 1-1/4" Rebar found

(762.14) Proposed lot line grade


765.0 Proposed garage floor elevation

SURVEYOR'S CERTIFICATE:

I, hereby certify that I have surveyed the property as shown and described and that I have established or verified the proposed location as shown and that the structure as positioned is in conformance with applicable City Ordinances and Plot Restrictions and that the plot above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief.

April 14, 1994
DATE

REGISTERED WISCONSIN LAND SURVEYOR



Mortenson & Eisele, Inc.

CONSULTING ENGINEERING & LAND SURVEYING
1410 AMERICAN COURT
KEENAN, WI 54858
PHONE (414)-731-0381

PROJECT NO. 318-119


FIELD BOOK PAGE

DISK _____ FILE _____


This instrument was drafted by: km1

FOUNDATION STAKING PLAN LOT 48

MAHLER FARM
CITY OF NEENAH
WINNEBAGO COUNTY, WISCONSIN



Scale 1" = 40'



GRADING NOTE

Final lot line grading shall be graded to within 0.10 feet of the grades shown on the drainage plan.

Bearings are oriented to match
MAHLER FARM plot bearings.

LEGEND

- 3/4" x 24" Steel rebar set
 - 1" x 24" Iron pipe set
 - 3/4" Rebar found
 - 1" Iron pipe found
 - ▲ 1-1/4" Rebar found
- (762.14) Proposed lot line grade
(765.0) Proposed garage floor elevation

SURVEYOR'S CERTIFICATE

I, hereby certify that I have surveyed the property as shown and described and that I have established or verified the proposed location as shown and that the structure as positioned is in conformance with applicable City Ordinances and Plot Restrictions and that the plot above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief.

Jan. 3, 1995 Gary A. Zahring
DATE REGISTERED WISCONSIN LAND SURVEYOR



Mortenson & Eisele, Inc.

CONSULTING ENGINEERING & LAND SURVEYING
1319 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)-731-0381

PROJECT NO. 318-130

FIELD BOOK PAGE

DISK FILE


This instrument was drafted by: poe

FOUNDATION STAKING SURVEY

LOT 86
MAHLER FARM II
CITY OF NEENAH


WINNEBAGO COUNTY, WISCONSIN

SURVEYED FOR: ANDREW HOMES



R=580.00'
Δ=08°00' 06"
L=81.00'
Ch=S 86°47' 48" E
80.93'

KRAFT STREET



Bearings are oriented to match
MAHLER FARM II plat bearings

LEGEND


- 3/4" x 21" Steel rebar set
- 1" x 24" Iron pipe set
- 3/4" REBAR FOUND
- 1" IRON PIPE FOUND
- ▲ 1-1/4" REBAR FOUND
- 765 PROPOSE LOT ELEV.

SURVEYOR'S CERTIFICATE:

I, hereby certify that I have surveyed the property as shown and described and that I have established or verified the proposed location as shown and that the structure as positioned is in conformance with applicable City Ordinances and Plat Restrictions and that the plat above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief

December 19, 1994
DATE

Gary A. Zahring
REGISTERED WISCONSIN LAND SURVEYOR



Mortenson & Eisele, Inc.

CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)-731-0381

PROJECT NO. 318-129


FIELD BOOK _____ PAGE _____
DISK _____ FILE _____

This instrument was drafted by: kml


FOUNDATION STAKING SURVEY

LOT 13

MAHLER FARM
CITY OF NEENAH
WINNEBAGO COUNTY, WISCONSIN



Scale 1" = 40'



FOR:
CYPRESS HOMES
26 DUNNASS CT.
APPLETON, WI 54914



GRADING NOTE:

Final lot line grading shall be graded to within 0.10 feet of the grades shown on the drainage plan.

Bearings are oriented to match
MAHLER FARM plat bearings.


LEGEND

- 3/4" x 24" Steel rebar set
- 1" x 24" Iron pipe set
- 3/4" Rebar found
- 1" Iron pipe found
- ▲ 1-1/4" Rebar found
- (762.14) Proposed lot line grade
- 763.9 Proposed garage floor elevation

SURVEYOR'S CERTIFICATE

I, hereby certify that I have surveyed the property as shown and described and that I have established or verified the proposed location as shown and that the structure as positioned is in conformance with applicable City Ordinances and Plat Restrictions and that the plat above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief.

November 28, 1994 Gary A. Zahring
DATE REGISTERED WISCONSIN LAND SURVEYOR



Martenson & Eisele, Inc.
CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)-731-0381


PROJECT NO. 318-1018

FIELD BOOK _____ PAGE _____
DISK _____ FILE 318/1018


This instrument was drafted by: krrl

FOUNDATION STAKING VERIFICATION SURVEY

LOT 55
MAHLER FARM
CITY OF NEENAH
WINNEBAGO COUNTY, WISCONSIN



For:
Ridgeway Homes
4300 North Pine Tree Rd.
Oneida, WI



Bearings are oriented to match
MAHLER FARM plat bearings


LEGEND

- 3/4"x 24" Steel rebar set
- 1"x 24" Iron pipe set
- 3/4" Rebar found
- 1" Iron pipe found
- ▲ 1-1/4" Rebar found

SURVEYOR'S CERTIFICATE:

I, hereby certify that I have surveyed this property and this map is a true representation thereof and shows the size and location of the property, it's exterior boundaries, the location of all apparent easements and roadways and visible encroachments. This survey is made for the exclusive use of the present owner of the property, and also those who purchase, mortgage or guarantee the title thereto within one (1) year from date hereof, and as to them I hereby certify that said survey and map were made in accordance with acceptable Professional Standards and that the information contained thereon is, to the best of my knowledge, information and belief a true and accurate representation thereof.

Aug 24, 1994 Gary A. Zahring
Date Wisconsin Registered Land Surveyor




Martenson & Eisele, Inc.
CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)--731-0381

PROJECT NO. 318-122
FIELD BOOK PAGE
DISK Unix FILE h318122

This instrument was drafted by: M.A.S.

PLAT OF SURVEY

Lot 83, MAHLER FARM II, City of Neenah,
Winnebago County, Wisconsin




Bearings are oriented to match
MAHLER FARM II plat bearings.

Survey for:
Kevin Bayer

C-1
R=540.00'
Δ=04°48'08"
L=44.31'
Ch=N 86°50'20" E
44.30'

C-2
R=60.00'
Δ=107°53'48"
L=112.89'
Ch=N 36°51'43" W
97.02'



LEGEND


- 3/4" REBAR SET
- 1" IRON PIPE SET
- Δ 1-1/4" REBAR SET
- X CHISELED "X" SET
- 3/4" REBAR FOUND
- 1" IRON PIPE FOUND
- ▲ 1-1/4" REBAR FOUND
- ⊠ 2" IRON PIPE FOUND
- ⊙ CHISELED "X" FOUND
- ⊕ GOVERNMENT CORNER

SURVEYOR'S CERTIFICATE

I, herby certify that I have surveyed this property and this map is a true representation thereof and shows the size and location of the property it's exterior boundaries, the location of all apparent easements and roadways and visible encroachments. This survey is made for the exclusive use of the present owner of the property, and also those who purchase, mortgage or guarantee the title thereto within one (1) year from date hereof, and as to them I herby certify that said survey and map were made in accordance with acceptable Professional Standards and that the information contained thereon is, to the best of my knowledge, information and belief a true and accurate representation thereof.

Date

Wisconsin Registered Land Surveyor



1" FENCE
() RECORDED AS



Martenson & Eiele, Inc.


CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)-731-0381

PROJECT NO. 318-125

FIELD BOOK. _____ PAGE _____
DISK. unix _____ FILE pos318125

This instrument was drafted by: M.A.S.

FOUNDATION STAKING SURVEY





Scale 1" = 30'

LOT 41
MAHLER FARM
CITY OF NEENAH
WINNEBAGO COUNTY, WISCONSIN

FOR: ANDREW HOMES

Bearings are oriented to match
MAHLER FARM plat bearings.



LEGEND

- 3/4" x 24" Steel rebar set
- 1" x 24" Iron pipe set
- 3/4" Rebar found
- 1" Iron pipe found
- ▲ 1-1/4" Rebar found

SURVEYOR'S CERTIFICATE

I hereby certify that I have surveyed the property as shown and described and that I have established or verified the proposed location as shown and that the structure as positioned is in conformance with applicable City Ordinances and Plat Restrictions and that the plat above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief.

Date Sept 13, 1996 Gary A. Zahring
Registered Wisconsin Land Surveyor



Martenson & Eisele, Inc.

CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)-731-0381


PROJECT NO. 318-148

FIELD BOOK _____ PAGE _____

DISK unix FILE Is318148.S70

This instrument was drafted by: DMW



FOUNDATION STAKING SURVEY



LOT 5
MAHLER FARM
CITY OF NEENAH
WINNEBAGO COUNTY, WISCONSIN

FOR: ANDREW HOMES

BOSWORTH LANE



Bearings are oriented to match
MAHLER FARM plot bearings.

LEGEND

- 3/4" x 24" Steel rebar set
- 1" x 24" Iron pipe set
- 3/4" Rebar found
- 1" Iron pipe found
- △ 1-1/4" Rebar found

SURVEYOR'S CERTIFICATE

I hereby certify that I have surveyed the property as shown and described and that I have established or verified the proposed location as shown and that the structure as positioned is in conformance with applicable City Ordinances and Plat Restrictions and that the plat above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief.

Sept 13, 1996 Gary A. Zahring
Date Registered Wisconsin Land Surveyor



Martenson & Eisele, Inc.
CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)-731-0381


PROJECT NO. 318-147

FIELD BOOK _____ PAGE _____
DISK un/x FILE CS318147.S70

This instrument was drafted by: DMW

FOUNDATION SURVEY



LOT 51
MAHLER FARM
CITY OF NEENAH
WINNEBAGO COUNTY, WISCONSIN



Scale 1" = 30'

SURVEY FOR: HOFFMAN CORP.

Bearings are oriented to match
MAHLER FARM plat bearings.



GRADING NOTE:
Final lot line grading shall be graded to within 0.10 feet
of the grades shown on the drainage plan.

LEGEND

(762.14) PROPOSED LOT LINE GRADE

□ 1" X 24" IRON PIPE SET

(763.9) PROPOSED GARAGE FLOOR ELEVATION

■ 1" IRON PIPE FOUND

▲ 1-1/4" REBAR FOUND

SURVEYOR'S CERTIFICATE

I hereby certify that I have surveyed the property as shown and described and that I have established or verified the proposed location as shown and that the structure as positioned is in conformance with applicable Ordinances and Plat Restrictions and that the plat above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief.

July 19, 1996 *Gary A. Zahringer*
DATE REGISTERED WISCONSIN LAND SURVEYOR




Martenson & Eisele, Inc.
CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)-731-0381

PROJECT NO. 318-144A

FIELD BOOK PAGE

DISK FILE # 318/144

This instrument was drafted by: dmw




LOT 51
MAHLER FARM
CITY OF NEENAH
WINNEBAGO COUNTY, WISCONSIN

SURVEY FOR: HOFFMAN CORP.

Scale 1" = 30'

Bearings are oriented to match
MAHLER FARM plot bearings.



GRADE NOTE:
Final lot line grading shall be graded to within 0.10 feet
of the grades shown on the drainage plan.

LEGEND

- (78.14) PROPOSED LOT LINE GRADE
- 1" X 34" RCH PIPE SET
- 78.39 PROPOSED GARAGE FLOOR ELEVATION
- 1" RCH PIPE FOUND
- ▲ 1-1/4" REBAR FOUND

SURVEYOR'S CERTIFICATE:

I hereby certify that I have surveyed the property as shown and described and that I have established or verified the proposed location as shown and that the structure as positioned is in conformance with applicable Ordinances and Map Restrictions and that the plot above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief.

June 3, 1996 Gary A. Zahninger
DATE REGISTERED WISCONSIN LAND SURVEYOR



Martenson & Eisele, Inc.
CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (914)-731-0301

PROJECT NO. 318-144



FIELD BOOK PAGE
DISK FILE

This instrument was drafted by: drw

FOUNDATION STAKING SURVEY

LOT 62
MAHLER FARM
CITY OF NEENAH
WINNEBAGO COUNTY, WISCONSIN

SURVEY FOR: HOFFMAN DEVELOPMENT CORPORATION



WHITTIER DRIVE

GRADING NOTE:

Final lot line grading shall be graded to within 0.10 feet of the grade shown on the drainage plan.

Bearings are oriented to match
MAHLER FARM plat bearings.

LEGEND

- 3/4" x 24" Steel rebar set
- 1" x 24" iron pipe set
- 3/4" Rebar found
- 1" iron pipe found
- ▲ 1-1/4" Rebar found
- (765.31) Proposed lot line grade
- [766.6] Proposed garage floor elevation

SURVEYOR'S CERTIFICATE:

I, hereby certify that I have surveyed the property as shown and described and that I have established or verified the proposed location as shown and that the structure as positioned is in conformance with applicable Ordinances and Plat Restrictions and that the plot above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief.

DATE May 17, 1996 Gary A. Zahring
REGISTERED WISCONSIN LAND SURVEYOR




Martenson & Eisele, Inc.
CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)-731-0381

PROJECT NO. 318--142

FIELD BOOK _____ PAGE _____
DISK _____ FILE H318142

This instrument was drafted by: DMW/krm

FOR: KEVIN BEYER



C-1
RADIUS = 180.00'
DELTA = 24°50'02"
ARC = 78.02'
CHORD = N41°04'55"E 77.41'



Final lot line grading shall be graded to within 0.10 feet of the grades shown on the drainage plan.

LEGEND

- (752.14) Proposed lot line grade
765.0 Proposed garage floor elevation

I hereby certify that I have surveyed the property as shown and described and that I have published or verified the proposed location as shown and that the structure as positioned is in conformance with applicable City Ordinances and Plot Restrictions and that the plot above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief.


Gary A. Zahring
REGISTERED WISCONSIN LAND SURVEYOR




CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)-731-0381

This instr. nt was drafted by: poe

FOUNDATION STAKING SURVEY



LOT 44
MAHLER FARM
 CITY OF NEENAH
 WINNEBAGO COUNTY, WISCONSIN
 FOR: KENMARK HOMES



GRADING NOTE:
 Final lot line grading shall be graded to within 0.10 feet of the grades shown on the drainage plan.

Bearings are oriented to match
 MAHLER FARM plat bearings.

LEGEND

- 3/4" x 24" Steel rebar set
- 1" x 24" Iron pipe set
- 3/4" Rebar found
- 1" Iron pipe found
- ▲ 1-1/4" Rebar found

SURVEYOR'S CERTIFICATE:

I hereby certify that I have surveyed the property as shown and described and that I have established or verified the proposed location as shown and that the structure as positioned is in conformance with applicable Ordinances and Plat Restrictions and that the plat above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief.

April 1, 1996 Gary A. Zahminger
 DATE REGISTERED WISCONSIN LAND SURVEYOR



Martenson & Eisele, Inc.
 CONSULTING ENGINEERING & LAND SURVEYING
 1919 AMERICAN COURT
 NEENAH, WI 54958
 PHONE (414)-731-0381

PROJECT NO. 318-141
 FIELD BOOK _____ PAGE _____
 DISK _____ FILE h318141

This instrument was drafted by: kmr

FOUNDATION STAKING SURVEY


LOT 47

MAHLER FARM



CITY OF NEENAH

WINNEBAGO COUNTY, WISCONSIN

FOR: ANDREW HONES



Scale 1" = 40'



GRADING NOTE:

Final lot line grading shall be graded to within 0.10 feet of the grades shown on the drainage plan.

Bearings are oriented to Highch
MAHLER FARM plat bearings

LEGEND

- 3/4" x 24" Steel rebar set
- U 1" x 24" Iron pipe set
- 2" Rebar found
- 1" Iron pipe found
- ▲ 1-1/4" Rebar found

(782.14) Proposed lot line grade

765.0 Proposed garage floor elevation

SURVEYOR'S CERTIFICATE

I hereby certify that I have surveyed the property as shown and described and that I have established or verified the proposed location as shown and that the structure as positioned is in conformance with applicable City Ordinances and Plat Restrictions and that the plat above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief.

March 7, 1994 Gary A. Zahring
DATE REGISTERED WISCONSIN LAND SURVEYOR



Martenson & Eisele, Inc.

CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)-731-0381

PROJECT NO. 318-140



FIELD BOOK PAGE
DISK FILE

This instrument was drafted by: pae


FOUNDATION STAKING SURVEY

LOT 40
MAHLER FARM
CITY OF NEENAH
WINNEBAGO COUNTY, WISCONSIN

For: Andrew Homes, Inc.



KRAFT STREET



Bearings are oriented to match MAHLER FARM plat bearings

LEGEND

- 3/4" x 24" Steel rebar set
- 1" x 24" Iron pipe set
- 3/4" Rebar found
- 1" Iron pipe found
- ▲ 1-1/4" Rebar found

SURVEYOR'S CERTIFICATE

I hereby certify that I have surveyed the property as shown and described and that I have established or verified the proposed location as shown and that the structure as positioned is in conformance with applicable City Ordinances and Plat Restrictions and that the plat above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief.

Date Nov. 4, 1997 Gary A. Zahminger
Wisconsin Registered Land Surveyor





Martenson & Eisale, Inc.
CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (920)-731-0381

PROJECT NO. 318-155
FIELD BOOK _____ PAGE _____
DISK _____ FILE h318155S70
This instrument was drafted by: M.A.S.

FOUNDATION STAKING SURVEY

LOT 62
MAHLER FARM
CITY OF NEENAH
WINNEBAGO COUNTY, WISCONSIN

For: Quality Builders
c/o Todd Platt
14 Trl Park Way
Bldg 2
Appleton, WI 54914



WHITTIER DRIVE

GRADING NOTE

GRADING NOTE
Final lot line grading shall be graded to
within 0.10 feet of the grades shown on
the drainage plan.

Bearings are oriented to match
MAHLER FARM flat bearings.

LEGEND

- 3/4" x 24" Steel rebar set
- 1" x 24" r/w pipe set
- 3/4" Rebar found
- 1" r/w pipe found
- ▲ 1-1/4" Rebar found


767.0 Proposed garage floor elevation
766.50 Proposed lot line elevation

SURVEYOR'S CERTIFICATE

I hereby certify that I have surveyed the property as shown and described and that I have established or verified the proposed location as shown and that the structure as positioned is in conformance with applicable City Ordinances and Plat Restrictions and that the plat above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief.

10/17/91
Date

Daniel W. Hoel
Wisconsin Registered Land Surveyor



Martenson & Eisele, Inc.

CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)-731-0381


PROJECT NO. 318-157

FIELD BOOK _____ PAGE _____
DISK _____ FILE #318157.S70

This instrument was drilled by: M.A.S


FOUNDATION STAKING SURVEY

LOT 25
MAHLER FARM
CITY OF NEENAH
WINNEBAGO COUNTY, WISCONSIN



Scale 1" = 30'

For: Quality Builders
c/o Todd Platt
14 1st Park Way
Bldg 2
Appleton, WI 54914




CURVE TABLE

Curve	Radius	Delta	Length	Chord	Chord Bearing
1	170.00'	010°05'21"	41.31'	41.21'	S 10°28'09.6" W
2	230.00'	010°08'42"	60.80'	60.62'	S 09°40'29.0" W

GRADING NOTE:
Final lot line grading shall be graded to within 0.10 feet of the grades shown on the drainage plan.

Bearings are oriented to match -
MAHLER FARM plat bearings.



LEGEND

- 3/4" x 24" Steel rebar set
- 1" x 24" rcn pipe set
- 3/4" Rebar found
- 1" rcn pipe found
- ▲ 1-1/4" Rebar found

287.0 Proposed garage floor elevation
716.50 Proposed lot line elevation

SURVEYOR'S CERTIFICATE

I hereby certify that I have surveyed the property as shown and described and that I have established or verified the proposed location as shown and that the structure as positioned is in conformance with applicable City Ordinances and Plat Restrictions and that the plot above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief.

10/17/97
Date

Daniel W. Hoel
Wisconsin Registered Land Surveyor



Martenson & Eisele, Inc.
CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)-731-0381

PROJECT NO. 318-156



FIELD BOOK PAGE
DISK FILE 318156.S70

This instrument was drafted by: M.A.S.

FOUNDATION STAKING SURVEY

LOT 93
MAHLER FARM
CITY OF NEENAH
WINNEBAGO COUNTY, WISCONSIN

FOR JIM LEPLA



GRADING NOTE:
Final lot line grade shall be graded to within 6" of the grades shown on the drainage plan.

Bearings are oriented to match MAHLER FARM plat bearings.

LEGEND

- 3/4" x 24" Steel rebar set
- 1" x 24" Iron pipe set
- 3/4" REBAR FOUND
- 1" IRON PIPE FOUND
- ▲ 1-1/4" REBAR FOUND

76.0 Proposed garage floor elevation
76.50 Proposed lot line elevation

SURVEYOR'S CERTIFICATE

I hereby certify that I have surveyed the property as shown and described and that I have established or verified the proposed location as shown and that the structure as positioned is in conformance with applicable City Ordinances and Plat Restrictions and that the plat above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief.


Nov 5, 1997 *Mary A. Zahring*
Date Wisconsin Registered Land Surveyor



Martenson & Eisele, Inc.
CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)-731-0381



PROJECT NO. 318 - 154
FIELD BOOK PAGE
D'SK FILE
This instrument was drafted by: H.A.B.

FOUNDATION STAKING SURVEY



LOT 77
MAHLER FARM
CITY OF NEENAH
WINNEBAGO COUNTY, WISCONSIN

FOR: JIM LEPLA
5045 MELMAR CT.
APPLETON, WI 54915



GRADING NOTE:

Final lot line grading shall be graded to within 0.10 feet of the grades shown on the drainage plan.

Bearings are oriented to match
MAHLER FARM plat bearings.

LEGEND

- 3/4" x 1/4" Steel rebar set
- 1/2" x 3/4" Iron pipe set
- 3/4" REBAR FOUND
- 1" RCP, PIPE FOUND
- ▲ 1-1/4" REBAR FOUND

SURVEYOR'S CERTIFICATE:

I hereby certify that I have surveyed this property as shown and described and that I have established or verified the proposed location as shown and that the structure as positioned is in conformance with applicable Ordinances and Plat Restrictions and that the plat above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief.

Nov. 13, 1997
Date

Gary A. Zahring
Wisconsin Registered Land Surveyor




Martenson & Eisele, Inc.
CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)-731-0381

PROJECT NO. 318-158
FIELD BOOK _____ PAGE _____
DISK _____ FILE 6318158.S70


This instrument was drafted by: kmf

FOUNDATION STAKING SURVEY

LOT 66
MAHLER FARM
CITY OF NEENAH
WINNEBAGO COUNTY, WISCONSIN




SCALE 1" = 30'



BEARINGS ARE REFERENCED TO MATCH
MAHLER FARM PLAT BEARINGS

SURVEY FOR: JIM LEPPA



LEGEND

- 3/4" REBAR SET
- 1" IRON PIPE SET
- △ 1-1/4" REBAR SET
- X CHISELED "X" SET
- 3/4" REBAR FOUND
- 1" IRON PIPE FOUND
- ▲ 1-1/4" REBAR FOUND
- ⊠ 2" IRON PIPE FOUND
- ⊙ CHISELED "X" FOUND

SURVEYOR'S CERTIFICATE

I hereby certify that I have surveyed the property as shown and described and that I have established and verified the proposed location as above and that the structure as positioned is in accordance with applicable City Ordinances and Plat Restrictions and that the plat above drawn is an accurate and correct representation thereof, to the best of my knowledge and belief.

Oct 22, 1996 Dawn M. Welch
Dated Wisconsin Registered Land Surveyor



Martenson & Eisele, Inc.

CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)-731-0381

PROJECT NO. 318-150

FIELD BOOK _____

PAGE _____

DISK unix _____

FILE 318150.S70

This instrument was drafted by: DMW