

CITY OF OSHKOSH SURVEY MAP NO. 1396

BEING A PART OF LOTS 134-14 AND 15 IN BLOCK 3 OF SMITH GROVE LAND COMPANY'S PLAT, IN THE CITY OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN.

(—) — DEACTED 1 INCH DIAMETER IRON PIPE FOUND.


(○) — DENOTES 1 INCH DIAMETER IRON PIPE 24" LONG, WEIGHING NO LESS THAN TWENTY POUNDS PER LINEAL FOOT SET.

(-) — DENOTES RECORD DIMENSIONS WHERE DIFFERENT FROM FIELD MEASUREMENTS.

ALL DIMENSIONS SHOWN ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE EAST LINE OF MONTANA STREET, WHICH HAS AN ASSUMED BEARING OF DUE NORTH.

HERMAN STRYJEWSKI



national survey & engineering

417 NORTH SAUER STREET
P.O. BOX 2963
OSHKOSH, WISCONSIN 54902
608-256-8280



1610-6

SHEET 2 OF 3

CERTIFIED SURVEY MAP NO. 1396

BEING A PART OF LOTS 13, 14 AND 15 IN BLOCK 3 OF SMITH GROVE LAND COMPANY'S PLAT, IN THE 14TH WARD, CITY OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN
ISSUE
WINNEBAGO COUNTY

I, REINHARD ROEHLIG, Wisconsin land surveyor do hereby certify:

THAT I have surveyed and mapped a division of lots 13, 14 and 15 in Block 3 of Smith Grove Land Company's Plat in the 14th Ward, City of Oshkosh, Winnebago County, Wisconsin, which is bounded and described as follows:

Commencing at the S.W. corner of Block 3, thence Due North along the East line of Montana Street 150.19 ft. to a point, thence South 89-19-43 East 162.54 ft. to the N.E. corner of Lot 13, thence Due South 150.20 ft. to the North line of 20th Avenue, thence North 89-19-43 West along said North line 162.54 ft. to the point of beginning.

THAT I have made this survey, land division and map by the direction of RICHARD J. HOHENWALTER and MARY J. HOHENWALTER, his wife, City of Oshkosh, Winnebago County, Wisconsin, owners of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of The City of Oshkosh.

4-15-85

Date

Reinhard Roehlig(SEAL)
Reinhard Roehlig, Registered
Land Surveyor S-1368



CERTIFIED SURVEY MAP NO. 1396

BEING A PART OF LOTS 13, 14 AND 15 IN BLOCK 3 OF SMITH GROVE LAND COMPANY'S PLAT, IN THE 14TH WARD, CITY OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE

AS OWNERS we hereby certify that we caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hands and seals of said owners this 17th day of April, 1985.

In The Presence Of:

RICHARD J. HOHENWARTER

MARY J. HOHENWARTER

STATE OF WISCONSIN
ISS
WINNEBAGO COUNTY)

PERSONALLY came before me this 17th day of April, 1985 the above named Richard J. Hohenwarter and Mary J. Hohenwarter, his wife, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Notary Public, Winnebago County, State of Wisconsin

My Commission Expires Apr. 10, 1988

CITY OF OSHKOSH PLANNING COMMISSION CERTIFICATE

THIS Certified Survey Map of a part of Lots 13, 14 and 15 in Block 3 of Smith Grove Land Company's Plat, City of Oshkosh, Richard J. Hohenwarter and Mary J. Hohenwarter, his wife, owners, is hereby approved.

5/28/85
Date

Linton W. Pennington
Chairman Planning Commission

THIS INSTRUMENT WAS DRAFTED BY REINHARD ROEHLI



PLAT OF SURVEY

SITUATED ON WEST 19TH AVENUE. BEING LOT 31 IN SMITH GROVE LAND COMPANY'S REPLAT, IN THE 14TH WARD, CITY OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN.

JUNE 1, 1989


SURVEY FOR RAYMOND ABRAHAM

SURVEY NO. 89-1477

+ —— DENOTES CROSS OR NOTCH CHISELED IN CONCRETE.

O —— DENOTES 1 INCH DIAMETER IRON PIPE, 24 INCHES LONG,
WEIGHING NOT LESS THAN 1.13 LBS PER LINEAL FOOT,
SET.

() —— DENOTES RECORDED DIMENSIONS WHERE DIFFERENT FROM
ACTUAL FIELD MEASUREMENTS.



SURVEYOR'S CERTIFICATE

I, REINHARD H. W. ROEHLIG, Registered Land Surveyor No. S-1368, hereby certify: That I have surveyed the property described hereon and that the above map is a true representation thereof and shows the size and location of the property, its exterior boundaries, the location and dimensions of all visible structures thereon, fences, apparent easements, roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the property, and also those who purchase, mortgage, or guarantee the title thereto within one (1) year from the date hereof; and as to them I certify the accuracy of said survey and map.


SCHULER & ASSOCIATES


CONSULTING ENGINEERS & LAND SURVEYORS
320 W. NORTHLAND AVE. APPLETON, WIS. 54911 (414) 734-8107
417 NORTH SAWYER STREET OSHKOSH, WIS. 54901 (414) 426-2800

REGISTERED LAND SURVEYOR

6/1/89

DATE





I HEREBY CERTIFY THAT I HAVE SURVEYED THE ABOVE DESCRIBED PROPERTY AND THE ABOVE MAP IS A TRUE REPRESENTATION THEREOF AND SHOWS THE SIZE AND LOCATION OF THE PROPERTY, ITS EXTERIOR BOUNDARIES, THE LOCATION AND DIMENSIONS OF ALL VISIBLE STRUCTURES THEREON, FENCES, APPARENT BASEMENTS AND ROADWAYS AND VISIBLE ENCROACHMENTS, IF ANY.

THIS SURVEY IS MADE FOR THE EXCLUSIVE USE OF THE PRESENT OWNERS OF THE PROPERTY, AND ALSO THOSE WHO PURCHASE, MORTGAGE OR GUARANTEE THE TITLE THERETO WITHIN ONE (1) YEAR FROM THE DATE HEREON, AND AS TO THEM I HEREBY CERTIFY THAT SAID SURVEY AND THE ABOVE MAP WERE MADE IN ACCORDANCE WITH ACCEPTABLE PROFESSIONAL STANDARDS AND THAT THE INFORMATION CONTAINED HEREON IS, TO THE BEST OF MY KNOWLEDGE, INFORMATION AND RELIET, A TRUE AND ACCURATE REPRESENTATION THEREOF.

Robert F. Reider

5-18-88

DESCRIPTION: LOT'S 15 & 16, SMITH GROVE
LAND CO. REPLAT, CITY OF OSHKOSH,
WINNEBAGO COUNTY, WISCONSIN.

NOTE: THIS SURVEY IS BASED ON A
SURVEY DONE BY R.F. WOLVERTON
DATED SEPTEMBER 3, 1946.

LEGEND:

- - 1" IRON PIPE FOUND
- - 1 1/2" IRON PIPE FOUND
- - 3/4" X 24" SIGHT BOUND
- - IRON REBAR SET

| | | | |
|------------------------------|--|---|--|
| REVISIONS | JERRY KLEIN & MYRON PONZER C/O ERA REALTY CO. 219 COURT STREET, OSHKOSH, WIS. ATTN: CINDY | | |
| | CAROW LAND SURVEYING CO., INC., P.O. BOX 1297 1837 W. WISCONSIN AVE. • OSHKOSH, WI 54912 | | |
| DRAWN BY EC RT EC APPO | SCALE 1"-20' X | DRAWING NO. A885-97 DATE 5-18-88 | |

PLAT OF SURVEY

KNOWN AS 1824 MICHIGAN STREET, BEING LOT 7,3 IN SMITH GROVE LAND COMPANY'S PLAT, IN THE 14TH WARD, CITY OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN.

MAY 21, 1996


SURVEY FOR DALE ENGELMAN

NO. 2888

O DENOTES 3/4" DIAMETER IRON ROD,
24" LONG, SET UNLESS OTHERWISE DESCRIBED.

() DENOTES RECORDED DIMENSION WHERE DIFFERENT FROM ACTUAL MEASUREMENT.

18TH AVENUE



SCALE: 1" = 30'

30

50

LOT 74


S89°22'40"E

137.44' (137.5)

FOUND J/4" ROD /
0.2 FT. WEST
AND 0.2 FT. SOUTH
OF TRUE CORNER

LOT 63

MICHIGAN STREET 60 FT.



SURVEYOR'S CERTIFICATE

I, Reinhard Roehlig, Wisconsin Registered Land Surveyor, certify that I have surveyed that above described property and that the above map is a correct representation thereof and shows the size and location of the property, its exterior boundaries, the locations and dimensions of all visible structures thereon, boundary fences, apparent easements and roadways and visible encroachments, if any.


This survey is made for the exclusive use of the present owners of the property and also those who purchase, mortgage or guarantee title thereto, within one (1) year from the date hereof.

5-27-96

Reinhard Roehlig, Registered
Wisconsin Land Surveyor S 1368

Reinhard Roehlig, Registered
Wisconsin Land Surveyor S 1368

NO. 2888



MAY 21, 1996

ROEHLIG
LAND SURVEYING
&
CONSULTING LTD.

417 North Sawyer Street * Oshkosh WI * 54901
(414) 233-2884

PLAT OF SURVEY

KNOWN AS 1824 MICHIGAN STREET. BEING LOT 73 IN SMITH GROVE LAND COMPANY'S PLAT, IN THE 14TH WARD, CITY OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN.

MAY 21, 1996

SURVEY FOR DALE ENGELMAN



NO. 2888

○ DENOTES 3/4" DIAMETER IRON ROD,
24" LONG, SET UNLESS OTHERWISE DESCRIBED.


() DENOTES RECORDED DIMENSION WHERE DIFFERENT FROM
ACTUAL MEASUREMENT.

18TH AVENUE

MICHIGAN STREET 60 FT.



SCALE: 1" = 30'



LOT 74

S89°22'40"E


137.44' (137.5)

FOUND 3/4" ROD
0.2 FT. WEST
AND 0.2 FT. SOUTH
OF TRUE CORNER

29.5 11.0 10.6

29.5

60.11' (60.0)



29.5

137.42' (137.5)

N89°22'40"W

LOT 72

60.11' (60.0)

50.00' (50.0)
M. 60.10' (60.0)

FOUND 1" SQUARE
BOLT

LOT 63

SURVEYOR'S CERTIFICATE

I, Reinhard Roehlig, Wisconsin Registered Land Surveyor, certify that I have surveyed that above described property and that the above map is a correct representation thereof, and shows the size and location of the property, its exterior boundaries, the locations and dimensions of all visible structures thereon, boundary fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the property and also those who purchase, mortgage or guarantee title thereto, within one (1) year from the date hereof.

5-21-96

Reinhard Roehlig

Date

Reinhard Roehlig, Registered
Wisconsin Land Surveyor S-1368

MAY 21, 1996


ROEHLIG

LAND SURVEYING
&
CONSULTING LTD.

417 North Sawyer Street • Oshkosh WI • 54901

(414) 233-2884

NO. 2888



PLAT OF SURVEY



ALL OF LOT #1, SMITH GROVE LAND COMPANY PROPERTY,
CITY OF CANTON, STUERTEVARD COUNTY, IOWA.



卷之三

1000 ft. 1000 ft.
1000 ft. 1000 ft.
1000 ft. 1000 ft.

25 DIVIDES AND BRANCHES TO
THE HISTORIC PARK ON EAST ST.
STREET ADDRESSES TO THE 25
+ COUNTS OF IT.



三

NINETY-NINTH STREET

新編增補古今圖書集成

卷之三

Decr 3 1890 James H. Knobell


Martensen & Rindfuss, Inc.
CONTRACT ENGINEERS & CONSULTANTS
1111 AMERICA'S CENTER
DETROIT MI 48226
PHONE (313) 477-2161

1947-1950

1920 1921 1922 1923
1924 1925 1926 1927

PLAT OF SURVEY

ALL OF LOT 47, SMITH GROVE LAND COMPANY'S REPLAT
CITY OF OSHKOSH, WISCONSIN COUNTY, WISCONSIN



LEGEND

- 3/4" REBAR SET
- 1" IRON PIPE SET
- ▲ STONE MONUMENT FOUND
- CHISELED "X" SET
- 3/4" REBAR FOUND
- △ 1" IRON PIPE FOUND
- ◆ 1-1/4" REBAR FOUND
- 2" IRON PIPE FOUND
- CHISELED "X" FOUND
- ◎ GOVERNMENT CORNER


() FENCE
RECORDED AS

NINETEENTH STREET

SURVEYOR'S CERTIFICATE:

I, hereby certify that I have surveyed this property and this map is a true representation thereof and shows the size and location of the property it's exterior boundaries, the location of all apparent easements and roadways and visible encroachments. This survey is made for the exclusive use of the present owner of the property, and also those who purchase, mortgage or guarantee the title thereto within one (1) year from date hereof; and as to them I hereby certify that said survey and map were made in accordance with acceptable Professional Standards and that the information contained thereon is, to the best of my knowledge, information and belief a true and accurate representation thereof.

Aug 3 1993 Jerome H. Kaiser
Date Wisconsin Registered Land Surveyor



Martenson & Eisele, Inc.
CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54955
PHONE (920)-731-0381

PROJECT NO. 221-309


FIELD BOOK _____ PAGE _____
DISK unix FILE pos221309

This instrument was drafted by: poe

PLAT OF SURVEY

VALLEY 3

A HISTORY OF THE TOWNSHIP OF VERNON CENTRAL, RAILROAD AND OTHER DEVELOPMENT OF VERNON PLAINS, BORNEO ADDED TO LORRY & CO'S BORN



SURVIVOR COMMUNIQUE


I, William D. Fivay, Registered Land Surveyor No. 3, 1986,
hereby certify that I have surveyed the property and that
the above map is a true representation thereof and shows
the size and location of the property and boundaries
described.

William D. North Registered Land Surveyor

SURVEY DATA PAGE

BUDGET PREPARED FOR THE CITY OF DALLAS

FOR REVIEW OR INFORMATION USE ONLY. DO NOT REPRODUCE.



148910

- 1 PLATES OR WOODEN IMPARIS
 - 1 AMMUNITION BOXES OF PASTOR SIGHTS
 - 100 POUNDS
 - 60" HIGH POINT USA, POUND
 - 60" X 60" HIGH POINT USA, POUNDS
100 LBS. 01 SET
 - 1 PISTOL, METAL HAMMER
 - 1 CANNON GUN 12 POUNDS IN 100 POUNDS

FBM CONSULTING SERVICES, LLC


P. O. Box 872, Oshkosh, Wisconsin 54903

TELEPHONE 123-0178

PLAT OF SURVEY

PAGE 1 OF 3

A SURVEY OF THE FORMER WISCONSIN CENTRAL RAILROAD RIGHT OF WAY AND PART OF VACATED ALASKA STREET ABUTTING LOTS 7, 8, 9, & 15, BLOCK THIRTEEN (13), POWERS AND SMITH ADDITION AND LOT 2, EXCEPT THE NORTH 50 FEET, BLOCK 6 AND LOTS 13, 14 & 15, BLOCK 5, SMITH GROVE LAND CO'S. PLAT, FOURTEENTH WARD, CITY OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN



SURVEYOR'S CERTIFICATE

I, William D. Frueh, Registered Land Surveyor No. S-1926, hereby certify that I have surveyed the properties, and that the above map is a true representation thereof and shows the size and location of the properties and their exterior boundaries.

William D. Frueh, Registered Land Surveyor

SURVEY DATED: 3/23/1989

LEGEND

- P - PLATED OR RECORDED INFORMATION
- S - MEASUREMENTS RECORDED ON PREVIOUS SURVEYS
- - IRON PIPE, FOUND
- - 5/8" IRON REINF. BAR, FOUND
- △ - 3/4" X 24" IRON REINF. BAR, WEIGSPING 1.202 LBS/FT, SET
- ▲ - SIGNAL SET IN ASPHALT
- ◎ - CROSS CUT IN P.C. CONCRETE SIDEWALK

SURVEY PREPARED FOR THE CITY OF OSHKOSH

POB - POINT OF BEGINNING OF PARCEL DESCRIPTION

FRUEH CONSULTING SERVICES, LLC

P. O. Box 282, Oshkosh, Wisconsin 54902

TELEPHONE (920) 233-0274

DESCRIPTIONS

Parcels of land located on former Wisconsin Central Railroad Right of Way and part of Vacated Alaska Street abutting Lots 7, 8, 9 & 15, Block Thirteen, Powers and Smith Addition; and Lot 2, except the North 50 Feet, Block Six (6); and lots 13, 14 & 15, Block Five (5) Smith Grove Land Company's Plat; all in the Fourteenth Ward, City of Oshkosh, Winnebago County, Wisconsin; more particularly described as follows:

PARCEL 6 (To Ristow)

Commencing at the Northeast Corner of Lot 2, Block 6, Smith Grove Land Company's Plat; thence S 0°38'55" E, 50.10'; thence N 89°49'05" W, 106.30' to the easterly right of way of the former Wisconsin Central Railroad, said point being the POINT OF BEGINNING; thence S 25°03'19" E, along said easterly right of way a distance of 236.02'; thence N 62°52'46" W, a distance of 63.81', to the centerline of said former railroad right of way; thence N 25°03'19" W along the centerline of said former railroad right of way, a distance of 209.07'; thence S 89°49'05" E, a distance of 36.48' to the POINT OF BEGINNING; said described tract containing 7,344.1 Square Feet, more or less.

PARCEL 7 (To R. Bearwald)

Commencing at the Northeast Corner of Lot 7, Block 13, Powers & Smith Addition, said point being the POINT OF BEGINNING; thence S 89°57'56" E, a distance of 36.48', to the Centerline of the former Wisconsin Central Railroad; thence S 62°52'46" E, a distance of 53.81' to the point of curvature of a non-tangent curve, concave to the southeast, having a radius of 37.50', a central angle of 46°44'30", and a chord of 29.75' bearing S 31°29'48" W; thence southwesterly along said curve, a distance of 30.50'; thence N 89°58'33" W, a distance of 45.46', to the westerly right of way line of said former railroad; thence N 25°03'19" W, a distance of 55.09' to the POINT OF BEGINNING; said described tract containing 2,779.5 Square Feet, more or less.

PARCEL 8 (To M. Bearwald)

Commencing at the Northeast Corner of Lot 8, Block 13, Powers and Smith Addition, said point being the POINT OF BEGINNING; thence S 89°58'33" E, a distance of 45.46' to the point of curvature of a non-tangent curve, concave to the east, having a radius of 37.50' a central angle of 45°04'40", and a chord of 28.75' bearing S 14°26'36" E; thence southerly along said curve, a distance of 29.50'; thence S 53°01'26" W, a distance of 36.87', to the westerly right of way of the former Wisconsin Central Railroad; thence N 25°03'19" W, a distance of 54.92' to the POINT OF BEGINNING; said described tract containing 1566.0 Square Feet, more or less.

PARCEL 9 (TO BE DEDICATED TO THE CITY)

Commencing at the most Southerly Corner of Lot 2, Smith Grove Land Company's Plat, said point being the POINT OF BEGINNING; thence N 25°03'19" W, a distance of 21.20' to the point of curvature of a non-tangent curve, concave to the southeast, having a radius of 37.50' a central angle of 15°04'12", and a chord of 9.83' bearing S 62°20'29" W; thence northeasterly along said curve, a distance of 9.86'; thence S 0°38'55" E, a distance of 23.78' to the POINT OF BEGINNING; said described tract containing 106.3 Square Feet, more or less.

PARCEL 10 (Vacated Alaska Street right-of-way-To L. Richter)

Commencing at the Southwest Corner of Lot 15, Block 5, Smith Grove Land Company's Plat, said point being the POINT OF BEGINNING; thence N 89°57'59" W, a distance of 22.91', to the Centerline of Vacated Alaska Street; thence continuing N 89°57'59" W along said line, a distance of 22.91' to the point of curvature of a non-tangent curve, concave to the northwest, having a radius of 37.50' a central angle of 75°02'46", and a chord of 45.68' bearing N 37°33'37" E; thence northeasterly along said curve, a distance of 49.12'; thence N 0°38'55" W, 2.27'; thence S 25°03'19" E, a distance of 42.51' to the POINT OF BEGINNING; said described tract containing 606.3 Square Feet, more or less.

PARCEL 11 (To L. Richter)

Commencing at the Southwest Corner of Lot 15, Block 5, Smith Grove Land Company's Plat; thence N 89°57'59" W, a distance of 22.91' to the POINT OF BEGINNING, said point being at the centerline of Vacated Alaska Street; thence S 25°03'19" E, a distance of 67.35'; thence N 88°23'13" W, a distance of 50.78'; thence N 0°38'55" W, a distance of 59.60'; thence S 89°57'59" E, a distance of 22.91' to the POINT OF BEGINNING; said described tract containing 2,211.0 Square Feet, more or less.

PARCEL 12 (To Grunwald)

Commencing at the Northeast Corner of Lot 9, Block 13, Powers & Smith Addition, said point being the POINT OF BEGINNING; thence N 53°01'25" E, a distance of 36.67' to the point of curvature of a non-tangent curve, concave to the north, having a radius of 37.50' a central angle of 67°59'06", and a chord of 41.93' bearing S 70°58'01" E; thence southeasterly along said curve, a distance of 44.50'; thence S 0°38'55" E, a distance of 59.60'; thence N 88°23'13" W, a distance of 46.30'; thence N 25°03'19" W, a distance of 55.28' to the POINT OF BEGINNING; said described tract containing 3,651.9 Square Feet, more or less.

PARCEL 13 (To Peterson)

Commencing at the Southeast Corner of Lot 15, Block 13, Powers & Smith Addition, said point being the POINT OF BEGINNING; thence N 25°03'19" W, along the westerly right of way of the former Wisconsin Central Railroad, a distance of 168.68'; thence S 88°23'13" E, a distance of 87.89'; thence S 0°01'22" E, a distance of 150.35' to the North Right of Way line of Twentieth Avenue; thence N 89°57'59" W, a distance of 16.28' to the POINT OF BEGINNING; said described tract containing 7,833.2 Square Feet, more or less.

PARCEL 14 (to D. Richter)

Commencing at the Southwest Corner of Lot 13, Block 5, Smith Grove Land Company's Plat; thence N 89°57'59" W, along the northerly right of way of Twentieth Avenue, a distance of 22.91', to the POINT OF BEGINNING; thence N 89°57'59" W, along said northerly right of way of Twentieth Avenue, a distance of 79.51'; thence N 0°01'22" W, a distance of 150.35'; thence S 18°23'13" E, a distance of 9.39'; thence S 25°03'19" E, along the centerline of located Alaska Street, a distance of 165.73' to the POINT OF BEGINNING; said described tract containing 6,672.1 Square Feet, more or less.