

SURVEY
for
GARRY DECKER

DESCRIPTION: A part of Lot 8, ORCHARD LANE ESTATES, 13th Ward, City of Oshkosh, Winnebago County, Wisconsin containing 74 square feet of land and being described by:



Commencing at the Northwest Corner of said Lot 8 and being the true point of beginning; thence S.89°-50'-44"E. 153.00 feet along the North line of said Lot 8 (recorded as N.89°-56'-32"E. 152.63 feet); thence S.89°-15'-11"W. 61.68 feet; thence N.89°-14'-13"W. 91.34 feet to the true point of beginning.

SURVEYOR'S CERTIFICATE:

I, Thomas M. Kromm, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed the above described property and that the map shown below is a true and accurate representation thereof to the best of my knowledge and belief.

Dated this 19th day of September, 1991.

Thomas M. Kromm
Wisconsin Registered Land Surveyor, S-2062
Thomas M. Kromm



Bearing Reference: West line of Orchard Lane Estates. Assigned N.00°-38'-00"W.

-LEGEND-

- o = 1"X24" Iron Pipe Set
- = 1" Iron Pipe Found
- = 3/4" Rebar Found
- () = Record Data


SCALE: 1" = 60'

September 19, 1991

AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
SHEBOYGAN, WISCONSIN

Thomas M. Kromm
WIS. REGISTERED LAND SURVEYOR S-2062

NOTEBOOK 122 PAGE 29-30




L-2026

PLAT OF SURVEY

DESCRIPTION:

A PARCEL OF LAND BEING PART OF LOT THIRTEEN (13) OF ORCHARD LANE ESTATES, CITY OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHWEST CORNER OF SAID LOT 13; THENCE $N00^{\circ}-54'-13"W$, 97.41 FEET ALONG THE WEST LINE OF SAID LOT 13 TO A POINT ON A CURVE OF A 50.00 FOOT RADIUS CUL-DE-SAC; THENCE ALONG THE ARC OF SAID CUL-DE-SAC ON A CHORD WHICH BEARS $N57^{\circ}-08'-41"E$ AND IS 2.09 FEET IN LENGTH; THENCE $S00^{\circ}-07'-32"W$, 98.53 FEET TO THE POINT OF BEGINNING. SAID PARCEL CONTAINS 86 SQUARE FEET OF LAND MORE OR LESS. SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD.

BLOSSOM COURT



N

NORTH IS REFERENCED TO THE BEARINGS AS SHOWN ON THE RECORDED PLAT OF ORCHARD LANE ESTATES, CITY OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN.



CLIENT:
GARRY DECKER
1113 OREGON STREET
OSHKOSH, WISCONSIN
54901

I HEREBY CERTIFY THAT I HAVE SURVEYED THE ABOVE DESCRIBED PROPERTY AS SHOWN ACCORDING TO THE OFFICIAL RECORDS AND THAT THIS PLAT OF SURVEY IS A CORRECT REPRESENTATION OF SAID SURVEY

Thomas F. Halverson
THOMAS F. HALVERSON RLS-1445 DATED



CAROW LAND SURVEYING CO., INC.

1837 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
PHONE 414-731-4168 FAX 731-5673

SCALE
1"=20'

DRAWN BY
kv ds DEW

PROJECT NO.
A9110.11

SURVEY
for
ROBERTA C. ROGERS
of


LOT 9, ORCHARD LANE ESTATES, 13TH WARD, CITY OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN

SURVEYOR'S CERTIFICATE:

I, Thomas M. Kromm, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed the above described property and that the map shown below is a true and accurate representation thereof to the best of my knowledge and belief.

Dated this 19 day of August, 1991.

Thomas M. Kromm
Wisconsin Registered Land Surveyor, S-2062
Thomas M. Kromm



-LEGEND-


- o = 1"X24" Iron Pipe Set
 - ⊙ = 1"X24" Iron Pipe Set over 3/4" Rod Found
 - = 3/4" Rod Found
 - () = Record Data
- SCALE: = 1" = 60'
August 16, 1991

-CURVE DATA-

Radius = 50.00'
Central Angle = 34°-54'-54"
Chord Bearing = S. 16°-49'-55"W.
Chord Length = 30.00'
Arc Length = 30.47'

AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
SHEBOYGAN, WISCONSIN

Thomas M. Kromm
WIS. REGISTERED LAND SURVEYOR S- 2062
NOTEBOOK 122 PAGE 29-30



L-2005