


36-12-17

SURVEY
FOR
DICK FERNAU & JAMES V. PRUSS
OF

The West Half (W $\frac{1}{2}$) of the Southeast Quarter (SE $\frac{1}{4}$) of Section thirty-five (35), Township Seventeen (17) North, Range Fourteen (14) East, Town of Nepeskan, Winnebago County, Wisconsin lying Northerly of Henderson Creek in all containing 63.4 acres, more or less.

STC/nmp
10/23/87




I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed the above described property and that the map shown above is a true and accurate representation thereof to the best of my knowledge and belief.

Dated this 23rd day of October, 1987

AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
SHEBOYGAN, WISCONSIN

Steven T. Chronis
WIS. REGISTERED LAND SURVEYOR S-0913
NOTEBOOK 81 PAGES 5-7



L-1565

DEC 20 1977

17 14

CERTIFICATE OF SURVEY


I, Franklin B. Favour, Registered Land Surveyor of the State of Wisconsin, hereby certify that I have at the order of Edward Radke as owner thereof, surveyed lands in the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 35, T. 17 N. R. 14 E., Town of Norensken, Winnebago County, Wisconsin, more particularly described as follows:

Commencing at a point on the North line of the SW $\frac{1}{4}$ of Sec. 35-17-14 lying 1039.30 feet North 89°57' East of the West Quarter Corner of said section, thence North 89°57' East along said quarter line 247.00 feet, thence South 1323.00 feet, thence South 89°57' West 247.00 feet, thence North 1323.00 feet to place of beginning, containing 7.502 acres more or less.


I further certify that such survey and the representation thereof hereon are true and correct to the best of my knowledge and belief.

Ripon, Wisconsin, May 24, 1977

Franklin B. Favour
Franklin B. Favour, RLS 3-0778




West $\frac{1}{4}$ Cor. of
Sec. 35-17-14



Notes:

- Points shown • are monumented with 3/4" (10) x 24" iron pipe.
- Point shown x is monumented with 1" (10) x 15" iron pipe with railroad spike in top, set 15.00' S 89°57' W. of parcel corner.
- Bearings are referenced to the East line of the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Sec. 35-17-14, assumed "North".



CERTIFICATE OF SURVEY

I, Franklin B. Farvour, Registered Land Surveyor of the State of Wisconsin, hereby certify that I have at the order of James Fruss as owner thereof, surveyed lands in the SE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 35, Township 17 North, Range 14 East, Town of Nepeskun, Winnebago County, Wisconsin, more particularly described as follows: Commencing at a point lying 215.00 feet North and 503.25 feet South 89°55' West of the Southeast corner of Section 35-17-14,

thence South 89°55' West 812.31 feet, thence North 00°50' West 1116.05 feet, thence East 271.08 feet, thence South 52°10'37" East 397.72 feet, thence South 16°53' East 155.70 feet, thence South 53°48'35" East 290.55 feet, thence South 00°02'24" West 228.15 feet, thence South 41°08' East 96.93 feet, thence South 89°55' West 100.00 feet, thence South 249.00 feet to point of beginning, containing 17.955 acres more or less.

I further certify that such survey and the representation thereof hereon are true and correct to the best of my knowledge and belief.

Ripon, Wisconsin, May 15, 1980


Franklin B. Farvour
Franklin B. Farvour, RLS S-0008

Notes:

Points shown • are monumented with 2" (1D) x 30" iron pipe set in course of survey of 2/17/77.

Points shown o are monumented with 1" (1D) x 2" iron pipe set in course of current survey.

Bearings are referenced to the East line of the SE $\frac{1}{4}$ of Sec. 35-17-14 having an assumed bearing of "North".



DEC 20 1977

17-14

CERTIFICATE OF SURVEY

I, Franklin B. Farvour, Registered Land Surveyor of the State of Wisconsin, hereby certify that I have at the order of James Pruss as owner thereof, surveyed lands in the SE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 35, T. 17 N., R. 14 E., Town of Neponsuk, Winnebago County, Wisconsin, more particularly described as follows:

- Parcel #1: Commencing at the Southeast corner of Sec. 35-17-14, thence South 89°55' West 503.25 feet, thence North 215.00 feet, thence North 89°55' East 503.25 feet, thence South 215.00 feet to place of beginning, containing 2.484 acres more or less.
- Parcel #2: Commencing at a point on the East line of the SE $\frac{1}{4}$ of Sec. 35-17-14 lying 215.00 feet North of the Southeast corner of said section, thence South 89°55' West 503.25 feet, thence North 249.00 feet, thence North 89°55' East 503.25 feet, thence South 249.00 feet to place of beginning, containing 2.877 acres more or less.



I further certify that such survey and the representation thereof hereon are true and correct to the best of my knowledge and belief.

Ripon, Wisconsin, February 17, 1977

Franklin B. Farvour
Franklin B. Farvour, RLS S-0008

Notes:

Bearings are referenced to the East line of the SE $\frac{1}{4}$ of Sec. 35-17-14, assumed "North".
Points shown $\bullet$ are monumented with 3/4" x 30" Iron pipe.
Point shown $\times$ is monumented with RR Spike.
The East 24.75 feet of lands surveyed are used for highway purposes.
Center line of creek shown ---
Center line of run off ditch shown - - - -



CERTIFICATE OF SURVEY

STATE OF WISCONSIN)
COUNTY OF WINNEBAGO) S.S.

I, James Richards, a Registered Land Surveyor, Certificate #S-1145, licensed by the State of Wisconsin, do hereby certify that by the order of Mrs. Evelyn Dunham, I have made a survey of a Parcel of Land described as follows:

The North 53 1/3 Rods of the East 60 Rods of Section 35, Town 17 North, Range 14 East of the 4th Principal Meridian, Town of Nepeuskun, Winnebago County, Wisconsin.

Part of the Northeast Quarter of the Southeast Quarter of said Section 35, as follows:

Beginning at the East Quarter Corner of said Section 35, said Corner being located at the intersection of the Centerlines of Island and Radtke Roads; thence S00°01'00"E, along said Centerline of Island Road, 880.00 feet; thence S89°46'50"W, 990.00 feet; thence N00°01'00"W, 880.00 feet to said Centerline of Radtke Road; thence N89°46'50"E, along said Centerline, 990.00 feet to said Point of Beginning.

Said Parcel contains 19.9999 Acres, (18.9514 Acres excluding Highway Right-of-Ways) and is subject to Right-of-Ways for Highway purposes over the North and East 24.75 feet thereof and is further subject to any and all Easements and/or Right-of-Ways of record.

Dated: June 23rd, 1988
Job #88SE3021

LEGEND:


- GOV'T CORNER, Found Bernston Monument
- Found 1" Iron Pipe
- " PK Nail
- " Steel Fence Post
- Set 1" X 24" Iron Pipe
- " PK Nail and Shiner
- Existing Fence

JAMES RICHARDS
GREEN LAKE, WISCONSIN 54941
STATE OF WISCONSIN
REGISTERED LAND SURVEYOR
CERTIFICATE NO. S-1145




EAST QUARTER CORNER
SECTION 35-17-14

RADTKE ROAD
EAST-WEST QUARTER SECTION LINE



I hereby certify that this drawing is a correct representation of the boundaries surveyed and that I have fully complied with the provisions of Chapter 59 of the revised Statutes of the State of Wisconsin in surveying and mapping the same.



CERTIFICATE OF SURVEY

CERTIFICATE OF SURVEY FOR BRIAN AND PAMELA
RADKE, LOCATED IN THE NW 1/4 OF THE SW 1/4
OF SECTION 35, T17N, R14E, TOWN OF NEPEUSKUN,
WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE

I, Sam T. Mullen, Registered Land Surveyor of the State of Wisconsin, hereby certify that I have at the order of Brian and Pamela Radke, as owners thereof, surveyed lands located in part of the Northwest 1/4 of the Southwest 1/4 of Section 35, T17N, R14E, Town of Nepeuskun, Winnebago County, Wisconsin, being more particularly described as follows: Commencing at the West 1/4 Corner of said Section 35; thence N 89°-35'-01" E along the north line of the Southwest 1/4 834.41 ft. to the Point of Beginning; thence continuing N 89°-35'-01" E 220.00 ft. to the west line of a survey done by F.B. Yarrow (surveyor) dated May 24, 1977; thence S 00°-14'-00" E along the west line of said survey 295.00 ft.; thence S 89°-35'-01" W 220.00 ft.; thence N 00°-14'-00" W 295.00 ft. to the Point of Beginning, containing 1.490 acres more or less; and being subject to a right-of-way easement for ingress and egress to lands lying west of and adjacent to the above described parcel.


The above described land is not intended to be a separate lot, nor can it be used as such, without complying with Winnebago County Subdivision Ordinance. This land is to be attached to and become a part of lands lying east of and adjacent to the above described parcel.

I further certify that such survey is a correct representation of all exterior boundaries of the land surveyed and the map made thereof, to the best of my knowledge and belief.

RIPON LAND SURVEYING
Ripon, Wisconsin

Sam T. Mullen, R.L.S. 0981

Dated this 3rd day of January, 1989



FEB 10, 1999

TO: Cartographer/Zoning Secretary

FM: Zoning Administrator

RE: Navigability Determination Map Updates

Diane/Janet:

Please update the GIS for the following DNR navigability determinations:

- ① SW SE S 35, T 17 N, R 14 E, TOWN OF NEPEUSKUH (FERNAU)
2. NE SW & NW SE S 20, T 18 N, R 16 E, TOWN OF ALGOMA (KRAUSE)

Diane: After updating, determine the affected parcels where navigable and attach a list of parcel numbers affected and within 1000' or 300' so that file 13 can be updated.
Tag stream section with DNR Determin & Date.

Janet: Update File 13, file in parcel file(s) and microfiche in Surveyors Records according to Section, Town, Range.

GIS Updated 2-11-99 by D. Culver

File 13 Updated 3/10/99 by JMN

Verified by Zoning administrator RB

FREQUENCY SUMMARY
FOR ACTIVE ID 13

ATTRIBUTE	FREQUENCY	PERCENT
0140684✓	1	7.69
0140690✓	1	7.69
0140691✓	1	7.69
0140694✓	1	7.69
014069401✓	1	7.69
0140695✓	1	7.69
0140696✓	1	7.69
014069601✓	1	7.69
0140698✓	1	7.69
0140699✓	1	7.69
0140700✓	1	7.69
0140701✓	1	7.69
014070103✓	1	7.69
TOTAL	13	100.00

*Cancelled when
300' of navigable
stream*



State of Wisconsin | DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
William R. Selbig, Regional Director

Oshkosh Service Center
905 Bay Shore Drive., P.O. Box 2555
Oshkosh, Wisconsin 54903
TELEPHONE 920-424-3030
FAX 920-424-4434

February 2, 1999

Dick Fernau
7617 Prellwitz
Ripon, WI 54971-9601

SUBJECT: Navigability Determination

Dear Mr. Fernau:

I am writing in regard to your request for a navigability determination of an unnamed tributary to Henderson Creek and a section of what is considered to be Henderson Creek on the USGS Quadrangle map. These two waterways are located in the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 35, T17N, R14E, Winnebago County, Wisconsin. See attached map for better detail.

Last week, you and I met on site to look at these waterways and discuss some drainage issues that you had with your property. The areas shaded in blue on the attached map are considered navigable. As we discussed on site, you indicated that you would like to dredge out sections of what is labeled as Henderson Creek on your property to improve flow and help drain your property. In most cases the dredging may be allowed provided that you obtain the necessary local, state, and federal permits. However, you indicated that you would like to deposit the dredging spoils in the adjacent wetland. The wetland in this area is part of a larger wetland complex that provides many benefits. Some of these benefits include: filtering surface and sub-surface water to Rush Lake (minimizing siltation and pollution to the lake), providing feeding and resting habitat to migrating waterfowl, providing an area for diversity of flora (Three square bullrush, Lake sedge, Cattails were all present during my site visit, and providing permanent habitat for deer, pheasants and other (evidence of all were present during my site visit). Because of the many function values that this wetland area provides, it is highly unlikely that a permit could be issued to fill any portion of that wetland.

For your information, I have enclosed a few informational packets on Wisconsin wetlands and waterways. If you have any further questions, please contact our Water Regulation program in Oshkosh at (920) 424-7885.

Sincerely,

Brian Kalvelage, WMS


Cc: Linda VanPay-WDNR NER
Rob Braun-Winnebago Co. Zoning
Gary Knapton-COE, Green Bay Office
Rob Webster-Adjacent landowner-PO Box 367, Ripon, WI 54971


RECEIVED

FEB 09 1999

WINNEBAGO COUNTY
PLANNING DEPT.







State of Wisconsin | DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
William H. Selbig, Regional Director

Oshkosh Service Center
805 Bay Shore Drive., P.O. Box 2585
Oshkosh, Wisconsin 54903
TELEPHONE 920-424-3050
FAX 920-424-4404

February 2, 1999

Ken Krause
895 W. 20th Avenue
P.O. Box 2157
Oshkosh, WI 54903-2157

SUBJECT: Navigability Determination

Dear Mr. Krause:

I am writing in regard to your request for a navigability determination of an unnamed waterway located in the NE1/4 of the SW1/4 and NW1/4 of the SE1/4 of Section 20, Township 18 North, Range 16 East, Winnebago County Wisconsin. See attached maps for better detail.

On February 2, 1999, I inspected the above-mentioned waterway located on the Dougherty property, beginning from Witzel Road southwest to the property border. This waterway is considered Non-navigable because of the lack of a defined bed and banks.

If you have any further questions, please feel free to contact me at the above address or call (920) 424-7885.

Sincerely,

Keith A. Patrick
Water Management Assistant


Cc: Linda VanPry-WDNR, NER
Gary Knapton-COE, Green Bay office
Rob Braun-Winnebago Co. Zoning

RECEIVED

FEB 09 1999

WINNEBAGO COUNTY
PLANNING DEPT.





Mapped, edited and published by the Geological Survey
in cooperation with State of Wisconsin agencies
Control by USGS and USCGS
Obtained by photogrammetric methods from aerial
photographs taken 1950 and 1951
Selected from original data compiled from
1884-1950 by the Wisconsin Geological Survey

0.5 MI. TO WIS.
FOND DU LAC

MN
WI
MI


1000
FEET

Algoma Sec. 20 T.18N. - R.16E.

Non-navigable

NORTH

1"=300'




Algoma Sec. 20 TION. - R. 16 E.

1" = 300'

North

Non-navigable



Algoma Sec. 20 T18N. - R.16E.

1" = 300'
North

Non-navigable

Clairville Road

