

Plat of Survey

PART OF THE NW 1/4 OF THE NW 1/4 OF SEC. 2, T1YN,
R.1SE., TOWN OF UTICA, WINNEBAGO CO., WI.

CLIENT: JOHN FREUND
200 W. RIVER DR.
OMRO, WI. 54963

NW COR.
OF SEC 2-17-15

9.90' G.T.H. N.88°21'38"E. 1326.65' "X".
SEC. LINE DOC. NO 332015

N.88°21'38"E. 1237.13'

45'

1 CONCRETE
1 IRON
SEC. LINE
N.00°50'26"W. 1408.73'

27.2"

30.744 ACRES

PARCEL A

637.06' 22.94'
S.89°19'32"W. 660.00'

5.00°49'43"E.
660.00'

4-25-80
10.00 ac.

S.88°33'24"W. 666.20'

"40" LINE

SW COR. OF
NW 1/4 - NW 1/4

630.10'

660.00'

22.90'

3.10'

S.89°19'38"W. 1326.24'
1.032 AC.

SHEET 1 OF 2 SHEETS

SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property
as shown, according to official records and that the plat
above drawn is an accurate and correct representation of
said survey. MAY 1, 1982

Calvin W. Hawksworth
Wisconsin Registered Land Surveyor S-1290

LEGEND

- = Existing monuments
 - = 2" x 30 iron pipe set
 - = 1 x 30 iron pipe set
 - = reference caps or RR spikes
 - = Bernsen or Harrison monuments*
 - X—X = fence
 - () = recorded as
 - = stone monument
- * A.O.W. POSTS



Sayler

Survey, Inc.

139A WEST MAIN, BOX 262,

WINNECONNE, WI 54986

SCALE 1 IN. = 200 FT.

PROJECT NO. S-002244

FIELD BOOK 53 PAGE III

Plat of Survey

PART OF THE NW 1/4 OF THE NW 1/4 OF SEC. 2, T.17N., R.15E., TOWN OF UTICA, WINNEBAGO COUNTY, WISCONSIN.

DESCRIPTIONS:

PARCEL A

All that part of the NW 1/4 of the NW 1/4 of Sec. 2, T.17N., R.15E. in the Town of Utica, Winnebago County, Wisconsin, described as follows: Beginning at a point on the southerly right of way line of C.T.H. "X" that is 45.00 ft., S.00° 50'26"E. of the Northwest corner of said Sec. 2. From that point running N.88° 21'38"E. along said R.O.W. line, 1237.13 ft., thence S.46° 01'53"E., 126.13 ft. to the Easterly line of the NW 1/4 of the NW 1/4 of said Sec. 2, thence S.00° 49'43"E., 599.91 ft., thence S.89° 19'32"W., 660.00 ft., thence S.00° 49'43"E., 660.00 ft. to an existing fence line, thence S.88° 33'24"W. along said fence line, 666.28 ft., thence N.00° 50'26"W., 1336.53 ft. to the said point of beginning. Being a parcel of land of 30.744 acres, more or less. Reserving therefrom that portion of C.T.H. "F" presently used for road purposes. Subject to all easements and restrictions of record.

PARCEL B: BETWEEN FENCE LINE AND "40" LINE

All that part of the NW 1/4 of the NW 1/4 of Sec. 2, T.17N., R.15E. in the Town of Utica, Winnebago County, Wisconsin, described as follows: Beginning at the Southwest corner of the NW 1/4 of the NW 1/4 of said Sec. 2 that is 1408.73 ft., S.00° 50'26"E. of the Northwest corner of said Sec. 2. From that point running N.89° 19'32"E., along the southerly line of the NW 1/4 of the NW 1/4 of said Sec. 2, 1326.24 ft., to the Easterly line of the NW 1/4 of the NW 1/4 of said Sec. 2, thence N.00° 49'43"W., 36.14 ft., thence S.89° 19'32"W. along an existing fence line, 660.00 ft., thence S.88° 33'24"W. on same fence line, 666.28 ft. to the West line of the NW 1/4 of said Sec. 2, thence S.00° 50'26"E., 27.20 ft. to the said point of beginning. Reserving therefrom that portion of C.T.H. "FF" presently used for road purposes. Subject to all easements and restrictions of record. Being a parcel of land of 1.032 acres, more or less.

Sheet 2 of 2 sheets

LEGEND

- = Existing monuments
- = 2" x 30' iron pipe set
- = 1 x 30 iron pipe set
- ◎ = reference caps or RR spikes
- = Bernisen or Harrison monuments
- X—X = fence
- () = recorded as
- = stone monument



SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. MAY 4, 1990

Calvin W. Hawksworth
Wisconsin Registered Land Surveyor S-1290

Sayler
Survey, Inc.

139A WEST MAIN, BOX 282, WINNECONNE, WI 54986


SCALE

PROJECT NO. S-002244

FIELD BOOK 35 PAGE III



Plat of Survey

PART OF THE NW 1/4 OF THE NW 1/4 OF SEC. 2,
T.17N., R.15E., TOWN OF UTICA, WINNEBAGO CO., WI.



NOTE: AREA OF NW 1/4 - NW 1/4
43.238 ACRES

CLIENT: JOHN L. FREUND
206 W. RIVER DR.
OMRO, WI. 54965



SHEET 1 OF 2 SHEETS

LEGEND

- = Existing monuments
- = 2" x 30" iron pipe set
- = 1" x 30" iron pipe set
- ◎ = reference caps or R.R. spikes
- () = Berntsen or Harrison monuments
- K-X = fence
- 1 1 = recorded as
- = stone monument

SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. APRIL 23, 1990

Calvin W. Hawksworth
Wisconsin Registered Land Surveyor S-1290

Sayler
Survey, Inc.

139A WEST MAIN, BOX 262, WINNECONNE, WI 54986

SCALE 1 IN. = 200 FT.
PROJECT NO. S-008840
FIELD BOOK 55 PAGE 111

Plat of Survey

PART OF THE NW 1/4 OF THE NW 1/4 OF SEC. 2, T.17N., R.15E., TOWN OF UTICA, WINNEBAGO COUNTY, WISCONSIN

DESCRIPTION:

All that part of the NW 1/4 of the NW 1/4 of Sec. 2, T.17N., R.15E., in the Town of Utica, Winnebago County, Wisconsin, described as follows: Beginning at a point on the East line of the NW 1/4 of the NW 1/4 of said Sec. 2 that is 1326.64 ft., S.88°21'38"W., and 1395.05 ft., S.00°49'43"E. of the North 1/4 corner of said Sec. 2. From that point running S.89°19'32"W., 660.00 ft., thence N.00°49'43"W., 660.00 ft., thence N.89°19'32"E., 660.00 ft. to the East line of the NW 1/4 of the NW 1/4, thence S.00°49'43"E. along said East line, 660.00 ft. to the said point of beginning. Being a parcel of land of 10.00 acres, more or less. Subject to all easements and restrictions of record. Reserving therefrom that portion presently used for road purposes.

Sheet 2 of 2 sheets



LEGEND

- = Existing monuments
- = 2" x 30" iron pipe set
- = 1" x 30" iron pipe set
- = reference caps or RR spikes
- = Berntsen or Harrison monuments
- X—X = fence
- () = recorded as
- = stone monument

SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. APRIL 25, 1980

Calvin W. Hawksworth

Wisconsin Registered Land Surveyor S-1290

Sayler
survey, inc.

139A WEST MAIN, BOX 262, WINNECONNE, WI 54986

SCALE

PROJECT NO. S-002210

FIELD BOOK 55 PAGE 111

SURVEY
FOR
GARY A. DAVIS
OF

A part of the East Half (E $\frac{1}{2}$) of the Southeast Quarter (SE $\frac{1}{4}$) of Section Two (2), Township Seventeen (17) North, Range Fifteen (15) East, Town of Utica, Winnebago County, Wisconsin containing 5.297 Acres of land and being described by:

Commencing at the Southeast Corner of said Section 2; thence N00°-53'-49"W. 613.00 feet along the East line or the SE $\frac{1}{4}$ of said Section 2 to the true point of beginning; thence S89°-06'-26"W. 730.00 feet along the North line of lands described in Document Number 742646 of Winnebago County Records; thence N00°-53'-49"W. 400.00 feet; thence N89°-06'-26"E. 380.00 feet; thence S00°-53'-49"E. 175.00 feet; thence N89°-06'-26"E. 350.00 feet to the East line of the SE $\frac{1}{4}$ of the said Section 2; thence S00°-53'-49"E. 225.00 feet along the said East line to the true point of beginning, being subject to any and all Easements and Restrictions of record.


SURVEYOR'S CERTIFICATE:

I, Peter C. Hatas, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed the below described property and that the map shown below is a true and accurate representation thereof to the best of my knowledge and belief.

Dated this 18TH day of August, 1992.

Peter C. Hatas

Wisconsin Registered Land Surveyor, S-2115
Peter C. Hatas




-LEGEND-

- = 1" X 24" Iron Pipe, Set
- △ = "P.K." Masonry Nail, Set
- = Winnebago County Monument
- = Recorded As



AERO-METRIC ENGINEERING, INC.
PHOTOGRAHMETRIC ENGINEERS
LAND SURVEYORS
SHEBOYGAN, WISCONSIN

Peter C. Hatas
WIS. REGISTERED LAND SURVEYOR S-2115
NOTEBOOK 43 PAGE 55-56




L- 2116

Plat of Survey

**PART OF THE NE 1/4 OF THE NW 1/4 OF SEC. 2,
T.17N., R.15E., TOWN OF UTICA, WINNEBAGO CO., WI.**

LAND DESCRIPTION

All that part of the NE1/4 of the NW1/4 of Sec. 2, T.17N., R.15E., Town of Utica, Winnebago County, Wisconsin, described as follows:
 beginning at a point that is on the West line of the NE1/4 of the NW1/4 of said Sec. 2 that is 1326.65 ft., N88°21'38"E, and 1023.35 ft., E00°49'43"E. of a Berntsen Monument at the NW corner of said Sec. 2.
 From that point running N.89°19'32"E., 610.72 ft., thence S.00°10'42"E., 370.01 ft., thence along an existing fence line S.89°19'32"W., 636.52 ft., thence N.00°49'43"W., 370.00 ft. to the said point of beginning. Being a parcel of land of 5.424 acres. Reserving therefrom that portion of above described parcel presently used for road purposes. Subject to all easements and restrictions of record.



LEGEND

- = Existing monuments
- = 2 x 0 iron pipe set
- = 1 x 1 iron pipe set
- = reference caps or RR spikes
- = Berntsen or Harrison monuments'
- X---X = fence
- () = recorded as
- = stone monument

SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. JUNE 30, 1994

Calvin W. Hawksworth
Wisconsin Registered Land Surveyor S-1290

C. W. Hawksworth, Inc.
SURVEYOR, INC.

1001 WINNECONNE, BOX 252, WINNECONNE, WI 54986

SCALE 1"=200'

PROJECT NO. S-02847

FIELD BOOK 67 PAGE 112

NO. 2862

SHEET 1 OF 3

CERTIFIED SURVEY MAP NO.

SITUATED ALONG C.T.H. "X", BEING PART OF THE NW 1/4 OF THE NW 1/4 OF SECTION 2, TOWN 17 NORTH, RANGE 15 EAST, TOWN OF UTICA, WISCONSIN

NORTHWEST CORNER
SECTION 2-17-15
BERTSEN MONUMENTN88°41'33"E
8.00'SOUTHWEST CORNER
SECTION J5-18-15
BERTSEN MONUMENT

200.00

NORTH LINE OF THE NORTHWEST 1/4
SECTION 2-17-1545.00'
500'51'29"E
(N0050'28"W)

S88°21'33"W (N88°21'38"E)

O DENOTES 3/4 INCH IRON ROD, 24 INCHES LONG, WEIGHING
NOT LESS THAN 1.5 LBS PER LINEAL FOOT, SET.

② DENOTES 1 INCH IRON PIPE FOUND.

() DENOTES RECORD MEASUREMENTS WHERE
DIFFERENT FROM ACTUAL MEASUREMENTSALL DISTANCES ARE MEASURED TO THE NEAREST
HUNDREDTH OF A FOOT.

△ DENOTES METAL RIGHT-OF-WAY POST.

C.T.H. "X"

- N88°21'29"E (N88°21'38"E)

1236.83' (1237.15')

RIGHT-OF-WAY LINE

1036.83'

INTERMITTENT

100.02'
(100.73')
N45°50'41"W
(N45°50'33"W)

STREAM


LOT 1
1.4557 ACRES

TAX PARCEL #024-0031

LOT 2

25.9836 ACRES TO RIGHT-OF-WAY
26.2620 ACRES TO THE EAST LINE
OF THE NW 1/4 OF THE NW 1/4500'51'29"E
976.41'

976.59'

1" IRON PIPE FOUND
0.2' SOUTH OF TRUE

637.06'

N89°18'51"E 660.00'
(S88°18'32"W)N89°18'51"E
22.94

UNPLATTED LANDS

C.T.H. "X"

INTERMITTENT

CENTRE PAVEMENT

EAST LINE OF THE NW 1/4 OF THE

NW 1/4 OF SECTION 2-17-15

1392.25



UNPLATTED LANDS

200.00
S88°33'49"WBEARINGS ARE REFERENCED TO THE SOUTH
RIGHT-OF-WAY LINE OF C.T.H. "X" WHICH
IS ASSUMED TO BEAR NORTH 88°21'33" EASTN45°50'40"S
(S45°50'00")

N45°50'40"S

660.00'

N45°50'40"S


ANGLE IRON IN CONCRETE
1.6' WEST OF TRUE1" IRON PIPE FOUND
0.5' SOUTH AND 0.1' WEST
OF TRUE

666.17'

N88°33'39"E (S88°33'24"W)

FENCE FOR DOCUMENT
NO. 919870

UNPLATTED LANDS

"40" LINE PER
SAYLER INC. SURVEY
DATED APRIL 25, 1990BOUNDARY PER SAYLER INC.
SURVEY DATED APRIL 25, 1990"40" LINE PER HOLDING
1320.00' FROM THE SOUTHWEST LINE OF THE
NW 1/4 SECTION 2-17-15
1352.65'WEST 1/4 CORNER
SECTION 2-17-15
SQUARE STONE

JOB NO. 2862

MARCH 13, 1996

ROEHLIG
LAND SURVEYING
&
CONSULTING LTD.

417 North Sawyer Street • Oshkosh WI • 54901

(414) 233-2084



Stock No. 26273

NO. 2862

SHEET 2 OF 3

CERTIFIED SURVEY MAP NO.

SITUATED ALONG C.T.H. "X", BEING A PART OF THE N.W. 1/4 OF THE N.W. 1/4 OF SECTION 2, T17N, R15E, IN THE TOWN OF UTICA, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
 STATE OF WISCONSIN)
 ISS
 WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Registered Land Surveyor do hereby certify;

THAT I have surveyed, divided and mapped part of the N.W. 1/4 of the N.W. 1/4 of Section 2, T17N, R15E, in the Town of Utica, Winnebago County, Wisconsin which is bounded and described as follows;

COMMENCING AT THE NORTHWEST CORNER OF SAID SECTION THENCE SOUTH 00°51'29" EAST ALONG THE WEST LINE OF SAID 1/4 SECTION, 45.00 FT. TO THE SOUTH RIGHT-OF-WAY LINE OF C.T.H. "X" AND THE POINT OF BEGINNING OF THE PARCEL TO BE DESCRIBED; THENCE CONTINUING SOUTH 00°51'29" EAST ALONG THE WEST LINE OF SAID 1/4 SECTION, 1336.69 FT. TO A FENCE LINE PER DOCUMENT NO. 919670; THENCE NORTH 88°33'39" EAST ALONG SAID FENCE LINE, 666.17 FT.; THENCE NORTH 00°50'24" WEST, 660.00 FT.; THENCE NORTH 89°18'51" EAST, 660.00 FT. TO THE EAST LINE OF THE NW 1/4 OF THE NW 1/4 OF SAID SECTION; THENCE NORTH 00°50'24" WEST ALONG SAID 1/4, 1/4 SECTION LINE, 618.33 FT.; THENCE SOUTH 88°21'33" WEST, 19.10 FT.; THENCE NORTH 45°50'41" WEST ALONG THE SOUTHEAST RIGHT-OF-WAY LINE OF C.T.H. "X", 100.02 FT.; THENCE CONTINUING ALONG SAID SOUTH RIGHT-OF-WAY LINE SOUTH 88°21'33" WEST, 1236.83 FT. TO THE POINT OF BEGINNING. EXCEPTING THEREFROM LANDS USED FOR RIGHT-OF-WAY PURPOSES ALONG THE EAST SIDE OF THE ABOVE DESCRIBED PARCEL. SAID PARCEL IS SUBJECT TO ALL EXISTING EASEMENTS AND RESTRICTIONS OF RECORD.

THAT I have made this survey by the direction of Dewey Josephson and Jean Josephson, Winnebago County, owners of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

4-1-96

Date

 Reinhard Roehlig, Registered
 Wisconsin Land Surveyor S-1368

OWNERS CERTIFICATE

AS OWNERS, We hereby certify that we caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.


WITNESS the hands and seals of said owners this 5th day of April, 1996

Dewey Josephson

Dewey Josephson

Jean Josephson

Jean Josephson



NO. 2862

SHEET 3 OF 3

CERTIFIED SURVEY MAP NO.

SITUATED ALONG C.T.H. "X", BEING A PART OF THE N.W. 1/4 OF THE N.W. 1/4 OF SECTION 2, T17N, 15E, IN THE TOWN OF UTICA, WINNEBAGO COUNTY, WISCONSIN.

STATE OF WISCONSIN)
ISS
WINNEBAGO COUNTY)

PERSONALLY came before me this 5th day of April 1996 the aforementioned Dewey Josephson and Jean Josephson, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Reinhard Roehlig
Notary Public, Winnebago County, State of Wisconsin

My Commission Expires 6-6-99

COUNTY TREASURER'S CERTIFICATE

I, Mary E. Klugger Deputy, being the duly elected, qualified and acting treasurer for Winnebago County, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or delinquent special assessments as of April 15, 1996 on any land included in this Certified Survey Map.

Date 4/15/96

Treasurer Mary E. Klugger Deputy

TOWN TREASURER'S CERTIFICATE

I, Kathleen K. Paschke, being the duly elected, qualified and acting treasurer for the Town of Utica, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or delinquent special assessments as of 4/15/96 on any land included in this Certified Survey Map.

Date 4/18/96

Treasurer Kathleen K. Paschke

AND TOWN BOARD

WINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE

This Certified Survey Map being part of the N.W. 1/4 of the N.W. 1/4 of Section 2, T17N, R15E, Town of Utica, Winnebago County, Wisconsin, Dewey Josephson and Jean Josephson, owners, is hereby approved.


Date

Planning Commission Representative

Town Board Representative

THIS DOCUMENT WAS DRAFTED BY
REINHARD ROEHLIG.

Date



Stock No. 26273

NO. 2862

SHEET 1 OF 3

CERTIFIED SURVEY MAP NO.

SITUATED ALONG C.T.H. "X", BEING PART OF THE NW 1/4 OF THE NW 1/4 OF SECTION 2, TOWN 17 NORTH, RANGE 15 EAST, TOWN OF UTICA, WISCONSIN

NORTHWEST CORNER
SECTION 2-17-15
BERNTSEN MONUMENTN88°41'53"E
9.90'SOUTHWEST CORNER
SECTION 35-18-15
BERNTSEN MONUMENT

S88°21'33"W (N88°21'38"E)

NORTH LINE OF THE NORTHWEST 1/4
SECTION 2-17-15

180.00'

+3.00'
500°51'29"E
(N00°50'26"W)LOT 1
4.0369 ACRES

977.34'

500°51'29"E (N00°50'26"W)

1336.69'

360.00'

BEARINGS ARE REFERENCED TO THE SOUTH
RIGHT-OF-WAY LINE OF C.T.H. "X" WHICH
IS ASSUMED TO BEAR NORTH 88°21'33" EASTANGLE IRON IN CONCRETE
1.6' WEST OF TRUE1" IRON PIPE FOUND
0.5' SOUTH AND 0.1' WEST
OF TRUE

666.17'

N88°33'39"E (S88°33'24"W)

FENCE PER DOCUMENT
NO. 819620WEST LINE OF THE NORTHWEST
1/4 SECTION 2-17-15WEST 1/4 CORNER
SECTION 2-17-15
SQUARE STONESCALE: 1" = 200'
0 100 200 300

JOB NO. 2862

O DENOTES 5/4 INCH IRON ROD, 24 INCHES LONG, WEIGHING
NOT LESS THAN 1.5 LBS PER LINEAL FOOT, SET.

◎ DENOTES 1 INCH IRON PIPE FOUND.

() DENOTES RECORD MEASUREMENTS WHERE
DIFFERENT FROM ACTUAL MEASUREMENTSALL DISTANCES ARE MEASURED TO THE NEAREST
HUNDREDTH OF A FOOT.

△ DENOTES METAL RIGHT-OF-WAY POST.

C.T.H. "X"

N88°21'29"E (N88°21'38"E)

1236.83' (1237.13')

RIGHT-OF-WAY LINE

1056.83'

INTERMITTENT

100.02'
(100.73')
N45°50'41"W
(N46°01'53"W)

STREAM


M 0.25' N

S88°21'33"W (S88°49'43"E)
19.16' N 00°50'24"WC.T.H. "X"
616.02'RIGHT-OF-WAY
LINE

637.06'

N89°18'51"E 660.00'
(S89°19'32"W)

UNPLATTED LANDS

N89°18'51"E
22.94'1" IRON PIPE FOUND
0.2' SOUTH OF TRUEN00°50'22"W (S88°43'43"E)
660.00'40' LINE FOR
SAYLER INC SURVEY
DATED APRIL 25, 1990BOUNDARY FOR SAYLER INC.
SURVEY DATED APRIL 25, 1990

N89°18'51"E (N89°19'32"E)

40' LINE FOR HOLDING
1320.00' FROM THE SOUTH1335.05'
EAST LINE OF THE NW 1/4 OF SECTION 2-17-15

MARCH 13, 1996

ROEHLIG

LAND SURVEYING
&
CONSULTING LTD.417 North Sawyer Street • Oshkosh WI • 54901
(414) 233-2884

Stock No. 26273

NO. 2862

SHEET 2 OF 3

CERTIFIED SURVEY MAP NO.

SITUATED ALONG C.T.H. "X", BEING A PART OF THE N.W. 1/4 OF THE N.W. 1/4 OF SECTION 2, T17N, R15E, IN THE TOWN OF UTICA, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)
SS
WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Registered Land Surveyor do hereby certify;

THAT I have surveyed, divided and mapped part of the N.W. 1/4 of the N.W. 1/4 of Section 2, T17N, R15E, in the Town of Utica, Winnebago County, Wisconsin which is bounded and described as follows;

COMMENCING AT THE NORTHWEST CORNER OF SAID SECTION THENCE SOUTH 00°51'29" EAST ALONG THE WEST LINE OF SAID 1/4 SECTION, 45.00 FT. TO THE SOUTH RIGHT-OF-WAY LINE OF C.T.H. "X" AND THE POINT OF BEGINNING OF THE PARCEL TO BE DESCRIBED; THENCE CONTINUING SOUTH 00°51'29" EAST ALONG THE WEST LINE OF SAID 1/4 SECTION, 1336.69 FT. TO A FENCE LINE PER DOCUMENT NO. 919670; THENCE NORTH 88°33'39" EAST ALONG SAID FENCE LINE, 666.17 FT.; THENCE NORTH 00°50'24" WEST, 660.00 FT.; THENCE NORTH 89°18'51" EAST, 660.00 FT. TO THE EAST LINE OF THE NW 1/4 OF THE NW 1/4 OF SAID SECTION; THENCE NORTH 00°50'24" WEST ALONG SAID 1/4, 1/4 SECTION LINE, 618.33 FT.; THENCE SOUTH 88°21'33" WEST, 19.10 FT.; THENCE NORTH 45°50'41" WEST ALONG THE SOUTHEAST RIGHT-OF-WAY LINE OF C.T.H. "X", 100.02 FT.; THENCE CONTINUING ALONG SAID SOUTH RIGHT-OF-WAY LINE SOUTH 88°21'33" WEST, 1236.83 FT. TO THE POINT OF BEGINNING. EXCEPTING THEREFROM LANDS USED FOR RIGHT-OF-WAY PURPOSES ALONG THE EAST SIDE OF THE ABOVE DESCRIBED PARCEL. SAID PARCEL IS SUBJECT TO ALL EXISTING EASEMENTS AND RESTRICTIONS OF RECORD.


THAT I have made this survey by the direction of Dewey Josephson and Jean Josephson, Winnebago County, owners of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

4-1-96

Date



Reinhard Roehlig, Registered
Wisconsin Land Surveyor S-1368


OWNERS CERTIFICATE

AS OWNERS, We hereby certify that we caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hands and seals of said owners this _____ day of _____, 1996

Dewey Josephson

Jean Josephson



NO. 2862

SHEET 3 OF 3

CERTIFIED SURVEY MAP NO. _____

SITUATED ALONG C.T.H. "X", BEING A PART OF THE N.W. 1/4 OF THE N.W. 1/4 OF SECTION 2, T17N, 15E, IN THE TOWN OF UTICA, WINNEBAGO COUNTY, WISCONSIN.

STATE OF WISCONSIN) :ss
WINNEBAGO COUNTY)

PERSONALLY came before me this day of _____ 1996 the aforementioned Dewey Josephson and Jean Josephson, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

My Commission Expires _____
Notary Public, Winnebago County, State of Wisconsin

COUNTY TREASURER'S CERTIFICATE

I, _____, being the duly elected, qualified and acting treasurer for Winnebago County, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or delinquent special assessments as of _____ on any land included in this Certified Survey Map.

Date _____ Treasurer _____

TOWN TREASURER'S CERTIFICATE

I, _____, being the duly elected, qualified and acting treasurer for the Town of Utica, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or delinquent special assessments as of _____ on any land included in this Certified Survey Map.

Date _____ Treasurer _____

WINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE

This Certified Survey Map being part of the N.W. 1/4 of the N.W. 1/4 of Section 2, T17N, R15E, Town of Utica, Winnebago County, Wisconsin, Dewey Josephson and Jean Josephson, owners, is hereby approved.

Date _____ Planning Commission Representative _____

THIS DOCUMENT WAS DRAFTED BY
REINHARD ROEHLIG.



Stock No. 26273

NO. 2862

SHEET 1 OF 3

CERTIFIED SURVEY MAP NO. 3400

SITUATED ALONG C.T.H. "X", BEING PART OF THE NW 1/4 OF THE NW 1/4 OF SECTION 2, TOWN 17 NORTH, RANGE 15 EAST, TOWN OF UTICA, WISCONSIN

NORTHWEST CORNER
SECTION 2-17-15
BERNTSEN MONUMENTN88°41'53"E
9.90'
SOUTHWEST CORNER
SECTION 35-18-15
BERNTSEN MONUMENTNORTH LINE OF THE NORTHWEST 1/4
SECTION 2-17-15S88°21'33"W (N88°21'38"E)
200.00

43.00'

500°51'29"E
(N00°50'26"W)

O DENOTES 3/4 INCH IRON ROD, 24 INCHES LONG, WEIGHING

NOT LESS THAN 1.5 LBS PER LINEAL FOOT, SET.

◎ DENOTES 1 INCH IRON PIPE FOUND.

() DENOTES RECORD MEASUREMENTS WHERE

DIFFERENT FROM ACTUAL MEASUREMENTS

ALL DISTANCES ARE MEASURED TO THE NEAREST

HUNDREDTH OF A FOOT.

△ DENOTES METAL RIGHT-OF-WAY POST.

N88°21'28"E (N88°21'38"E)

1236.83' (1237.13')
RIGHT-OF-WAY LINE

C.T.H. "X"

INTERMITTENT

STREAM

LOT 1

4.4857 ACRES

TAX PARCEL #024-0031

LOT 2

25.9636 ACRES TO RIGHT-OF-WAY
26.2820 ACRES TO THE EAST LINE
OF THE NW 1/4 OF THE NW 1/41" IRON PIPE FOUND
0.2' SOUTH OF TRUEW 24.05000
W 24.05000
660.00'
660.00'
W 24.05000

W 24.05000

1" IRON PIPE FOUND
0.5' SOUTH AND 0.1' WEST
OF TRUE"40" LINE PER
SAYLER INC. SURVEY
DATED APRIL 25, 1990BOUNDARY PER SAYLER INC.
SURVEY DATED APRIL 25, 1990

N88°33'39"E (S88°33'24"W)

N89°18'51"E (N89°19'32"E)

FENCE PER DOCUMENT
NO. 919670

UNPLATTED LANDS

"40" LINE PER HOLDING
1320.00' FROM THE SOUTHWEST LINE OF THE NORTHWEST
1/4 SECTION 2-17-15WEST 1/4 CORNER
SECTION 2-17-15
SQUARE STONESCALE: 1" = 200'
0 100 200 300

JOB NO. 2862

MARCH 13, 1996

ROEHLIG

LAND SURVEYING
&
CONSULTING LTD.417 North Sawyer Street * Oshkosh WI * 54901
(414) 233-2884

Stock No. 26273

NO. 2862

SHEET 4 OF 3CERTIFIED SURVEY MAP NO. 3400

SITUATED ALONG C.T.H. "X", BEING A PART OF THE N.W. 1/4 OF THE N.W. 1/4 OF SECTION 2, T17N, R15E, IN THE TOWN OF UTICA, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)
ISS
WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Registered Land Surveyor do hereby certify;

THAT I have surveyed, divided and mapped part of the N.W. 1/4 of the N.W. 1/4 of Section 2, T17N, R15E, in the Town of Utica, Winnebago County, Wisconsin which is bounded and described as follows;

COMMENCING AT THE NORTHWEST CORNER OF SAID SECTION THENCE SOUTH $00^{\circ}51'29''$ EAST ALONG THE WEST LINE OF SAID 1/4 SECTION, 45.00 FT. TO THE SOUTH RIGHT-OF-WAY LINE OF C.T.H. "X" AND THE POINT OF BEGINNING OF THE PARCEL TO BE DESCRIBED; THENCE CONTINUING SOUTH $00^{\circ}51'29''$ EAST ALONG THE WEST LINE OF SAID 1/4 SECTION, 1336.69 FT. TO A FENCE LINE PER DOCUMENT NO. 919670; THENCE NORTH $88^{\circ}33'39''$ EAST ALONG SAID FENCE LINE, 666.17 FT.; THENCE NORTH $00^{\circ}50'24''$ WEST, 660.00 FT.; THENCE NORTH $89^{\circ}18'51''$ EAST, 660.00 FT. TO THE EAST LINE OF THE NW 1/4 OF THE NW 1/4 OF SAID SECTION; THENCE NORTH $00^{\circ}50'24''$ WEST ALONG SAID 1/4, 1/4 SECTION LINE, 618.33 FT.; THENCE SOUTH $88^{\circ}21'33''$ WEST, 19.10 FT.; THENCE NORTH $45^{\circ}50'41''$ WEST ALONG THE SOUTHEAST RIGHT-OF-WAY LINE OF C.T.H. "X", 100.02 FT.; THENCE CONTINUING ALONG SAID SOUTH RIGHT-OF-WAY LINE SOUTH $88^{\circ}21'33''$ WEST, 1236.83 FT. TO THE POINT OF BEGINNING. EXCEPTING THEREFROM LANDS USED FOR RIGHT-OF-WAY PURPOSES ALONG THE EAST SIDE OF THE ABOVE DESCRIBED PARCEL. SAID PARCEL IS SUBJECT TO ALL EXISTING EASEMENTS AND RESTRICTIONS OF RECORD.


THAT I have made this survey by the direction of Dewey Josephson and Jean Josephson, Winnebago County, owners of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

4-1-96

Date


Reinhard Roehlig, Registered
Wisconsin Land Surveyor S-1368

OWNERS CERTIFICATE

AS OWNERS, We hereby certify that we caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hands and seals of said owners this 5th day of April, 1996

Dewey Josephson
Dewey Josephson

Jean Josephson
Jean Josephson



Stock No. 26273

NO. 2862

SHEET 3 OF 3

CERTIFIED SURVEY MAP NO. 34-52

SITUATED ALONG C.T.H. "X", BEING A PART OF THE N.W. 1/4 OF THE N.W. 1/4 OF SECTION 2, T17N, 15E, IN THE TOWN OF UTICA, WINNEBAGO COUNTY, WISCONSIN.

STATE OF WISCONSIN)
:ss
WINNEBAGO COUNTY)

PERSONALLY came before me this 5th day of April 1996 the aforementioned Dewey Josephson and Jean Josephson, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Ruth Miller
Notary Public, Winnebago County, State of Wisconsin

My Commission Expires 6-6-99

COUNTY TREASURER'S CERTIFICATE

I, Mary E. Krueger Deputy, being the duly elected, qualified and acting treasurer for Winnebago County, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or delinquent special assessments as of April 15, 1996 on any land included in this Certified Survey Map.

Date 4/15/96

Treasurer Mary E. Krueger Deputy

TOWN TREASURER'S CERTIFICATE

I, Kathleen K. Paschke, being the duly elected, qualified and acting treasurer for the Town of Utica, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or delinquent special assessments as of 4-8-96 on any land included in this Certified Survey Map.

Date 4-8-96

Treasurer Kathleen K. Paschke

AND TOWN BOARD

WINNEBAGO COUNTY PLANNING COMMISSION¹CERTIFICATE

This Certified Survey Map being part of the N.W. 1/4 of the N.W. 1/4 of Section 2, T17N, R15E, Town of Utica, Winnebago County, Wisconsin, Dewey Josephson and Jean Josephson, owners, is hereby approved.

Date May 12, 1996

Joanne M. Swier
Planning Commission Representative

Frank J. Gauer
Town Board Representative

Date 5/13/96

936536

THIS DOCUMENT WAS DRAFTED BY
REINHARD ROEHLIG.

Register's Office
Winnebago County, Wis.
Received for record this 20th
day of May A.D., 1996
at 10:18 o'clock A.M. and
filed in Vol. 1 of CSM
on page 3420



Reinhard H.W. Roehligh
Register of Deeds

PLAT OF SURVEY

KNOWN AS 3398 C.H. 711, OR 3398 C.H. 711, OR 3398 C.H.

SECTION 2, TOWNSHIP, 10000 ACRES, MICHIGAN COUNTY, MICHIGAN

NO. 1000

DATE FOR SURVEY

DECEMBER 1, 2001

() COORDINATES ARE NOT SHOWN AND NO DECIMAL POINTS ARE USED IN THE SURVEY
REAL FOOT SET


() DEGREES, MINUTES AND SECONDS

ALL DISTANCES ARE IN FEET TO THE NEAREST HUNDREDTH OF A FOOT

() DEGREES, MINUTES AND SECONDS ARE NOT SHOWN IN THE SURVEY

BORDERS ARE REFERRED TO THE LINES OF
OR THE PUBLIC LAND SURVEY SYSTEM, WHICH WHEN
IS ADVISED IS DEEMED SUFFICIENT

LINE 701 (108 FT)



Surveyor's Statement

I, CARLTON HOWARD, Registered Land Surveyor, do hereby state that I have between the above described property and that the following map is a correct representation thereof and places the points and boundaries of the property as originally determined by me and contains no errors or omissions which would affect the property boundaries and dimensions as of date made above, giving due weight thereto, having made appropriate calculations and adjustments thereto.

This survey is made for the exclusive use of the above owners of the property and that those who purchase same copy of the same and its title to the property.

R. A. SMITH

R. A. SMITH
Exempted
from
Fees

100-3398-C.H. 711-2001
100-3398-C.H. 711-2001
100-3398-C.H. 711-2001

LAND SURVEYED

100-3398-C.H. 711-2001
100-3398-C.H. 711-2001
100-3398-C.H. 711-2001

PLAT OF SURVEY

KNOWN AS 2398 C.T.H. "FF". THE NORTH 10 ACRES OF THE S.E. 1/4 OF THE N.W. 1/2 OF SECTION 2, T17N, R15E, TOWN OF UTICA, WINNEBAGO COUNTY, WISCONSIN.

NO. 4000

SURVEY FOR SHIRLEY GALLERT

FEBRUARY 4, 2003


○ DENOTES 3/4 INCH IRON ROD, 24 INCHES LONG, WEIGHING NOT LESS THAN 1.5 LBS PER LINEAL FOOT SET.

● DENOTES 1 INCH IRON PIPE FOUND.

ALL DISTANCES ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

() DENOTES RECORDED DIMENSION WHERE DIFFERENT FROM ACTUAL MEASUREMENT.

BEARINGS ARE REFERENCED TO THE EAST LINE OF THE NW 1/4 OF SECTION 2, T17N, R15E WHICH IS ASSUMED TO BEAR 300°49'20"E



Surveyor's Certificate

I, Christian Housfeld, Wisconsin Registered Land Surveyor, certify that I have surveyed the above described property and that the above map is a correct representation thereof and shows the size and location of the property, its exterior boundaries, the locations and dimensions of all visible major above ground structures thereon, boundary fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the property and also those who purchase, mortgage or gurantee title thereto, within one (1) year from the date hereof.

2-4-03
Date

Christian Housfeld Registered
Land Surveyor R.L.S.-2492


| | | |
|---------------------------|------------------|------------------------------------|
| R. A. SMITH | | Engineering driven by vision |
| & ASSOCIATES, INC. | | |
| 920-231-3119 fax 231-9872 | | |
| 2850 UNIVERSAL STREET | | |
| OSHKOSH, WI 54904 | | |
| Land Surveying | | |
| SURVEY DRAWING NO. | 4000 | |
| SURVEY PROJECT NO. | 7004000 | |
| ENGINEERING PROJECT NO. | | |
| DATE: | FEBRUARY 4, 2003 | |

STATE OF WISCONSIN vs
CILIQUET COUNTY

CERTIFIED SURVEY MAP NO. _____

MARSHAL FOR
TEN YEARS FROM:
2001 EXPIRES
COURT OF APPEALS

A PART OF THE NE1/4 OF THE NE1/4 OF
FRACTIONAL SECTION 7, T.17N., R.1SE., TOWN
OF UTICA, WINNEBAGO COUNTY, WISCONSIN.



Bradley A. Buechel
APR 2, 2003

R.P.H. "81"

LOT 1

123' 10" 11" 10'
100' 10" 10" 10'
(13,354 ACRES)

LOT 2

123' 10" 11" 10'
100' 10" 10" 10'
(13,354 ACRES)

Lot 2

LOT 2

LOT 1

LEGEND

- = 100' OUTLINE LINE, 10' IN. PER SIDE
- = 100' OUTLINE LINE, 10' IN. PER SIDE
- = 100' OUTLINE LINE, 10' IN. PER SIDE
- = 100' OUTLINE LINE, 10' IN. PER SIDE
- = CILIQUET COUNTY MILEMARK TOWNS
- = RIGHT-OF-WAY POST TOWNS

DOI APPROVAL NO. 100-100-100-100

NOTE: CAUTION - DRAWING IS UNACCURATE
PROPORTION AND SCALE ARE NOT ACCURATE
SHEET 1 OF 1

SCALE
0 100 200

A
AERO-METRIC

MAPS, PLANS & SURVEYS
LAND SURVEYORS & ENGINEERS
WE DO THE JOB THE RIGHT WAY
ON TIME AND ON BUDGET


PROJECT 1
DRAFT FILE
DRAFTED BY
DATE
NOTEBOKK 1 PAGE 12 52

STATE OF WISCONSIN) SS
CALUMET COUNTY)

CERTIFIED SURVEY MAP NO. _____
OF

SURVEYED FOR:
TOM SOBOJINSKI
2491 KNOTT ROAD
OSHKOSH, WI 54904

A PART OF THE NE1/4 OF THE NE1/4 OF
FRACTIONAL SECTION 2, T.17N., R.15E., TOWN
OF UTICA, WINNEBAGO COUNTY, WISCONSIN.




STATE OF WISCONSIN) SS
CALUMET COUNTY)

CERTIFIED SURVEY MAP NO. _____
OF

SURVEYED FOR:
TOM SOBOJINSKI
2491 KNOTT ROAD
OSHKOSH, WI 54904

A PART OF THE NE1/4 OF THE NE1/4 OF
FRACTIONAL SECTION 2, T.17N., R.15E., TOWN
OF UTICA, WINNEBAGO COUNTY, WISCONSIN.

NE CORNER
FRACTIONAL SECTION 2
T.17N., R.15E.
(BERNTSEN MON. FND.)
2653.22'



STATE OF WISCONSIN,
WISCONSIN COUNTY,

CERTIFIED SURVEY MAP NO.

卷之三

BURLEY'S OR A CERTIFICATE.

I, Bradley A. Burdette, Harrison Register of Deeds, County of Harrison, W. Va., certify that I have surveyed, divided and mapped under the direction of Thomas L. Hollingshead a part of the land owned by John (H) of the Northwest Quarter (NW 1/4) of Section twelve (Twp 12), Harrison Township (1/2) North Range Fifteen (15) East Town of West Harrison, County Harrison, containing 1.824 acres, and that 1.724 acres of land and land described by

This work is licensed under a Creative Commons License of the Work Unported

That I have fully complied with the provisions of Chapter 350-34 of the Missouri Statutes and the
Local Building Ordinance of Washington County, in so far as I am able, in carrying out the terms

Dated June 1st, 1991, at Stanley, 2003.

Burnette, J. French
Washington Redskins (and others)
Bronx, A Bronx, N.Y. 10463



The Canadian Journal of Mathematics, Vol. 32, No. 5, October 1980, pp. 937-948.

The Committee on the Environment, Energy and Natural Resources has

This Certified Survey, Map or Cadastral Study, often referred to as the "Surveyor's Statement," is the property of the Surveyor and is to be returned to the Surveyor upon request.

OWNER'S CERTIFICATE

As owner I hereby certify that we counted the birds detected on the Certified Survey Map & the count was checked and matched by representatives on the Certified Survey Map.

Digitized by srujanika@gmail.com

三

In the presence of

Therapeutic Drugs and their Action

www.biblestudy.org

卷之三

—*Lev. 17:11*

**STATE OF WISCONSIN
WISCONSIN COUNTY**

Personally came before me this _____ day of _____, 2001 Thomas E. and Kelly A. Scoccimaro and Russell P. and Barbara L. Rice, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

卷之八

卷之三

卷之三

STATE OF WISCONSIN
WINNEBAGO COUNTY

CERTIFIED SURVEY MAP NO.

Block 324

A part of the 1/4 sec. of the 1/4 sec. of Section 7, Twp. 11N, Rge. 1, Town of Ulka, Winnebago County, Wisconsin.

WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE

This Certified Survey Map being a part of the 1/4 sec. of the 1/4 sec. of Fractional Section 7, Twp. 11N, Rge. 1,
Town of Ulka, Winnebago County, Wisconsin, Thomas F. and Sally A. Belanger and Ronald P. Hurd
owners, is hereby approved.

Date

By Authorized Representative

COUNTY TREASURER'S CERTIFICATE

I, being the duly elected, qualified and acting Treasurer of the County of Winnebago, do hereby certify
that the records in my office show no uncollected tax, water and no unpaid taxes or unpaid assessments as
of _____ affecting the lands included in this Certified Survey Map.

Date

County Treasurer

CERTIFICATE OF TOWN TREASURER

I, being the duly elected, qualified and acting Town Treasurer of the Town of Ulka, do hereby certify
that the records in my office show no uncollected tax, water and no unpaid taxes or unpaid assessments as
of _____ affecting the lands included in this Certified Survey Map.

Date

Town Treasurer

TOWN BOARD CERTIFICATE

This Certified Survey Map has been reviewed and approved by the Town Board of the Town of Ulka


Dated

Town Chairman

Dated this 2nd day of October, 2011

Brentley A. Brashler
Wisconsin Registered Land Surveyor
Dated A. October 3, 2011


Town Clerk



LHM

"All lots and blocks are hereby restricted so that no owner, possessor, user, licensee or other person may have any right of direct vehicular ingress from or egress to any highway lying within the right-of-way of U.S.H. "91"; it is expressly intended that this restriction constitute a restriction for the benefit of the public as provided in section 236.293, Wisconsin Statutes, and shall be enforceable by the Wisconsin Department of Transportation or its assigns. Any access shall be allowed only by special exception. Any access allowed by special exception shall be confirmed and granted only through the driveway permitting process and all permits are revocable."

"No improvements or structures are allowed between the right-of-way and the highway setback line. Improvements and structures include, but are not limited to signs, parking areas, driveways, wells, septic systems, drainage facilities, buildings and retaining walls. It is expressly intended that this restriction is for the benefit of the public as provided in section 236.293, Wisconsin Statutes, and shall be enforceable by the Wisconsin Department of Transportation or its assigns. Contact the Wisconsin Department of Transportation for more information. The phone number may be obtained by contacting the county Highway Department."



Bradley A. Buechel
Oct. 2, 2003

AERO-METRIC
Aero-Metric, Incorporated
Land Planning & Design Division
920-849-7708 FAX (920-849-7709)
539 NORTH MADISON STREET CHILTON, WISCONSIN 53014

"The lots of this land division may experience noise levels exceeding the levels in s. Trans 405.04, Table I. These levels are based on Federal Standards. The Department of Transportation is not responsible for abating noise from existing state trunk highways or connecting highways, in the absence of any increase by the department to the highway's through-land capacity."

PROJECT FILE: 2030411
DWG. FILE: SOBOJINSKI
DRAFTED BY: J.D.D.
DATE: 05-01-03
NOTEBOOK: P-43 PAGE: 62-63