

14-17-16

v

1542-S

SHEET 1 OF 3

CERTIFIED SURVEY MAP NO.

BEING A PART OF THE S.E. 1/4 OF SECTION 14, T17N. R16E, IN THE TOWN OF NEKIMI, WINNEBAGO COUNTY, WISCONSIN.


○ ————— DENOTES 1 INCH DIAMETER IRON PIPE, 24" LONG WITH A WEIGHT OF 1.13 LBS PER LINEAL FOOT, SET AT TIME OF SURVEY.

□ ————— DENOTES P.K. NAIL SET IN PAVEMENT.

ALL DIMENSIONS ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE EAST LINE OF THE S.E. 1/4 OF SECTION 14, WHICH HAS AN ASSUMED BEARING OF NORTH 01-00-14 WEST.


UNPLATTED LANDS



UNPLATTED LANDS


INTERIOR ANGLES

- A) 90-04-02
- B) 89-58-20
- C) 90-33-56
- D) 89-23-42



national survey & engineering

417 NORTH SAWYER STREET/P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 426-2800



CERTIFIED SURVEY MAP NO.

BEING A PART OF THE S.E. 1/4 OF SECTION 14, T17N, R16E, IN THE TOWN OF NEKIMI, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE:
STATE OF WISCONSIN)
ISS
WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Land Surveyor, do hereby certify:

THAT I have surveyed and mapped a part of the S.E. 1/4 of Section 14, T17N, R16E, in the Town of Nekimi, Winnebago County, Wisconsin, which is bounded and described as follows:

Commencing at the East 1/4 corner of said Section, thence South 01-00-41 East along the East line of said S.E. 1/4 aforesaid 329.36 ft. to the point of beginning of the land to be described, thence continuing South 01-00-41 East 329.36 ft. to a point, thence South 89-00-59 West 2599.64 ft. to a point on the West line of said S.E. 1/4, thence North 01-32-57 West along said West line of the S.E. 1/4 aforesaid 331.17 ft. to a point, thence North 89-03-21 East 2602.75 ft. to the point of beginning.

THAT I have made this survey, land division and map by the direction of WALTER GRAICHEN and LUCY O. GRAICHEN, his wife, Town of Nekimi, Winnebago County, Wisconsin, owners of said land.

THAT such map is a correct representation of all exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

10-15-84
Date

Reinhard Roehlig, Registered
Land Surveyor S-1368



1542-B

SHEET 3 OF 3

CERTIFIED SURVEY MAP NO.....

BEING A PART OF THE S.E. 1/4 OF SECTION 14, T17N, R16E, IN THE TOWN OF NEKIMI, WINNEBAGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE:

AS OWNERS, we hereby certify that we caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hands and seals of said owners this day of 1984.

In The Presence Of:

..... Walter Graichen

..... Lucy O. Graichen

STATE OF WISCONSIN)
:SS
WINNEBAGO COUNTY)

PERSONALLY came before me this day of 1984 the above named Walter Graichen and Lucy O. Graichen; his wife, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

.....
Notary Public, Winnebago
County, State of Wisconsin


My Commission Expires.....

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE:

THIS Certified Survey Map of a part of the S.E. 1/4 of Section 14, T17N, R16E, Town of Nekimi, Walter Graichen and Lucy O. Graichen, his wife, owners, is hereby approved.


.....
Date Chairman

THIS INSTRUMENT WAS DRAFTED BY REINHARD ROEHLIG.



STATE OF WISCONSIN)
WINNEBAGO COUNTY)



SHEET 1 OF 2



- o = 1" x 24" IRON PIPE WEIGHING 1.68 LBS / LINEAL FOOT.
- ⊕ = WINNEBAGO COUNTY BRENTSEN MONUMENT.
- = PK NAIL SET

DATE : JUNE 11, 1984
NB. 72 PG. 13 - 14

ALL BEARINGS REFERENCED TO THE EAST
LINE OF THE NE 1/4 OF SECTION 14, T 17 N.,
R. 16 E. ASSUMED TO BEAR N.00°45'-47" W.



AERO-METRIC ENGINEERING, INC.
1091 SOUTH WASHBURN STREET
OSHKOSH, WISCONSIN 54901

Ronald A. Decker
WISCONSIN REGISTERED LAND SURVEYOR S-1615

DATED THIS 12th DAY OF June, 1984

SURVEYOR'S CERTIFICATE:

I, Ronald A. Dercks, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Bill Doemel a part of the South Half (S $\frac{1}{2}$) of the South Half (S $\frac{1}{2}$) of the Northeast Quarter (NE $\frac{1}{4}$) of Section Fourteen (14), Township Seventeen (17) North, Range Sixteen (16) East, Town of Nekimi, Winnebago County, Wisconsin containing 1.810 Acres of land and being described by: Commencing at the East Quarter (E $\frac{1}{4}$) corner of said Section 14; thence N. 00°-45'-47" W. 660.86 feet, along the East line of the NE $\frac{1}{4}$ of said Section 14 to a point on the North line of the S $\frac{1}{2}$ of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$ of said Section 14; thence S. 89°-02'-00" W. 43.92 feet, along the North line of the S $\frac{1}{2}$ of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$ of said Section 14 to a point on the West line of C.T.H. "I" and being the true point of beginning; thence continuing S. 89°-02'-00" W. 743.54 feet, along the North line of the S $\frac{1}{2}$ of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$ of said Section 14; thence S. 00°-45'-47" E. 208.71 feet; thence N. 89°-02'-00" E. 208.71 feet; thence N. 00°-45'-47" W. 142.71 feet; thence N. 89°-02'-00" E. 534.72 feet, to a point on the West line of C.T.H. "I"; thence N. 00°-40'-11" W. 66.00 feet, along the West line of C.T.H. "I" to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

Dated this 15th day of June, 1984

Ronald A. Dercks
Wisconsin Registered Land Surveyor S-1615
Ronald A. Dercks



OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 19 day of June, 1984

In the Presence of:

Dennis D. Dornfeld
Dennis D. Dornfeld

Lindeen E. Dornfeld
Lindeen E. Dornfeld

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 19th day of June, 1984, the above named Dennis D. Dornfeld and Lindeen E. Dornfeld to me known to be the persons who executed the foregoing instrument and acknowledged the same.

[Signature]
Notary Public
My Commission Expires 1-13-85

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map of a part of the S $\frac{1}{2}$ of the S $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Section 14, T.17N., R.16E., Town of Nekimi, Dennis D. Dornfeld and Lindeen E. Dornfeld, owners, is hereby approved.

Date June 15, 1984

By [Signature]

Zoning


STATE OF WISCONSIN)
WINNEBAGO COUNTY) ss WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1106

SURVEYOR'S CERTIFICATE:


I, Ronald A. Dercks, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Bill Braash a part of the Northwest Quarter (NW $\frac{1}{4}$) of the Southwest Quarter (SW $\frac{1}{4}$) of Section Fourteen (14), Township Seventeen (17) North, Range Sixteen (16) East, Town of Nekimi, Winnebago County, Wisconsin containing 1.147 Acres of land and being described by: Commencing at the West Quarter (W $\frac{1}{4}$) corner of said Section 14, thence South 742.00 feet along the West line of the SW $\frac{1}{4}$ of said Section 14 to the true point of beginning, thence continue South 210.00 feet along the West line of the SW $\frac{1}{4}$ of said Section 14, thence East 238.00 feet, thence North 210.00 feet, thence West 238.00 feet to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.



Ronald A. Dercks
WISCONSIN REGISTERED LAND SURVEYOR S-1615
RONALD A. DERCKS



DATED THIS 19th DAY OF November, 1982

AERO-METRIC ENGINEERING, INC.
1091 SOUTH WASHBURN ST.
OSHKOSH, WISCONSIN 54901

613258

Register's Office
Winnebago County, Wis.
Received for record this 22nd
day of June A.D., 1984
at 7:45 o'clock A.M. and
recorded in Vol. 1 of S.M.
on page 1266
Marjorie Nakonec
Register of Deeds

Caroline Doemel

Pd
6^u

STATE OF WISCONSIN }
WINNEBAGO COUNTY } SS

Sheet 2 of 2

OWNER'S CERTIFICATE:

As owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.


Dated this 17th day of March, 1983

In the Presence of:

Brian Bradley
Brian Bradley

STATE OF WISCONSIN }
WINNEBAGO COUNTY } SS

Personally came before me this 17th day of March, 1983, the above named Brian Bradley to me known to be the person who executed the foregoing instrument and acknowledged the same.



Lawrence C. Preger
Notary Public Oshkosh, Wisconsin
My Commission expires July 20, 1986

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map of a part of the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 14, T.17N., R.16E., Town of Nekimi, Brian Bradley, owner, is hereby approved.


Mar 24, 1982
Date

Mayor M. W. Wenzel
By

Dated this 19th day of November, 1982

588300

Ronald A. Dercks
Wisconsin Registered Land Surveyor S-1615
Ronald A. Dercks



Register's Office
Winnebago County, Wis.
Received for record this 4th
day of April, A.D., 1983
at 2:42 o'clock P. M. on
recorded in Vol. 1 of S.M.
in page 1106
Myra J. Adams
Register of Deeds

Bill Brosch

L-1148
Pd
6


SURVEYOR'S CERTIFICATE:

I, Ronald A. Dercks, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Bill Braash a part of the Northwest Quarter (NW $\frac{1}{4}$) of the Southwest Quarter (SW $\frac{1}{4}$) of Section Fourteen (14), Township Seventeen (17) North, Range Sixteen (16) East, Town of Nekimi, Winnebago County, Wisconsin containing 1.147 Acres of land and being described by: Commencing at the West Quarter (W $\frac{1}{4}$) corner of said Section 14, thence South 742.00 feet along the West line of the SW $\frac{1}{4}$ of said Section 14 to the true point of beginning, thence continue South 210.00 feet along the West line of the SW $\frac{1}{4}$ of said Section 14, thence East 238.00 feet, thence North 210.00 feet, thence West 238.00 feet to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.


W 1/4 CORNER
SECTION 14



LEGEND


- = 1" x 24" IRON PIPE WEIGHING 1.88 LBS./LINEAL FOOT SET
- = WINNEBAGO COUNTY BERNTSEN MONUMENT
- SCALE: 1" = 60'
- DATE: NOV. 17, 1982
- NB. 51 PG. 76
- ▲ = 6" x 6" LIMESTONE

SCALE IN FEET



SW CORNER
SECTION 14

Ronald A. Dercks
WISCONSIN REGISTERED LAND SURVEYOR S-1615
RONALD A. DERCKS



DATED THIS 19TH DAY OF November, 1982

AERO-METRIC ENGINEERING, INC.
1021 SOUTH WASHBURN ST.

STATE OF WISCONSIN }
WINNEBAGO COUNTY } SS

Sheet 2 of 2

OWNER'S CERTIFICATE:

As owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this _____ day of _____, 1982

In the Presence of:

Brian Bradley

STATE OF WISCONSIN }
WINNEBAGO COUNTY } SS

Personally came before me this _____ day of _____, 1982, the above named Brian Bradley to me known to be the person who executed the foregoing instrument and acknowledged the same.

Notary Public _____, Wisconsin
My Commission expires _____

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:


This Certified Survey Map of a part of the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 14, T.17N., R.16E., Town of Nekimi, Brian Bradley, owner, is hereby approved.

Nov 24, 1982
Date

Mary Ann Whelan
By

Dated this 19TH day of November, 1982

Ronald A. Dercks
Wisconsin Registered Land Surveyor S-1615
Ronald A. Dercks



L-1148

14-17-16

STATE OF WISCONSIN WINNEBAGO COUNTY 99 WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO.

SHEET 1 OF 2


SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Dennis D. Dornfeld, a part of the Southeast Quarter (SE $\frac{1}{4}$) of the Northeast Quarter (NE $\frac{1}{4}$) of Section Fourteen (14), Township Seventeen (17) North, Range Sixteen (16) East, Town of Nekimi, Winnebago County, Wisconsin containing 5.000 Acres of land and being described by: Commencing at the East Quarter (E $\frac{1}{4}$) corner of said Section 14, thence S. 89°-41'-33" W. 45.00 feet along the South line of the NE $\frac{1}{4}$ of said Section 14 to a point on the West line of C.T.H. "I" and being the true point of beginning, thence continue S. 89°-41'-33" W. 498.70 feet along the South line of the NE $\frac{1}{4}$ of said Section 14, thence North 436.74 feet, thence N. 89°-41'-33" E. 498.70 feet to a point on the West line of C.T.H. "I", thence South 436.74 feet along the West line of C.T.H. "I" to the true point of beginning.


That such is a correct representation of all exterior boundaries of the land surveyed. That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

Dated this 17th day of November, 1981

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



- LEGEND
- = 1"x24" IRON PIPE WEIGHING 1.68 LBS./LINEAL FOOT SET
 - △ = RIGHT-OF-WAY POST
 - = PR. NAIL FOUND, FITS TIE SHEET NB. 51 P. 66-71 NOVEMBER 17, 1981



AERO-METRIC ENGINEERING, INC.
1091 SOUTH WASHBURN STREET
OSHKOSH, WISCONSIN 54901

THIS INSTRUMENT DRAFTED BY STEVEN T. CHRONIS

L-1075

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Sheet 2 of 2

OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this _____ day of _____, 1981.

In the Presence of:

Dennis D. Dornfeld

Lindeen E. Dornfeld

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this _____ day of _____, 1981, the above named Dennis D. Dornfeld and Lindeen E. Dornfeld to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Notary Public _____, Wisconsin
My Commission Expires _____

WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE:


This Certified Survey Map of a part of the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 14, T.17N., R.16E., Dennis D. Dornfeld and Lindeen E. Dornfeld, owners, is hereby approved.

By: _____


Date _____

Dated this 17th day of November, 1981

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis




11. 11. 19



- = 3/4" SOLID ROUND IRON ROD FOUND
- = 3/4 x 24" SOLID ROUND IRON ROD SET
- = PK NAIL SET

DESCRIPTION: A PARCEL OF LAND LOCATED IN THE SE 1/4 OF THE SW 1/4 OF SECTION 11, T17N, R16E, TOWN OF NEKIMI, WINNEBAGO COUNTY, WISCONSIN. MORE FULLY DESCRIBED AS FOLLOWS: BEGINNING AT THE SOUTH 1/4 CORNER OF SECTION 11; THENCE N89°-58'-05"W, 530.00 FEET ALONG THE SOUTH LINE OF SECTION 11; THENCE N0°-29'W, 411.80 FEET; THENCE S89°-58'-05"W, 530.00 FEET TO THE NORTH-SOUTH 1/4 LINE OF SECTION 11; THENCE S0°-29'E, 411.80 FEET ALONG SAID NORTH-SOUTH 1/4 LINE TO THE POINT OF BEGINNING. SAID PARCEL OF LAND CONTAINING 5.01 ACRES OF LAND MORE OR LESS. SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD. RESERVING THAT PART PRESENTLY USED FOR ROAD PURPOSES.



I, ROBERT F. REIDER, CERTIFY THAT THIS PLAT OF SURVEY IS A CORRECT REPRESENTATION OF THE ABOVE DESCRIBED PROPERTY.

REVISIONS	RHEA WILDE 4578 KNAPP ST. RD. OSHKOSH, WISCONSIN 54901		
	CAROW LAND SURVEYING CO., INC. 604 N. RICHMOND ST APPLETON, WI 54911		
	DRAWN BY rr-kv	TFH	SCALE 1"=100'
	APP'D LEC	DATE 6-23-77	DRAWING NO. A6083-78




Survey

for

Billy Butt

The North 175 feet of the West 225 feet of the Northwest Quarter (NW $\frac{1}{4}$) of the Southwest Quarter (SW $\frac{1}{4}$) of Section Fourteen (14), Township Seventeen (17) North, Range Sixteen (16) East, Town of Dekimi, Winnebago County, Wisconsin containing 0.903 Acres. As taken from Volume 1171 page 253 of Deeds.

The West 33 feet of the afore described being subject to Knapp Street Road right-of-way.



I, STEVEN T. CHRONIS, WISCONSIN REGISTERED LAND SURVEYOR OF AERO-METRIC ENGINEERING, INC., HAVE SURVEYED THE ABOVE DESCRIBED PROPERTY AND THE ABOVE MAP IS A TRUE REPRESENTATION THEREOF AND SHOWS THE SIZE AND LOCATION OF THE PROPERTY, ITS EXTERIOR BOUNDARIES, THE LOCATION AND DIMENSIONS OF ALL STRUCTURES THEREON, FENCES, APPARENT EASEMENTS AND ROADWAYS AND VISIBLE ENCROACHMENTS IF ANY.



"THIS SURVEY IS MADE FOR THE EXCLUSIVE USE OF THE PRESENT OWNERS OF THE PROPERTY, AND ALSO THOSE WHO PURCHASE, MORTGAGE OR GUARANTEE THE TITLE THERE TO WITHIN ONE (1) YEAR FROM DATE HEREOF, AND AS TO THEM I HEREBY CERTIFY THAT SAID SURVEY AND THE ABOVE MAP WERE MADE IN ACCORDANCE WITH ACCEPTABLE PROFESSIONAL STANDARDS AND THAT THE INFORMATION CONTAINED THEREON IS, TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF, A TRUE AND ACCURATE REPRESENTATION THEREOF."

Steven T. Chronis

STEVEN T. CHRONIS
WISCONSIN REGISTERED LAND SURVEYOR S-913

DATED THIS 12th DAY OF April 1977

AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
OSHKOSH, WISCONSIN



Sheet 1 of 2 Sheets

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. _____

Part of the NW $\frac{1}{4}$ of the NW $\frac{1}{4}$, Section 14, T.17N., R.15E., Town of Utica, Winnebago County, Wisconsin.


SURVEYOR'S CERTIFICATE

I, Calvin W. Hawksworth, registered land surveyor, hereby certify:

That I have surveyed and mapped the parcel of land located in part of the NW $\frac{1}{4}$ of the NW $\frac{1}{4}$, Section 14, T.17N., R.15E., Town of Utica, Winnebago County, Wisconsin, described as follows: Beginning at the NW corner of the NW $\frac{1}{4}$ of the NW $\frac{1}{4}$, Section 14, T.17N., R.15E., Town of Utica. From that point running S.89°46'15"E., 16.50 ft., thence S.00°18'05"E., 510.24 ft., thence S.39°24'55"W., 25.82 ft., thence N.00°18'05"W., 530.25 ft. to the point of beginning. Being a parcel of land of 0.197 acre, more or less.

That I have made such survey by the direction of Wes Meilahn, 4523 Crown Drive, Oshkosh, WI 54901; that such map correctly represents the exterior boundaries of the land surveyed.

That I have fully complied with the provisions of the Sec. 236.34 of the Wisconsin Statutes and the Winnebago County Certified Survey Map Ordinance in surveying and mapping the same.



Calvin W. Hawksworth
Calvin W. Hawksworth S-1290
Wisconsin Registered Land Surveyor
June 15, 1981

OWNER'S CERTIFICATE

As owner(s), I(we), hereby certify that I(we) caused the land described on this Certified Survey Map to be surveyed and mapped as represented hereon.

WITNESS the hand and seal of said owner(s) this _____ day of _____, 1981.

In presence of:

Witness _____

Owner(s) _____

Address _____

STATE OF WISCONSIN SS
WINNEBAGO COUNTY

City, State _____

Zip _____

Personally came before me this _____ day of _____, 1981 the above named _____ to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.

Notary Public _____

WI

My commission expires _____

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

This Certified Survey Map of part of the NW $\frac{1}{4}$ of the NW $\frac{1}{4}$, Section 14, T.17N., R.15E., Town of Utica, Winnebago County, Wisconsin is hereby approved.

Date _____

Authorized representative
Winnebago Co. Planning Committee

Zoning

FORM NO. 985-A

WISCONSIN


WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 496
Part of the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 14, T.17N., R.16E., Town of
Nekimi.

- o 1"x30" iron pipe weighing 1.13 lbs./lineal ft.

Bearings are referenced to the East line of
the NE $\frac{1}{4}$ of Sec. 14, assumed bearing, S0°24'18"W.

Interior angles

- A. 90°31'44"
B. 89°28'16"
C. 90°31'44"
D. 89°28'16"
360°00'00"



I, Calvin W. Hawksworth, registered land surveyor, hereby
certify:

That I have surveyed, divided and mapped the parcel of land
located in part of the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 14, T.17N., R.16E.
in the Town of Nekimi, Winnebago County, Wisconsin, described as
follows: Beginning at a point on the East line of the NE $\frac{1}{4}$ of Sec. 14
that is 1321.80 ft., S0°24'18"W of the NE corner of said Sec. 14.
From that point running S0°24'18"W along said East line, 125.00 ft.,
thence S89°52'34"W, 200.00 ft., thence N0°24'18"E, 125.00 ft.,
thence N89°52'34"E, 200.00 ft. to the said point of beginning.
Reserving therefrom that portion of above described parcel being
used for road purposes.

That I have made such survey, land division and map by the
direction of John Hobart, 4981 Oregon St. Road, Oshkosh, Wisconsin,
54901; that such map is a true and correct representation of the
exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Sec. 236.34
of the Wisconsin Statutes and the Certified Survey Map Ordinance
of Winnebago County, Wisconsin in surveying and mapping the same.

Calvin W. Hawksworth
Calvin W. Hawksworth S-1290
Wisconsin Registered Land Surveyor
December 6, 1978.

Sheet 1 of 2 sheets


make copy

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 496Part of the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 14, T.17N., R.16E., Town of Nekimi.OWNER'S CERTIFICATE

As owner(s) I(we) hereby certify that I(we) caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented hereon.

WITNESS the hand and seal of said owner(s) this 8 day of December, 1978.

In presence of:

Diane M. Schmude
Witness Diane M. SchmudeJohn Hobart
John Hobart
Eileen A. Hobart
Owner(s) Eileen A. Hobart
4981 Oregon St. Rd.
Address
Oshkosh, Wi. 54901
City-State ZipSTATE OF WISCONSIN) SS
WINNEBAGO COUNTY)Personally came before me this 8 day of December, 1978, the above named John Hobart and Eileen A. Hobart to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.John A. MooreJohn A. Moore
Notary Public, Winnebago Co., Wisc.My commission ~~XXXXXX~~ is permanent.WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATEThis Certified Survey Map of part of the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 14, T.17N., R.16E., Town of Nekimi, is hereby approved.12-11-78
DateRobert M. Hunter DRB
Authorized representative
Winnebago Co. Planning CommitteeCalvin W. Hawksworth
Calvin W. Hawksworth 5-1270
Wisconsin Registered Land Surveyor
December 6, 1978.

Sheet 2 of 2 sheets



527187

Registered's Office
Winnebago County, Wis.
Recorded for record Jan. 15th
day of Dec. AD 1978
at 10:00 o'clock AM and
recorded in Vol. 1 of S. Maps
on page 496Lorraine C. Frey
Sup. Registrar of DeedsJohn Moore
200

Survey
for
Roger Potschneider


The North 175 feet of the West 225 feet of the Northwest Quarter (NW $\frac{1}{4}$) of the Southwest Quarter (SW $\frac{1}{4}$) of Section Fourteen (14), Township Seventeen (17) North, Range Sixteen (16) East, Town of Nekimi, Winnebago County, Wisconsin containing 0.903 Acres. As taken from Volume 1171 page 253 of Deeds.

The West 33 feet of the afore described being subject to Knapp Street Road right-of-way.



AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
OSHKOSH, WISCONSIN

Steven T. Chronis
WIS. REGISTERED LAND SURVEYOR S-913
NOTEBOOK 3 PAGE 28-29



L-296


PLAT OF SURVEY

KNOWN AS 4981 OREGON STREET ROAD. BEING THAT PART OF THE N. 1/2 OF THE S. 1/2 OF THE N.E. 1/4 OF SECTION 14, T17N, R16E, TOWN OF NEKIMI, WINNEBAGO COUNTY, WISCONSIN WHICH IS BOUNDED AND DESCRIBED AS FOLLOWS; COMMENCING AT THE E. 1/4 CORNER OF SAID SECTION, THENCE NORTH 88-45-47 WEST ALONG THE EAST LINE OF SAID N.E. 1/4 AFORESAID 660.73 FT. TO THE S.E. CORNER OF SAID N. 1/2 OF THE S. 1/2 OF THE N.E. 1/4, THENCE SOUTH 88-59-23 WEST ALONG THE SOUTH LINE OF SAID N. 1/2 OF THE S. 1/2 OF THE N.E. 1/4 OF SAID SECTION 45.00 FT. TO A POINT ON THE WEST LINE OF OREGON STREET ROAD (CTH. "I") AND THE POINT OF BEGINNING OF THE PARCEL TO BE DESCRIBED, THENCE CONTINUING SOUTH 88-59-23 WEST ALONG SAID LINE 667.31 FT., THENCE NORTH 88-45-47 WEST 352.50 FT. THENCE NORTH 88-59-23 EAST 667.31 FT. TO A POINT ON THE WEST LINE OF SAID ROAD, THENCE SOUTH 88-45-47 EAST ALONG SAID LINE 352.50 FT. TO THE POINT OF BEGINNING. SAID PARCEL CONTAINS 5.4000 ACRES.

OCTOBER 6, 1989
OCTOBER 24, 1989

SURVEY FOR SPANHAUER REALTY SURVEY NO. 89-1565
CHANGE SECTION NUMBER FROM 7 TO 14

- ----- DENOTES 1 INCH DIAMETER IRON PIPE FOUND.
- ----- DENOTES 3/4 INCH DIAMETER STEEL ROD, 24 INCHES LONG SET, WEIGHING NOT LESS THAN 1.50 LBS PER LINEAL FOOT.
- () ----- DENOTES RECORDED DIMENSIONS WHERE DIFFERENT FROM ACTUAL FIELD MEASUREMENTS.



SURVEYOR'S CERTIFICATE

I, REINHARD H. W. ROEHLIG, Registered Land Surveyor No. S-1368, hereby certify: That I have surveyed the property described hereon and that the above map is a true representation thereof and shows the size and location of the property, its exterior boundaries, the location and dimensions of all visible structures thereon, fences, apparent easements, roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the property, and also those who purchase, mortgage, or guarantee the title thereto within one (1) year from the date hereon, and as to them I certify the accuracy of said survey and map.

SCHULER & ASSOCIATES

CONSULTING ENGINEERS & LAND SURVEYORS
320 W. NORTHLAND AVE. APPLETON, WIS. 54911 (414) 734-9107
417 NORTH SAWYER STREET OSHKOSH, WIS. 54901 (414) 428-2800


REGISTERED LAND SURVEYOR

DATE

89-1565

Survey For Wm. Fox

Description For Parcel # 1
That Part Of The N.E.1/4 Of The N.E.1/4 Of Sec. 14-17-16, Town Of Nekimi,
Winnebago County, Wis. Bounded & Described As Follows:
The South 109.0 ft. Of The North 1029.5 ft. Of The East 428.0 ft. Of The N.1/4
Of The N.E.1/4 Of Sec. 14-17-16, Said Parcel Contains 1.03 Acres More Or Less,
Except That Portion Used For Highway Purposes,




Survey & Flattig Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
Aug. 15, 1972

Survey For R. Vedder:

Description For Parcel # 1

All of That Part Of The N.E. 1/4 Of The N.W. 1/4 Of Sec. 14-17-16, Town Of Nekimi, Winnebago County, Wis. Bounded & Described As Follows:
The West 300.0 ft. Of The East 643.6 ft. Of The North 435.6 ft. Of The N.E. 1/4 Of The N.W. 1/4 Of Sec. 14-17-16. Said Parcel Containing 3.0 Acres More Or Less Except That Portion Used For Road Purposes.




Iron Stakes Shown Thus - •

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
April 28, 1972



Survey For A. Henke:

Description For Parcel # 1
That Part Of The N.E.1/4 Of The N.E.1/4 Of Sec. 14-17-16, Town Of Nekimi
Winnebago County, Wis. Described As Follows: The East 528.0 ft. Of The
North 163.0 ft. Of The N.E.1/4 Of The N.E.1/4 Of Sec. 14-17-16. Said
Parcel Contains 2.0 Acres More Or Less.



SURVEY FOR BOB WOHLT

of

A part of the SE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 14, T.17N., R.16E., Town of Nekimi, Winnebago County, Wisconsin, containing 5.010 Acres of land and being described by:

Commencing at the Southeast Corner of said Section 14, thence N.00°-59'-38"W. 513.53 feet along the East line of the SE $\frac{1}{4}$ of said Section 14; thence S.88°-46'-42"W. 52.04 feet to a point on the West line of C.T.H. "I" and being the true point of beginning; thence continue S.88°-46'-42"W. 467.41 feet; thence N.60°-59'-18"W. 40.92 feet; thence N.38°-24'-13"W. 72.89 feet; thence N.11°-57'-22"W. 87.52 feet; thence N.22°-58'-59"E. 74.33 feet; thence N.43°-03'-46"E. 62.39 feet; thence N.66°-34'-38"E. 81.97 feet; thence N.32°-48'-51"W. 7.40 feet; thence N.57°-11'-09"E. 489.64 feet to a point on the West line of C.T.H. "I"; thence S.01°-13'-17"E. 570.91 feet along the West line of C.T.H. "I" to the true point of beginning.

-LEGEND-


- = 1"X24" Iron Pipe Set
- ▲ = R.R. Spike Set
- ⊙ = Winnebago County Berntsen Monument

SCALE: = 1" = 100'

September 25, 1990

— = Centerline of Creek


NOTE: North and West Property Lines not monumented due to centerline of Creek.




SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed the above described property and that the map shown above is a true and accurate representation thereof to the best of my knowledge and belief.

AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
SHEBOYGAN, WISCONSIN



NOTEBOOK 72 PAGE 66-68




L-1915

SURVEY
for
CHARLOTTE VILLMOCK
of

A part of the Southeast Quarter (SE $\frac{1}{4}$) of the Southeast Quarter (SE $\frac{1}{4}$) of Section Fourteen (14), Township Seventeen (17) North, Range Sixteen (16) East, Town of Nekimi, Winnebago County, Wisconsin, containing 5.311 Acres of land and being described by:

Commencing at the Southeast Corner of said Section 14; thence S.88°-46'-42"W. 125.00 feet along the South line of the SE $\frac{1}{4}$ of said Section 14 to the true point of beginning; thence continue S.88°-46'-42"W. 381.00 feet; thence N.01°-13'-17"W. 513.52 feet; thence N.88°-46'-42"E. 456.00 feet to a point on the West line of C.T.H. "I"; thence S.01°-13'-17"E. 438.52 feet along the West line of C.T.H. "I"; thence S.43°-46'-42"W. 106.07 feet along a visual right-of-way line of C.T.H. "I" to the true point of beginning.




-LEGEND-

- = 1"X24" Iron Pipe Set
- = 1" Iron Pipe Found
- ⊙ = Winnebago County Bernsten Monument
- ▲ = R/W Post Found

SCALE: 1" = 100'
March 4, 1991


SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed the above described property and that the map shown above is a true and accurate representation thereof to the best of my knowledge and belief.



Dated this 5th day of March, 1991

Steven T. Chronis
WIS. REGISTERED LAND SURVEYOR S-0913




AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
SHEBOYGAN, WISCONSIN

PLAT OF SURVEY

OF

Lot 1 of Certified Survey Map No. 1266, located in the S $\frac{1}{2}$, S $\frac{1}{2}$, NE $\frac{1}{4}$ of Sec. 14, T.17N., R.16E.
Town of Nekoni, Winnebago County, Wisconsin



SURVEYOR'S CERTIFICATE

I hereby certify that I have surveyed the above described property and that the above map is a true representation thereof and shows the size and location of the property, its exterior boundaries, the location of all visible structures and all principal buildings thereon, boundary fences, apparent easements, roadways and visible encroachments, if any.

This survey is made for the use of the present owners of the property, and also those who purchase, mortgage, or guarantee the title thereto within one (1) year from date hereof.

AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
SHEBOYGAN, WISCONSIN

ORIGINAL COPY
ONLY IF RED
3/25/93 Anthony P. Zullo
WIS. REGISTERED LAND SURVEYOR S-168
NOTEBOOK 120 PAGE 17-18

L-2145

Stock No. 26273

NO. 2823



CERTIFIED SURVEY MAP NO. _____ SHEET 1 OF 3

PART OF THE S.W. 1/4 OF THE N.W. 1/4 OF SECTION 14, T17N, R16E, IN THE TOWN OF NEKIMI, WINNEBAGO COUNTY, WISCONSIN.

○ DENOTES 3/4 INCH DIAMETER IRON ROD 24 INCHES LONG SET, WEIGHING NOT LESS THAN 1.50 LBS PER LINEAL FOOT.

ALL DISTANCES ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE WEST LINE OF THE N.W. 1/4 OF SECTION 14-17-16, WHICH HAS AN ASSUMED BEARING OF NORTH 01°10'40" WEST.



FEBRUARY 5, 1996

ROEHLIG

LAND SURVEYING
&
CONSULTING LTD.

417 North Sawyer Street • Oshkosh WI • 54901
(414) 233-2884

NO. 2823



Stock No. 26273

NO. 2823

CERTIFIED SURVEY MAP NO. _____

SHEET 2 OF 3

PART OF THE S.W. 1/4 OF THE N.W. 1/4 OF SECTION 14, T17N, R16E, IN THE TOWN OF NEKIMI, WINNEBAGO COUNTY, WISCONSIN.

**SURVEYOR'S CERTIFICATE
(STATE OF WISCONSIN)**

188
WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Registered Land Surveyor do hereby certify;

THAT I have surveyed, divided and mapped part of the S.W. 1/4 of the N.W. 1/4 of Section 14, T17N, R16E, in the Town of Nekimi, Winnebago County, Wisconsin which is bounded and described as follows;

BEGINNING AT THE W. 1/4 CORNER OF SAID SECTION 14, THENCE NORTH 01°10'40" WEST ALONG THE WEST LINE OF SAID 1/4 SECTION 945.80 FT., THENCE NORTH 89°10'49" EAST 457.35 FT., THENCE NORTH 01°10'40" WEST 381.01 FT. TO A POINT ON THE NORTH LINE OF SAID 1/4-1/4 SECTION, THENCE NORTH 89°10'49" EAST ALONG SAID LINE 845.24 FT. TO A POINT ON THE EAST LINE OF SAID 1/4-1/4 SECTION, THENCE SOUTH 00°57'30" EAST ALONG SAID LINE 1324.90 FT. TO A POINT ON THE SOUTH LINE OF SAID 1/4 SECTION, THENCE SOUTH 89°05'48" WEST ALONG SAID LINE 1297.51 FT. TO THE POINT OF BEGINNING. SAID PARCEL IS SUBJECT TO ALL EXISTING EASEMENTS AND RESTRICTIONS OF RECORD.

THAT I have made this survey by the direction of William K. Miller and Gerald D. Mathusek, Winnebago County, owners of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

2-5-96

Reinhard Roehlig, Registered
Wisconsin Land Surveyor S-1368


OWNERS CERTIFICATE


AS OWNERS, We hereby certify that We caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hands and seals of said owners this ____ day of _____, 1996.

William K. Miller

Gerald D. Mathusek





Stock No. 26273

NO. 2823

SHEET 3 OF 3

CERTIFIED SURVEY MAP NO. _____

PART OF THE S.W. 1/4 OF THE N.W. 1/4 OF SECTION 14, T17N, R16E, IN
THE TOWN OF NEKIMI, WINNEBAGO COUNTY, WISCONSIN.

STATE OF WISCONSIN)

, SS

WINNEBAGO COUNTY)

PERSONALLY came before me this _____ day of _____ 1996 the
aforementioned William K. Miller and Gerald D. Mathusek, to me
known to be the persons who executed the foregoing instrument and
acknowledged the same.

My Commission Expires _____

Notary Public, Winnebago
County, State of Wisconsin

COUNTY TREASURER'S CERTIFICATE

I, _____, being the duly elected, qualified and
acting treasurer for Winnebago County, do hereby certify that in
accordance with the records in my office, there are no unpaid taxes
or unpaid special assessments as of _____ on any land
included in this Certified Survey Map.

Date _____ Treasurer _____

TOWN TREASURER'S CERTIFICATE

I, _____, being the duly elected, qualified and
acting treasurer for the Town of Nekimi, do hereby certify that in
accordance with the records in my office, there are no unpaid taxes
or unpaid special assessments as of _____ on any land
included in this Certified Survey Map.

Date _____ Treasurer _____

WINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE
CERTIFICATE OF APPROVAL

This Certified Survey Map of part of the S.W. 1/4 of the N.W. 1/4
of Section 14, T17N, R16E, in the Town of Nekimi, Winnebago County,
Wisconsin, is hereby approved.

Date _____ Planning Commission Representative _____

THIS DOCUMENT WAS DRAFTED BY
REINHARD ROEHLIG.






FORM NO. 985-A

H.C. Muller

Stock No. 26273

14 17 14

Certified Survey Map No. 4220 Sheet 1 of 4
Part of the Northeast 1/4 of the Northwest 1/4 of Section 14,
Township 17 North, Range 16 East, Town of Nekimi,
Winnebago County, Wisconsin

NW Corner of
Section 14-17-16
(Bernitsen Monument)

UNPLATTED LANDS

UNPLATTED LANDS

UNPLATTED LANDS

UNPLATTED LANDS


Legend

- Government Land Corner
- 3/4" steel rebar set (24" in length @ 1.502 lbs/LF)
- 3/4" rebar found
- 1" iron pipe found


NOTE:
Access point 'A' to Lot 2 and unplatted lands to remain
as approved by Winnebago County Highway Commission
Access point 'B' to Lot 1 obtained by
Winnebago County Highway Commission permit dated 4/12/99



Kottler Land Services
1325 West Summer Street
Appleton, Wisconsin 54914
Phone: (920) 730-3963
E-mail: kls2348@aol.com

Center 1/4 Corner
of Section 14-17-16
(Bernitsen Monument)

Scale: 1" = 200'



Bearings are referenced to the
North line of the NW 1/4 of Section 14-17-16,
which has an assumed bearing of N 89°34'05"E

William F. Kotler
William F. Kotler, Wisconsin Land Surveyor LS-2348

Dated this 12th day of April, 1999




FORM NO. 965-A



Stock No. 26273

14 17 14

Certified Survey Map No. 4220 Sheet 1 of 4
Part of the Northeast 1/4 of the Northwest 1/4 of Section 14,
Township 17 North, Range 16 East, Town of Nekimi,
Winnebago County, Wisconsin

NW Corner of
Section 14-17-16
(Berntsen Monument)**Legend**

- Government Land Corner
- 3/4" steel rebar set (24" in length @ 1.502 lbs/LF)
3/4" rebar found
- 1" iron pipe found

NOTE:

Access point 'A' to Lot 2 and unplatted lands to remain
as approved by Winnebago County Highway Commission
Access point 'B' to Lot 1 obtained by
Winnebago County Highway Commission permit dated 4/12/99



Kottler Land Services
1325 West Summer Street
Appleton, Wisconsin 54914
Phone: (920) 730-3963
E-mail: kls2348@aol.com

William F. Kottler
William F. Kottler, Wisconsin Land Surveyor LS-2348

Dated this 12th day of April, 1999

Center 1/4 Corner
of Section 14-17-16
(Berntsen Monument)

Scale: 1" = 200'



Bearings are referenced to the
North line of the NW 1/4 of Section 14-17-16,
which has an assumed bearing of N 89°34'05"E

Stock No. 26273

Certified Survey Map No. 4220 Sheet 2 of 4Part of the Northeast 1/4 of the Northwest 1/4 of Section 14, Township 17 North,
Range 16 East, Town of Nekimi, Winnebago County, Wisconsin**SURVEYOR'S CERTIFICATE**

I, William F. Kottler, Wisconsin registered land surveyor, do hereby certify:


That I have surveyed, divided, mapped Part of the Northeast 1/4 of the Northwest 1/4 of Section 14, Township 17 North, Range 16 East, Town of Nekimi, Winnebago County, Wisconsin which is bounded and described as follows:

Beginning at the North 1/4 corner of said Section 14; thence South 00 degrees 58 minutes 55 seconds East, 1316.06 feet along the East line of the Northwest 1/4 of said Section 14 to the South line of the Northeast 1/4 of the Northwest 1/4 of said Section 14; thence along said South line South 89 degrees 19 minutes 54 seconds West, 1299.86 feet to the West line of the Northeast 1/4 of the Northwest 1/4 of said Section 14; thence along said West line North 01 degrees 04 minutes 46 seconds West, 1321.44 feet to the North line of the Northwest 1/4 of said Section 14; thence along said North line North 89 degrees 34 minutes 05 seconds East, 654.69 feet; thence South 00 degrees 35 minutes 55 seconds East, 433.42 feet; thence North 89 degrees 34 minutes 05 seconds East, 300.00 feet; thence North 00 degrees 35 minutes 55 seconds West, 433.42 feet to the North line of the Northwest 1/4 of said Section 14; thence along said North line North 89 degrees 34 minutes 05 seconds East, 347.46 feet to the point of beginning, containing 36.401 acres of land subject to all easements and restrictions of record.


That I have made this survey under the direction of William A. Zwicky and Sandra D. Zwicky, husband and wife, Winnebago County, owners of said land.

That such map is a correct representation of all exterior boundaries of land surveyed and the land division thereof.


That I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.


Dated this 12th day of April, 1999.


William F. Kottler, WI RLS No. LS-2348

**OWNERS CERTIFICATE:**

As Owners, We hereby certify that We caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

Dated this 13 day of April, 1999.


William A. Zwicky




Sandra D. Zwicky

Stock No. 26273

Certified Survey Map No. 4220 Sheet 3 of 4Part of the Northeast 1/4 of the Northwest 1/4 of Section 14, Township 17 North,
Range 16 East, Town of Nekimi, Winnebago County, WisconsinState of Wisconsin)
)SS
Winnebago County)Personally came before me on the 13th day of April, 1999, the above
owners to me known to be the persons who executed the foregoing instrument and acknowledge the
same.

Notary

My commission expires 3/17/2002**TREASURER'S CERTIFICATE:**I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands
shown hereon.

County Treasurer

Date

Town Treasurer

Date

CERTIFICATE OF PLANNING COMMITTEE:Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the
requirements for approval have been fulfilled. This minor subdivision was approved by the
Winnebago County Planning and Zoning Committee.

Planning Commission Representative

Date

This Certified Survey Map is contained wholly within the property described in the following recorded
instruments:Owner of record
William A and Sandra D ZwickyDocument No.
546064Parcel No.
012022301

This instrument was drafted by William Kotlar



1055498

Recorder's Office
Winnebago County, Wis.
Received for record this 26 th
day of April A.D., 19 99
at 8:48 o'clock AM. and
recorded in Vol. 1 of CSM
on page 4220.
Susan Winnebagh
Register of Deeds

Kattler.
Essex 16. 00.

INITIAL


CERTIFIED SURVEY MAP NO. 3773 SHEET 1 OF 3

PART OF THE S.W. 1/4 OF THE N.W. 1/4 OF SECTION 14, T17N,
R16E, IN THE TOWN OF NEKIMI, WINNEBAGO COUNTY, WISCONSIN.

○ DENOTES 3/4 INCH DIAMETER IRON ROD 24 INCHES LONG SET, WEIGHING NOT LESS THAN 1.50 LBS PER LINEAL FOOT.

ALL DISTANCES ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE WEST LINE OF THE N.W. 1/4
OF SECTION 14-17-16, WHICH HAS AN ASSUMED BEARING OF
NORTH 01°0'40" WEST.



FEBRUARY 5, 1996

ROEHLIG
LAND SURVEYING
&
CONSULTING LTD.

417 North Sawyer Street * Oshkosh WI * 54901
(414) 233-2884

NO. 2823



Stock No. 26273

NO. 2823

CERTIFIED SURVEY MAP NO. 3773SHEET 2 OF 3

PART OF THE S.W. 1/4 OF THE N.W. 1/4 OF SECTION 14, T17N, R16E, IN THE TOWN OF NEKIMI, WINNEBAGO COUNTY, WISCONSIN.

**SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)**

:SS

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Registered Land Surveyor do hereby certify;

THAT I have surveyed, divided and mapped part of the S.W. 1/4 of the N.W. 1/4 of Section 14, T17N, R16E, in the Town of Nekimi, Winnebago County, Wisconsin which is bounded and described as follows;

BEGINNING AT THE W.1/4 CORNER OF SAID SECTION 14, THENCE NORTH 01°10'40" WEST ALONG THE WEST LINE OF SAID 1/4 SECTION 945.80 FT., THENCE NORTH 89°10'49" EAST 457.35 FT., THENCE NORTH 01°10'40" WEST 379.80 FT. TO A POINT ON THE NORTH LINE OF SAID 1/4-1/4 SECTION, THENCE NORTH 89°19'54" EAST ALONG SAID LINE 842.63 FT. TO A POINT ON THE EAST LINE OF SAID 1/4-1/4 SECTION, THENCE SOUTH 01°04'18" EAST ALONG SAID LINE 1321.47 FT. TO A POINT ON THE SOUTH LINE OF SAID 1/4 SECTION, THENCE SOUTH 89°05'48" WEST ALONG SAID LINE 1297.51 FT. TO THE POINT OF BEGINNING. SAID PARCEL IS SUBJECT TO ALL EXISTING EASEMENTS AND RESTRICTIONS OF RECORD.

THAT I have made this survey by the direction of William K. Miller and Gerald D. Mathusek, Winnebago County, owners of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

Date 2-5-96

Reinhard Roehlig
Reinhard Roehlig, Registered
Wisconsin Land Surveyor S-1368

OWNERS CERTIFICATE

AS OWNERS, We hereby certify that We caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hands and seals of said owners this 12 day of FEBRUARY, 1996.

William K. Miller
William K. Miller

Gerald D. Mathusek
Gerald D. Mathusek



Stock No. 26273

NO. 2823

CERTIFIED SURVEY MAP NO. 3773SHEET 3 OF 3

PART OF THE S.W. 1/4 OF THE N.W. 1/4 OF SECTION 14, T17N, R16E, IN THE TOWN OF NEKIMI, WINNEBAGO COUNTY, WISCONSIN.

STATE OF WISCONSIN)

183

WINNEBAGO COUNTY)

PERSONALLY came before me this 12th day of FEBRUARY 1996 the aforementioned William K. Miller and Gerald D. Mathusek, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

[Signature]
Notary Public, Winnebago
County, State of Wisconsin

My Commission Expires 6-6-99

COUNTY TREASURER'S CERTIFICATE

I, Mary E. Krueger, Deputy, being the duly elected, qualified and acting treasurer for Winnebago County, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or unpaid special assessments as of May 20, 1997 on any land included in this Certified Survey Map.

Date 5/20/97Treasurer Mary E. Krueger, Deputy

TOWN TREASURER'S CERTIFICATE

I, Julius Barthold, being the duly elected, qualified and acting treasurer for the Town of Nekimi, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or unpaid special assessments as of 2-14-96 on any land included in this Certified Survey Map.

Date February 14, 1996Treasurer Julius BartholdWINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE
CERTIFICATE OF APPROVAL

This Certified Survey Map of part of the S.W. 1/4 of the N.W. 1/4 of Section 14, T17N, R16E, in the Town of Nekimi, Winnebago County, Wisconsin, is hereby approved.

August 19, 1997
Date


[Signature]
Planning Commission Representative

979892

Register's Office
Winnebago County, Wis.
Received for record this 20th
day of August, 1997
at 10:34 o'clock A.M. and
filed in Vol. 1 of C.S.M
on page 3773

[Signature]
Register of Deeds

THIS DOCUMENT WAS DRAFTED BY
REINHARD ROEHLIG.



[Signature]
Roehlig Surveying


ch
14

14-17-18

Plat of Survey

Sheet 1 of 1

Part of the Southwest 1/4 of the Northwest 1/4 of
Section 14, Township 17 North, Range 18 East,
Town of Nekimi, Winnebago County, Wisconsin



Surveyor's Certificate

I, William F. Kottler, registered land surveyor, hereby certify:

That I surveyed this property and this map is a true representation thereof, and shows the size and location of the property, its exterior boundaries, the location of all apparent roadways, easements and visible encroachments. This survey is made for the exclusive use of the present owner of the property, and also those who purchase, mortgage, or guarantee the title thereto within one (1) year from date thereof; and as to them I hereby certify that said survey and map were made in accordance with acceptable Professional Standards and that the information contained thereon is, to the best of my knowledge, information and belief a true and representation thereof.

Meters and pounds description:


Commencing at the West 1/4 corner of said Section 14; thence along the West line of the Northwest 1/4 of said Section 14 North 01 degrees 10 minutes 40 seconds West, 945.82 feet to the Southwest corner of those lands described in Document Nos. 499258 and 711127, being the point of beginning; thence along the South line of said lands North 89 degrees 19 minutes 49 seconds East, 457.34 feet; thence along the East line of said lands North 01 degrees 10 minutes 40 seconds West, 381.00 feet; thence along the North line of said lands South 89 degrees 19 minutes 49 seconds West, 457.34 feet to the West line of the Northwest 1/4 of said Section 14; thence along said West line South 01 degrees 10 minutes 40 seconds East, 381.00 feet to the point of beginning, containing 4.000 acres of land subject to all easements and restrictions of record.

William F. Kottler
William F. Kottler, WI BLS No. LS-2348 Dated this 2nd day of August, 1999.



Kottler Land Services
1325 West Summer Street
Appleton, Wisconsin 54914
Phone: (820) 734-3863
E-mail: kls@appletonwi.com

**All of the Southwest 1/4 of the Southwest 1/4 and
All of the Southeast 1/4 of the Southwest 1/4
of Section 14, Township 17 North, Range 18 East,
Town of Nekimi, Winnebago County, Wisconsin**



- Government Land Corner
- 3/4" steel rebar set (24" in length @ 1.502 lbs/LF)
- 3/4" rebar found



Scale: 1" = 400'



Bearings are referenced to the South line of the SW 1/4 of Section 13-17-16, which has an assumed bearing of N 89°04'30"E



Kottler Land Services
1325 West Summer Street
Appleton, Wisconsin 54914
Phone: (920) 730-3983
E-mail: klj2348@aol.com

William F. Kötter, Wisconsin Land Surveyor L.S. 2348

Dated this 16th day of July, 1990



Stock No. 26273

Certified Survey Map No. 4353 Sheet 1 of 3

All of the Southwest $\frac{1}{4}$ of the Southwest $\frac{1}{4}$ and
 All of the Southeast $\frac{1}{4}$ of the Southwest $\frac{1}{4}$
 of Section 14, Township 17 North, Range 16 East,
 Town of Nekimi, Winnebago County, Wisconsin

SURVEYOR'S CERTIFICATE

I, William F. Kottler, Wisconsin registered land surveyor, do hereby certify:

That I have surveyed, divided, mapped All of the Southwest $\frac{1}{4}$ of the Southwest $\frac{1}{4}$ and All of the Southeast $\frac{1}{4}$ of the Southwest $\frac{1}{4}$ of Section 14, Township 17 North, Range 16 East, Town of Nekimi, Winnebago County, Wisconsin which is bounded and described as follows:

Beginning at the Southwest corner of said Section 14; thence along the West line of the Southwest $\frac{1}{4}$ of said Section 14, North 01 degrees 00 minutes 23 seconds West, 1325.02 feet to the North line of the South $\frac{1}{2}$ of the Southwest $\frac{1}{4}$ of said Section 14, thence along said North line, North 89 degrees 05 minutes 06 seconds East, 2594.54 feet to the East line of the Southwest $\frac{1}{4}$ of said Section 14; thence along said East line, South 00 degrees 58 minutes 40 seconds East 1324.66 feet to the South $\frac{1}{4}$ corner of said Section 14; thence along the South line of the Southwest $\frac{1}{4}$ of said Section 14, South 89 degrees 04 minutes 38 seconds West, 2593.87 feet to the point of beginning, containing 78.900 acres of land subject to all easements and restrictions of record.


That I have made this survey under the direction of Vulcan Lands, Inc., a New Jersey corporation, owners of said land.

That such map is a correct representation of all exterior boundaries of land surveyed and the land division thereof.

That I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

William F. Kottler, WI RLS No. LS-2348

Dated this 16th day of July, 1999.


CORPORATE OWNER'S CERTIFICATE OF DEDICATION:

Vulcan Lands, Inc., a corporation duly organized and existing under and by the virtue of the laws of the State of New Jersey, as owner, does hereby certify that said corporation caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

In witness whereof, the said Vulcan Lands, Inc. has caused these presents to be signed by S.M. Rahman, its Vice President, at Lombard, Illinois, and its corporate seal to be hereunto affixed.

Dated this 9th day of August, 1999.

Vulcan Lands, Inc.

S.M. Rahman Vice President

(Corporate Seal)



Stock No. 26273

Certified Survey Map No. 4353 Sheet 1 of 3

All of the Southwest $\frac{1}{4}$ of the Southwest $\frac{1}{4}$ and
 All of the Southeast $\frac{1}{4}$ of the Southwest $\frac{1}{4}$
 of Section 14, Township 17 North, Range 16 East,
 Town of Nekimi, Winnebago County, Wisconsin

1LL
 State of Wisconsin)
 DuPage) SS
 Winnebago County)

Personally came before me on this 9th day of August, 1999, the above named S.M. Rahman, Vice President of the above named corporation, to me known to be such Vice President of said corporation, and acknowledged that he executed the foregoing instrument as such officer as the deed of said corporation, by its authority.

Patricia A. Mishur
 Notary

My commission expires

OFFICIAL SEAL
 PATRICIA A. MISHUR
 NOTARY PUBLIC STATE OF ILLINOIS
 MY COMMISSION EXP. MAR. 17, 2003

TREASURER'S CERTIFICATE:

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

Suzana M. Hellmann
 County Treasurer Deputy

8-26-99
 Date

Julie Barthel
 Town Treasurer

August 19, 1999
 Date

CERTIFICATE OF PLANNING COMMITTEE:

Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This minor subdivision was approved by the Winnebago County Planning and Zoning Committee.

John R. Schiller
 Planning Commission Representative

August 27, 1999
 Date

This Certified Survey Map is contained wholly within the property described in the following recorded instruments:

Owner of record
 Vulcan Lands, Inc.

Document No.
 1046875

Parcel Nos.
 0120229, 0120230

This instrument was drafted by William Kottler



1070908
 REGISTER'S OFFICE
 WINNEBAGO COUNTY, WI
 RECORDED ON
 08-27-1999 03:24 PM
 SUSAN WINNINGSHOFF
 REGISTER OF DEEDS
 RECORDING FEE 14.00
 TRANSFER FEE 3
 # OF PAGES 3



Stock No. 26273

Plat of Survey

Sheet 1 of 1

Part of the Northeast 1/4 of the Northwest 1/4 and all of the Southeast 1/4 of the Northwest 1/4 of Section 14, Township 17 North, Range 16 East, Town of Nekimi, Winnebago County, Wisconsin



Scale: 1" = 400'

0 200 400 600

Bearings are referenced to the North line of the NW 1/4 of Section 14-17-16, which has an assumed bearing of N 89°34'05"E

Legend

- Government Land Corner
- 3/4" steel rebar set (24" in length @ 1.502 lbs/LF)
- 1" iron pipe found



Surveyor's Certificate

I, William F. Kottler, registered land surveyor, hereby certify: That I surveyed this property and this map is a true representation thereof, and shows the size and location of the property, its exterior boundaries, the location of all apparent roadways, easements and visible encroachments. This survey is made for the exclusive use of the present owner of the property, and also those who purchase, mortgage, or guarantee the title thereto within one (1) year from date thereof; and as to them I hereby certify that said survey and map were made in accordance with acceptable Professional Standards and that the information contained thereon is, to the best of my knowledge, information and belief a true and representation thereof.

Metes and bounds description:


Beginning at the North 1/4 corner of said Section 14; thence South 00 degrees 58 minutes 55 seconds East, 2632.12 feet along the East line of the Northwest 1/4 of said Section 14 to the Center 1/4 corner of said Section 14; thence along the South line of the Northwest 1/4 of said Section 14 South 89 degrees 05 minutes 42 seconds West, 1297.60 feet to the West line of the East 1/2 of the Northwest 1/4 of said Section 14; thence along said West line North 01 degrees 04 minutes 46 seconds West, 2642.88 feet to the North line of the Northwest 1/4 of said Section 14; thence along said North line North 89 degrees 34 minutes 05 seconds East, 654.69 feet; thence South 00 degrees 35 minutes 55 seconds East, 433.42 feet; thence North 89 degrees 34 minutes 05 seconds East, 300.00 feet; thence North 00 degrees 35 minutes 55 seconds West, 433.42 feet to the North line of the Northwest 1/4 of said Section 14; thence along said North line North 89 degrees 34 minutes 05 seconds East, 347.46 feet to the point of beginning, containing 75.718 acres of land subject to all easements and restrictions of record.

William F. Kottler
William F. Kottler, WI RLS No. LS-2348

Dated this 24th day of December, 1998.



Kottler Land Services
1326 West Summer Street
Appleton, Wisconsin 54914
Phone: (820) 720-2863
E-mail: kls2348@aol.com



Stock No. 26273

Plat of Survey

Sheet 1 of 1

Part of the Northeast 1/4 of the Northwest 1/4 and all of the
Southeast 1/4 of the Northwest 1/4 of Section 14,
Township 17 North, Range 16 East,
Town of Nekimi, Winnebago County, Wisconsin



Scale: 1" = 400'

Bearings are referenced to the
North line of the NW 1/4 of Section 14-17-16,
which has an assumed bearing of N 89°34'05"E

- Legend**
- ⊙ Government Land Corner
 - 3/4" steel rebar set (24" in length @ 1.502 lbs/LF)
 - 1" iron pipe found



Surveyor's Certificate

I, William F. Kottler, registered land surveyor, hereby certify:
That I surveyed this property and this map is a true
representation thereof, and shows the size and location of
the property, its exterior boundaries, the location of all
apparent roadways, easements and visible encroachments.
This survey is made for the exclusive use of the present
owner of the property, and also those who purchase, mortgage,
or guarantee the title thereto within one (1) year from
date thereof: and as to them I hereby certify that said
survey and map were made in accordance with acceptable
Professional Standards and that the information contained
thereon is, to the best of my knowledge, information
and belief a true and representation thereof.


Metes and bounds description:

Beginning at the North 1/4 corner of said Section 14; thence South 00 degrees 58 minutes 55 seconds East, 2632.12 feet along
the East line of the Northwest 1/4 of said Section 14 to the Center 1/4 corner of said Section 14; thence along the South line
of the Northwest 1/4 of said Section 14 South 89 degrees 05 minutes 42 seconds West, 1297.60 feet to the West line of the
East 1/2 of the Northwest 1/4 of said Section 14; thence along said West line North 01 degrees 04 minutes 46 seconds West,
2642.88 feet to the North line of the Northwest 1/4 of said Section 14; thence along said North line North 89 degrees
34 minutes 05 seconds East, 654.69 feet; thence South 00 degrees 35 minutes 55 seconds East, 433.42 feet; thence North
89 degrees 34 minutes 05 seconds East, 300.00 feet; thence North 00 degrees 35 minutes 55 seconds West, 433.42 feet to the
North line of the Northwest 1/4 of said Section 14; thence along said North line North 89 degrees 34 minutes 05 seconds East,
347.46 feet to the point of beginning, containing 75.718 acres of land subject to all easements and restrictions of record.

 Dated this 24th day of December, 1998.
William F. Kottler, WI-RLS No. LS-2348



Kottler Land Services
1335 West Summer Street
Appleton, Wisconsin 54914
Phone: (920) 730-3983
E-mail: kls2348@aol.com



Stock No. 26273

14-17-14


Plat of Survey

Sheet ____ of ____

All of the Northeast 1/4 of the Southwest 1/4 and
All of the Southwest 1/4 of the Southwest 1/4 and
All of the Southeast 1/4 of the Southwest 1/4 of
Section 14, Township 17 North, Range 16 East,
Town of Nekimi, Winnebago County, Wisconsin

West 1/4 Corner of
Section 14-17-16
(Berntsen Monument)

Center 1/4 Corner of
Section 14-17-16
(Berntsen Monument)



Legend

- Government Land Corner
- 3/4" steel rebar set (24" in length @ 1.502 lbs/LF)
- 3/4" rebar found

Bearings are referenced to the
South line of the SW 1/4 of Section 14-17-16,
which has an assumed bearing of N 89°04'38"E

Surveyor's Certificate


I, William F. Kottler, registered land surveyor, hereby certify: That I surveyed this property and this map is a true representation hereof, and shows the size and location of the property, its exterior boundaries, the location of all apparent roadways, easements and visible encroachments. This survey is made for the exclusive use of the present owner of the property, and also those who purchase, mortgage, or guarantee the title thereto within one (1) year from date thereof; and as to them I hereby certify that said survey and map were made in accordance with acceptable Professional Standards and that the information contained thereon is, to the best of my knowledge, information and belief a true and representation thereof.

Notes and bounds description:

Beginning at the Southwest corner of said Section 14; thence North 01 degrees 00 minutes 23 seconds West, 1325.02 feet along the West line of the Southwest 1/4 of said Section 14 to the North line of the Southwest 1/4 of the Southwest 1/4 of said Section 14; thence along said North line North 89 degrees 05 minutes 06 seconds East, 1297.27 feet to the West line of the Northeast 1/4 of the Southwest 1/4 of said Section 14; thence along said West line North 00 degrees 59 minutes 31 seconds West, 1324.84 feet to the North line of the Southwest 1/4 of said Section 14; thence along said North line North 89 degrees 05 minutes 34 seconds East, 1297.60 feet to the East line of the Southwest 1/4 of said Section 14; thence along said East line South 00 degrees 58 minutes 40 seconds East, 2649.32 feet to the South line of the Southwest 1/4 of said Section 14; thence along said South line South 89 degrees 04 minutes 38 seconds West, 2593.87 feet to the point of beginning, containing 118.358 acres of land subject to all easements and restrictions of record.

William F. Kottler, WLRLS No. LS-2348

Dated this 6th day of January, 1999.



Kottler Land Services
1325 West Summer Street
Appleton, Wisconsin 54914
Phone: (920) 730-3883
E-mail: kls2348@aol.com


Stock No. 26273

Plat of Survey

Sheet ____ of ____

All of the Northeast 1/4 of the Southwest 1/4 and
All of the Southwest 1/4 of the Southwest 1/4 and
All of the Southeast 1/4 of the Southwest 1/4 of
Section 14, Township 17 North, Range 16 East,
Town of Nekimi, Winnebago County, Wisconsin

Center 1/4 Corner of
Section 14-17-16
(Berntsen Monument)



Legend

- Government Land Corner
- 3/4" steel rebar set (24" in length @ 1.502 lbs/LF)
- 3/4" rebar found

Bearings are referenced to the
South line of the SW 1/4 of Section 14-17-16,
which has an assumed bearing of N 89°04'33"E

Surveyor's Certificate


I, William F. Kottler, registered land surveyor, hereby certify: That I surveyed this property and this map is a true representation thereof, and shows the size and location of the property, its exterior boundaries, the location of all apparent roadways, easements and visible encroachments. This survey is made for the exclusive use of the present owner of the property, and also those who purchase, mortgage, or guarantee the title thereto within one (1) year from date thereof: and as to them I hereby certify that said survey and map were made in accordance with acceptable Professional Standards and that the information contained thereon is, to the best of my knowledge, information and belief a true and representation thereof.

Metes and bounds description:

Beginning at the Southwest corner of said Section 14; thence North 01 degrees 00 minutes 23 seconds West, 1325.02 feet along the West line of the Southwest 1/4 of said Section 14 to the North line of the Southwest 1/4 of the Southwest 1/4 of said Section 14; thence along said North line North 89 degrees 05 minutes 06 seconds East, 1297.27 feet to the West line of the Northeast 1/4 of the Southwest 1/4 of said Section 14; thence along said West line North 00 degrees 59 minutes 31 seconds West, 1324.84 feet to the North line of the Southwest 1/4 of said Section 14; thence along said North line North 89 degrees 05 minutes 34 seconds East, 1297.60 feet to the East line of the Southwest 1/4 of said Section 14; thence along said East line South 00 degrees 58 minutes 40 seconds East, 2649.32 feet to the South line of the Southwest 1/4 of said Section 14; thence along said South line South 89 degrees 04 minutes 38 seconds West, 2593.87 feet to the point of beginning, containing 118.358 acres of land subject to all easements and restrictions of record.

William F. Kottler
William F. Kottler, W.L.R.L.S. No. LS-2348

Dated this 6th day of January, 1999.



Kottler Land Services
1325 West Summer Street
Appleton, Wisconsin 54914
Phone: (920) 730-3963
E-mail: kls2348@aol.com

Stock No. 26273

14 17 14

Plat of Survey

Sheet ____ of ____

Part of the Northwest 1/4 of the Northwest 1/4 and part of the Southwest 1/4 of the Northwest 1/4 of Section 14,
Township 17 North, Range 16 East,
Town of Nekimi, Winnebago County, Wisconsin

North 1/4 Corner of
Section 14-17-16
(Bernsten Monument)



Scale: 1" = 400'

Bearings are referenced to the
West line of the NW 1/4 of Section 14-17-13,
which has an assumed bearing of N 01°10'40" W

Legend

- Government Land Corner
- 3/4" steel rebar found
- 1" iron pipe found
- () Recorded as



Surveyor's Certificate


I, William F. Kottler, registered land surveyor, hereby certify:
That I surveyed this property and this map is a true
representation thereof, and shows the size and location of
the property, its exterior boundaries, the location of all
apparent roadways, easements and visible encroachments.
This survey is made for the exclusive use of the present
owner of the property, and also those who purchase, mortgage,
or guarantee the title thereto within one (1) year from
date thereof: and as to them I hereby certify that said
survey and map were made in accordance with acceptable
Professional Standards and that the information contained
thereon is, to the best of my knowledge, information
and belief a true and representation thereof.

Metes and bounds description:

Beginning at the West 1/4 corner of said Section 14; thence along the West line of the Northwest 1/4 of said Section 14
North 01 degrees 10 minutes 40 seconds West, 945.82 feet
to the Southwest corner of those lands described in Document Nos. 490259 and 711127;
thence along the South line of said lands North 89 degrees 19 minutes 49 seconds East, 457.34 feet;
thence along the East line of said lands North 01 degrees 10 minutes 40 seconds West, 381.00 feet;
thence along the North line of said lands South 89 degrees 19 minutes 49 seconds West, 457.34 feet
to the West line of the Northwest 1/4 of said Section 14;
thence along said West line North 01 degrees 10 minutes 40 seconds West, 1194.83 feet;
thence North 44 degrees 17 minutes 19 seconds East, 185.76 feet to the North line of the Northwest 1/4 said Section 14;
thence along said North line North 89 degrees 33 minutes 59 seconds East, 1169.73 feet
to the East line of the West 1/2 of the Northwest 1/4 of said Section 14; thence along said East line
South 01 degrees 04 minutes 52 seconds East, 2642.88 feet to the South line of the Northwest 1/4 of said Section 14;
thence along said South line South 89 degrees 05 minutes 36 seconds West, 1297.60 feet to the point of beginning,
containing 74.823 acres of land subject to all easements and restrictions of record.

West 1/4 Corner of
Section 14-17-16
(Bernsten Monument)

Center 1/4 Corner
of Section 14-17-16
(Bernsten Monument)



William F. Kottler, WI RLS No. LS-2348

Dated this 6th day of January, 1999.



Kottler Land Services
1328 West Summer Street
Appleton, Wisconsin 54914
Phone: (820) 730-3063
E-mail: kls2346@aol.com

141714

Plat of Survey

Sheet 1 of 1

Part of the Northeast 1/4 of the Northwest 1/4 and all of the Southeast 1/4 of the Northwest 1/4 of Section 14, Township 17 North, Range 16 East, Town of Nekimi, Winnebago County, Wisconsin



Scale: 1" = 400'

0 200 400 600

Bearings are referenced to the North line of the NW 1/4 of Section 14-17-18, which has an assumed bearing of N 89°34'05"E

Legend

- Government Land Corner
- 3/4" steel rebar set (24" in length @ 1.502 lbs/Lf)
- 1" iron pipe found



Surveyor's Certificate

I, William F. Kottler, registered land surveyor, hereby certify: That I surveyed this property and this map is a true representation thereof, and shows the size and location of the property, its exterior boundaries, the location of all apparent roadways, easements and visible encroachments. This survey is made for the exclusive use of the present owner of the property, and also those who purchase, mortgage, or guarantee the title thereto within one (1) year from date thereof: and as to them I hereby certify that said survey and map were made in accordance with acceptable Professional Standards and that the information contained thereon is, to the best of my knowledge, information and belief a true and representation thereof.


Metes and bounds description:

Beginning at the North 1/4 corner of said Section 14; thence South 00 degrees 58 minutes 55 seconds East, 2632.12 feet along the East line of the Northwest 1/4 of said Section 14 to the Center 1/4 corner of said Section 14; thence along the South line of the Northwest 1/4 of said Section 14 South 89 degrees 05 minutes 42 seconds West, 1297.60 feet to the West line of the East 1/2 of the Northwest 1/4 of said Section 14; thence along said West line North 01 degrees 04 minutes 46 seconds West, 2642.88 feet to the North line of the Northwest 1/4 of said Section 14; thence along said North line North 89 degrees 34 minutes 05 seconds East, 654.69 feet; thence South 00 degrees 35 minutes 55 seconds East, 433.42 feet; thence North 89 degrees 34 minutes 05 seconds East, 300.00 feet; thence North 00 degrees 35 minutes 55 seconds West, 433.42 feet to the North line of the Northwest 1/4 of said Section 14; thence along said North line North 89 degrees 34 minutes 05 seconds East, 347.46 feet to the point of beginning, containing 75.718 acres of land subject to all easements and restrictions of record.

William F. Kottler
 William F. Kottler, WI RLS No. LS-2348 Dated this 24th day of December, 1998.



Kottler Land Services
 1326 West Summer Street
 Appleton, Wisconsin 54914
 Phone: (820) 730-3863
 E-mail: kls2348@aol.com



Stock No. 26273

1417K

Plat of Survey

Sheet 1 of 1

Part of the Northeast 1/4 of the Northwest 1/4 and all of the
Southeast 1/4 of the Northwest 1/4 of Section 14,
Township 17 North, Range 16 East,
Town of Nekimi, Winnebago County, Wisconsin



Scale: 1" = 400'

Bearings are referenced to the
North line of the NW 1/4 of Section 14-17-16,
which has an assumed bearing of N 89°34'05"E

Legend

- ⊙ Government Land Corner
- 3/4" steel rebar set (24" in length @ 1.502 lbs/LF)
- 1" iron pipe found




Surveyor's Certificate

I, William F. Kottler, registered land surveyor, hereby certify:
That I surveyed this property and this map is a true
representation thereof, and shows the size and location of
the property, its exterior boundaries, the location of all
apparent roadways, easements and visible encroachments.
This survey is made for the exclusive use of the present
owner of the property, and also those who purchase, mortgage,
or guarantee the title thereto within one (1) year from
date thereof. and as to them I hereby certify that said
survey and map were made in accordance with acceptable
Professional Standards and that the information contained
thereon is, to the best of my knowledge, information
and belief a true and representation thereof.


Metes and bounds description:

Beginning at the North 1/4 corner of said Section 14; thence South 00 degrees 58 minutes 55 seconds East, 2632.12 feet along
the East line of the Northwest 1/4 of said Section 14 to the Center 1/4 corner of said Section 14; thence along the South line
of the Northwest 1/4 of said Section 14 South 89 degrees 05 minutes 42 seconds West, 1297.60 feet to the West line of the
East 1/2 of the Northwest 1/4 of said Section 14; thence along said West line North 01 degrees 04 minutes 46 seconds West,
2642.88 feet to the North line of the Northwest 1/4 of said Section 14; thence along said North line North 89 degrees
34 minutes 05 seconds East, 654.69 feet; thence South 00 degrees 35 minutes 55 seconds East, 433.42 feet; thence North
89 degrees 34 minutes 05 seconds East, 300.00 feet; thence North 00 degrees 35 minutes 55 seconds West, 433.42 feet to the
North line of the Northwest 1/4 of said Section 14; thence along said North line North 89 degrees 34 minutes 05 seconds East,
347.46 feet to the point of beginning, containing 75.718 acres of land subject to all easements and restrictions of record.

 Dated this 24th day of December, 1998.
William F. Kottler, WI RLS No. LS-2348



Kottler Land Services
1325 West Summer Street
Appleton, Wisconsin 54914
Phone: (920) 730-3883
E-mail: kls2348@aol.com



JAN 04, 2000

TO: Cartographer/Zoning Secretary

FM: Zoning Administrator

RE: Navigability Determination Map Updates

Diane/Janet:

Please update the GIS for the following DNR navigability determinations:

- ✓1. NW 1/4 S 14 & 11 T 17 N, R ¹⁶~~17~~ E, TOWN OF NEKIMI (KILLIAN)
- ✓2. S 17, T 18 N, R 16 3, TOWN OF ALGOMA (PAULSON)
- ✓3. S 07, T 20 N, R 17 E, TOWN OF MENASHA (GROELL)
- ✓4. S 19, T 19 N, R 16 E, TOWN OF VINLAND (FARREY)
- ✓5. S 6, T 19 N, R 16 E, TOWN OF VINLAND (CAMPBELL)

Diane: After updating, determine the affected parcels where navigable and attach a list of parcel numbers affected and within 1000' or 300' so that file 13 can be updated. Tag stream section with DNR Determ & Date.

Janet: Update File 13, file in parcel file(s) and microfiche in Surveyors Records according to Section, Town, Range.

GIS Updated


1-7-00

by

D. Culver

File 13 Updated


by



Verified by Zoning administrator

no list to attach
determination
confirms that original
determination done
12-20-96 remains
correct.

D. Culver
1-6-00



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
Ronald Kazmierczak, District Director

Oshkosh Area Office
620 E. CTY Y, Suite 700
Oshkosh, Wisconsin 54901-9731
Telephone 920-424-3060
FAX 920-424-4404

December 20, 1999

Paul J. Killian
STS Consultants, Ltd.
1035 Kepler drive
Green Bay, WI 54311-8320

Dear Mr. Killian:

This letter follows up our meeting on December 6, 1999 at the proposed Vulcan Materials quarry located in the NW¼ of Section 14, Township 17 North, Range 47 East. At that meeting it was determined that the original navigability determination completed by Rich Wislink in 1996 remains correct.


The two small waterways that flow north through the property do not exhibit a defined bed or bank and are not capable of floating a small watercraft on a recurring basis. These two waterways do not meet the state definition of "navigable" waterway. However, the waterway that flows east along West Fisk Avenue does have a defined bed and bank and is capable of floating a small watercraft on a recurring basis. This waterway meets the state definition of "navigable" waterway. Attached is a topographic map that sets forth the determinations.

The navigable waterway falls under the jurisdiction of Wis. Stats. Chapter 30 and a shoreland zone around it is regulated by Winnebago County. Any alterations or diversions of the waterway itself or the creation of any ponds within 500 feet will require a permit from the Department. Please contact Winnebago County for information on their permit programs.

Please contact Linda Vogen at (920) 492-5876 for information on the Department's discharge permit program.

If you have any questions or concerns about this determination please contact me at (920) 424-7885. Happy Holidays!


Sincerely,


Kristy J. Rogers
Water Management Specialist

cc: Steve Smith, Vulcan Materials Company, 1301 Knapp St., Oshkosh, WI 54901
Rob Braun, Winnebago County

Quality Natural Resources Management
Through Excellent Customer Service





FEB 18, 2002

TO: Cartographer/Zoning Secretary

FM: Zoning Administrator

RE: Navigability Determination Map Updates

Diane/Janet:

Please update the GIS for the following DNR navigability determinations:

1. S 22, 23, 14, 13, T ~~17~~ N, R ~~16~~ E (POTRATZ)

TABLE STREAM SECTIONS AS APPROPRIATE. IF ANOTHER DETERMINATION WAS DONE, LIST THAT ONE FIRST AND THE MOST RECENT DETERMINATION AS A RE-DETERMINATION.

Diane: After updating, determine the affected parcels where navigable and attach a list of parcel numbers affected and within 1000' or 300' so that file 13 can be updated. Tag stream section with DNR Determin & Date. Modify shoreland zoning appropriately.

Janet: Update File 13, file in parcel file(s) and microfiche in Surveyors Records according to Section, Town, Range.

GIS Updated 2-18-02 by D. Culver

File 13 Updated _____ by [Signature]

Verified by Zoning administrator [Signature]

SHORELAND ZONING FORM

TOWN	PARCEL #	ACTION	DATE
Black Wolf	004-0089-02	Within Shoreland area as per determination	2-12-02
	004-0090		
	004-0090-01		
	004-0090-02		
	004-0118		
	004-0118-01		
	004-0118-02		
	004-0118-03		
	004-0118-04		
	004-0118-06-01		
	004-0118-06-02		
	004-0118-06-04		
	004-0118-06-05		
	004-0118-06-06		
	004-0118-07		
	004-0120		
	004-0121		
	004-0122		
	004-0123		
	004-0125-03		
	004-0126		
	004-0129		
Nukunui	012-0231		
	012-0238		
	012-0238-01		
	012-0238-02		
	012-0384		

SIGNED:

D. Culver

DATE:

2-18-02

SHORELAND ZONING FORM

TOWN	PARCEL #	ACTION	DATE
Nekimi	012-0384-01	within Shoreland	2-12-02
	012-0384-02	area under	
	012-0384-03	determination	
	012-0384-04		
	012-0390		
	012-0395		
	012-0391		
	012-0396		
	012-0396-01		
	012-0397		
	012-0397-02		
	012-0397-03		
	012-0397-04		
	012-0397-05		
	012-0400		
	012-0401		
	012-0404-02		
	012-0404		
	012-0405		
	012-0406		
	012-0408		
	012-0409		
	012-0410		
	012-0411		
	012-0416		
	012-0416-01		
	012-0417		

SIGNED: D. Culver

DATE: 2-18-02

SHORELAND ZONING FORM


TOWN	PARCEL #	ACTION	DATE
Nekimi	012-0418	within Shoreland	2-12-02
	012-0416-02	area as per	
	012-0422	determination	
	012-0422-01		
	012-0422-01-01		
	012-0423		
	012-0424		
	012-0426		
	012-0426-02		
	012-0426-03		
	012-0427		
	012-0426-01		

SIGNED:

D. Culver.

DATE:

2-18-02



State of Wisconsin | DEPARTMENT OF NATURAL RESOURCES

Scott McCallum, Governor
Darrell Bazzell, Secretary
Ronald W. Kazmierczak, Regional Director

Oshkosh Service Center
625 CITY RD Y STE 700
Oshkosh, Wisconsin 54901
Telephone 920-424-4060
FAX 920-424-4404

February 12, 2002

James Potratz
1050 Black Oak School Road
Oshkosh, WI 54902



Subject: Proposed Dredging Project


Dear Mr. Potratz:

This letter is in response to your request for a navigability determination. The waterway is located in the NW¼ of the SW¼ of Section 22, T. 17 North, Range 16 East, Winnebago County.


The waterway flows east under STH 41 and ultimately connects with Weyhurst Creek. It exhibits a defined bed and bank and the ability to float a small watercraft on a reoccurring basis. It meets the definition of "navigable" as set forth in Wis. Stats, Chapter 30.

A permit will be required for dredging and the construction of a ford. Enclosed are the application materials. Please call me at (920) 424-7885 with any questions or concerns.

Sincerely,


Kristy J. Rogers
Water Management Specialist

cc: Robert Braun, Winnebago County



JAN 06, 1997

TO: Cartographer/Zoning Secretary

FM: Zoning Administrator

RE: Navigability Determination Map Updates

Diane/Lisa:

Please update the GIS for the following DNR navigability determinations:

1. NE NW & SE NW S 14 T 17 N R 16 E, TOWN OF NEKIMI (VULCAN)


Diane: After updating, determine the affected parcels where navigable and attach a list of parcel numbers affected and within 1000' or 300' so that file 13 can be updated. Tag stream section with DNR Date & Date

Lisa: Update File 13, file in parcel file(s) and microfiche in Surveyors Records according to Section, Town, Range.

GIS Updated 1-10-97 by D. Culver

File 13 Updated 3-7-97 by R. Kirk

Verified by Zoning administrator [Signature]



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George E. Meyer, Secretary
William R. Bollig, District Director

Oshkosh Area Offices
605 Bayshore Drive
P.O. Box 2565
Oshkosh, Wisconsin 54903
TELEPHONE 414-424-3050
FAX 414-424-4404

December 30, 1996

File Ref: 3500

Vulcan Materials Company
Attn: Steve Smith
1301 Knapp Street
Oshkosh, WI 54903

WINNEBAGO COUNTY
PLANNING DEPT.

SUBJECT: Navigability determination of unnamed creek.

Dear Mr. Smith:

I am writing you in regards to your request for a navigability determination of two unnamed creeks running through a parcel of property located in the NE1/4, NW1/4, and SE1/4, NW1/4, Section 14, Township 17 north, Range 16 east, Town of Nekimi, Winnebago County, Wisconsin.

On December 20, 1996 I inspected the property described above. The creek that runs to the northeast corner of the property is not navigable until it meets the main creek, north of County Hwy. N.

The creek west of the property is not navigable until it meets the main creek just south of County Hwy. N, near the culvert.

I have enclosed a copy of a U.S.G.S. topographical map and highlighted the non-navigable portions of the creek in orange and the navigable portions in blue.

If the proposed gravel operation will result in a pond within 500 feet of the navigable portions of the creek, work on the bed or bank of the navigable portions of the creek, or the filling/grading/excavation of an area in excess of 10,000 square feet in size on the banks of the navigable portion of the creek, you are required to obtain a Chapter 30 permit from the Department of Natural Resources.

You should also know that there are mapped wetlands on the property and that you should contact Gary Knapp from the U.S. Army Corps of Engineers, (414)448-2824, to delineate the boundary of the wetland.

It is unlikely that approvals will be granted for work which will adversely impact any wetlands.


If you have any questions regarding my determination please feel free to contact me at the address above or call (414)424-7885.


Sincerely,

Richard L. Wissink
Richard L. Wissink
Water Management Specialist

cc: Dick Koch, NER
Bob Braun, Winnebago County Zoning

Quality Natural Resources Management
Through Excellent Customer Service





Parcels within
shoreland area

0120209

0120209-02

0120190-02

0120239-01

0120239-02

0120224

Parcels removed from
shoreland area

0120223

0120226

0120217

0120218



George E. Meyer
Secretary

State of Wisconsin

DEPARTMENT OF NATURAL RESOURCES

Oshkosh Area Headquarters
805 Bayshore Drive
P.O. Box 2585
Oshkosh, WI 54903
TELEPHONE: (414) 424-3000
TELEFAX: (414) 424-4404

RECEIVED

August 31, 1993

SEP 3 1993

WINNEBAGO COUNTY
PLANNING DEPT

3500

AL DUPEY
1545 COUNTY I
OSHKOSH, WI 54901

SUBJECT: Navigability determination of an unnamed ditch.

Dear Mr. Dupey:

This letter is in response to our meeting on August 27, 1993 regarding your concern with the filling of an unnamed ditch which runs adjacent to your property located in the SE 1/4, NE 1/4, Section 14, T17N, R16E, Town of ~~Marion~~, Winnebago County.

I have determined that the ditch is non navigable, as it is manmade and the area is disturbed, as well as partially an agricultural drainage ditch. Permits from the Department are only required for dredging on this waterway, and depending where.

I am sorry I can not help you but I have enclosed a copy of section 88.90 Wisconsin Statute which requires the Town to pursue obstruction to drainage ways.

I appreciated the tour of your earth home, it is quite incredible and I wish you success in completing it.

If you have any questions please contact me at the above address or call me at 414-424-4003.

Sincerely,

Tere Locka
Tere Locka

Water Management Specialist

cc: Ron Fassbender
Robert Braun



N

W

E

SE-NE

DUPEY PROPERTY

10000 S.T. 200

5