



PLAT OF SURVEY

SITUATED ALONG U.S.H. "45", BEING THE NORTH 112.5 FT. OF THAT PORTION OF FRACTIONAL LOT 3 IN SECTION 7, T17N, R17E, IN THE TOWN OF BLACK WOLF, WINNEBAGO COUNTY, WISCONSIN, LYING EAST OF THE EASTERLY LINE OF U.S.H. "45", SUBJECT TO RIGHTS RECORDED IN VOLUME 1282 ON PAGE 522.

SEPTEMBER 16, 1997 SURVEY FOR MUELLER ENTERPRISES. NO. 3174



GRAPHIC SCALE




Surveyor's Certificate

I, Reinhard Roehlig, Wisconsin Registered Land Surveyor, certify that I have surveyed the above described property and that the above map is a correct representation thereof and shows the size and location of the property, its exterior boundaries, the locations and dimensions of all visible structures thereon, boundary fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the property and also those who purchase, mortgage or otherwise acquire title thereto, within one (1) year from the date hereof.

10-28-97
Date

Reinhard Roehlig, Registered
Land Surveyor S-1368



- DENOTES 1" IRON PIPE FOUND (UNLESS OTHERWISE NOTED).
DISTANCES ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.
BEARINGS ARE REFERENCED TO THE NORTH LINE OF GOVERNMENT LOT 3 WHICH IS ASSUMED TO BEAR NORTH 89°59'14" EAST.
- DENOTES 3/4" DIAMETER IRON ROD, 24" LONG, SET UNLESS OTHERWISE NOTED.

OCTOBER 28, 1997

ROEHLIG
LAND SURVEYING
&
CONSULTING LTD.

417 North Sawyer Street • Oshkosh WI • 54901
(414) 233-2884

NO. 3174

SEC 7 TOWN 17 RANGE 17

EAST RIPPLE AVENUE 49.5 FT

NORTH LINE OF THE N.W. 1/4
OF SECTION 7

N89°30'00"W 1134.5'
273.18'

MEANDER CORNER
TO THE N.W. 1/4
CORNER OF
SECTION 7
(BENTSEN MONUMENT)

PLAT OF SURVEY

KNOWN AS 3850 WINDERMERE ROAD, LOT 3 IN REPLAT OF WINDERMERE AND PART OF FRACTIONAL SECTION 7, T17N, R17E, IN THE COUNTY OF BLACK HOLE, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING ON THE WESTERN LINE OF PRIVATE ROAD (WINDERMERE ROAD) AS SHOWN ON MAP OF REPLAT OF WINDERMERE AND PART OF FRACTIONAL SECTION 7, T17N, R17E, RECORDED IN VOLUME 11 OF PLATS ON PAGE 23, AT A POINT WHERE THE EXTENDED NORTHERLY LINE OF LOT 4 IN SAID REPLAT INTERSECTS THE SAME THENCE WESTERLY ALONG THE EXTENDED NORTHERLY LINE OF SAID LOT 4 A DISTANCE 111.5 FT. THENCE NORTHERLY PARALLEL WITH THE WESTERN LINE OF SAID PRIVATE ROAD 17.80 FT. THE POINT OF BEGINNING THENCE NORTHERLY PARALLEL WITH THE WESTERN LINE OF SAID PRIVATE ROAD 31 FT. THENCE EASTERLY TO A POINT ON SAID PRIVATE ROAD WHERE THE EXTENDED NORTHERLY LINE OF LOT 3 IN SAID REPLAT INTERSECTS THE SAME THENCE SOUTHERLY ALONG THE WESTERN LINE OF SAID PRIVATE ROAD 75.05 FT. THENCE WESTERLY 112.78 FT. TO THE POINT OF BEGINNING.


OCTOBER 20, 1999 SURVEY FOR MARCIA SMITH-LESLIE NO. 3548

C.S.M. NO. 3262

- ▲ DENOTES MASONRY NAIL FOUND.
- DENOTES FOUND MONUMENTATION AS NOTED.
- DENOTES MASONRY NAIL SET.
- () DENOTES RECORD DIMENSION WHERE DIFFERENT FROM ACTUAL MEASUREMENT.

APPLE LANE 60 FT

UNPLATTED LANDS



GRAPHIC SCALE



(IN FEET)
1 inch = 30 ft.

REPLAT OF WINDERMERE AND PART OF

LOT 2

AREA LOT 3
0.4850 ACRES TO
THE MEANDER LINE.

LOT 4

FRACTIONAL SECTION 7, T17N, R17E


Surveyor's Certificate

I, Reinhard Roehlig, Wisconsin Registered Land Surveyor, certify that I have surveyed the above described property and that the above map is a correct representation thereof and shows the size and location of the property, its exterior boundaries, the locations and dimensions of all visible structures thereon, boundary fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the property and also those who purchase, mortgage or otherwise (Use thereof, within one (1) year from the date hereof).

10-31-99
Date

Reinhard Roehlig, Registered
Land Surveyor S-1388



OCTOBER 20, 1999



ROEHLIG

LAND SURVEYING
&
CONSULTING LTD.


4041 State Road 61 • Oak Brook, IL • 60151
(630) 298-2884

NO. 3548

Sec 7 T17 R17



GRAPHIC SCALE



- BEARINGS ARE REFERENCED TO THE SOUTH LINE OF THE S.E. 1/4 OF SECTION 7-17-17, WHICH HAS AN ASSUMED BEARING OF NORTH 89°37'35" WEST.
- ALL DISTANCES ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.
- DENOTES 1 INCH DIAMETER IRON PIPE FOUND.
 - DENOTES 3/4 INCH DIAMETER IRON ROD 24 INCHES LONG SET, WEIGHING 1.50 LBS PER LINEAL FOOT.
 - DENOTES MASONRY NAIL SET.
 - () DENOTES RECORD DIMENSION WHERE DIFFERENT FROM ACTUAL MEASUREMENT.

PLAT OF SURVEY

KNOWN AS 4690 S.T.H. "45", PART OF THE S.E. 1/4 OF THE S.W. 1/4 AND OF FRACTIONAL LOT 4, OF SECTION 7-17-17, (T7N, R17E, W) THE TOWN OF BLACK WOLF, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS:

COMMENCING AT THE MEANDER CORNER TO THE SOUTHEAST CORNER OF SAID SECTION, THENCE NORTH 89°37'35" WEST ALONG THE SOUTH LINE OF THE S.E. 1/4 (SOUTH LINE OF SAID FRACTIONAL LOT 4) OF SAID SECTION 1059.09 FT. TO THE POINT OF BEGINNING OF THE PARCEL, THENCE CONTINUING NORTH 89°37'35" WEST 0.71 FT. TO THE S. 1/4 CORNER OF SAID SECTION, THENCE NORTH 44°56'15" WEST ALONG THE WEST LINE OF LOT 1 IN CERTIFIED SURVEY MAP NO. 90 AFORESAID 142.84 FT., THENCE NORTH 57°19'33" EAST ALONG THE NORTH LINE OF SAID LOT 1 AFORESAID 213.34 FT., THENCE NORTH 35°22'56" WEST ALONG THE WEST LINE AND EXTENDED WEST LINE OF SAID LOT 1 AFORESAID 206.49 FT. TO A POINT IN A 20 FT. MORE OR LESS WIDE DITCH, THENCE NORTH 35°10'34" EAST ALONG SAID DITCH 299.55 FT., THENCE SOUTH 31°23'23" EAST ALONG THE WEST LINE OF LOTS 1 AND 2 IN CERTIFIED SURVEY MAP NO. 3654 AND UNPLATTED LANDS 182.62 FT., THENCE NORTH 57°30'11" EAST ALONG THE NORTH LINE OF LOT 2 IN CERTIFIED SURVEY MAP NO. 90 AFORESAID 224.28 FT., THENCE SOUTH 30°53'56" EAST ALONG THE EAST LINE OF SAID LOT 2 AFORESAID 137.65 FT., THENCE SOUTH 57°30'00" WEST ALONG THE SOUTH LINE OF SAID LOT 2 AFORESAID 305.00 FT., THENCE SOUTH 34°17'23" EAST ALONG THE EAST LINE OF LOT 1 IN SAID CERTIFIED SURVEY MAP NO. 90 AFORESAID 140.40 FT. TO A POINT ON THE NORTH LINE OF EAST FISK AVENUE, THENCE SOUTH 57°30'00" WEST ALONG SAID LINE 364.99 FT. TO THE POINT OF BEGINNING. SAID PARCEL CONTAINS 3.5538 ACRES AND IS SUBJECT TO ALL EXISTING EASEMENTS AND RESTRICTIONS OF RECORD.

JULY 28, 2000 SURVEY FOR TODD MUELLER NO. 3689


Surveyor's Certificate

I, Reinhard Roehlig, Wisconsin Registered Land Surveyor, certify that I have surveyed the above described property and that the above map is a correct representation thereof and shows the size and location of the property, its exterior boundaries, the locations and dimensions of all visible structures thereon, boundary fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the property and also those who purchase, mortgage or otherwise title thereto, within one (1) year from the date hereof.

B-3-00
Date

Reinhard Roehlig, Registered Land Surveyor, S-1388



JULY 28, 2000

ROEHLIG
LAND SURVEYING
&
CONSULTING LTD.
4041 Stein Road Pl. • Oshkosh WI • 54904
(800) 238-2884

NO. 3689

see 7 + 17# R17

PLAT OF SURVEY



NO. 3959

SURVEY FOR LESLIE FLAHERTY

AUGUST 21, 2002


- () RECORDED DIMENSION WHERE DIFFERENT FROM ACTUAL MEASUREMENT.
- FOUND 1 INCH IRON PIPE.
- 3/4 INCH DIAMETER IRON ROD 24 INCHES LONG SET, WEIGHING 1.50 LBS. PER LINEAL FOOT.

NOTE: UNABLE TO PLOT SANITARY SEWER EASEMENT WITHOUT ADDITIONAL FIELD WORK TO REFERENCE IT FROM THE NORTH LINE OF SECTION 7, PER DOCUMENT #804000.



LEGAL DESCRIPTION

That part of Lots Five (5) and Six (6) in CORONADO BEACH RESORT and of FRACTIONAL LOT TWO (2) of Section Seven (7), Township Seventeen (17) North, of Range Seventeen (17) East, in the Town of Black Wolf, Winnebago County, Wisconsin, described as follows, viz: Commencing at a point on the Southwesterly side of said Lot Six (6) at a point that is One Hundred Twenty (120) feet Northwesterly of the most Southerly corner of Lot Eight (8) in said Coronado Beach Resort; thence south 65 degrees 45' west (being on a line parallel with the extended Southerly line of said Lot Six (6), One Hundred Ninety-eight and Sixty-one Hundredths (198.61) feet; thence north 18 degrees thirteen feet west, Sixty and Three-tenths (60.3) feet; thence north 65 degrees 45' east to the shore of Lake Winnebago; thence southeasterly along the Shore of said Lake to a point of intersection with the extended line of the line first herein described; thence south 65 degrees 45' west, to the place of beginning.



Surveyor's Certificate

I, Christian Hausfeld, Wisconsin Registered Land Surveyor, certify that I have surveyed the above described property and that the above map is a correct representation thereof and shows the size and location of the property, its exterior boundaries, the locations and dimensions of all visible structures thereon, boundary fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the property and also those who purchase, mortgage or guarantee title thereto, within one (1) year from the date hereof.

11-2-02
Date

Christian Hausfeld
Christian Hausfeld, Registered
Land Surveyor S-2492

NOVEMBER 14, 2002

ROEHLIG

LAND SURVEYING
&
CONSULTING

A Division of R.A. Smith and Associates
2850 Universal Street • Oshkosh WI • 54904
(920) 233-2884

NO. 3959

BLACK WOLF Sec. 7 - T17 - R17