



SURVEY FOR JOHN SECKER

TOWN OF BLACK WOLF



SURVEY & PLATTING CO.
OSHKOSH, WIS.

T.E. STEARNS - Co. SURVEYOR
NOV. 10, 1959 - JOB # C-52

Survey For John Backus

Description:

That Part Of Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis.
Described As Follows: That Part Of The N.E. 1/4 Of The S.W. 1/4 And
The S.W. 1/4 Of The N.E. 1/4 Of Sec. 7-17-17 Described As Follows:
Commencing At The South 1/4 Corner Of Sec. 7-17-17 Thence N. 46° 05' E.
Along The Center Line Of U.S.H. '45' And S.T.H. '75' A Distance Of
143.75 ft. To The Place Of Beginning; Thence N. 57° 30' E. A Distance
Of 214.0 ft.; Thence N. 33° 15' W. A Distance Of 110.0 ft.; Thence
S. 53° 00' W. A Distance Of 226.8 ft. To The Center Line Of Said Highways;
Thence S. 46° 05' E. Along Said Highways A Distance Of 80.0 ft. To The
Place Of Beginning. Said Parcel contains 0.45 Ac. More Or Less.

100 200 300 400 500
 90° COR. (40) 3
 Cement Box on Line

70/409 Page 543-44
 Note. Dred to County
 "Curve to Right of 4°30'
 Tan bearing N 77°46' W
 Dist 275.1 on curve
 Tan 548.4 66 R/W
 Proj B 3468 Jan 1 1937

Note.
 A curve of 4°30' has R 1178.66
 A curve of 4°30' has R 1113.68

LOT 3 SEC. 7 T. 17 N. R. 17 E.
 270 AC.

R. 1174'

27° 30' E 800 AC

W. COR.
 SEC. 7, T. 17 N.
 LOT 3

SE 1/4 LOT 3 SEC. 7 T. 17 N. R. 17 E.

SURVEY OF LOT 3 OF SEC. 7 T. 17 N. R. 17 E.
 ALSO PART OF SE. 1/4 OF SW. 1/4 OF SEC. 7 T. 17 N. R. 17 E.
 IN TOWN OF BLACK WOLF WINNEBAGO COUNTY

G.H. Randall
 Surveyor
 Scale 1" = 200'
 Feb. 23 1937

Highway Red roll
 bearing of tangent to
 N 47°46' West
 Tan 548.9
 Radius 1293.57

27° 30' E
 800 AC

SE 1/4 OF SEC. 7, T. 17 N. R. 17 E.
 270 AC.

SANDY BEACH
5.4.10.17.200

56-140-1-720

LAKE WINNEPIGOTT


50 49 48 47 46 45 44 43 42 41 40 39 38 37 36 35 34 33 32 31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

BLACK WOLF TOWN
SANDY BEACH

SANDY BEACH

See Proposed Plans & Survey
File No. 26

File No. 26




SCALE
1"=100'

IRON STAKES SHOWN THUS - •

SURVEY FOR C. MAAS:-
SURVEY OF PARCEL #1 1/2

SURVEY & PLATTING Co
OSHKOSH, WIS.
THE STEARN-REG SURVEYOR
MAY 28, 1911



South Line Lot 3 Sec 7-17-17 1317.0'

2E/4 - Sec 7-17-17

North Line Morgan Land 7 1326.0'

2015

217.4

Radius 1317.0'

540 PC to PT

Centerline

65.44 45

605 45.7

463.35 from & #45 Highway
N58°05' E 700.5

New Road to Sandy Beach

108° 40'


N 95°02' W
354.7

600.0' from 540' to 600.0'

CITY OF OSHKOSH
ENGINEERING DEPARTMENT

SCALE
1"=100'

Land from Sandy Beach



STATE OF CALIFORNIA
COUNTY OF SAN DIEGO
I, JAMES H. WOLVERTON, County Surveyor, do hereby certify that the foregoing is a true and correct copy of the original survey map and plat on file in my office.
ALL CORNERS MARKED BY STAKES OR OTHER PERMANENT MONUMENTS.

P. F. Wolvertson
Co. Surveyor 4/18/48

PART OF S. 1/2 OF N.W. 1/4 TRAC SEC. 7-17-17

N.W. CORNER OF S. 1/2 OF N.W. 1/4 TRAC SEC. 7-17-17

CITY OF CARROUSE ENGINEERING DEPARTMENT S. F. WOLVERTON	DATE	4/12/48
	SCALE	1" = 100'
	PROJECT	SURVEY FOR P. ROEMER V. HIRSH PROPERTY OF OCCUPIED

BLACK HOLE

N.W. 1/4 of S.W. 1/4
SEC. 7-17-17

E 30' SLAS CONC. PAVE.
2 LANE

FRAC. LOT #3
SEC. 7-17-17

S.E. 1/4 of S.W. 1/4
SEC. 7-17-17

S.W. 1/4 of S.W. 1/4
SEC. 7-17-17

LINE
SEC. 7-17-17

PARCEL #:
3.47 ACRES
AUG 27, 1964
T.E. STEARNS

LINE
SEC. 7-17-17

1318.0'
To SEC. COR.

SURVEY & ENGINEERING

To R. COR. 3/12/67
SURVEY FOR SAWICKI
To LOCATE QUARTER FLAG

3.47 AC. PARCEL
COMMENCING AT SW COR. CORNER
N. 1/2 S. 1/2 T. 17 N. R. 17 E. S. 1/4 SEC. 7

ENGINEERING DEPARTMENT

REVISED 10/25/67

SURVEY FOR N.W. 1/4
S.W. 1/4 T. 17 N. R. 17 E. S. 1/4 SEC. 7
PART OF S.W. 1/4 OF S.W. 1/4 SEC. 7

Lot 4
Sec. 7-17-17

N 57° 30' E
HIGHWAY

5 acres
Christensen

Byron Gonz

5 acres

Section 10-17-17
Frac. lot 1.

SURVEY


FOR CLIFFORD L. CHRISTENSEN
OF PART OF FRACTIONAL LOT 4 OF
SECTION 7 T17 N.R. 17E AND PART OF
LOT 1 OF SECTION 10 T17 N.R. 17E IN
THE TOWN OF BLACK HOLE - RUSHENBERG
COUNTY - WISCONSIN.


G.H. Randall, Surveyor Sept. 23, 1920

Scale 1" = 100'

Survey for Byron Gonz
Sept 24, 1920
P.M. 1920

PLAN OF DAY VIEW





SURVEY OF PART OF LOT NO. 2
TOWN OF BLACK WOLF WINNESHONG CO.

DATE SURVEYED - 4/28/40 - 11/18/40
DATE DRAWN - 4/28/40 - 11/30/40
SURVEYOR - O. MARSHALL - R. F. WELLER
SCALE - 1" = 200'

BLACK WOLF SEC. 7

COUNTY

Cont'd of Sec 7 T17N R17E

Iron Cor.

302.5

John Thompson

56.7

Iron Cor.

Iron Cor.

17.62015

1422

353.2

North Line of Mineral

Plat 6 Survey
Sub File No 34

Sec 7 T17N R17E

Mrs. Chas. Neitzel 1917
Pfeiffer 1921

John Thompson
383.26 not including
Roadway on north
but including Highway
on west.

L. L. Summers

17.9755

Iron Cor.

240.811

Iron Cor.

Dr. Pfeiffer 8

237.6

Angle

356

Mrs. Chas. Neitzel

230

130.9

Iron Cor.

210.1

Evelyn Pfeiffer Farmer

Pfeiffer

Mrs. Chas. Neitzel

Wm. Pfeiffer

W. N. E. O. T. 40

Survey For G. Maas

May 28, 1971

Description For Parcel # 1

That Part Of The S.E.1/4 Of The S.W.1/4 & Of Fracs. Lot #3 & 4, All In Sec. 7-17-17, & Of Lot # 15 In SANDY BEACH PLAT & Of Vacated 'Street', As Laid Out On Plat Of Said Sandy Beach, Map Of Said Plat Is Recorded In Winnebago County, Wis., Registry In Vol. 6 Of Plats On Page 5, All In The Town Of Black Wolf, Described As Follows, viz:-

Commencing At The South Quarter Post Of Said Sec., Thence Northwestery, Along The Center Line Of U.S.H. # 45, 908.0 ft., To Point Of Intersection With The Extended Northwestery Line Of New Roadway, As Dedicated By Judgment Establishing New Roadway Recorded In Winnebago County, Wis., Registry In Vol. 570 On Pages 652 & 654, Thence Northeasterly, Along The Extended Northwestery Line & The Northwestery Line Of Said New Roadway, 700.5 ft. To The Most Northerly Point Of Aforementioned New Roadway, Thence S.50°43'E., Along The Northeasterly Line Of Said New Roadway, 37.16 ft., Thence N.30°38'W., 303.76 ft. To The Southeasterly Line Of Tract Of Land Heretofore Conveyed To Joseph A Raab And Wife By Deed Recorded In Said Registry In Vol. 686 On Page 235, Thence S.30°30'E., 122.6 ft., The Place Of Beginning, Thence N.50°0'E., 204.5 ft., More Or Less, To The Shore Of Lake Winnebago, Thence Southerly, Along The Shore Of Said Lake, To The Southeasterly (Most Easterly) Corner Of Said Lot #15, Thence Southwestery, Along The Southeasterly Line, & The Extended Southeasterly Line Of Said Lot # 15, To A Point That Is S.30°38'E. Of The Place Of Beginning, Thence N.30°38'W., 122.6 ft. More Or Less To The Place Of Beginning.

Description For Parcel # 2


That Part Of The S.E.1/4 Of The S.W.1/4 & Of Fracs. Lots #3 & 4, All In Sec. 7-17-17, All In The Town Of Black Wolf, Described As Follows, viz:-

Commencing At The South Quarter Post Of Said Sec., Thence Northwestery, Along The Center Line Of U.S.H. # 45, 908.0 ft., To Point Of Intersection With The Extended Northwestery Line Of New Roadway, As Dedicated By Judgment Establishing New Roadway Recorded In Winnebago County, Wis., Registry In Vol. 570 On Pages 652-654, Thence Northeasterly, Along The Extended Northwestery Line And The Northwestery Line Of Said New Roadway, 700.5 ft., To The Most Northerly Point Of Aforementioned New Roadway, Thence S.50°43'E., Along The Northeasterly Line Of Said New Roadway, 37.16 ft., Thence N.30°38'W., 303.76 ft., To The Southeasterly Line Of Tract Of Land Heretofore Conveyed To Joseph A. Raab & Wife By Deed Recorded In Said Registry In Vol. 686 On Page 235, The Place Of Beginning, Thence S.30°38'E., 122.6 ft., Thence N.50°0'E., 204.5 ft., More Or Less, To The Shore Of Lake Winnebago, Thence Northerly, Along The Shore Of Said Lake, To A Point That Is N.65°46'E. Of The Place Of Beginning, Thence S.65°46'W., Along The Southeasterly Line Of Said Raab Tract, To The Place Of Beginning.

No. 88 County
Diagram of Survey for Trillissippi
A. C. S. & T. H. R. 178.

Вн. К. У. 15

Chas. H. Ball Surgeon
 Geo. H. Newman Post
 Geo. D. Osterbay Post



Surveyed and set iron corners for center line of Nitzels land
Surveyed and set iron corners for north line of Redder land
corners for Boy Scouts Sept 6, 1921
corners for Buckstaffs land Dec 1917


Water Angle South line C. Neire's Land $7^{\circ} 12'$


Survey for Pfeiffer of Lot 2 Sec 7 T17 N R17 E Black Wolf
G. H. Randall Surveyor
NO 28 COUNTY Oct 1921 Seal 1120

Date 1921

864-4-120

road and set Iron Corners for South line Naitzals land
 road and set Iron Corners for North line Naitzals land
 for Boy Scouts Set Sept. 6, 1921
 of Buystaffs land set in 1917
 South line C. Naitzals Land 7' 12'





Survey of line between Lots 14 & 15 and Southeastly G. H. Randall Survey
Line of Lot 16 Plat of Coronado Beach Frac. Lot 2 G. S. Osterlan Ass't
Sec 7 T 17 N R 17 E Survey for Pfeiffer Elmer Porath Ass't
No 27 County Sept 7th 1921 Scale 1" = 200'

Notes
Section Line is 268 ft. East of Country Clubs E fence on North Line of Frac Lot 2
Set 8 stakes to be replaced by gas pipe


Set Oak Tree N 52° 15' E 31 ft

Set Oak Tree N 37° W 20 ft

Found both bearing trees and set corner

Corner as set by bearing trees shows 1.25 ft surplus from N.W. Corner of Lot 1
and is 0.8 ft south 52.15 West of Angle shown by Plat that the Angle of
North Line with S.W. End of Lots or N.Ely side of Road. The dis. and course
from Trees to Corner checks up very closely with original record.

Boys Scout Cottage is occupying a
large part of the road & adjacent
Garage is on the farm property not
on the lot and is S.Wly of Road Out
Houses & Garages all along the
line are on farm property



Coronado Bend

500 7-17-17


No 387

Survey of Lots 1 2 3 4 5 6 7 8 of
Plat of Coronado Bend
& Part of Fraction Lot 9 of Section 7
T17N R17E Town of Black Wolf
Minneka County, Wis.
G. F. Hamell Surveyor
G. F. Newman Ass't
G. S. Osterlag

April 23rd 1903

Note. S.L. Lot 8 is according
to plat. Dotted lines show
orig plat. Solid lines
show ownership.


Orig plat shows lot
74/25 from N.L. (7) feet
of lots 50 wide.



CH. RANDALL SURVEYOR

APR 26 7K 1937

5645 200



SURVEY FOR
 REIGH + MILLER
 TOWN OF BLACK WOLF


WILLIAMS

REIGH

W 1/2 of S.W. 1/4 of S.E. 1/4

T17 R17

G. H. Randall Surveyor
 G. F. Newman Post
 1917
 Scale 1" = 500'



1/17 County

Survey for Reigh + Miller

BLACK WOLF TOWN

That Part Of The N.W. 1/4 Of The N.P. 1/4 Of Sec. 7-17-17, Town 53 N.
Black Wolf, Winnebago County, Wis.

2.5



WISCONSIN

THEO. E. STEARNS

USHKOSH WISCONSIN

LAND SURVEYOR

Scale
1" = 100'

Iron Stakes shown Thus -

State Law:
Four Parcels Of Land No. 10 Sold In 5 Years:

Survey & Flattening Co

Sept. 12, 1970

Survey & Platting To.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor

Survey For Mrs. W. Stoy:

Description For Parcel # 1

That Part Of The N.W.1/4 Of The N.W.1/4 Of Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Bounded & Described As Follows:
Commencing At The North West Corner Of Sec. 7, Thence East Along The North Line Of Said Section A Distance Of 642.0 ft., Thence S.0°30'E., 194.75 ft., Thence S.9°0'E., 480.0 ft., Thence S.10°30'E., 150.4 ft. To The Place Of Beginning; Thence S.88°10'E., 182.95 ft., Thence S.9°30'E., 146.4 ft., Thence S.90°0'W., 181.9 ft., Thence N.10°30'W., 150.4 ft. To The Place Of Beginning. Said Parcel Contains 0.62 Acres More Or Less Except That Portion Used For Road Purposes.

Description For Parcel # 2

That Part Of The N.W.1/4 Of The N.W.1/4 Of Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Bounded And Described As Follows:
Commencing At The North West Corner Of Sec. 7, Thence East Along The North Line Of Said Section A Distance Of 642.0 ft., Thence S.0°30'E., 194.75 ft., Thence S.9°0'E., 480.0 ft. Being The Place Of Beginning; Thence S.87°30'E., 134.0 ft., Thence S.9°30'E., 146.4 ft., Thence N.88°10'W., 182.95 ft., Thence N.10°30'W., 150.4 ft. To The Place Of Beginning. Said Parcel Contains 0.62 Acres More Or Less Except That Portion Used For Road Purposes.

Description For Parcel # 3

That Part Of The N.W.1/4 Of The N.W.1/4 Of Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Bounded & Described As Follows:
Commencing At The North West Corner Of Sec. 7, Thence East Along The North Line Of Said Section A Distance Of 642.0 ft., Thence S.0°30'E., 194.75 ft., Thence S.9°0'E., 480.0 ft., Thence S.10°30'E., 20.0 ft. To The Place Of Beginning; Thence N.89°30'W., 180.0 ft., Thence S.9°0'E., 142.35 ft., Thence Due East, 180.0 ft., Thence N.10°30'W., 142.35 ft. To The Place Of Beginning. Said Parcel Contains 0.58 Acres More Or Less Except That Portion Used For Road Purposes.

Description For Parcel # 4

That Part Of The N.W.1/4 Of The N.W.1/4 Of Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Bounded & Described As Follows:
Commencing At The North West Corner Of Sec. 7, Thence East Along The North Line Of Said Section A Distance Of 642.0 ft., Thence S.0°30'E., 194.75 ft., Thence S.9°0'E., 480.0 ft., Thence S.10°30'E., 162.35 ft. To The Place Of Beginning; Thence S.10°30'E., 142.35 ft., Thence Due West, 180.0 ft., Thence N.10°30'W., 142.35 ft., Thence Due East, 180.0 ft. To The Place Of Beginning. Said Parcel Contains 0.58 Acres More Or Less Except That Portion Used For Road Purposes.

67
Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor

Sept. 5, 1970

Survey For Mrs. W. Stoy:


Description For New Roadway:

That Part Of The N.W. 1/4 Of The N.W. 1/4 Of Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Bounded And Described As Follows:
Commencing At The North West Corner Of Sec. 7-17-17, Thence East Along The North Line Of Said Section A Distance Of 642.0 ft., Thence S. 0° 30' E. A Distance Of 24.75 ft. To The Place Of Beginning: Being The Centerline Of A 60.0 ft. Roadway Described As Follows: Thence S. 0° 30' E. A Distance Of 194.75 ft., Thence S. 9° 0' E. A Distance Of 180.0 ft., Thence S. 10° 30' E. A Distance Of 330.8 ft., Thence S. 90° 0' W. A Distance Of 180.0 ft., Thence S. 47° 0' W. A Distance Of 219.85 ft. To The Easterly Right Of Way Line Of U.S.H. # 45.

(3)

Democracy

That Part Of Fractional Lot # 2 In Sec. T27N17, Town Of Black Wolf, Winnebago County, Wis. Described As Follows: The North 144.0 Ft. Of The West 400.0 Ft. Of Fractional Lot # 2 In Sec. T27N17, Said Parcel Containing 2.68 Ac. More Or Less.




Survey & Platting Co.
Cahoon, Wis.
T.E. Stearns - County Surveyor

Oct. 22, 1966

Survey For Josef:

Description For Parcel # 1
That Part Of Frac. Lot # 4, In The S.E. 1/4 Of Sec. 7-17-17, Town Of Black
Wolf, Winnebago County, Wis. Described As Follows: Commencing At The South
West Corner Of The S.E. 1/4 Of Sec. 7-17-17, Thence N. 57° 30' E. A Distance
Of 1041.2 ft. To The South East Corner Of Lot # 14 In The Sandy Beach Plat,
Thence N. 60° 09' W. Along The Southerly Line Of Said Plat, 517.0 ft., Thence
N. 57° 24' W. Along Said Southerly Line, 150.0 ft. To The South West Corner
Of Lot # 1 In The Sandy Beach Plat, Thence S. 32° 30' W., 25.0 ft. To The
Place Of Beginning; Thence S. 57° 24' E. Along The Southerly Edge Of The Plat
Road, 100.0 ft., Thence S. 32° 30' W., 260.0 ft., Thence S. 62° 25' W., 78.0 ft.,
Thence Northwesterly, 73.0 ft. To A Point That Is S. 32° 30' W. And A Distance
Of 295.8 ft. From The Place Of Beginning, Thence N. 32° 30' E., 295.8 ft. To
The Place Of Beginning.



LAKE

WINNEBAGO

STONE

243.75'

N. 1/2 OF N.W. 1/4
SEC. 7-17-17

TOWN OF BLACK WOLF

LOT # 8

LOT # 9

LOT # 10

270.0' TO IRON

300.7' TO IRON

326.2' TO IRON

150.8'

B.M. TOP OF IRON
ELEV. 100.0'

187.5'

SURVEY FOR:-

A. KLUGE

ALL OF LOT # 10



SURVEY AND PLATTING CO.
OSHKOSH, WIS.
T.E. STEARNS - COUNTY SURVEYOR
DATE: JUNE 1, 1960
JOB # 60-10

Front of Lake

L. LAKE

W. N. E. G. O.

SE 1/4 - SW 1/4
2-17-17

Plat Road 80

Plat Road 10

Plat Road 36


CITY OF GEORGIA RECORDS & DEEDS	DRAWN BY SCALE 1" = 40'	Land sold to Bank & land given Road to 12-17-17. Also for Georgia, Eliza & Cornelia Morgan
------------------------------------	----------------------------------	---

Jandy D. D. D.

1970, # 1

Survey For John Dyer:

That Part Of Frac. Lot # 3, Sec. 7-17-17, Twn Of Black Wolf, Winnebago
County, Wis.
(For Descriptions Of Parcel # 1 & 2 And Road Easement Description See
Page # 2)



Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor

Oct. 14, 1970

Survey For John Dyer:

Description For Parcel # 1

That Part Of Frac. Lot # 3, Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Bounded & Described As Follows:

The South 120.0 ft. Of The North 345.0 ft. Of That Portion Of Frac. Lot # 3 Of Sec. 7-17-17 Lying East Of The Easterly Right Of Way Line Of U.S.H. # 47. Plus Road Easement Description.

Description For Parcel # 2

That Part Of Frac. Lot # 3, Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Bounded & Described As Follows:

The South 155.0 ft. Of The North 500.0 ft. Of That Portion Of Frac. Lot # 3 Of Sec. 7-17-17 Lying East Of The Easterly Right Of Way Line Of U.S.H. # 45. Plus Road Easement Description.

Road Easement Description:

That Part Of Frac. Lot # 3, Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Bounded & Described As Follows:

The South 35.0 ft. Of The North 350.0 ft. Of The West 275.0 ft. Lying East Of The Easterly Right Of Way Line Of U.S.H. # 45, Of That Portion Of Frac. Lot # 3 Of Sec. 7-17-17.



T.E. Stearns

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor

Oct. 14, 1970

Survey For John Dyer:

Description For Parcel # 2

That Part Of Frac. Lot # 3, Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Bounded & Described As Follows:
The South 120.0 ft. Of The North 345.0 ft. Of That Portion Of Frac. Lot # 3 Of Sec. 7-17-17 Lying East Of The Easterly Right Of Way Line Of U.S.H. # 45. Plus Road Easement Description.

Description For Parcel # 2

That Part Of Frac. Lot # 3, Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Bounded & Described As Follows:
The South 155.0 ft. Of The North 500.0 ft. Of That Portion Of Frac. Lot # 3 Of Sec. 7-17-17 Lying East Of The Easterly Right Of Way Line Of U.S.H. # 45. Plus Road Easement Description.

Road Easement Description:

That Part Of Frac. Lot # 3, Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Bounded & Described As Follows:
The South 35.0 ft. Of The North 380.0 ft. Of The West 275.0 ft. Lying East Of The Easterly Right Of Way Line Of U.S.H. # 45, Of That Portion Of Frac. Lot # 3 Of Sec. 7-17-17.

VETTE REALTY CO.
205-8 Oshkosh Nat'l Bank Bldg.
Oshkosh, Wisconsin - 231-1830

DEED DESCRIPTION


Legal Description: South 175 ft. of the North 500 ft. of that portion of fractional lot 3 of Section 7-17-18 lying east of the easterly line of US Hwy. 45. Town of Black Wolf

Driveway Easement

The South 35.0 ft. of the North 380.0 ft. of the ~~East~~ ^{West} 175.0 ft. lying East of the East Right of Way Line of U.S. H. #45

Vette

SURVEY FOR M. LEIDENSON-



SCALE
1" = 100'
IRON STAKES SHOWN THUS—o

SURVEY & ENGINEERING CORP.
Oshkosh, Wis.
T. E. STEARNS, SURVEYOR
DATE JUNE 27, 1959
JOB # C-22

Description For M. Leibenson:

Parcel # 1

That Part Of Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Described As Follows: That Part Of The S.E. 1/4 Of The S.W. 1/4 Of Sec. 7-17-17 Described As Follows: Commencing At The South 1/4 Corner Of Sec. 7-17-17 Thence N. 46° 05' W. Along The Center Line Of U.S.H. #45 A Distance Of 488.59 ft. To The Place Of Beginning: Thence N. 50° 30' E. A Distance Of 263.3 ft., Thence N. 46° 05' W. A Distance Of 65.35 ft., Thence S. 58° 15' W. To The Center Line Of U.S.H. #45 A Distance Of 271.72 ft., Thence S. 46° 05' E. Along The Center Line Of Said Highway A Distance Of 100.0 ft. To The Place Of Beginning. Said Parcel Contains 6.50 Ac. More Or Less.

Parcel # 2

That Part Of Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Described As Follows: That Part Of The N.E. 1/4 Of The S.W. 1/4 Of Sec. 7-17-17 Described As Follows: Commencing At The South 1/4 Corner Of Sec. 7-17-17 Thence N. 46° 05' W. Along The Center Line Of U.S.H. #45 A Distance Of 388.59 ft. To The Place Of Beginning: Thence N. 44° 30' E. A Distance Of 260.1 ft., Thence N. 46° 05' W. A Distance Of 75.35 ft., Thence S. 50° 30' W. To The Center Line Of U.S.H. #45 A Distance Of 263.3 ft., Thence S. 46° 05' E. Along The Center Line Of Said Highway A Distance Of 100.0 ft. To The Place Of Beginning. Said Parcel Contains 0.53 Ac. More Or Less.

Parcel # 3

That Part Of Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Described As Follows: That Part Of The S.E. 1/4 Of The S.W. 1/4 Of Sec. 7-17-17 Described As Follows: Commencing At The South 1/4 Corner Of Sec. 7-17-17 Thence N. 46° 05' W. Along The Center Line Of U.S.H. #45 A Distance Of 236.75 ft. To The Place Of Beginning: Thence N. 30° 30' E. Along The Center Of A Creek A Distance Of 271.22 ft., Thence N. 46° 05' W. A Distance Of 85.35 ft., Thence S. 44° 30' W. To The Center Line Of U.S.H. #45 A Distance Of 260.1 ft., Thence S. 46° 05' E. Along The Center Line Of Said Highway A Distance Of 151.84 ft. To The Place Of Beginning. Said Parcel Contains 0.72 Ac. More Or Less.

Survey For Mrs. W. Cartwright:

Parcel 'B'

That Part Of Gov. Fractional Lot # 1 Of Sec. 7-17-17 In The Town Of Black Wolf, Winnebago County, Wis. Described As Follows: Commencing In The Center Line Of U.S.H. # 45 Where The South Line Of Said Fractional Lot # 1 Intersects The Same, Thence East Along The South Line Of Said Fractional Lot # 1 A Distance Of 168.73 ft. To The Place Of Beginning; Thence N. 22°-0' W. A Distance Of 189.3 ft., Thence Due East 342.5 ft., Thence S. 1° 0' E. A Distance Of 179.9 ft., Thence West Along The South Line Of Said Fractional Lot # 1 A Distance Of 269.0 ft. To The Place Of Beginning. Said Parcel Contains 1.29 Ac. More Or Less.

N.W. 1/4
SEC. 7-17-17

N 1/2 of N.W. 1/4 SEC. 7-17-17

REPLAT OF
WINDMERE

WILLARD
CARTWRIGHT

GOV. LOT
41

OLD PAVE.
2 LANE
41-45

DUG EAST
342.5'

PARCEL "B"
1.29 AC.

LEACH
9/26/43
0.53A.

591.4' TO OR.G. 1/2 ANGLE POINT

386.2' TO LAKE

CORONADO
BEACH

GOV. LOT 2

S 1/2 of N.W. 1/4
SEC. 7-17-17

HOUSE

FENCE
272.5' TO
ORIG. 1/2

2-ORIG. 1/2 U.S. 41-45

DAVE & LINDA

JULY 28, 1959

JCB #C-33

1/21/59
1"=500'
SURVEY OF PARCEL IN S.E. CORNER
OF THAT PART OF GOV. LOT 1 E. OF ADJ.
1/2-45 CONTAINING HOUSE & ANGLE POINT
FOR WILLARD CARTWRIGHT
TOWN OF BLACK HOLE SEC. 7

N.W. COR. OF SW 1/4 OF SW 1/4

TOWN OF BLACK WOLF

WEST LINE FRAC LOT 3

519.8

224.8

270.0

275.0

225.0

S.E. 1/4 OF SW 1/4
SEC. 7-17-17

SHALLOW WATERS

A.I. McDERMOTT



NORTH LINE FRAC LOT 3

519.9

515.0

596.0

596.0

596.0

CREEK

224.8

270.0

275.0

225.0

CONC
BR

SURVEY FOR:
A.I. McDERMOTT

SCALE

MAKES SHOWN THUS


LAKE

WINNEBAGO

SURVEY & PLATTING CO.
OSHKOSH, WIS.
THE STEARNS - CO. SURVEYOR
DATE: NOV 30, 1959
100 76 C-55


Survey For W. Hoffman:

Description For Parcel # 1 - That Part Of Gov. Lot # 1, Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Described As Follows: Beginning At The South West Corner Of Said Gov. Lot # 1, Thence East, 552.75 ft. To The Southwesterly Line Of U.S.H. # 45, Thence N.40°45'W. Along Said Southwesterly Line Of U.S.H. # 45, 300.0 ft., Thence S.87°0'W., 361.9 ft. To A Point On The Centerline Of Country Club Road (Which Is Also The West Line Of Said Gov. Lot # 1) Said Point Being 200.0 ft. North Of The Place Of Beginning, Thence South Along The West Line Of Gov. Lot # 1, 200.0 ft. To The Place Of Beginning. Said Parcel Contains 2.26 Acres More Or Less.




Survey For A. Brunka

Description For Parcel # 1
That Part Of Frac. Lot # 2 In Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Described As Follows: Commencing At The Northwest Corner Of Frac. Lot # 2, Thence Due East 220.0 ft. To The Place Of Beginning; Thence Due South 85.0 ft., Thence N. 25° 20' E., 339.7 ft. To The Centerline Of U.S.H. # 45, Thence Northerly Along Centerline Of Said Highway 60.0 ft. To The North Line Of Frac. Lot # 2, Thence Due West Along Said Frac. Lot To The Place Of Beginning. Said Parcel Contains 0.54 Acres More Or Less.



TOWN OF BLACK WOLF
SEC. 7-17-17
FRAC. LOT # 2.

LOT #1 OF BRUNKA PROPERTY



Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
Nov. 6, 1966

Scale
1" = 100'
Iron Station Shown Thus -

5

Survey For Mrs. Harland Krueger:

Description For Parcel # 1

That Part Of Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis.
Described As Follows: That Part Of The S.W. 1/4 Of The S.W. 1/4 Of Sec. 7-17-17
Described As Follows: Commencing At The South West Corner Of The S.W. 1/4
Of The S.W. 1/4, Thence East Along The South Line Of Sec. 7-17-17 A Distance
Of 417.0 ft. To The Place Of Beginning; Thence Due North 470.81 ft.,
Thence Due East 150.0 ft., Thence Due South 470.25 ft. To The South Line
Of Sec. 7, Thence Due West Along Said South Line 150.0 ft. To The Place
Of Beginning. Said Parcel Contains 1.62 Acres More Or Less.

TOWN OF BLACK WOLF

S.E. 1/4 OF S.W. 1/4

SEC. 7-17-17

MRS. HARLAND
KRUEGER

PARCEL # 1.
1.62 ACRES.

S.W. COR. OF S.E. 1/4 OF S.W. 1/4

E. FISK AVE.

417.0'

150.0'

S. LINE OF SEC. 7-17-17

Scale

1" = 100'

Iron Stakes Shown Thus **





Survey & Platting Co.
Oshkosh, Wis.

T. E. Stearns & Reg. Surveyor

AUG. 3, 1964

(4)

PAUKOTUK PLAT



W. CARTWRIGHT.


N.W. 1/4 OF N.W. 1/4
SEC. 7-17-17.

TOWN OF BLACK WOLF



SCALE
1" = 100'

IRON STAKES SHOWN THUS —
STATE LAW 4 PARCELS OF LAND
MAY BE SOLD IN 5 YEARS.



SURVEY & PLATTING CORP.
OSHKOSH, WIS.
T. E. STEARNS - SURVEYOR
JULY 27, 1953
REV. OCT 21, 1955

Survey For Mrs. W. Cartwright;

Parcel 'A'

That Part Of Sec. 7-17-27, Town Of Black Wolf, Winnebago County, Wis.
Described As Follows. That Part Of The N.W. 1/4 Of The N.W. 1/4 Of
Sec. 7-17-17 Described As Follows: Commencing At The North West
Corner Of Sec. 7-17-17, Thence S. 89° -30' E. A Distance Of 642.0 ft.
Thence S. 0° -30' E. A Distance Of 194.75 ft. To The Place Of Beginning;
Thence S. 9° -30' E. A Distance Of 100.0 ft., Thence S. 89° -30' E. A Distance
Of 150.0 ft., Thence N. 9° -0' W. A Distance Of 100.0 ft., Thence S. 89° -30' E.
A Distance Of 150.0 ft. To The Place Of Beginning. Said Parcel Contains
0.34 Ac. More Or Less.

Survey For Mrs. W. Cartwright

Parcel 'B'

That Part Of Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Described As Follows: That Part Of The N.W. 1/4 Of The N.W. 1/4 Of Sec. 7-17-17 Described As Follows: Commencing At The North West Corner Of Sec. 7-17-17 Thence S. 89° 30' E. A Distance Of 672.0 ft., Thence S. 0° 30' E. A Distance Of 194.75 ft., Thence S. 9° 0' E. A Distance Of 100.0 ft. To The Place Of Beginning: Thence S. 89° 30' E. A Distance Of 180.0 ft., Thence S. 9° 0' E. A Distance Of 100.0 ft., Thence S. 89° 30' E. A Distance Of 180.0 ft. To The Centerline Of Road, Thence N. 9° 0' W. Along Centerline Of Road 100.0 ft. To The Place Of Beginning. Said Parcel Contains 0.41 Ac. More Or Less.

Parcel 'C'

Commencing At The North West Corner Of Sec. 7-17-17 Thence S. 89° 30' E. A Distance Of 672.0 ft., Thence S. 0° 30' E. A Distance Of 194.75 ft., Thence S. 9° 0' E. A Distance 200.0 ft. To The Place Of Beginning: Thence S. 89° 30' E. A Distance Of 180.0 ft., Thence S. 9° 0' E. A Distance Of 100.0 ft., Thence S. 89° 30' E. A Distance Of 180.0 ft. To The Centerline Of Road, Thence N. 9° 0' W. Along Centerline Of Road 100.0 ft. To The Place Of Beginning. Said Parcel Contains 0.41 Ac. More Or Less.

Parcel 'D'

Commencing At The North West Corner Of Sec. 7-17-17 Thence S. 89° 30' E. A Distance Of 672.0 ft., Thence S. 0° 30' E. A Distance Of 194.75 ft. To The Place Of Beginning: Thence S. 89° 30' E. A Distance Of 165.0 ft., Thence S. 0° 30' E. A Distance Of 80.0 ft., Thence S. 87° 30' E. To The Centerline Of Road 152.4 ft., Thence N. 9° 0' W. Along The Centerline Of Road 80.0 ft. To The Place Of Beginning. Said Parcel Contains 0.27 Ac. More Or Less.

Parcel 'E'

Commencing At The North West Corner Of Sec. 7-17-17 Thence S. 89° 30' E. A Distance Of 672.0 ft., Thence S. 0° 30' E. A Distance Of 194.75 ft., Thence S. 9° 0' E. A Distance Of 80.0 ft. To The Place Of Beginning: Thence S. 87° 30' E. A Distance Of 152.4 ft., Thence S. 22° 08' E. A Distance Of 163.8 ft., Thence S. 80° 0' W. A Distance Of 7.14 ft., Thence S. 8° 30' E. A Distance Of 36.2 ft., Thence S. 87° 30' E. A Distance Of 177.7 ft. To The Centerline Of Road, Thence N. 9° 0' W. Along The Centerline Of Road 200.0 ft. To The Place Of Beginning. Said Parcel Contains 0.77 Ac. More Or Less.

Page # 2

Parcel 'F'

Commencing At The North West Corner Of Sec. 7-17-17 Thence S.89°30'E. A Distance Of 672.0 ft., Thence S.0°30'E. A Distance Of 194.75 ft., Thence S.9°0'E A Distance Of 280.0 ft. To The Place Of Beginning; Thence S.87°30'E. A Distance Of 177.7 ft., Thence S.8°30'E A Distance Of 57.4 ft., Thence N.80°0'E. A Distance Of 11.4 ft., Thence S.9°0'E. A Distance Of 45.6 ft., Thence S.87°30'E. A Distance Of 184.0 ft. To The Centerline Of Road, Thence N.9°0'W. Along The Centerline Of Road 100.0 ft To The Place Of Beginning. Said Parcel Contains 0.41 Ac. More Or Less.

Parcel 'G'

Commencing At The North West Corner Of Sec. 7-17-17 Thence S.89°30'E A Distance Of 672.0 ft., Thence S.0°30'E. A Distance Of 194.75 ft., Thence S.9°0'E. A Distance Of 380.0 ft. To The Place Of Beginning; Thence S.87°30'E. A Distance Of 184.0 ft., Thence S.9°0'E. A Distance Of 100.0 ft., Thence S.87°30'E. A Distance Of 184.0 ft. To The Centerline Of Road, Thence N.9°0'W. Along The Centerline Of Road 100.0 ft. To The Place Of Beginning. Said Parcel Contains 0.42 Ac. More Or Less.

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor

Oct. 22, 1965

Survey & Platting Co. for Mrs. R. Stoy - 44-441 235 715 21

Heading For All Parcels:

That Part Of The North West 1/4 Of The N.W. 1/4 Of Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Described As Follows:

Description For Parcels 'B', 'C' & 'H' Combined

Use Heading Above:

That Part Of The N.W. 1/4 Of The N.W. 1/4 Of Sec. 7-17-17, Town Of Black Wolf Winnebago County, Wis. Described As Follows: Commencing At The North West Corner Of Sec. 7-17-17 Thence S. 89° 30' E. A Distance Of 672.0 ft. To The Centerline Of A Road, Thence S. 0° 30' E. Along Said Centerline, A Distance Of 194.75 ft., Thence S. 9° 0' E. A Distance Of 100.0 ft. To The Place Of Beginning; Thence N. 89° 30' W. A Distance Of 180.0 ft., Thence S. 9° 0' E. A Distance Of 200.0 ft., Thence N. 89° 30' E. A Distance Of 180.0 ft. To The Centerline Of Said Road, Thence N. 9° 0' W. Along Said Centerline To The Place Of Beginning. Said Parcel Contains 1.64 Acres More Or Less.

Description For Parcel 'G'

Use Heading Above:

Commencing At The North West Corner Of Sec. 7-17-17, Thence S. 89° 30' E. A Distance Of 672.0 ft. To The Centerline Of A Road, Thence S. 0° 30' E. Along Said Centerline A Distance Of 194.75 ft., Thence S. 9° 0' E., 100.0 ft. To The Place Of Beginning; Thence N. 89° 30' W., A Distance Of 180.0 ft., Thence S. 9° 0' E., A Distance Of 200.0 ft., Thence S. 89° 30' E., A Distance Of 180.0 ft. To The Centerline Of Said Road, Thence N. 9° 0' W. Along The Centerline Of Said Road To The Place Of Beginning. Said Parcel Contains 0.82 Acres More Or Less.

Description For Parcel 'H'

Use Heading Above:

Commencing At The North West Corner Of Sec. 7-17-17, Thence S. 89° 30' E. A Distance Of 672.0 ft. To The Centerline Of A Road, Thence S. 0° 30' E. Along Said Centerline A Distance Of 194.75 ft., Thence S. 9° 0' E., 200.0 ft. To The Place Of Beginning; Thence N. 89° 30' W., A Distance Of 180.0 ft., Thence S. 9° 0' E., A Distance Of 200.0 ft., Thence S. 89° 30' E., A Distance Of 180.0 ft. To The Centerline Of Said Road, Thence N. 9° 0' W. Along The Centerline Of Said Road To The Place Of Beginning. Said Parcel Contains 0.82 Acres More Or Less.

Description For Parcel 'I'

Use Heading Above:


Commencing At The North West Corner Of Sec. 7-17-17 Thence S. 89° 30' E. A Distance Of 672.0 ft. To The Centerline Of A Road, Thence S. 0° 30' E. Along Said Centerline A Distance Of 194.75 ft., Thence S. 9° 0' E., 500.0 ft. To The Place Of Beginning; Thence N. 89° 30' W., A Distance Of 180.0 ft., Thence S. 9° 0' E., A Distance Of 100.0 ft., Thence S. 89° 30' E., A Distance Of 180.0 ft. To The Centerline Of Said Road, Thence N. 9° 0' W. Along The Centerline Of Said Road To The Place Of Beginning. Said Parcel Contains 0.41 Acres More Or Less.

SURVEY FOR MRS. W. STOI:-

TOWN OF BLACK WOLF

NW 1/4 OF NW 1/4

SEC. 7-17-17



SCALE
1" = 100'

IRON STAKES SHOWN TRUS - o

SURVEY & PLATTING Co.
OSHKOSH, WIS.
T.E. STEARNS-REG. SURVEYOR
JULY 27, 1967
Rev. May 7, 1967

NOTE: STATE LAW
TWO PARCELS OF LAND UNDER 15 ACRES
MAY BE SOLD IN FIVE YEARS

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor

July 28, 1967

Survey For Mrs. W. Stoy:

Description For Parcel # 1

That Part Of The N.W. 1/4 Of The N.W. 1/4 Of Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Described As Follows: Commencing At The North West Corner Of Sec. 7-17-17, Thence S. 89° 30' E. A Distance Of 672.0 ft., Thence S. 0° 30' E. A Distance Of 194.75 ft., Thence S. 9° 0' E. A Distance Of 480.0 ft. To The Place Of Beginning: Thence S. 10° 30' E. A Distance Of 358.8 ft., Thence Due East, A Distance Of 30.0 ft., Thence S. 10° 30' E. A Distance Of 130.0 ft., Thence Due East, 150.0 ft., Thence N. 9° 30' W. A Distance Of 480.8 ft., Thence N. 87° 30' W. To The Place Of Beginning. Said Parcel Contains 1.70 Acres More Or Less.


Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor


Nov. 10, 1967


Survey For Mrs. W. Stoy:

Description For Parcel # 2

That Part Of The N.W. 1/4 Of The N.W. 1/4 Of Sec. 7-17-17, Town Of Black Wolf, Winnebago County, Wis. Described As Follows: Commencing At The North West Corner Of Sec. 7-17-17, Thence S. 89° 30' E., A Distance Of 672.0 ft., Thence S. 0° 30' E., A Distance Of 194.75 ft., Thence S. 9° 0' E. A Distance 778.8 ft., Being The Place Of Beginning: Thence Due East, 181.9 ft. To The West Line Of Windemere Plat, Thence S. 10° 30' E. Along The Westerly Line Of Windemere Plat, 188.0 ft., Thence Due West, 150.0 ft., Thence N. 10° 30' W. A Distance Of 130.0 ft., Thence Due West, 30.0 ft., Thence Northwesterly To The Place Of Beginning. Except That Portion Used For Highway Purposes. Said Parcel Contains 0.69 Acres More Or Less.







SURVEY FOR BYRON GUMZ Town BLACKWOLF
OF PARCEL SHOWN BELOW SEC 7 1/4 T17N R17E


#1 County Vol 1 Page 4

29 Vol 4 Page 29


26, 33, 80 Proposed Plats & Surveys.

G. B. Randall
F. M. Wolcott
H. H. Englinger
April 23, 1959
Sea level 50

We shortened the distance along the road by 11.7 feet and along the Sully line by 12.1 feet to make the area enclosed equal 1 acre.



PLAT OF BABY VIEW



Lot 4 Sec 17 T17N R17E
 South Line of Lot 4
 Section 17 T17N R17E
 Section 17 T17N R17E
 Sec 17 T17N R17E

COUNTY

No 24 County


Survey for William and Carter Morgan

G. H. Randall Surveyor
C. G. Randall

E. 1/4 of S.W. 1/4
Sec. 7-17-17

Shore

Highway



I, Steven T. Chronis, a duly Licensed Surveyor
of the State of Wisconsin, do hereby certify
that the above is a true and accurate
reproduction of the original survey.


is a true and accurate reproduction of the original
of my knowledge and belief
Dated this 14th day of September, 1996.

Steven T. Chronis
Steven T. Chronis
Wisconsin Registered Land Surveyor, S-0913

T.17N., R.17E.

AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
SHEBOYGAN, WISCONSIN

Steven T. Chronis
WIS. REGISTERED LAND SURVEYOR S-0913
NOTEBOOK 116 PAGE 7



L-1907

CERTIFIED SURVEY MAP

SURVEY FOR: GEORGE W. &
DEBRA L. MANSFIELD
2493 CLOVER
OSHKOSH, WI 54901
PREPARED BY: OMNI ENGINEERS
303 SOUTH BLUEMOUND DR.
APPLETON, WI 54914
FILE NO. S-2628A
DATE: JUNE 25, 1990

SURVEY IN: PART OF GOVERNMENT LOT
LOT 4, AND THE SE $\frac{1}{4}$ OF THE SW $\frac{1}{4}$ OF
FRACTIONAL SECTION 7, T17N,
R17E, TOWN OF BLACK WOLF,
WINNEBAGO COUNTY, WI

LEGEND

3/4" STEEL REBAR SET
(24" LONG, 1.502#/LIN.FT.)

EXISTING IRON PIPE

CURVE IDENTIFICATION
NUMBER

(N 0°00'W 100 FEET) RECORDED AS
MEASUREMENT

NORTH IS REFERENCED TO THE
WEST LINE OF GOVERNMENT LOT
4 WHICH IS RECORDED TO BEAR
N 0°15'06"E.

SCALE: 1" = 100'

SURVEYOR'S CERTIFICATE: I, DAVID J. SCHROEDER, STATE OF WISCONSIN REGISTERED LAND SURVEYOR
NO. S-1912 DO HEREBY CERTIFY THAT BY THE ORDER OF THE OWNERS, I HAVE MADE A SURVEY OF LOTS E AND F OF CERTIFIED
SURVEY MAP IN VOLUME I, PAGE 65 WHICH LIE IN GOVERNMENT LOT 4 AND IN THE SE $\frac{1}{4}$ OF THE SW $\frac{1}{4}$ OF FRACTIONAL SECTION 7
T17N, R17E, TOWN OF BLACK WOLF, WINNEBAGO COUNTY, WISCONSIN, BEING BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING
AT THE SOUTH $\frac{1}{4}$ CORNER OF SAID FRACTIONAL SECTION 7; THENCE N 0°15'06"E ALONG THE WEST LINE OF GOVERNMENT LOT 4
A DISTANCE OF 446.93 FEET; THENCE N 33°04'55"E 163.29 FEET TO THE POINT OF BEGINNING; THENCE CONTINUING
N 33°04'55"E 188.69 FEET (RECORDED AS N 31°14'E 188.67 FEET); THENCE N 51°02'01"W 194.90 FEET (RECORDED AS
N 52°55'W 194.80 FEET); THENCE S 55°51'47"W 179.31 FEET (RECORDED AS S 54°05'W 179.4 FEET); THENCE S 46°07'05"E
105.41 FEET (RECORDED AS S 47°55'E 105.18 FEET); THENCE SOUTHEASTERLY 117.01 FEET ALONG THE ARC OF A 44.45 FOOT (45 FOOT)
RADIUS CURVE CONCAVE TO THE SOUTHWEST HAVING A CHORD OF S 41°29'48"E 86.03 FEET; THENCE S 56°23'05"E 76.83 FEET (RECORDED
AS S 58°14'E 76.25 FEET) TO THE POINT OF BEGINNING CONTAINING 0.933 ACRES OF LAND MORE OR LESS WITH RIGHTS OF INGRESS AND EGRESS
OVER BAYBERRY LANE AND HONEY SUCKLE COURT AS RECORDED IN DOCUMENT NO. 737527 WINNEBAGO COUNTY RECORDS ALSO BEING SUBJECT TO
EASEMENTS, COVENANTS OR RESTRICTIONS OR RECORD IF ANY. I DO FURTHER CERTIFY THAT THIS MAP IS A TRUE REPRESENTATION THEREOF
AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF SECTION 236.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION
REGULATIONS OF WINNEBAGO COUNTY IN SURVEYING AND MAPPING THE SAME.

DAVID J. SCHROEDER, RLS NO. S-1912

David J. Schroeder

DATED 6-25-90



CURVE DATA

1-2 Δ = 150°50'13"
R = 44.45'
L = 117.01'
CHD = S 41°29'48"E 86.03'

TREASURER'S CERTIFICATE: I DO HEREBY CERTIFY THAT THERE
ARE NO UNPAID TAXES OR UNPAID SPECIAL ASSESSMENTS ON
ANY OF THE LANDS INCLUDED IN THIS CERTIFIED SURVEY MAP.

TOWN TREASURER *D. J. Schilling* DATED 7/3/90

COUNTY TREASURER *Keith W. Bradley* DATED 7/3/90



SHEET 1 OF 2

SOUTH 1/4 CORNER
SECTION 7, T17N, R17E
(EX. CO. MON.)

OWNER'S CERTIFICATE:

AS OWNERS, WE DO HEREBY CERTIFY THAT WE HAVE CAUSED THE LANDS ON THIS MAP TO BE SURVEYED, MAPPED, AND DIVIDED

AS REPRESENTED.

George W. Mansfield
GEORGE W. MANSFIELD

6/28/90
DATED

Debra L. Mansfield
DEBRA L. MANSFIELD

6/28/90
DATED


STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

PERSONALLY CAME BEFORE ME THIS 28 DAY OF June 1990. THE ABOVE NAMED TO ME KNOWN TO BE THE PERSONS WHO
EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGED THE SAME.

NOTARY PUBLIC Carol J. Brett - Winnebago COUNTY, WISCONSIN MY COMMISSION EXPIRES 3-24-91.

WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE APPROVAL: THIS CERTIFIED SURVEY MAP HAS BEEN APPROVED BY THE WINNEBAGO
COUNTY PLANNING AND ZONING COMMITTEE.

AUTHORIZED REPRESENTATIVE Janette Erickson DATED 8/20/90



750620

Register's Office

Winnebago County, Wis.

Received for record this 20th

day of August, 1990

at 5:50 o'clock P.M. and

filed in Vol. 1 of C.S.M.

on page 223.

Margaret A. Adams
Register of Deeds

81
10

SURVEY
for
HARRY KROGH
of

"Document No. 746582"

"Lot Seven (7) in Replat of Windermere, in the Town of Black Wolf.


That part of Fractional Lot One (1) of Section Seven (7) Township Seventeen (17) North of Range Seventeen (17) East, in the Town of Black Wolf, Described as follows, viz:- Commencing at the intersection of the Westerly line of a private road, as laid out and established by Replat of Windermere, with the extended Northerly line of Lot Seven (7) in said Replat, the place of beginning; thence Westerly, along the extended Northerly line of said Lot Seven (7), One Hundred Eleven and Five-Tenths (111.5) feet; thence Southerly, to a point on the extended Southerly line of Lot Seven (7) that is One Hundred Twelve and Two-Tenths (112.2) feet Westerly of the intersection of the Westerly line of said private road with the extended Southerly line of said Lot Seven (7), One Hundred Twelve and Two-Tenths (112.2) feet, to the Westerly line of said private road; thence Northerly, along the Westerly line of said private road, to the place of beginning."

-LEGEND-

- = 1"X24" IRON PIPE SET
- = 1" IRON PIPE FOUND
- = 1 1/4" IRON PIPE FOUND
- = SQUARE CONCRETE POST WITH CHISEL X

SCALE: 1" = 80'

SEPTEMBER 25, 1990



Bearing Reference: Easterly line of Windermere Lane
Assumed N. 08°-35'-49" W.

SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed the above described property and that the map shown above is a true and accurate representation thereof to the best of my knowledge and belief.




AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
SHEBOYGAN, WISCONSIN

Dated this 26th day of September, 1990

Steven T. Chronis
WIS. REGISTERED LAND SURVEYOR S-0913

NOTEBOOK 94 PAGE 7B-80




L-1916

DESCRIPTION OF FILL AREA:

THE EAST 435 FEET OF THE WEST 485 FEET OF THAT PART OF THE SOUTH 50 FEET OF FRACTIONAL LOT TWO (2) LYING EAST OF THE HIGHWAY, KNOWN AS THE OSHKOSH, FOND DU LAC ROAD, BEING PART OF SECTION 7, T17N, R17E, TOWN OF BLACK WOLF, WINNEBAGO COUNTY, WISCONSIN.

HWY "A5"
FOND DU LAC RD.




NOTE: 100 YEAR FLOOD ELEVATION
= 749.03

CLIENT:
RON SCHETTL
635 SPRUCE ST.
OHIO, WI 54963

LAKE WINNEBAGO

REMOVAL FROM FLOOD PLAIN WILL NOT
CAUSE AN INCREASE OF .01 FEET IN THE
REGIONAL FLOOD HEIGHT.



REVISED 1-10-90

REVISED 11-13-89 4-9-90



CAROW LAND SURVEYING CO., INC.

1837 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
PHONE 414-731-4168 FAX 731-5673

SCALE

1"=100'

DRAWN BY

mv dv mv

PROJECT NO.

A895.108

PLAT OF SURVEY

SHOWING LANDS DESCRIBED IN DOCUMENT NO. 764468 BEING PART OF FRACTIONAL LOT 2 OF SECTION 7, T17N, R17E, TOWN OF BLACK WOLF, WINNEBAGO COUNTY, WISCONSIN.

CLIENT
JEFF KARGUS
4298 HWY "45" SOUTH
OSHKOSH, WISCONSIN 54905

NORTH IS REFERENCED TO THE SOUTH LINE OF GOVERNMENT LOT 2 OF FRACTIONAL SECTION 7, T17N, R17E, AND IS ASSUMED TO BEAR S89°-58'-51"W

LEGEND

- = 3/4" x 24" SOLID ROUND IRON REBAR SET.
- = 1" IRON PIPE FOUND
- ⊙ = 1" IRON PIPE W/CAP FOUND
- ⊗ = 1 1/2" IRON REBAR FOUND
- ⊕ = FERNISEN MONUMENT FOUND
- x = PAINT CROSS ON SEAWALL STONE SET



I HEREBY CERTIFY THAT I HAVE SURVEYED THE ABOVE DESCRIBED PROPERTY AS SHOWN ACCORDING TO THE OFFICIAL RECORDS AND THAT THIS PLAT OF SURVEY IS A CORRECT REPRESENTATION OF SAID SURVEY


Robert F. Reider 12-12-91




CAROW LAND SURVEYING CO., INC.

1837 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
PHONE 414-731-4168 FAX 731-5673

SCALE
1"=60'
DRAWN BY
ec ms EQ
PROJECT NO
A893.108-91



- LEGEND**
- - 3/4" x 24" SOLID ROUND IRON REBAR SET
 - X - PAINT CROSS SET ON SEAWALL STONE
 - - 1" IRON PIPE W/CAP FOUND
 - ⊕ - BERTHSEN MONUMENT FOUND



CAROW LAND SURVEYING CO., INC.

1837 W. WISCONSIN AVE., P.O. BOX 1297
 APPLETON, WISCONSIN 54912-1297
 PHONE 414-731-4168 FAX 731-5673

SCALE	1"=50'
DRAWN BY	EC
PROJECT NO.	A895.100-91

1967

CERTIFIED SURVEY MAP NO. 2397


SHEET 1 OF 3

BEING A PART OF FRACTIONAL LOT 2 IN THE N.W. 1/4 OF SECTION 7, T17N, R17E, TOWN OF BLACK WOLF, WINNEBAGO COUNTY, WISCONSIN LYING WEST OF U.S. HWY. "45".

○ ——— DENOTES 1 INCH DIAMETER IRON PIPE, 24 INCHES LONG, WEIGHING NOT LESS THAN 1.13 LBS. PER LINEAL FOOT SET.

ALL DIMENSIONS SHOWN ARE MEASURED TO THE NEAREST HUNDRETH OF A FOOT.

NORTH IS REFERENCED TO THE WEST LINE OF THE N.W. 1/4 OF SECTION 7 WHICH HAS AN ASSUMED BEARING OF NORTH 00°01'58" EAST.



1967

CERTIFIED SURVEY MAP NO 2397 SHEET 2 OF 3

BEING A PART OF FRACTIONAL LOT 2 IN THE N.W. 1/4 OF SECTION 7, T17N, R17E, TOWN OF BLACK WOLF, WINNEBAGO COUNTY, WISCONSIN LYING WEST OF U.S. HWY. "45".

SURVEYOR'S CERTIFICATE
(STATE OF WISCONSIN)
SS
(WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Registered Land Surveyor do hereby certify:

THAT I have surveyed and mapped a part of Fractional Lot 2 in the N.W. 1/4 of Section 7, T17N, R17E, lying west of U.S. Hwy. "45", Town of Black Wolf, Winnebago County, Wisconsin, which is bounded and described as follows:

COMMENCING AT THE W. 1/4 CORNER OF SAID SECTION, THENCE NORTH 00°01'58" EAST ALONG THE WEST LINE OF SAID 1/4 SECTION 281.70 FT., THENCE NORTH 89°59'41" EAST AND PARALLEL WITH THE SOUTH LINE OF THE N.W. 1/4 OF SAID SECTION 290.00 FT. TO THE POINT OF BEGINNING OF THE PARCEL TO BE DESCRIBED, THENCE NORTH 00°01'58" EAST AND PARALLEL WITH THE WEST LINE OF SAID 1/4 SECTION 459.00 FT., THENCE NORTH 84°06'10" EAST 338.67 FT. TO A POINT ON THE CENTERLINE OF U.S. HIGHWAY "45", THENCE SOUTHEASTERLY 67.97 FT. ALONG SAID CENTERLINE AND THE ARC OF A CURVE WHOSE CENTER LIES TO THE SOUTHWEST WHOSE RADIUS IS 1241.60 FT. AND WHOSE CHORD BEARS SOUTH 30°20'21" EAST 67.96 FT., THENCE SOUTH 28°46'15" EAST ALONG SAID CENTERLINE 315.86 FT., THENCE SOUTH 78°23'29" WEST 309.20 FT., THENCE SOUTH 00°01'58" WEST 90.00 FT., THENCE SOUTH 89°59'41" WEST 191.18 FT. TO THE POINT OF BEGINNING. THE EASTERLY 33. FT. OF THE ABOVE DESCRIBED PARCEL IS RESERVED FOR PUBLIC ROAD PURPOSES.

THAT I have made this survey by the direction of Merle E. Smith and Christine Ann Smith, his wife, owners of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of The Winnebago County.

7/11/91
Date

Reinhard Roehlig
Reinhard Roehlig, Registered
Wisconsin Land Surveyor S 1368

OWNERS CERTIFICATE

AS OWNERS, we hereby certify that we caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hands and seals of said owners this 15 day of JULY, 1991

Merle E. Smith
Merle E. Smith

Christine Ann Smith
Christine Ann Smith



Stock No. 26273

1967

CERTIFIED SURVEY MAP NO. 2397 SHEET 3 OF 3

BEING A PART OF FRACTIONAL LOT 2 IN THE N.W. 1/4 OF SECTION 7,
T17N, R17E, TOWN OF BLACK WOLF, WINNEBAGO COUNTY, WISCONSIN LYING
WEST OF U.S. HWY. "45".

STATE OF WISCONSIN)
:SS
WINNEBAGO COUNTY)

PERSONALLY came before me this 15th day of July, 1991 the
aforesaid Merle E. Smith and Christine Ann Smith, his wife, to
me known to be the persons who signed and executed the foregoing
document.

Reinhard H. Roehlig
Notary Public, Winnebago
County, State of Wisconsin

My Commission Expires Dec. 94.

COUNTY TREASURER'S CERTIFICATE

I, RUTH H. BRADLEY, being the duly elected, qualified and
acting treasurer for Winnebago County, do hereby certify that in
accordance with the records in my office, there are no unpaid taxes
or delinquent special assessments as of July 14, 1991 on any
land included in this Certified Survey Map.

Date 7/16/91Treasurer Ruth H. Bradley

TOWN TREASURER'S CERTIFICATE

I, Del. Gaskamp, being the duly elected, qualified and
acting treasurer for the town of Black Wolf, do hereby certify that
in accordance with the records in my office, there are no unpaid
taxes or delinquent special assessments as of July 22, 1991 on
any land included in this Certified Survey Map.

Date July 22, 1991Treasurer Del. Gaskamp

WINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE

This Certified Survey Map of part of Fractional Lot 2, in the
N.W. 1/4 of Section 7, T17N, R17E, Town of Black Wolf, Merle E.
Smith and Christine Ann Smith, owners, is hereby approved.

Date August 23, 1991Planning Commission Representative Carol Owens

THIS DOCUMENT WAS DRAFTED BY
REINHARD ROEHLIG.

774404


Register's Office

Winnebago County, Wis.

Received for record this 23rd
day of Aug. AD., 19 91
at 3:20 o'clock P.M. and
filed in Vol. 1 of CS 11
on page 2397

Margie Adams
Register of Deeds

Aug 14th
Reinhard Roehlig



STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

SURVEYOR'S CERTIFICATE:


I, Lawrence C. Kriescher, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Bernard W. Pitz a part of Government Lot Two (2), Fractional Section Seven (7), Township Seventeen (17) North, Range Seventeen (17) East, Town of Black Wolf, Winnebago County, Wisconsin containing 2.6 Acres of land more or less and being described by:

Commencing at the West Quarter Corner of said Fractional Section 7; thence N.89°-59'-14"E. 1295.86 feet, along the South line of said Government Lot 2; thence N.00°-00'-46"W. 50.00 feet, to a point on the centerline of U.S.H. "45" as it was located prior to 1931 and being the true point of beginning; thence N.28°-44'-20"W. 193.85 feet, along the centerline of U.S.H. "45" as it existed prior to 1931; thence N.89°-59'-14"E. 665.17 feet, to a point which is 25 feet more or less from the water's edge of Lake Winnebago; thence

(Continued on Sheet 2 of 2)

Dated this 20th day of DECEMBER, 1989.*Lawrence C. Kriescher*Wisconsin Registered Land Surveyor, S-1599
Lawrence C. Kriescher

House to be razed



CURVE DATA


Curve	=	1-2
Radius Length	=	1384.82'
Chord Bearing	=	S.22°-56'-42.5"
Chord Length	=	49.62'
Central Angle	=	02°-03'-11"
Arc Length	=	49.62'
Tangent Bearings	=	N.23°-58'-18"W. S.21°-55'-07"E.

LEGEND

- 0.1" 24" IRON PIPE WEIGHING 1.68 LBS. PER LINEAL FT. SET
- 3" 1" IRON PIPE FOUND
- WINNEBAGO COUNTY BERTSEN MONUMENT

ALL BEARINGS REFERENCED TO THE S. LINE
OWN'T LOT 2, FRAC'T. SEC. 7, T.17N., R.17E.
ASSUMED N. 89°-59'-14"E.

SCALE: 1" = 100'



LAKE WINNEBAGO

Portion of area wall 02'-05" north of line



Aero-Metric
ENGINEERING, INC.
LAND SURVEYS

537 NORTH MADISON ST.
CHILTON, WI 53014THIS INSTRUMENT DRAFTED BY: L.C. KRIESCHER S-1599

NOTE BOOK _____

PAGE _____

L-1823

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. _____

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Sheet 2 of 3


along a meander line S.17°-54'-23"W. 47.20 feet; thence S.06°-40'-19"E. 125.94 feet, to a point which is 30 feet more or less from the water's edge of Lake Winnebago and the end of the meander line; thence S.89°-59'-14"W. 572.08 feet, along the North line of the South 50.00 feet of said Government Lot 2 to the true point of beginning, together with all those lands lying between the meander line and the water's edge of Lake Winnebago and all lands North of a line 50 feet North of the South line of said Government lot 2.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County, in surveying and mapping the same.

Dated this 20th day of DECEMBER, 1989.

Lawrence C. Kriescher
Wisconsin Registered Land Surveyor, S-1599
Lawrence C. Kriescher



OWNER'S CERTIFICATE:

As Owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 25th day of December, 1989.

In the Presence of:

Cecelia G. Pitz
Cecelia G. Pitz

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 27th day of December, 1989, the above named Cecelia G. Pitz to be known to be the person who executed the foregoing instrument and acknowledged the same.

L. Paffenbarger
Notary Public L. Paffenbarger, Wisconsin
My Commission Expires 6-9-91

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map of a part of Government Lot 2 of the Fractional Section 7, T.17N., R.17E., Town of Black Wolf, Cecelia G. Pitz, owner, is hereby approved.

Date: February 14, 1990

By: Jeanette Prokoff

COUNTY TREASURER'S CERTIFICATE:

STATE OF WISCONSIN)
WINNEBAGO COUNTY)

I, Ruth H. Bradley, being the duly elected, qualified and acting Treasurer of the County of Winnebago, do hereby certify that the records in my office show no unredeemed tax sales and no unpaid taxes or special assessments as of January 1, 1990 affecting the lands included in this Certified Survey Map.

Date: Jan 2, 1990

Margaret McQuay-Buckley
County Treasurer: (D. P. H. J.)

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. _____

Sheet 3 of 3

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

CERTIFICATE OF TOWN TREASURER:

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS


I, Dan Esslinger, being the duly elected, qualified and acting Town Treasurer of the Town of Black Wolf, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or unpaid special assessments as of June 6, 1990 on any of the land included in this Certified Survey Map.

June 6, 1990
Date:

Dan Esslinger
Town Treasurer: Dan Esslinger

Dated this 20th day of December, 1989.

Lawrence C. Kriescher
Wisconsin Registered Land Surveyor, S-1599
Lawrence C. Kriescher




SURVEY
for
STEVE BUGGY
at
4726 BAY VIEW LANE

Legal Description as taken from Title Report

"Lot Six (6) in PLAT OF BAY VIEW, in the Town of Black Wolf, Winnebago County, Wisconsin

That part of FRACTIONAL LOT FOUR (4) of Section Seven (7) Township Seventeen (17) North, of Range Seventeen (17) East, in the Town of Black Wolf, described as follows, vis: - Commencing on the Westerly line of Plat of Bay View, at a point where the extended Northerly line of Lot Six (6) of said plat intersects the same, thence westerly along the extended Northerly line of said Lot Six (6), One Hundred (100) feet, thence South Twelve (12) degrees Fifty-five (55) minutes East to point of intersection with the extended Southerly line of said Lot Six (6), thence Easterly along the extended Southerly line of said Lot Six (6), One Hundred (100) feet, to the Westerly line of said Plat, thence Northerly along the Westerly line of said Plat to the place of beginning."



-LEGEND-

- o = 1"X24" Iron Pipe Set
- = 3/4" Iron Pipe Found
- = 1" Iron Pipe Found
- = 1 1/2" Iron Pipe Found
- () = Record Data

SCALE: 1" = 50'

SURVEYOR'S CERTIFICATE:

I, Thomas M. Kromm, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed the above described property and that the map shown above is a true and accurate representation thereof to the best of my knowledge and belief.

AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
SHEBOYGAN, WISCONSIN

DATED THIS 17 DAY OF July, 1961

Thomas M. Kromm
WIS. REGISTERED LAND SURVEYOR S-2062

NOTEBOOK 118 PAGE 27-29



L-1995