


18-17-17

SURVEYOR'S CERTIFICATE:

I, Lawrence C. Kriescher, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided, and mapped under the direction of Attorney Walter W. Bush a part of the Southwest Quarter (SW $\frac{1}{4}$) of the Northwest Quarter (NW $\frac{1}{4}$) of Section Eighteen (18), Township Seventeen (17) North, Range Seventeen (17) East, Town of Black Wolf, Winnebago County, Wisconsin containing 1.2845 acres of land and being described by: Commencing at the West Quarter (W $\frac{1}{4}$) corner of said Section 18; thence N.00°-08'-51"W. 796.40 feet, along the west line of the NW $\frac{1}{4}$ of said Section 18 to the true point of beginning; thence continuing N.00°-08'-51"W. 276.56 feet, along the west line of the NW $\frac{1}{4}$ of said Section 18; thence N.89°-55'-18"E. 204.83 feet; thence S.00°-53'-16"W. 276.60 feet; thence S.89°-55'-18"W. 199.83 feet to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed. That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.



AERO-METRIC ENGINEERING INC.
539 NORTH MADISON STREET
CHILTON, WISCONSIN 53014

THIS INSTRUMENT DRAFTED BY LAWRENCE C. KRIESCHER S-1599

OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided, and mapped as represented on this map.

Dated this 10th day of February, 1987.

In the Presence of:

Susan J. Lawrence

Frank C. Monroe
Frank C. Monroe

Ray E. Schuessel

Pauline M. Monroe
Pauline M. Monroe

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 10th day of February, 1987, the above named Frank C. Monroe and Pauline M. Monroe to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Pauline M. Monroe
Notary Public
Pauline M. Monroe
Winnebago City Wisconsin
My Commission Expires is permanent

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map of a part of the SW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 18, T.17N., R.17E., Frank C. Monroe and Pauline M. Monroe, owners, is hereby approved.

March 23, 1987
Date

Carol Owens
By: Carol Owens; Chairman



675529

Dated this 26th day of January, 1987.

Lawrence C. Kriescher
Wisconsin Registered Land Surveyor S-1599
Lawrence C. Kriescher

Register's Office
Winnebago County, Wis.
Received for record this 23rd
day of Mar, 1987
at 1:00 o'clock P.M. and
recorded in Vol. 1 of CSM
on page 1675
Marjorie A. Nelson
Register of Deeds

Walter Bush Chg
1535

628533

Janey

Register's Office
Winnebago County, Wis.
Received for record this *1.2* th
day of *April*, A.D., 19 *85*
at *2:02* o'clock *P*M. and
recorded in Vol. *1* of *G.S.M*
on page *1326*

Marjorie Adams
Register of Deeds

18-17-17

Kalon

*Aug
8 08*

CERTIFIED SURVEY MAP NO. 1376

BEING A PART OF GOVERNMENT LOT 1 IN THE N.E. 1/4 OF SECTION 18,
T17N, R17E, IN THE TOWN OF BLACK WOLF, WINNEBAGO COUNTY, WISCONSIN.


- ——— DENOTES 1 INCH DIAMETER RE-BAR FOUND.
- ——— DENOTES 1-1/4 INCH DIAMETER IRON PIPE FOUND.
- ——— DENOTES 2 INCH DIAMETER IRON PIPE FOUND.
- △ ——— DENOTES RAILROAD SPIKE FOUND.
- ——— DENOTES 1 INCH DIAMETER IRON PIPE, 24" LONG, WEIGHING NOT LESS THAN 1.13 LBS PER LINEAL FOOT.

ALL DIMENSIONS SHOWN ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE NORTHEASTERLY LINE OF U.S.H. "45", WHICH IS ASSUMED TO BEAR NORTH 54°27'48" WEST.


INTERIOR ANGLES

- A) 90-00-00
- B) 174-52-39
- C) 151-01-47
- D) 98-20-25
- E) 159-29-27
- F) 137-57-08
- G) 88-18-34



national survey & engineering

117 NORTH LAWYER STREET
P.O. BOX 2943
GREENBAY, WISCONSIN 54302
(608) 43-6200



CERTIFIED SURVEY MAP NO. 1326

BEING A PART OF GOVERNMENT LOT 1 IN THE N.E. 1/4 OF SECTION 18,
T17N, R17E, IN THE TOWN OF BLACK WOLF, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin land surveyor do hereby certify:

THAT I have surveyed and mapped a part of Government Lot 1, in the N.E. 1/4 of Section 18, T17N, R17E, in the Town of Black Wolf, Winnebago County, Wisconsin, which is bounded and described as follows:

Commencing at the N.1/4 corner of said Section, being a Berntsen Monument, thence North 86-01-03 East 87.54 ft. to a point on the Northeasterly R.O.W. line of U.S. Hwy "45", thence South 54-27-48 East along said R.O.W. line 1078.10 ft. to a 1-1/4" iron pipe, and the point of beginning, thence North 40-39-33 East 249.57 ft. to a 2 inch diameter iron pipe, thence North 69-37-46 East 243.00 ft. to a 1 inch diameter re-bar, thence continuing North 69-37-46 East 15 ft. to the waters edge of Lake Winnebago, thence retracing the last described line to the 1 inch iron re-bar, thence South 28-42-39 East 168.89 ft. to a 1 inch diameter iron re-bar, thence South 08-12-06 East 115.66 ft. to a 1 inch iron re-bar, thence North 33-50-46 East 20 ft. to the waters edge of Lake Winnebago, thence retracing the last described line to the 1 inch iron re-bar thence South 33-50-46 West 320.00 ft to a 1 inch iron re-bar on the Northeasterly R.O.W. line of U.S Hwy. "45", thence North 54-27-48 West along the R.O.W. line of said Highway 400.00 ft. to a 1 inch iron re-bar, thence North 35-32-12 East 27.00 ft. to a 1-1/4 inch iron pipe and the point of beginning.

THAT I have made this survey, land division and map by the direction of ORIN V. ELMER and CERELLA J. ELMER, his wife, Town of BLACK WOLF, Winnebago County, Wisconsin, owners of said land.


THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

3-31-85

Date

Reinhard Roehlig (SEAL)
Reinhard Roehlig, Registered
Land Surveyor S-1368



CERTIFIED SURVEY MAP NO. 1376

BEING A PART OF GOVERNMENT LOT 1 IN THE N.E. 1/4 OF SECTION 18,
T17N, R17E, IN THE TOWN OF BLACK WOLF, WINNEBAGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE

AS OWNERS we hereby certify that we caused the land described on
this map to be surveyed, divided and mapped as represented on this
map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hands and seals of said owners this 9th day of
April 1985.

In The Presence Of:

Orin V. Elmer
ORIN V. ELMER

Cerella J. Elmer
CERELLA J. ELMER

STATE OF WISCONSIN)
WINNEBAGO COUNTY)

PERSONALLY came before me this 9th day of April 1985 the above
named Orin V. Elmer and Cerella J. Elmer, his wife, to me known to
be the persons who executed the foregoing instrument and
acknowledged the same.



Jean E. Baivier
Notary Public, Winnebago
County, State of Wisconsin

My Comm. expires permanent...


WINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE

THIS Certified Survey Map of a part of Government Lot 1 in the N.E.
1/4 of Section 18, T17N, R17E, Town of Black Wolf, Orin V. Elmer and
Cerella J. Elmer owners, is hereby approved.

April 12, 1985
Date

Carol Owens
Chairman

THIS INSTRUMENT WAS DRAFTED BY REINHARD ROEHLIG





DESCRIPTION OF PROPERTY PER SURVEY

A tract of land being part of Government Lot Two (2), Fractional Section Eighteen (18), Township Seventeen (17) North, Range Seventeen (17) East, Town of Black Wolf, Winnebago County, Wisconsin containing 24169.2 square feet of land, more or less, and being described by: Commencing at the East Quarter (E4) Corner of said Section 18; thence N.02°-58'-37"W. 235.79 feet, along the East Line of said Section 18 to a point on the centerline of U.S.H. "45"; thence N.52°-12'-54"W. 922.66 feet, along said centerline to the true point of beginning, previously recorded as 942 feet; thence continuing N.52°-12'-54"W. 64.07 feet, along said centerline, previously recorded as 64 feet; thence N.41°-29'-55"E. 355.48 feet, to a point located S.41°-29'-55"W. 22.6 feet, more or less, from the water's edge of Lake Winnebago and the beginning of a meander line; thence S.47°-40'-08"E. 63.95 feet, along said meander line to a point that is S.41°-30'-00"W. 27.5 feet, more or less, from the water's edge of Lake Winnebago and the end of said meander line; thence S.41°-30'-00"W. 350.40 feet, to a point on the centerline of U.S.H. "45" and the true point of beginning, including all the land lying between the meander line and the water's edge of Lake Winnebago.

Lawrence C. Kriescher, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed the above described property and that the map shown above is a true and accurate representation thereof to the best of my knowledge and belief.

LEGEND


- = 1" x 24" IRON PIPE SET
- = 5/8" IRON ROD SET
- ⊙ = WINNEBAGO COUNTY BERNTSEN MONUMENT
- JULY 1, 1985
- SCALE: 1" = 60'



AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
CHILTON, WISCONSIN

Lawrence C. Kriescher
WIS. REGISTERED LAND SURVEYOR S-1599

NOTEBOOK 59 PAGE 57-59



L-1396


SURVEY
FOR
JOHN PFEIFFER
(4768 Bay View Lane)

Lot 14 in Plat of Bay View, in the Town of Black Wolf and that part of Fractional Lot 1 of Section 18, T.17N., R.17E., in the Town of Black Wolf described as follows, viz: Commencing at a point on the extended NWly line of Lot 14 in Plat of Bay View that is 25.00 feet SWly of the NWly corner of said Lot 14; thence SWly, along the extended NWly line of said Lot 14, 100.00 feet; thence S. 12°-55' E., to a point where the extended SEly line of said Lot 14 would intersect the same; thence NEly, along the extended SEly line of said Lot 14, 100.00 feet; thence NWly to the true place of beginning.



Legend

Scale: 1" = 40'
N.B. 59 P. 49-50
June 1, 1984
(50') = Plat/Deed Distance



I, Lawrence C. Kriescher, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc. certify that I have surveyed the above described property and that the map shown above is a true and accurate representation thereof to the best of my knowledge and belief.

Lawrence C. Kriescher
Wisconsin Registered Land Surveyor
Lawrence C. Kriescher S-1599

Aero-Metric Engineering, Inc.
1091 South Washburn Street
Oshkosh, Wisconsin



Sheet 1 of 2

for

SURVEYOR'S CERTIFICATE:

That such is a correct representation of all exterior boundaries of the land surveyed.


Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



LEGEND

- O = 1" x 24" IRON PIPE WEIGHING
168 LBS/LINEAL FOOT
● = 1" IRON PIPE FOUND
■ = 6"x6" SQUARE CUT STONE
MONUMENT
DATE: OCT 31, 1978
SCALE 1" = 100'

SCALE



1091 SOUTH WASHBURN ST.

OSHKOSH WISCONSIN 54901

THIS INSTRUMENT DRAFTED BY STEVEN T. CHRONIS


L-577

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

Dated this 31st day of October, 1978

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 6th day of December, 1978

In the Presence of:

David K. Sparr
David K. Sparr
Diane M. Sparr
Diane M. Sparr
James Grusnick
James Grusnick
Mary Ann Grusnick
Mary Ann Grusnick
Joseph G. Thresher
Joseph G. Thresher
JoAnne M. Thresher
JoAnne M. Thresher

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 6th day of December, 1978, the above named David K. Sparr, Diane M. Sparr, James Grusnick, Mary Ann Grusnick, Joseph G. Thresher and JoAnne M. Thresher to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Joe M. Hutzler
Notary Public Oshkosh, Wisconsin
My Commission expires 8/19/82

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE CERTIFICATE:

This Certified Survey Map of a part of the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 18, T. 17 N., R. 17 E., Town of Black Wolf, David K. Sparr, Diane M. Sparr, James Grusnick, Mary Ann Grusnick, Joseph G. Thresher and JoAnne M. Thresher, owners, is hereby approved.

Date _____

by: _____

526873

Register's Office
Winnebago County, Wis.
received for record this 7th
day of December A.D., 1978
at 4:04 o'clock A.M. and
recorded in Vol. 1 of S. Maps
page 490

F. M. Ray
Register of Deeds

chg
200

Curtis, et al


Sheet 1 of 2

Certified Survey Map
for
David K. Sparr

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped a part of the Southwest Quarter (SW $\frac{1}{4}$) of the Northeast Quarter (NE $\frac{1}{4}$) of Section Eighteen (18) Township Seventeen (17) North, Range Seventeen (17) East, Town of Black Wolf, Winnebago County, Wisconsin containing 1.515 Acres of Land and being described by: Commencing at the center of said Section 18, thence S. 88°-55'-07" E. 360.00 feet along the South line of the NE $\frac{1}{4}$ of said Section 18 to the true point of beginning, thence North 200.00 feet along a line that is parallel with the West line of the NE $\frac{1}{4}$ of said Section 18, thence S. 88°-55'-07" E. 330.00 feet along a line that is parallel to the South line of the NE $\frac{1}{4}$ of said Section 18, thence South 200.00 feet along a line that is parallel to the West line of the NE $\frac{1}{4}$ of said Section 18 to a point on the South line of the NE $\frac{1}{4}$ of said Section 18, thence N. 88°-55'-07" W. 330.00 feet along the South line of the NE $\frac{1}{4}$ of said Section 18 to the true point of beginning.

Dated this 10th day of May, 1978

A circular seal for Steven T. Chronis, a Wisconsin Land Surveyor. The outer ring contains the text "WISCONSIN" at the top and "LAND SURVEYOR" at the bottom, separated by two five-pointed stars. The center of the seal contains the text "STEVEN T. CHRONIS", "S-913", and "OSHKOSH, WISCONSIN" in three lines.



-----LEGEND-----
O = 1" x 24" IRON PILE WEIGHING
168 LBS PER LINEAL FOOT
■ = 6"x6" SQUARE CHISEL POINT
MONUMENT
DATE MAY 5, 1948
SCALE = 1"=100'

ALL BEARINGS REFERENCED TO THE WEST
LINE OF THE NE 1/4 SEC. 15 T. 17N. R. 15E
ASSUMED TO BEAR NORTH

EROMETRIC ENGINEERING INC.
1094 SOUTH BAYVIEW BLVD.

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Together with an easement for the purpose of ingress and egress, said easement to have a width of 66 feet and the South line to be the same as the North line of Tract 1 of this Certified Survey Map and the east-west limits to be that of the extensions of the east-west lines of Tract 1 of this Certified Survey Map.


Also the right to pass and repass at all times on foot or vehicles within the perpetual right-of-way as granted in Volume 1270 page 336 of records.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

Dated this 10th day of May, 1978

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



Certificate of Planning & Zoning Committee:

This Certified Survey Map of a part of the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 18, T. 17 N., R. 17 E., Town of Black Wolf, Michael C. and Mary Ann Seckar, owners, is hereby approved.

Date May 12, 1978

by: Robert M. Hunkeler AB

1978-1979-1980-1981-1982-1983-1984-1985-1986-1987-1988-1989-1990-1991-1992-1993-1994-1995-1996-1997-1998-1999-2000-2001-2002-2003-2004-2005-2006-2007-2008-2009-2010-2011-2012-2013-2014-2015-2016-2017-2018-2019-2020-2021-2022-2023-2024-2025

Engineer's Office
Winnebago County, Wis.
Recorded for record this 15th day of May A.D. 1978 at 1:30 o'clock P.M. as recorded in Vol. 1 of S. Maps on page 329.
Robert M. Hunkeler
deputy Register of Deeds

L-471

515425

SURVEYOR'S CERTIFICATE:


I, Ronald A. Dercks, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Todd J. Mueller a part of the Northwest Quarter (NW $\frac{1}{4}$) of the Northwest Quarter (NW $\frac{1}{4}$) of Section Eighteen (18), Township Seventeen (17) North, Range Seventeen (17) East, Town of Black Wolf, Winnebago County, Wisconsin containing 1.700 Acres of land and being described by: Commencing at the Northwest corner of said Section 18, thence South 733.53 feet along the West line of the NW $\frac{1}{4}$ of said Section 18 to the true point of beginning, thence continue South 270.00 feet along the West line of the NW $\frac{1}{4}$ of said Section 18, thence East 274.27 feet, thence North 270.00 feet, thence West 274.27 feet to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

ALL BEARINGS REFERENCED TO THE EAST LINE OF THE NW $\frac{1}{4}$ OF SEC. 18, ASSUMED TO BEAR NORTH.

NW CORNER SECTION 18



LEGEND

- = 1" x 24" IRON PIPE WEIGHING 1.68 LBS. / LINEAL FOOT SET.
- = WINNEBAGO COUNTY BERNTSEN MONUMENT.
- SCALE : 1" = 60'
- DATE : OCT. 21, 1982
- NB. 59 PG. 36 & 37



Ronald A. Dercks

WISCONSIN REGISTERED LAND SURVEYOR S-1615
RONALD A. DERCKS



DATED THIS 22ND DAY OF October, 1982

AERO-METRIC ENGINEERING, INC
1091 SOUTH WASHBURN ST
OSHKOSH, WISCONSIN 54901

THIS INSTRUMENT DRAFTED BY RONALD A. DERCKS

L. 1140

STATE OF WISCONSIN }
WINNEBAGO COUNTY } SS

Sheet 2 of 2

OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 2nd day of November, 1982

In the Presence of:

Jill M. Inrig

Jill M. Inrig

Sarah J. Griffey

Sarah J. Griffey

Richard F. Mueller

Richard F. Mueller

Karen L. Ryf

Karen L. Ryf

Todd J. Mueller

Todd J. Mueller

STATE OF WISCONSIN }
WINNEBAGO COUNTY } SS

Personally came before me this 2 day of November, 1982, the above named Richard F. Mueller, Karen L. Ryf and Todd J. Mueller to me known to be the persons who executed the foregoing instrument and acknowledged the same.

NOTARY PUBLIC
State of Wisconsin
Lynn M. Galica

Lynn M. Galica
Notary Public Winnebago, Wisconsin
My Commission expires 3-25-84

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:


This Certified Survey Map of a part of the NW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 18, T.17N., R.17E., Town of Black Wolf, Richard F. Mueller, Karen L. Ryf and Todd J. Mueller, owners, is hereby approved.

Oct. 26, 1982
Date

Barbara Warming
By:

Dated this 22nd day of October, 1982

Ronald A. Dercks
Wisconsin Registered Land Surveyor S-1615
Ronald A. Dercks



STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Sheet 1 of 3

CERTIFIED SURVEY MAP

for

The purpose of correcting a Certified Survey
Map recorded in Volume 1 page 564 of Certified
Survey Maps Document No. 534030

SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric
Engineering, Inc., certify that I have surveyed, divided and mapped a part of
Continued on Sheet 2
Dated this 20th day of June, 1979

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis

584147



LEGEND
" x 24" IRON PIPE WEIGHING 1.68 LBS
EACH LINEAL FOOT SET
2 K. NAIL SET
2 K. NAIL FOUND PER TIE SHEET
2 R. SPIKE FOUND PER TIE SHEET
6"x6" SQUARE CUT STONE MONUMENT.
NOTEBOOK 39 PAGE 14
JUNE 12, 1979

Register's Office
Winnebago County, Wis.
Received for record this 23rd
day of Dec. A.D. 1982
at 2:00 o'clock P.M. and
recorded in Vol. 1 of S.M.
on page 1083.

Margaret Adams
Register of Deeds

Todd J. Mueller
4823 1/2 on Dyre Rd.
Oshkosh

pd
6.00



180

L-677

ALL BEARINGS REFERENCED TO THE WEST LINE OF THE
NE 1/4 SEC. 18, T. 17N., R. 12E., ASSUMED TO BEAR NORTH.

zoning

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Sheet 1 of 3

CERTIFIED SURVEY MAP

for

The purpose of correcting a Certified Survey
Map recorded in Volume 1 page 564 of Certified
Survey Maps Document No. 534030

SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric
Engineering, Inc., certify that I have surveyed, divided and mapped a part of
Continued on Sheet 2
Dated this 20th day of June, 1979

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis




LEGEND

- = 1" x 24" IRON PIPE WEIGHING 1.68 LBS PER LINEAL FOOT SET
 - = P.K. NAIL SET
 - = P.K. NAIL FOUND PER TIE SHEET
 - △ = R.R. SPIKE FOUND PER TIE SHEET
 - = 6"x6" SQUARE CUT STONE MONUMENT.
- NOTEBOOK 39 PAGE 14
JUNE 12, 1979




ALL BEARINGS REFERENCED TO THE WEST LINE OF THE
NE 1/4 SEC. 18, T. 17N., R. 17E. ASSUMED TO BEAR NORTH.



AERO-METRIC ENGINEERING INC.

1091 SOUTH WASHINGTON ST
OSHKOSH WISCONSIN 54901



584147

Register's Office
Winnebago County, Wis.
Received for record this 23rd
day of Dec. A.D. 1982
at 2:00 o'clock P.M. and
recorded in Vol. 1 of S.M.
on page 1083.

Myra J. Adams
Register of Deeds

Todd J. Mueller
4823 Bon Dyne Rd.
Oak

Pd
6.00

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Sheet 2 of 3

the Southwest Quarter (SW $\frac{1}{4}$) of the Northeast Quarter (NE $\frac{1}{4}$) of Section Eighteen (18) Township Seventeen (17) North, Range Seventeen (17) East, Town of Black Wolf, Winnebago County, Wisconsin containing 1.262 Acres of land and being described by: Commencing at the Center of said Section 18, thence North 376.00 feet along the West line of the NE $\frac{1}{4}$ of said Section 18 to the true point of beginning, thence continuing North 220.00 feet along the West line of the NE $\frac{1}{4}$ of said Section 18, thence S. 88°-55'-07" E. 250.00 feet along a line that is parallel with the South line of the NE $\frac{1}{4}$ of said Section 18, thence South 220.00 feet along a line that is parallel with the West line of the NE $\frac{1}{4}$ of said Section 18, thence N. 88°-55'-07" W. 250.00 feet along a line that is parallel with the South line of the NE $\frac{1}{4}$ of said Section 18 to the true point of beginning.


This description based on Warranty Deeds #529221 and #529220.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

Dated this 20th day of June, 1979

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 23rd day of July, 1979

In the Presence of:

G. R. W. Jachowski
W. L. H.

John J. Pfeiffer
Sandra L. Pfeiffer
Robert E. Fugleberg, Jr.
Karen S. Fugleberg

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 23rd day of July, 1979, the above named John J. Pfeiffer, Sandra L. Pfeiffer, Robert E. Fugleberg, Jr., and Karen S. Fugleberg to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Notary Public Oshkosh, Wisconsin
My Commission expires 9-1-80

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS


WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE CERTIFICATE:

This Certified Survey Map of a part of the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 18, T. 17 N., R. 17 E., John J. Pfeiffer, Sandra L. Pfeiffer, Robert E. Fugleberg, Jr., and Karen S. Fugleberg, owners, is hereby approved.

Date July 25, 1979 by Robert M. Hurst *dm*

Dated this 20th day of June, 1979

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



L-677

537149

Also - Machine Engineering
Ed.
22

Registered as Official
Winnebago County, Wis.
Reentered for record this 25th
day of July, A.D. 1979
at 1:46 o'clock P.M.
recorded in Vol. 1 of Survey Maps
on page 418
William M. Payne
Register of Deeds


WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1023

SURVEYOR'S CERTIFICATE:

I, Ronald A. Dercks, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Kenneth O. Wiegmann, a part of the Southeast Quarter (SE $\frac{1}{4}$) of the Northeast Quarter (NE $\frac{1}{4}$) of Section Eighteen (18), Township Seventeen (17) North, Range Sixteen (16) East, Town of Nekimi, Winnebago County, Wisconsin, and a part of Lot "1" of Certified Survey Map No. 833 as recorded in Volume 1 Page 833 of Certified Survey Maps Document No. 557820 and containing 2.281 Acres of land and being described by: Commencing at the East Quarter (E $\frac{1}{4}$) corner of said Section 18, thence N. 00°-35'-52" W. 1241.00 feet along the East line of the NE $\frac{1}{4}$ of said Section 18 to the true point of beginning, thence continue N. 00°-35'-52" W. 33.00 feet along the East line of the NE $\frac{1}{4}$ of said Section 18, thence N. 89°-49'-28" W. 458.73 feet, thence S. 00°-35'-52" E. 367.00 feet, thence N. 89°-49'-28" W. 333.00 feet, thence S. 00°-35'-52" E. 200.00 feet, thence S. 89°-49'-28" E. 366.00 feet, thence N. 00°-35'-52" W. 534.00 feet, thence S. 89°-49'-28" E. 425.73 feet to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.



STATE OF WISCONSIN }
WINNEBAGO COUNTY } SS

Sheet 2 of

OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 10th day of June, 1982

In the Presence of:

Loretta R. Frank


Kenneth O. Wiegmann
Kenneth O. Wiegmann

Cynthia S. Bertz

Madelin M. Wiegmann
Madelin M. Wiegmann

STATE OF WISCONSIN }
WINNEBAGO COUNTY } SS

Personally came before me this 10th day of June, 1982, the above named Kenneth O. Wiegmann and Madelin M. Wiegmann to me known to be the persons who executed the foregoing instrument and acknowledged the same.



Cynthia S. Bertz
Notary Public Winnebago, Wisconsin
My Commission Expires 6/19/83

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map of a part of the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 18, T.17N., R.16E., Town of Nekimi, Kenneth O. Wiegmann and Madelin M. Wiegmann, owners, is hereby approved.


Date: June 10, 1982

By: John Wallone

Dated this 25th day of May, 1982

576649

Ronald A. Dercks
Wisconsin Registered Land Surveyor S-1615
Ronald A. Dercks



Register's Office
Winnebago County, Wis.
Received for record this 11
day of June, A.D. 1982
at 3:50 o'clock P. M. and
recorded in Vol. 1 of C.S.M.
on page 1, 2, 3

Virginia A. Schmal
Register of Deeds

John Wallone 600

Zoning

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Sheet 1 of 3

CERTIFIED SURVEY MAP
for
Jim Engler


SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped a part of the Southwest Quarter (SW $\frac{1}{4}$) of the Northeast Quarter (NE $\frac{1}{4}$) of Section Eighteen (18) Township Seventeen (17) North, Range Seventeen (17) East, Town of Black Wolf

Continued on Sheet 2


Dated this 18th day of June, 1979

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



LEGEND


- O = 1"x24" IRON PIPE WEIGHING 1.68 LBS PER LINEAL FOOT SET.
- O = EXISTING 1" IRON PIPE
- = P.K. NAIL
- = 6"x6" STONE MONUMENT
- ▲ = R.R. SPIKE



AERO-METRIC ENGINEERING INC.

1091 SOUTH WASHBURN ST.

OSHKOSH WISCONSIN 54901



STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Winnebago County, Wisconsin containing 0.593 Acres of land and being described by: Commencing at the center of said Section 18, thence North 376.00 feet along the West line of the NE $\frac{1}{4}$ of said Section 18 to the Southwest corner of lands described in Document Number 529220 as recorded in the Winnebago County Register of Deeds office, thence S. 88°-55'-07" E. 250.00 feet along the South line of said lands to the true point of beginning, thence continuing S. 88°-55'-07" E. 235.00 feet along a line that is parallel with the South line of the NE $\frac{1}{4}$ of said Section 18, thence South 110.00 feet along a line that is parallel with the West line of the NE $\frac{1}{4}$ of said Section 18, thence N. 88°-55'-07" W. 235.00 feet along a line that is parallel with the South line of the NE $\frac{1}{4}$ of said Section 18, thence North 110.00 feet along a line that is parallel to the West line of the NE $\frac{1}{4}$ of said Section 18 to the true point of beginning.

Together with an easement for the purpose of ingress and egress, said easement to have a width of 66 feet and the North line to be the same as the South line of Tract "1" of this Certified Survey Map and the East line to be a Southerly extension of the East line of Tract "1" of this Certified Survey Map, the West line being the East line of a perpetual right of way as recorded in Volume 1270 page 336 of Records.


Also the right to pass and repass at all times on foot or vehicles within the perpetual right of way as granted in Volume 1270 page 336 of Records.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

Dated this 18th day of June, 1979

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 2nd day of July, 1979

In the Presence of:

Michael C. Seckar
Michael C. Seckar
MaryAnn Seckar
MaryAnn Seckar

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 2nd day of July, 1979, the above named Michael C. Seckar and MaryAnn Seckar to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Daniel H. Sp...
Notary Public Winnebago Cty., Wisconsin
My Commission expires 15 perm...
Member State Bar of Wisconsin
L-678

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Sheet 3 of 3

CERTIFICATE OF WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:


This Certified Survey Map of a part of the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 18,
T. 17 N., R. 17 E., Town of Black Wolf, Michael C. and MaryAnn Seckar, owners,
is hereby approved.

Date July 17, 1979

by: [Signature]
1979

Dated this 16th day of July, 1979

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



536722

Register's Office
Winnebago County, Wis.
Received for record this 17th
day of July, A.D., 1979
at 11:40 o'clock A M. and
recorded in Vol. 1 of Survey Maps
on page 613

[Signature]
Register of Deeds

L-678

Jim Ingler

PD
2.00

18 17 17 4

1318.1

1318.1
N. LINE SEC. 18

BLACK WOLF TOWN
E. LINE SEC. 13-17-16

1324.5

L. SIEFFELT

W. LINE SEC. 18-17-17
BLACK WOLF TOWN

A. PATZLAFF

N. 1/4 SEC 18


1324.5

1073.5



S.W. 1/4 of N.W. 1/4
SEC. 18-17-17

C. STEIGER



DRY CREEK

W. 1/4 COR. SEC. 18-17-17

E. & W. 1/4 LINE SEC. 18-17-17

C. STEIGER

CITY OF OSHKOSH
ENGINEERING DEPARTMENT

R.F. WOLVERTON

DRAWN

7/9/49


SCALE

1"=300'

SURVEY 1.98 A. PARCEL FOR
C. LUEBKE INCLUDING A BARN IN
SW 1/4 of NW 1/4 SEC. 18-17-17

Town of Black Wolf Sec. 18

SURVEY FOR
MICHAEL C. SECKAR



— LEGEND —
● = 1" IRON PIPE FOUND
○ = 1" IRON PIPE SET
SCALE: 1" = 100'
MAY 29, 1975


DESCRIPTION

A tract of land in the West Half of the Northeast Quarter (NE $\frac{1}{4}$) of Section Eighteen (18), Township Seventeen (17), North, Range Seventeen (17) East, Town of Black Wolf, Winnebago County, Wisconsin, containing 1.882 Acres and Being Described By: Commencing at the North 1/4 corner of said Section 18, thence South 1127.25 feet along the West line of the NE 1/4 of said Section

18 to the Southwest corner of Lands recorded in Volume 1351 page 609 of Records (recorded as South 1129.5 feet) and the point of beginning, running thence N. 89°-55'-43" E. 253.01 feet along the South line of lands recorded in Volume 1351 page 609 of Records (recorded as 250 feet), thence N. 00°-26'-00" W. 185.02 feet along the East line of lands owned by Menzies (recorded as 184.8 feet), thence S. 45°-36'-37" E. 244.82 feet, thence S. 54°-30'-21" W. 215.00 feet, thence S. 00°-46'-05" W. 115.00 feet to a point on the North line of lands recorded in Volume 1098 page 507 records, thence N. 89°-06'-42" W. 250.00 feet along the North line of lands recorded in Volume 1098 page 507 of records to its intersection with the west line of the NE 1/4 of said Section 18, thence North 221.88 feet along the West line of the NE 1/4 of said Section 18 to the point of beginning. The West 33 feet of the above described tract of land being subject to S.T.H. "175" Right-of-Way.

AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
SHEBOYGAN, WISCONSIN

Steven I. Chronis
WIS. REGISTERED LAND SURVEYOR S-913



STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Sheet 1 of 2

CERTIFIED SURVEY MAP

for

John J. Pfeiffer & Robert E. Fugleberg, Jr.


SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped a part of the Southwest Quarter (SW $\frac{1}{4}$) of the Northeast Quarter (NE $\frac{1}{4}$) of Section Eighteen (18) Township Seventeen (17) North, Range Seventeen (17) East, Town of Black Wolf, Winnebago County, Wisconsin containing 1.262 Acres of land and being described by: Commencing at the Center of said Section 18, thence North 370.00 feet along the West line of the NE $\frac{1}{4}$ of said Section 18 to the true point of beginning, thence continuing North 220.00 feet along the West line of the NE $\frac{1}{4}$ of said Section 18,


Dated this 18th day of May, 1979

continued on Sheet 2

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis




- LEGEND
- = 1" x 24" IRON PIPE WEIGHING 168 LBS. PER LINEAL FOOT SET
 - = P.K. NAIL SET
 - = P.K. FOUND PER FILED TIE SHEET
 - ▲ = R.R. SPIKE FOUND PER FILED TIE SHEET
 - = 6" x 6" SQUARE CUT STONE MONUMENT
- NOTEBOOK: 39 PAGE: 14
DATE: MAY 17, 1979



AERO-METRIC ENGINEERING INC.

1091 SOUTH WASHBURN ST.

OSHKOSH, WISCONSIN 54901



STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Sheet 2 of 2

thence S. 88°-55'-07" E. 250.00 feet along a line that is parallel with the South line of the NE $\frac{1}{4}$ of said Section 18, thence South 220.00 feet along a line that is parallel with the West line of the NE $\frac{1}{4}$ of said Section 18, thence N. 88°-55'-07" W. 250.00 feet along a line that is parallel with the South line of the NE $\frac{1}{4}$ of said Section 18 to the true point of beginning.


This description based on Warranty Deeds #529221 and #529220.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

Dated this 13th day of May, 1979

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 30th day of May, 1979

In the Presence of:

John J. Pfeiffer
Sandra L. Pfeiffer

John J. Pfeiffer
Sandra L. Pfeiffer
Robert E. Fugleberg, Jr.
Karen S. Fugleberg

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 30th day of May, 1979, the above named John J. Pfeiffer, Sandra L. Pfeiffer, Robert E. Fugleberg, Jr., and Karen S. Fugleberg to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Notary Public Oshkosh, Wisconsin
My Commission expires 9-1-80

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE CERTIFICATE:

This Certified Survey Map of a part of the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 18, T. 17 N., R. 17 E., John J. Pfeiffer, Sandra L. Pfeiffer, Robert E. Fugleberg, Jr., and Karen S. Fugleberg, owners, is hereby approved.

Date May 24, 1979

by [Signature] DRB

534030

Registrar's Office
Winnebago County, Wis.
Received for record this 30th
day of May, A.D. 1979
at 9:50 o'clock A.M. and
recorded in Vol. 1 of Survey Maps
on page 564

Helen M. Payne
Register of Deeds

Bob Fugleberg Jr

PD
2.00

PLAT OF SURVEY


18-17-17

KNOWN AS 5630 FOND DU LAC ROAD, THAT PART OF FRACTIONAL LOT TWO(2) OF SECTION 18, T17N R17E, IN THE TOWN OF BLACK WOLF WHICH IS DESCRIBED AS FOLLOWS; COMMENCING AT THE CENTERLINE OF LAKE SHORE ROAD, AT THE POINT OF INTERSECTION OF THE CENTERLINE OF SAID ROAD WITH THE EAST LINE OF SAID SECTION, THENCE NORTHWESTERLY ALONG THE CENTERLINE OF SAID LAKE SHORE ROAD 287.1 FT., THENCE NORTH $31^{\circ}02'13''$ EAST TO THE SHORE OF LAKE WINNEBAGO, THENCE SOUTHEASTERLY ALONG SAID SHORE 50.0 FT. TO THE EAST LINE OF SAID SECTION, THENCE SOUTH ALONG SAID EAST LINE TO THE PLACE OF BEGINNING.

APRIL 14, 1981

(SURVEY FOR JOHN SAGEN)

SURVEY NO. 169-S



FOND DU LAC ROAD (U.S. 45)
(FORMERLY LAKE SHORE ROAD)

I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments, if any.


This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.



national survey & engineering

417 NORTH SAWYER STREET / P.O. BOX 2983
OSHKOSH, WISCONSIN 54903
(414) 428-2800

Reinhard Roehlig



Winnebago Land Surveying
511 Baldwin Avenue, Oshkosh, Wisconsin 54901
Phone (414) 426-4757

MAP OF SURVEY

PART OF GOV'T LOT 1, SECTION 18, T17N, R17E, TOWN OF BLACK
WOLF, WINNEBAGO COUNTY, WISCONSIN



SURVEYOR'S CERTIFICATE


I, ALAN K. SHUTE, WISCONSIN REGISTERED LAND SURVEYOR, HAVE SURVEYED THE SITE SHOWN ON THIS MAP. THIS SURVEY AND MAP REFLECT THE SITE DESCRIBED IN VOLUME 1153, PAGE 483 AND 484 AND SHOWS THE SIZE AND LOCATION OF THE PROPERTY, ITS EXTERIOR BOUNDARIES, THE LOCATION OF ALL STRUCTURES THEREON, FENCES, APPARENT EASEMENTS, ROADWAYS AND VISIBLE ENCROACHMENTS IF ANY. THIS SURVEY IS MADE FOR THE EXCLUSIVE USE OF JEAN BAIVIER, 217 CEAPE AVENUE, OSHKOSH, WISCONSIN 54901 AND THOSE WHO PURCHASE, MORTGAGE OR GUARANTEE THE TITLE THERETO WITHIN ONE (1) YEAR FROM THE DATE HEREOF. TO THEM I CERTIFY THAT THIS SURVEY AND MAP WERE MADE IN ACCORDANCE WITH ACCEPTABLE PROFESSIONAL STANDARDS AND IN MY PROFESSIONAL OPINION THE ACCOMPANYING MAP IS A TRUE AND ACCURATE REPRESENTATION OF THIS SITE TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF.


ALAN K. SHUTE

S-1518

DATED THIS 11th DAY OF MAY, 1983







DATE OF THIS SURVEY June 1945 BY F. M. WOLVERTON
 PREVIOUS SURVEYS Apr. 23, 1938 BY G. H. RANDALL

CITY OF OSHKOSH
 ENGINEERING DEPARTMENT

DRAWN
 A. H. JUNE 19, 1945
 SCALE
 1" = 100'

SURVEY OF PART OF LOTS 1 & 2 OF PLAT OF
 RAY VIEW - TOWN OF BLACK WOLF
 FOR KOEBER & E. ARPS

165 (7-1)

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor

Dec. 14, 1971

Survey Of The Edwin Marheine Properties: % Oshkosh National Bank

Description Of Parcel # 2 (For Map See Page # 1)

That Part Of Frac. Lots # 1 & 2 Of Sec. 18-17-17, Town Of Black Wolf, Winnebago County, Wis. Described As Follows:

Commencing In The Center Of U.S. Highway # 45, Commonly Known As The Lake Shore Road, At A Point 1550.0 ft. Northwesterly From The Point Of Intersection Of The Center Line Of Said Highway With The East Line Of Said Sec., Thence Northwesterly Along The Center Line Of Said Highway, 90.0 ft., Thence N.41°30'E. To The Shore Of Lake Winnebago, Thence Southeasterly Along The Shore Of Said Lake To A Point That Is N.41°30'E. Of The Place Of Beginning, Thence S.41°30'W. To The Place Of Beginning.

CERTIFICATE

I Hereby Certify That I Have Surveyed The Above Described Property, A Copy Of Which Is Set Forth Hereon, That The Survey Accurately Locates The Property Lines & That There Are No Encroachments On The Property Or From The Property Onto Another Property Except As May Be Reflected On The Survey.

Dated: Dec. 14, 1971


T. E. Stearns
T.E. Stearns - Reg. Surveyor #359

(11)

Survey For Mrs. Matha D. Woldt:

Description Of Parcel:

That Part Of Fractional Gov't Lot # 2 In Sec. 18-17-17, Town Of Black Wolf, Winnebago County, Wis., Described As Follows: (For Description See Abstract # MN - 15,673)




Description Of Parcel # 1
That Part Of Prac. Lots #1 & 2 Of Sec. 18-17-17, Town Of Black Wolf, Winnebago
County, Wis. Described As Follows:
Commencing In The Center Of U.S. Highway # 45, Commonly Known As The Lake Shore
Road, At A Point 1640.0 Ft. Northwesternly From The Point Of Intersection Of
The Center Line Of Said Highway With The East Line Of Said Sec.; Thence North-
westerly Along The Center Line Of Said Highway, 90.0 ft.; Thence N. 41° 30' E. To
The Shore Of Lake Winnebago, Thence Southeasterly Along The Shore Of Said Lake,
To A Point That Is N. 41° 30' E. Of The Place Of Beginning, Thence S. 41° 30' W. To
The Place Of Beginning.

CERTIFICATE

I Herby Certify That I Have Surveyed The Above Described Property, A Copy Of Which Is Set Forth Hereon, That The Survey Accurately Locates The Property Lines & That There Are No Encroachments On The Property Or From The Property Onto Another Property Except As May Be Reflected On The Survey.

Dated: Dec 14 1931

T.E. Stearns
T.E. Stearns - Reg. Surveyor #359



Iron Stakes Shown Thus - 

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
Dec. 14, 1971

ADMEASUREMENT SURVEY FOR BYRON GUNZ

S. LINE SEC. 7-17-17
N. LINE SEC. 18-17-17

N. 1/4 COR. SEC. 18-17-17

LAKE WINNEBAGO

511.0

U.S.H. #45

B. GUNZ
5990.4

FRAC. LOT #1.

S. LINE FRAC. LOT #1.

TOWN OF BLACK WOLF

BYRON GUNZ FARM.
58.5 ACRES ±

S.W. 1/4 OF N.E. 1/4
SEC. 18-17-17



S.W. COR. OF S.W. 1/4 OF N.E. 1/4

S.E. COR. OF S.W. 1/4 OF N.E. 1/4

1331.0 TO 4 ROAD
E. 1/4 W. 1/4 LINE

SCALE
1" = 200'

SURVEY & PLATTING CO.

IRON STAKES SHOWN THUS

OSHKOSH, WIS.
T.E. STEARNS - REG. SURVEYOR
BYRON, ILL.

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor

Dec. 7, 1962


Survey For Warner H. Bohn:

Description For Parcel # 1

That Part Of Sec. 18-19-14 And Gov. Lot # 2, Town Of Poygan, Winnebago County, Wis. Described As Follows: That Part Of Frac. S.E. 1/4 Of The S.W. 1/4 Of Gov. Lot # 2 And Sec. 18-19-14 Described As Follows: Commencing At The Southwest Corner Of Gov. Lot # 2 Thence Due East Along The South Line Of Sec. 18 A Distance Of 264.33 ft., Thence N. 3° 50' W. A Distance Of 116.85 ft. To A Iron Stake, Thence N. 59° 53' E. Along The Northerly Line Of A Private Road A Distance Of 141.61 ft. To The Place Of Beginning: Thence N. 31° W. To The Shore Of Lake Poygan A Distance Of 119.07 ft. More Or Less, Thence Northeasterly Along The Shore Of Lake Poygan A Distance Of 50.0 ft., Thence S. 31° E. A Distance Of 127.0 ft. More Or Less To The Northerly Line Of A Private Road, Thence S. 59° 53' W. Along Said Northerly Line Of Private Road 50.0 ft. To The Place Of Beginning. Said Parcel Contains 0.14 Acres More Or Less/.

Description For Parcel # 2

That Part Of Sec. 18-19-14 And Gov. Lot # 2, Town Of Poygan, Winnebago County, Wis. Described As Follows: That Part Of Frac. S.E. 1/4 Of The S.W. 1/4 Of Gov. Lot # 2 And Sec. 18-19-14 Described As Follows: Commencing At The Southwest Corner Of Gov. Lot # 2 Thence Due East Along The South Line Of Sec. 18 A Distance Of 264.33 ft., Thence N. 3° 50' W. A Distance Of 116.85 ft. To A Iron Stake, Thence N. 59° 53' E. Along The Northerly Line Of A Private Road A Distance Of 191.61 ft. To The Place Of Beginning: Thence N. 31° W. To The Shore Of Lake Poygan A Distance Of 127.0 ft. More Or Less, Thence Northeasterly Along The Shore Of Lake Poygan A Distance Of 50.0 ft., Thence S. 31° E. A Distance Of 125.0 ft. More Or Less To The Northerly Line Of A Private Road, Thence S. 59° 53' W. Along Said Northerly Line Of Private Road 50.0 ft. To The Place Of Beginning. Said Parcel Contains 0.14 Acres More Or Less.



Found all corners except
SE corner of W 1/2 & center of Section
SW corner Bearings
Pole 37 ft NE
" 37 3/4 ft NW
Dr Oak 40.5 ft SE
Corner of School 49.5 ft NW
(Nearest corner)

W 1/4 post on E side
of Roadway about
20 ft South of
N 1/4 Post center of Bridge
near Surface of
Shoulder of Road.

NW Corner near Center
of each Road.
NW 1/4 Post is a column of
lead about 33 ft S 1/4 from
corner road to lake.
(See Survey for Byron Gun?)
Center of Section Corner
near W Edge of Concrete
or about 9 ft west of
Center of Concrete
Located near corner 24.75
feet west of where center
stake used to be
See Survey for
Ed. Derber

S 1/4 Post in under
Concrete Road.
No Survey in City Record
to locate it.

NE corner of SE of NW
is 24.75 feet west of
1/4 line (See Survey for
E. D. Darbee)

NE corner of N 1/2 of
NW of SW is on 1/4 line
but may E. end of
1/4 line corner because the

3/4 Post cannot
be found it is on
line of occupation
both ways

3/4 Post sec 18'

Ernst Raddatz
3/4 Post

Sec. 18'

BLACK WOLF TOWN
E. LINE SEC. 13-17-16


L. SIEFELT

1324.5

W. LINE SEC. 18-17-17
BLACK WOLF TOWN

A. PATZLAFF

N.W. $\frac{1}{4}$ SEC 18



S.W. $\frac{1}{4}$ OF N.W. $\frac{1}{4}$
SEC. 18-17-17

C. STEIGER

DRY RUN
CREEK

W. $\frac{1}{4}$ COR. SEC. 18-17-17

E. & W. $\frac{1}{4}$ LINE SEC. 18-17-17

C. STEIGER


CITY OF OSHKOSH
ENGINEERING DEPARTMENT


R. C. WELCHER


DRAWN
7/9/49
SCALE
1"=360'

SURVEY 198A. PARCEL FOR
C. LUEBKE INCLUDING A BARN IN
SW $\frac{1}{4}$ OF N.W. $\frac{1}{4}$ SEC. 18-17-17

TOWN OF BLACK WOLF SEC. 18







F.M. Wolverton Surveyor
CITY OF OSHKOSH
ENGINEERING DEPARTMENT
Geo S. Osterberg
Gordon LaBowl

DRAWN
9/30/1939
SCALE
1" = 200'

SURVEY FOR SCHOOL DISTRICT NO. 2
TOWN OF BLACK WOLF (A. Gantner Clerk)
SEC. 18-17-17

Gov. Lot 1
Frac. N.E. 1/4 Sec. 18

LAKE WINNEBAGO

Gov. Lot 2
Sec. 18-17-17
Frac. S.E. 1/4 of NE 1/4

(NOT RECORDED
SHORE LINES)

PART OF
FAIRBANKS

SEC.
17-17-17

OLD HWY. 2

E LINE SEC. 18

FENCE 2

U.S. 517-495
R/W TO BE
ABANDONED

PRESENT
CONFINEMENT

C. FOSTER

A. HASLEY EST.

APPROX.
711.030

OLD
R/W TO BE
ABANDONED

FRAC. S.E. 1/4 of N.E. 1/4
GOV. LOT #2
SEC. 18-17-17

N
W
E


FRAC. 1/4 LINE
SEC. 18


CITY OF OSHKOSH
ENGINEERING DEPARTMENT

DATE
9/14/50
SCALE
1"=100'

SURVEY FOR NEW R/W
ORIGINAL AND MONUMENT
FOR JOHN BLUM

BLACK WOLF





NOL COUNTY


SURVEY FOR EDWARD DORRER

IN SECTION 18 T17N R17E NW 1/4 TOWN OF BLACK WOLF


Geo. H. Randall
Surveyor
April 25, 1844

Surveyor
April 25, 1844

Established the center of the Section by intersection & subdivided the Forties



Surveyed by Edward Dorrer
Section 18 T17N R17E NW 1/4
Town of Black Wolf



CITY OF OSHKOSH
ENGINEERING DEPARTMENT

DRAWN
8/19/52
SCALE
1"=400'

SURVEY OF S. 100.1' OF N. 291.1'
OF W. 449.1' OF S.E. 1/4 SEC. 18-17-17
FOR CARLTON HAMANN
TOWN OF BLACKWOLF SEC. 18

LUBKE

N. 1/4 COR.

103° 25'

S. LINE SEC. 7

N. LINE SEC. 18

0.085 A. HIGHWAY

182.2' TO IRONS


N. 1/4 COR. SEC. 18-17-17

0.26 A. HIGHWAY

GROUND 5.0' BELOW ROAD &

GROUND 2' BELOW ROAD &

247.75'



ED. HARWOOD 1.14 A

TILLABLE LAND NOT INCLUDING THE LAND USED FOR HIGHWAY PURPOSES WHICH AMOUNTS TO 0.34 ACRE ADDITIONAL

AMOUNT OF FILL TO BRING WHOLE ACRE UP TO ROAD LEVEL ABOUT 4,000 CU. YDS.

N.E. 1/4 OF
N.W. 1/4 OF

GROUND 1' BELOW ROAD &

246.5' TO & 441

226.75' TO IRONS

IRON 247.75'

SEC. 18-17-17

TESCH

TOWN OF BLACK WOLF

CITY OF OSHKOSH
ENGINEERING DEPARTMENT

DRAWN
7/1/47
SCALE
1" = 40'

SURVEY FOR ED. HARWOOD 1 A.
NOT INCLUDING HIGHWAY
N. 259.89' OF THE E. 229.5' OF NW 1/4 SEC. 18-17-17
EXCEPT 0.34 A. FOR HIGHWAY ALONG N. 1/4
SIDES OF PARCEL

259.89'

BLACK WOLF CROWN

SURVEY FOR EDWIN MARSHALL'S SURVEY OF LOTS AT SHORE ACRES


Fract. lot 1
Extend from corner
NW 1/4 Line Sec 18-17-17
to lake

SW 1/4 NE 1/4
Sec 18

Fract. lot 2

Fract. lot 1

Note: From corner of Sec 18
to corner of Sec 17-17-17
also NW 1/4 Sec 18



See Vol. 2 Page 60-15

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17


For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17

For two acres to be added to the NW 1/4 Sec 18-17-17



This School is purchasing 2 acres
 starting at Fence. Road area not included
 in area computations.
 Parking strip in concrete used as center line.
 School Fence 30 ft. from center line Road.
 Foster's Fence 34 ft from center line of Road
 Starting point is 691 feet in N.W. ly
 direction from stone in center line of Road.

R. M. Wolcott
 CITY OF OSHKOSH
 ENGINEERING DEPARTMENT
 Geo. S. Osterag
 Gordon LaBue

DRAWN
 Sept. 30, 1914
 SCALE
 1" = 100'

SURVEY FOR SCHOOL DISTRICT NO. 2
 TOWN OF BLACKWOLF (At Genthien Co.)

No 15 County Survey of Shore Acres

Lake Winnebago

1916
Scale 1" = 200'

E.L. Sec. 18-17-17

Survey for school
Sept 30, 1939

F.M. Evaluation
P. S. Foster
G. W. L. Burt


The school is
purchasing 2 acres
starting at fence.
Road area not included
in acre computations.
Parting strip in concrete
used as centerline. School fence
30 feet from E. Foster's fence 34 feet from
starting point is 691 feet in N.W. by
direction. New Stone & Iron Road.

BLACK HOLE - 1916

Survey For Richard Beckman:

Description For Parcel 'A'

That Part Of Sec. 18-17-17, Town Of Black Wolf, Winnebago County, Wis.
Described As Follows: That Part Of The N.W. 1/4 Of The S.E. 1/4 Of Sec. 18-
17-17 Described As Follows: The South 100.0 ft. Of The North 501.0 ft.
Of The West 445.6 ft. Of The N.W. 1/4 Of The S.E. 1/4 Of Sec. 18-17-17.
Said Parcel Contains 1.0 Acres More Or Less.



TOWN OF BLACK WOLF

N.W. 1/4 OF S.E. 1/4
SEC. 18-17-17

HARVEY ELMER FARM.



Scale
1" = 200'

Iron Stakes Shown Thus • •

Survey & Platting Co.,
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
Sept. 15, 1962

(5)


Survey for Edward Derber Town of Black Wolf NW 1/4 Sec. 18 T. 17 N. R. 17 E.

Established the Center of
the Section by Intersection
and subdivided the lot (as)

April 25th 1894

Geo. H. Randall
Ed. Derber Chairman
Surveyor

\$6.00



W. LINE - SEC. 18-17-17

Survey For Mike Becker:

Description For Parcel # 1

That Part Of Frac. Lot # 1 Of Sec. 18-17-17, Town Of Black Wolf, Winnebago County, Wis., Bounded & Described As Follows:

The South 184.8 ft. Of The North 1129.5 ft. Of The West 250.0 ft. Of Frac. Lot # 1 Of Sec. 18-17-17, Said Parcel Contains 1.06 Acres More Or Less Except That Portion Used For Highway Purposes



TOWN OF BLACK WOLF

SEC. 18-17-17

FRAC. LOT # 1



Scale
1" = 100'

1129.5

ST. # 175
N 4 S 2 LINE - SEC. 18-17-17
4962

33.33

217.0

261.0

73

74

250.0 To & ROAD

72

185.0

75

71

69

76

70

250.0

68

250.0 To & RD

217.0 To IRONS

90.0

217.0

67

PARCEL # 1
1.06 ACRES ±
57

ROADWAY

217.0 To IRONS

250.0 To & RD

56

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
Aug. 12, 1972

Iron Stakes Shown Thus. . .

CITY OF CHICAGO
ENGINEERING DEPT. RECORD

CANTHUR

N. 35° 56'

N. 47° 30' E

FENCE PLACED BY GUNZ
ON LINE ASSUMED TO BE
PAULINE HEISS' N. LINE

P. HEISS

E. MARHEINE

IRON
N. O. LINE

12.15

12.75

22.75

100.

50.

78.

60000 6.5 1/4 1/8



6/15/96
1-2-96

part of Free Lot #1
Sec 18-13-17

ALFRED W. BROWN

TOWN OF BLACK WOLF

LAKE WINNEBAGO



SURVEY FOR LAKE SIDE SCHOOL-DIST #2
TOWN OF BLACK WOLF, WINNEBAGO CO.


SCALE
1"=100'
IRON STAKES SHOWN THUS--

SURVEY AND PLATTING CO.
OSHKOSH, WIS.
T.E. STEARNS-COUNTY SURVEYOR
MAY 15, 1921

Survey For Mike Secker - & Larry Douville

Description For Parcel # 2

That Part Of Gov. Lot # 2, And The S.W.1/4 Of The N.E.1/4 Of Sec. 18-17-17, Town Of Black Wolf, Winnebago County, Wis., Bounded & Described As Follows: The North 110.0 ft. Of The South 706.0 ft., Of The West 250.0 ft. Of The S.W.1/4 Of The N.E.1/4 Of Sec. 18-17-17. Said Parcel Contains 0.63 Acres More Or Less, Except That Portion Used For Highway Purposes.



Iron Stakes Shown Thus -
Notes: Lots May Be Sold In 5 Years,
State Law

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
May 16, 1973

LAKE WINNEBAGO

A. HASLEY EST.

U.S. R.L. #45

ENGEL


LAKE SIDE
SCHOOL DIST. #2

STEEL FENCE
CORNER

J. BLOOM

LAKE SIDE SCHOOL
DIST. #2

FRAC. SE 1/4 OF NE 1/4
GOV. LOT #2
SEC. 18-17-17



E. LINE SEC. 18

OLD HIGHWAY

STONE


E 1/4 CORNER SEC. 18

SURVEY FOR LAKESIDE SCHOOL DIST. #2
TOWN OF BLACK WOLF, WINNEBAGO COUNTY
SEC. 18-17-17

IRON PINS - 0
SCALE
1" = 100'

Job No. 107

SURVEY FOR W.H. HOFFMAN; ED. CHASE -
 ALL OF LOTS #15 & 16, AND THE NORTHERLY
 30.0 FEET OF LOT #17, IN THE PLAT OF BAY VIEW,
 WINNEBAGO COUNTY, WISCONSIN, TOWN OF BLACK WOLF.



SURVEY & ENGINEERING CORP.
 Oshkosh, Wis.
 T. B. STEARNS, SURVEYOR
 Dtd. Nov. 22, 1927
 Job # A-101



NORTH IS REFERENCED TO THE
EASTERLY LINE OF BAY VIEW LANE
WHICH IS RECORD'D TO BEAR
S12°55'00"E.

SCALE: 1" = 50'

LEGEND

- 3/4" STEEL REBAR SET
(24" LONG, 1.502#/LIN.FT.)
- EXISTING 1" IRON PIPE



(N77°05'00"E) RECORDED AS MEASUREMENT

CERTIFIED SURVEY MAP

SURVEY FOR: ARTHUR C. & DOROTHY JACOBSEN
4752 BAY VIEW LANE
OSHKOSH, WISCONSIN 54901
PREPARED BY: CMNT ENGINEERS
303 SOUTH BLUEMOUND DRIVE
APPLETON, WISCONSIN 54914
PROJECT NO. S-2637A
SEPTEMBER 25, 1990

SURVEYOR'S CERTIFICATE: I, DAVID J. SCHROEDER, STATE OF WISCONSIN, REGISTERED LAND SURVEYOR NO. S-1912, DO HEREBY CERTIFY THAT BY THE ORDER OF THE OWNERS, I HAVE MADE A SURVEY OF LOTS 11 AND 12 OF THE "PLAT OF BAY VIEW" BEING LOCATED IN GOVERNMENT LOT 1 OF SECTION 18, T17N, R17E, TOWN OF BLACK WOLF, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: BEGINNING AT THE NORTHWESTERLY CORNER OF AFORESAID LOT 11 OF THE "PLAT OF BAY VIEW"; THENCE S12°55'00"W 100.00 FEET; THENCE N76°37'00"E (RECORDED AS N77°05'00"E) 183.9 FEET MORE OR LESS TO THE SHORELINE OF LAKE WINNEBAGO; THENCE NORTHWESTERLY 102 FEET MORE OR LESS ALONG SAID SHORELINE TO A POINT WHICH LIES N76°37'00"E 205 FEET MORE OR LESS FROM THE POINT OF BEGINNING; THENCE S76°37'00"W (RECORDED AS S77°05'00"W) 205.00 FEET MORE OR LESS TO THE POINT OF BEGINNING CONTAINING 0.44 ACRES OF LAND MORE OR LESS AND BEING SUBJECT TO EASEMENTS, COVENANTS, AND RESTRICTIONS OF RECORD. I DO FURTHER CERTIFY THAT THIS MAP IS A TRUE REPRESENTATION THEREOF AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF SECTION 256.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY IN SURVEYING AND MAPPING THE SAME.

DAVID J. SCHROEDER, RLS NO. S-1912 *David J. Schroeder* DATED 9-25-90



OWNER'S CERTIFICATE: AS OWNERS WE DO HEREBY CERTIFY THAT WE HAVE CAUSED THE LANDS ON THIS MAP TO BE SURVEYED, DIVIDED AND MAPPED AS SHOWN HEREON.

ARTHUR C. JACOBSEN *Arthur C. Jacobsen* DATED 9/28/90

DOROTHY JACOBSEN *Dorothy Jacobsen* DATED 9/28/90

STATE OF WISCONSIN)
WINNEBAGO COUNTY)

PERSONALLY CAME BEFORE ME THIS DAY OF , 19 , THE ABOVE NAMED TO BE KNOWN TO BE THE PERSONS WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGED THE SAME.

Jean L. Steubricher WINNEBAGO COUNTY, WISCONSIN
NOTARY PUBLIC MY COMMISSION EXPIRES 3/13/94

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE: THIS CERTIFIED SURVEY MAP HAS BEEN APPROVED BY THE WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE.

APPROVED REPRESENTATIVE *Coral Owens* DATED Oct 23, 1990

TREASURER'S CERTIFICATE: I DO HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES OR UNPAID SPECIAL ASSESSMENTS ON ANY OF THE LANDS INCLUDED IN THIS CERTIFIED SURVEY MAP.

J. Essinger Oct 1, 1990 *Robert Bradley* 10/3/90
TOWN TREASURER DATED COUNTY TREASURER DATED

754835

Register's Office

Winnebago County, Wis.


Received for record this 24th
day of Oct A.D., 19 90
at 2:04 o'clock P. M. and
filed in Vol. 1 of CSM
on page 2267

Marjorie H. [Signature]
Register of Deeds

amer

pd
10⁰⁰

NORTH IS REFERENCED TO THE EAST
LINE OF SECTION 18 WHICH IS
RECORDED TO BEAR N03°25'45"W.




SCALE: 1" = 20'

NOTE: THIS CERTIFIED SURVEY MAP
IS PREPARED FOR THE TOWN
OF BLACK WOLF SANITARY
DISTRICT.

PART OF GOV. LOT 2

(DOC. NO. S26828)



U.S.H. "45" (FOND DU LAC ROAD)

CERTIFIED SURVEY MAP

OWNERS: JOHN & MARY SAGEN
5038 FOND DU LAC ROAD
OSHKOSH, WI 54901
P.O. BOX 2344
OSHKOSH, WI 54901


PREPARED
BY: OMNI ENGINEERS
303 S. BLUEMOUND DR.
APPLETON, WI 54914
PROJECT NO. E-671
DECEMBER 5, 1988

LEGEND

- EXISTING 1" IRON PIPE
- 3/4" STEEL REBAR SET
(24" LONG, 1.502#/LIN.FT.)

TREASURER'S CERTIFICATE: I CERTIFY THAT THERE ARE NO
UNPAID TAXES OR UNPAID SPECIAL ASSESSMENTS ON ANY OF
THE LANDS INCLUDED IN THIS CERTIFIED SURVEY MAP.

Ruth M. Bradley 7/27/90 *D. Lindgren* 3/7/90
COUNTY TREASURER DATED TOWN TREASURER DATED



SURVEYOR'S CERTIFICATE: I, LARRY J. MILLER, STATE OF WISCONSIN
REGISTERED LAND SURVEYOR NO. S-1474 DO HEREBY CERTIFY THAT BY THE ORDER
OF THE OWNERS, I HAVE MADE A SURVEY OF A PARCEL OF LAND BEING A PART OF
GOVERNMENT LOT 2 OF SECTION 18, T17N, R17E, TOWN OF BLACK WOLF,
WINNEBAGO COUNTY, WISCONSIN, BEING BOUNDED AND DESCRIBED AS FOLLOWS:
COMMENCING AT THE EAST 1/4 CORNER OF SAID SECTION 18; THENCE N03°26'40"E
ALONG THE EAST LINE OF SAID SECTION 18 A DISTANCE OF 238.19 FEET TO THE
POINT OF BEGINNING; THENCE CONTINUING N03°26'40"E 50.00 FEET; THENCE
N43°21'00"W 50.00 FEET; THENCE S03°26'40"W 50.00 FEET;

THENCE S43°21'00"E 50.00 FEET BACK TO THE POINT OF BEGINNING
CONTAINING 0.042 ACRES OF LAND MORE OR LESS, BEING SUBJECT TO EASEMENTS,
COVENANTS, RESTRICTIONS, AND AGREEMENTS OF RECORD. I DO FURTHER CERTIFY
THAT THIS MAP IS A TRUE REPRESENTATION THEREOF AND THAT I HAVE FULLY
COMPLIED WITH THE REQUIREMENTS OF SECTION 236.34 OF THE WISCONSIN
STATUTES AND THE SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY IN SURVEYING
AND MAPPING THE SAME.

NOTE: THIS PARCEL IS TO BE USED FOR LIFT STATION PURPOSES AND NOT FOR
PURPOSES OF BUILDING DEVELOPMENT FOR HUMAN HABITATION.

LARRY J. MILLER, RLS NO. S-1474 *Larry J. Miller* DATED 12-06-88

OWNER'S CERTIFICATE: AS OWNERS WE DO HEREBY CERTIFY THAT WE CAUSED THE
LANDS ON THIS MAP TO BE SURVEYED AND MAPPED AS REPRESENTED.

JOHN SAGEN *John Sagen* DATED 5-23-90

MARY SAGEN *Mary Sagen* DATED 5-23-90

STATE OF WISCONSIN)
WINNEBAGO COUNTY)

PERSONALLY CAME BEFORE ME THIS 23 DAY OF May, 1990. THE
ABOVE NAMED TO ME KNOWN TO BE THE PERSONS WHO EXECUTED THE FOREGOING
INSTRUMENT AND ACKNOWLEDGED THE SAME.

NOTARY PUBLIC *Dana C. Cline* WINNEBAGO COUNTY, WISCONSIN
MY COMMISSION EXPIRES *permanently*

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE APPROVAL: THIS CERTIFIED
SURVEY MAP HAS BEEN APPROVED BY THE WINNEBAGO COUNTY PLANNING AND
ZONING COMMITTEE.

Carol Owens
AUTHORIZED REPRESENTATIVE

January 13, 1989
DATED

ORIGINAL

749380

Register's Office

Winnebago County, Wis.

Received for record this 9th
day of Aug A.D., 1990
at 11:30 o'clock A.M. and
filed in Vol. 1 of CSM
on page 2225

Marjorie Nelson
Register of Deeds

OMNI Eng. Aug
10


PLAT OF SURVEY

SITUATED ON FOND DU LAC ROAD (U.S. HWY "45"), BEING THAT PART OF GOVERNMENT LOT 1 IN THE N.E. 1/4 OF SECTION 18, T17N, R17E, TOWN OF BLACK HOLF, WINNEBAGO COUNTY, WISCONSIN, WHICH IS BOUNDED AND DESCRIBED AS FOLLOWS; COMMENCING IN THE CENTERLINE OF U.S. HWY "45" AT A POINT 1814.85 FT. NORTHWESTERLY OF THE INTERSECTION OF SAID CENTERLINE WITH THE EAST LINE OF SECTION 18, THE POINT OF BEGINNING, THENCE NORTHWESTERLY 100 FT., THENCE NORTH 38-35 EAST TO THE SHORELINE OF LAKE WINNEBAGO, THENCE SOUTHEASTERLY TO A POINT NORTH 38-35 EAST OF THE POINT OF BEGINNING, THENCE SOUTH 38-35 WEST TO THE POINT OF BEGINNING.

AUGUST 8, 1990
SEPTEMBER 11, 1990

SURVEY FOR TOM GANTHER
REVISED DRAWING

SURVEY NO. 1058




Surveyor's Certificate

I, Reinhard Roehlig, Wisconsin Registered Land Surveyor, certify that I have surveyed the above described property and that the above map is a correct representation thereof and shows the size and location of the property, its exterior boundaries, the locations and dimensions of all visible structures thereon, boundary fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the property and also those who purchase, mortgage or guarantee title thereto, within one (1) year from the date hereof.


9/11/90
Date

Reinhard Roehlig, Registered



EARTH TECH
SERVICES

10005 W. Glenbrook Court • Milwaukee, WI. 53224
(414)355-6300 • FAX (414)354-0641




SURVEY MAP FOR

ROBERT DEFORD

LOCATED IN FRACTIONAL LOT 1 OF THE
FRACTIONAL N.E. 1/4 OF
SECTION 18, T. 17 N.-R. 17 E.
TOWN OF BLACK WOLF
WINNEBAGO COUNTY, WISCONSIN

SHEET 1 OF 2 SHEETS



SURVEYOR'S CERTIFICATE

I, Donald R. Patchett, Registered Land Surveyor, hereby certify:

That I have surveyed, divided and mapped a parcel of land described below.

That I have made such Certified Survey by the direction of Robert Deford, bounded and described as follows:

A part of Fractional Lot 1 of the Fractional North 1/2 of the Northeast 1/4 of Section 18, T. 17 N.-R. 17 E., Town of Black Wolf, Winnebago County, Wisconsin and more particularly described as follows:

Commencing at the Northwest corner of said Fractional Lot 1 and running thence South $0^{\circ}-56'$ East along the West line of said Fractional Lot 1, a distance of 496.24 feet; thence North $89^{\circ}-50'$ East along a line which is 496.2 feet South of and parallel with the North line of said Fractional Lot 1, a distance of 33.00 feet to the point of beginning; thence continuing North $89^{\circ}-50'$ East, 446.30 feet; thence North $47^{\circ}-46'$ West along the Southerly right-of-way of U. S. Highway "45", a distance of 223.03 feet; thence North $58^{\circ}-15'$ West along said Southerly right-of-way, a distance of 233.82 feet; thence South $52^{\circ}-30'$ West along said Southerly right-of-way, a distance of 107.50 feet; thence South $0^{\circ}-48'$ East along the Easterly right-of-way of State Trunk Highway "175", a distance of 208.85 feet to the point of beginning and containing 1.72 Acres (74,893 Square Feet) of land more or less and being subject to easements of record.

That such is a correct representation of all the exterior boundaries of the land surveyed and the subdivision thereof made.

That I have fully complied with the provisions of Section 236.34 of the Wisconsin Statutes in surveying, dividing and mapping the same.



Donald R. Patchett

Donald R. Patchett, R.L.S. No. S-1220

ACCRO SURVEYORS, S.C.
Route 1, Oakfield, Wisconsin 53065

Fieldnotes Volume 132 Page 63

Project No. 2840

Dated this 3th day of July, 1991

R.E. Patchett, R.L.S.

Project No. 2684

July 27, 1990

I, Donald R. Patchett, Registered Land Surveyor, hereby certify that on this date I have completed a survey for Robert Deford, of a parcel of land described below.

That I have marked the corners or boundaries of said parcel on the ground by setting iron pipe stakes as shown on the map and that the following is the correct description as surveyed and staked out:

A part of Fractional Lot 4 of Section 33, T. 17 N.-R. 17 E., Town of Black Wolf, Winnebago County, Wisconsin and more particularly described as follows:

Commencing at the Southwest corner of Fractional Lot 4 of said Section 33 and running thence North $89^{\circ}-37'$ East along the South line of said Fractional Lot 4 of said Section 33, a distance of 1124.60 feet to the point of beginning; thence continuing North $89^{\circ}-37'$ East, 175.00 feet to a point on the centerline of U.S. Highway "45"; thence running on a curve to the right along said centerline, said curve having a radius of 2291.66 feet, 288.84 feet along curve to a point which is North $02^{\circ}-00'-33''$ East, 288.65 feet from last described point; thence South $89^{\circ}-37'$ West, 179.50 feet; thence South $01^{\circ}-07'$ West, 288.50 feet to the point of beginning and containing 1.15 Acres (50,243 Square Feet) of land more or less and being subject to the rights of the Public for Highway purposes over that part of the above described parcel which lies within the right-of-ways of U. S. Highway "45" and East Lone Elm Avenue and being subject to easements of record

That such survey is a correct representation of all the exterior boundaries of the land surveyed and that there are no visible encroachments on said parcel except as shown on the map.


Donald R. Patchett

Donald R. Patchett, R.L.S. No. S-1220

ACCRO SURVEYORS, S.C.
Route 1, Oakfield, Wisconsin 53065

Fieldnotes Volume 130 Page 60

R.E. Patchett, R.L.S.



- 1" X 24" iron pipe set
- weighing 1.13 lbs./lin. ft.
- Bernsten monument found in place
- Nail found in place

++LEGEND++

