



20-17-17



Robert F. Reider

That part of the South West 1/4 of the SOUTH WEST 1/4 of Section Twenty (20) Township Seventeen (17) North, of Range Seventeen (17) East, in the Town of Black Wolf, described as follows, viz:

Commencing at the Southwest corner of said Section; thence east along the South line of said Section, Two Hundred Thirty-eight (238) feet, the place of beginning; thence north, parallel with the West line of said Section, Six Hundred Forty and Four-tenths (640.4) feet; thence east, parallel with the South line of said Section, Four Hundred Fifty-five (455) feet; thence south, parallel with the West line of said Section, Three Hundred Seventeen (317) feet; thence west, parallel with the South line of said Section, Three Hundred (300) feet; thence south, parallel with the West line of said Section, Three Hundred Twenty-three and Four-tenths (323.4) feet, to the South line of said Section; thence west, along the South line of said Section, One Hundred Fifty-five (155) feet, to the place of beginning.

ADDRESS: 898 E. BLACK WOLF POINT AVE.

THERE ARE NO BUILDING ENCROACHMENTS

"NADOLSKI"

I, Robert F. Reider
certify that this mortgage inspection was made by me or
under my direction and control of the described property on,
JANUARY 26, 1983, according to the official records
and that this drawing is a true representation of the
principal building lines thereon and is accurate to the
best of my knowledge and belief. Fleet Mortgage Corp.
in agreement with Carow Land Surveying Co., Inc. has
waivered parts of Administrative Code A-2 5.01 (3 through 7).
THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE.
THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF:
FLEET MORTGAGE CORP.

I certify that this copy is a true and correct copy of the
original.

REVISIONS	FLEET MORTGAGE CORP.		
	3127 W. SPENCER ST., APPLETON, WIS. 54911		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297		
	1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
DRAWN BY	IT ec	EC	SCALE 1"=100'
APPRO	X	DATE	1-26-83
			DRAWING NO. 821.68

Description
of
Nyle Friday Conveyance

All of the North Half ($N\frac{1}{2}$) of the Southeast Quarter ($SE\frac{1}{4}$) of Section Twenty (20) Township Seventeen (17) North, Range Seventeen (17) East, and

All of that part of the Northwest Quarter ($NW\frac{1}{4}$) of the Southwest Quarter ($SW\frac{1}{4}$) of Section Twenty-One (21), Township Seventeen (17) North, Range Seventeen (17) East lying South and West of the Westerly Right of Way Line of U.S.H. "45", in the Town of Black Wolf, Winnebago County, Wisconsin, EXCEPTING therefrom the eight (8) following tracts of land:

- 1.) The North 500.00 feet of the West 283.00 feet of the $NW\frac{1}{4}$ of the $SE\frac{1}{4}$ of said Section 20.
- 2.) Commencing at the Northwest corner of the $NW\frac{1}{4}$ of the $SE\frac{1}{4}$ of said Section 20, thence $S.00^{\circ}-43'-47"W.$ 500.00 feet along the West line of the $SE\frac{1}{4}$ of said Section 20 to the true point of beginning, thence continue $S.00^{\circ}-43'-47"W.$ 160.00 feet along the West line of the $SE\frac{1}{4}$ of said Section 20, Thence East 593.00 feet, thence $N.00^{\circ}-43'-47"E.$ 660.00 feet to a point on the North line of the $SE\frac{1}{4}$ of said Section 20, thence West 310.00 feet along the North line of the $SE\frac{1}{4}$ of said Section 20, thence $S.00^{\circ}-43'-47"W.$ 500.00 feet, thence West 283.00 feet to the true point of beginning.
- 3.) The South 546.00 feet of the North 1206.00 feet of the West 283.00 feet of the $NW\frac{1}{4}$ of the $SE\frac{1}{4}$ of said Section 20.
- 4.) Commencing at the Southwest Corner of the North $\frac{1}{2}$ of the $SE\frac{1}{4}$ of said Section 20, thence North 108.23 feet more or less along the West line of the $SE\frac{1}{4}$ of said Section 20 to a point 1206.00 feet South of the Northwest corner of the North $\frac{1}{2}$ of the $SE\frac{1}{4}$ of said Section 20, thence East parallel with the North line of the $SE\frac{1}{4}$ of said Section 20, 283.00 feet, thence South along a line parallel to the West line of the $SE\frac{1}{4}$ of said Section 20 to its intersection with the South line of the North $\frac{1}{2}$ of the $SE\frac{1}{4}$ of said Section 20, thence westerly 283.00 feet more or less along the South line of the North $\frac{1}{2}$ of the $SE\frac{1}{4}$ of said Section 20 to the point of commencement.
- 5.) Commencing at the East $\frac{1}{4}$ corner of said Section 20, thence West 290.37 feet along the North line of the $SE\frac{1}{4}$ of said Section 20, thence South 546.60 feet to an iron pipe being the true point of beginning, thence East 534.42 feet parallel with the North line of the $SE\frac{1}{4}$ of said Section 20 to a point on the centerline of U.S.H. 45, thence $S.23^{\circ}-33'-55"E.$ 229.11 feet along the centerline of U.S.H. "45", thence West 626.02 feet along a line parallel with the North line of the $SE\frac{1}{4}$ of said Section 20, thence North 210.00 feet to the true point of beginning, excepting therefrom that portion thereof heretofore conveyed to Winnebago County for Highway purposes by Instrument recorded in Volume 409 page 415 of Records.

6.) Commencing at the East $\frac{1}{4}$ corner of said Section 20, thence West 55.00 feet along the North line of the SE $\frac{1}{4}$ of said Section 20 to the Westerly Right of Way line of U.S.H. "45" and being the true point of beginning, thence continue West 250.00 feet along the North line of the SE $\frac{1}{4}$ of said Section 20, thence S.00°-41'-54"W. 200.00 feet, thence East 344.91 feet to the Westerly Right of Way line of U.S.H. "45", thence Northerly 220.33 feet along the arc of a curve to the left being the Westerly Right of Way line of said U.S.H. "45", having a radius of 11467.51 feet and the chord of which bears N. 24°-48'-54.5"W. 220.32 feet to the true point of beginning.

7.) Tracts 1, 2, and 3 of Certified Survey Map recorded in Volume 1 page 506 of Certified Survey Maps, Document No. 528098.

8.) Commencing at the Southeast corner of said Section 20, thence N.00°-41'-54"E. 1324.93 feet along the East line of the SE $\frac{1}{4}$ of said Section 20 to the Southwest corner of the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of said Section 21 and being the true point of beginning, thence N.89°-47'-00"W. 2.31 feet along the South line of the NE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of said Section 20, thence N.00°-41'-54"E. 508.26 feet, thence East 314.08 feet to a point on the Westerly Right of Way line of U.S.H. "45", thence S.23°-33'-55"E. 122.59 feet along the Westerly Right of Way line of U.S.H. "45", thence Southeasterly 434.39 feet along the arc of a curve to the right being the Westerly Right of Way line of U.S.H. "45" having a radius of 21789.86 feet and a chord of which bears S.22°-59'-39"E. 434.39 feet and having a central angle of 31°-08'-32" to its intersection with the South line of the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of said Section 21, thence N.89°-34'-03"W. 536.69 feet along the South line of the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of said Section 21 to the true point of beginning.

Chapter A-E 5

MINIMUM STANDARDS FOR PROPERTY SURVEYS

A-E 5.01 Minimum standards for property surveys. A-E 5.02 U.S. public land survey monument record.

A-E 5.01 Minimum standards for property surveys. (1) SCOPE. The minimum standards of this section apply to every property survey performed in this state except that,

(a) Where other standards for property surveys are prescribed by statute, administrative rule or ordinance, then such standards shall govern; and

(b) The land surveyor and his or her client or employer may agree in a signed statement to exclude any land surveying work from the requirements of this section except the preparation of a U.S. Public Land Survey Monument Record, providing any map prepared by the land surveyor for the client or employer includes a note which states that an agreement to exclude work from the requirements of this section has been made, the names of the parties making the agreement and a description in plain language of the requirements not complied with.

(2) PROPERTY SURVEY. DEFINITION. In this section, "property survey" means any land surveying which includes as one of its principal purposes describing, monumenting, locating the boundary lines of or mapping one or more parcels of land. The term includes the restoration, perpetuation or reestablishment of a U.S. public survey corner.

(3) BOUNDARY LOCATION. Every property survey should be made in accordance with records of the register of deeds as nearly as is practicable. The surveyor shall acquire data necessary to retrace record title boundaries such as deeds, maps, certificates of title, and center line and other boundary line locations. The surveyor shall analyze the data and make a careful determination of the position of the boundaries of the parcel being surveyed. The surveyor shall make a field survey, traversing and connecting monuments necessary for location of the parcel and coordinate the facts of such survey with the analysis. The surveyor shall set monuments marking the corners of such parcel unless monuments already exist at such corners.

(4) DESCRIPTIONS. Descriptions defining land boundaries written for conveyance or other purposes shall be complete, providing definite and unequivocal identification of lines or boundaries. The description must contain necessary ties to adjoining together with data of dimensions sufficient to enable the description to be mapped and retraced and shall describe the land surveyed by government lot, recorded private claim, quarter-quarter section, section, township, range and county, and by metes and bounds commencing with some corner marked and established by the U.S. public land survey; or if such land is located in a recorded subdivision or recorded addition thereto, then by the number or other description of the lot, block or subdivision thereof which has been previously tied to a corner marked and established by the U.S. public land survey.

Register, August, 1982, No. 320

Note: Items not underlined have been waived.

WISCONSIN ADMINISTRATIVE CODE

A-E 5

(5) MAPS. A map shall be drawn for every property survey showing information developed by the survey and including the following elements:

(a) The map shall be drawn to a convenient scale;

(b) The map shall be referenced as provided in s. 59.61, Stats.;

(c) The map shall show the exact length and bearing of the boundaries of the parcels surveyed. Where the boundary lines show bearings, lengths or locations which vary from those recorded in deeds, abutting plats, or other instruments there shall be the following note placed along such lines, "recorded as (show recorded bearing, length or location)";

(d) The map shall show and describe all monuments necessary for the location of the parcel and shall indicate whether such monuments were found or placed;

(e) The map shall identify the person for whom the survey was made, the date of the survey, and shall describe the parcel as provided in (4), above;

(f) The map shall bear the stamp or seal and signature of the land surveyor under whose direction and control the survey was made with a statement certifying that the survey is correct to the best of his knowledge and belief.

(6) MEASUREMENTS. (a) Measurements shall be made with instruments and methods capable of attaining the required accuracy for the particular problem involved.

(b) The minimum accuracy of linear measurements between points shall be 1 part in 3,000 on all property lines of boundary or interior survey.

(c) In a closed traverse the sum of the measured angles shall agree with the theoretical sum by a difference not greater than 30 seconds per angle, or the sum of the total angles shall not differ from the theoretical sum by more than 120 seconds, whichever is smaller.

(d) Any closed traverse depicted on a property survey map shall have a latitude and departure closure ratio of less than 1 in 3,000.

(e) Bearings or angles on any property survey map shall be shown to the nearest minute; distances shall be shown to the nearest 1/100th foot.

(7) MONUMENTS. The type and position of monuments to be set on any survey shall be determined by the nature of the survey, the permanency required, the nature of the terrain, the cadastral features involved, and the availability of material.

History: Cr. Register, June, 1974, No. 222, eff. 7-1-74; am. (5) (a) and (6) (a), Register, June, 1975, No. 234, eff. 7-1-75; am. (1) (b), Register, January, 1982, No. 313, eff. 2-1-82; am. (1) (b) and c. and rec. (2), Register, August, 1982, No. 320, eff. 9-1-82.

A-E 5.02 U.S. public land survey monument record. (1) WHEN MONUMENT RECORD REQUIRED. A U.S. public land survey monument record shall be prepared as part of any land survey which includes or requires the perpetuation, restoration or reestablishment of a U.S. public land survey corner, and, either,

Register, August, 1982, No. 320

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Sheet 1 of 3

CERTIFIED SURVEY MAP

for



Wayne Friday

A division of Volume 1 page 485 of Certified Survey Maps.

See Sheet 2 for certificates


Dated this 2nd day of November, 1978

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



CURVE	RADIUS	CENTRAL ANGLE	CHORD DIST	CHORD BEARING	ARC DIST.	TAN. BEARING
A-B	11,467.51'	00° 41' 58"	139.99'	N 23° 54' 54" W	139.99'	S 23° 33' 55" E
C-D	11,517.51'	00° 35' 15"	118.10'	N 23° 51' 31.5" W	118.10'	S 23° 33' 55" E
A-E	11,467.51'	00° 18' 58"	61.60'	N 23° 43' 09" W	61.60'	S 23° 33' 55" E
E-B	11,467.51'	00° 23' 30"	78.39'	N 24° 04' 08" W	78.39'	N 24° 15' 53" W
C-F	11,517.51'	00° 11' 51"	39.70'	N 23° 39' 50.5" W	39.70'	S 23° 33' 05" E
F-D	11,517.51'	00° 23' 24"	78.40'	N 23° 57' 28" W	78.40'	N 24° 09' 10" W


AERO-METRIC ENGINEERING INC.
1091 SOUTH WASHBURN ST.
OSHKOSH, WISCONSIN 54901



THIS INSTRUMENT DRAFTED BY STEVEN T. CHRONIS S-913 L-579

CERTIFIED SURVEY MAP NO.

Part of the East 1/2 of the Southwest 1/4 and
part of the West 1/2 of the Southeast 1/4 of
Section 18, Township 20 North, Range 17 East, Town of Menasha,
Winnebago County, Wisconsin.



Scale 1 inch = 500 feet
0 200 500 1000

Bearings are referenced to the south line of
the Southwest 1/4 of Section 18,
assumed to bear N 89°46'38" W

West 1/4 corner
Section 18
T 20 N, R 17 E


WISCONSIN CENTRAL

Center of
Section 18
T 20 N, R 17 E

LIMITED RAILROAD

East 1/4 corner
Section 18
T 20 N, R 17 E

Curve Data C-1
R = 450.00'
D = 85°30'00"
L = 671.52'
Ch = N 42°23'31" L
610.92'



LEGEND

- 3/4" STEEL REINFORCING BAR SET, 24" LONG, WEIGHING 1.50 LBS. PER LIN. FOOT
- 1" IRON PIPE SET, 24" LONG, WEIGHING 1.130 LBS. PER LIN. FOOT
- X CHISELED "X" SET
- 3/4" PEBAR FOUND
- 1" IRON PIPE FOUND
- ▲ 1-1/4" REBAR FOUND
- ◻ 2" IRON PIPE FOUND
- ◇ CHISELED "X" FOUND
- ⊙ GOVERNMENT CORNER
- FENCE LINE
- () RECORDED AS
- CENTERLINE RAILROAD TRACKS

Note:

Line Table for bearings & distances
is found on Sheet 3 of 5

Survey for:

Kimberly Clark Corporation
Hecmah Headquarters
401 N. Lake Street
Neenah, WI 54958
c/o Chet Nowak



Gary A. Zahring
Aug. 25, 2000

Martenson & Eisele, Inc.

Engineering Surveying Planning
1919 American Court
Neenah, WI 54958
(920) 731-0381

PROJECT NO. 208-011 F
FIELD BOOK 133 PAGE 70-72
FILE 206011fesm SHEET 1 OF 5

CERTIFIED SURVEY MAP NO. _____

SURVEYOR'S CERTIFICATE:

I, Gary A. Zahringer, Registered Land Surveyor, do hereby certify:

That I have surveyed, divided and mapped, at the direction of Chet Nowak of Kimberly Clark Corporation, all that part of the East 1/2 of the Southwest 1/4 and part of the West 1/2 of the Southeast 1/4 of Section 18, Township 20 North, Range 17 East, Town of Menasha, Winnebago County, Wisconsin described as follows:


Commencing at the South 1/4 corner of said Section 18;
thence along the South line of the Southwest 1/4 of said Section 18,
North 89 degrees 46 minutes 38 seconds West, 1442.91 feet;
thence North 00 degrees 20 minutes 59 seconds East, 36.02 feet
to the point of beginning;
thence continuing North 00 degrees 20 minutes 59 seconds West, 1820.38 feet;
thence South 89 degrees 46 minutes 57 seconds East, 17.50 feet;
thence North 00 degrees 21 minutes 29 seconds West, 431.68 feet;
thence 671.52 feet along an arc of a curve to the right having a radius of
450.00 feet with a chord of 610.92 feet that bears
North 42 degrees 23 minutes 31 seconds East;
thence North 85 degrees 08 minutes 31 seconds East, 98.08 feet;
thence North 00 degrees 00 minutes 33 seconds East, 16.35 feet;
thence along the south right-of-way line of Wisconsin Central Limited
Railroad,
North 89 degrees 33 minutes 56 seconds East, 2222.56 feet;
thence along the west lines of Certified Survey Map 1497, the FIRST ADDITION
RA-NO CHATEAUX, Certified Survey Map 2022, and WESTWOOD PLAT and its
extension to the south,
South 00 degrees 35 minutes 21 seconds East, 2401.27 feet;
thence along the north line of Certified Survey Map 817 and its extension to
the east,
South 89 degrees 58 minutes 59 seconds West, 537.01 feet;
thence along the west line of Certified Survey Map 817,
South 00 degrees 39 minutes 46 seconds East, 145.12 feet;
thence along the north right-of-way of C.T.H. "II",
North 89 degrees 59 minutes 12 seconds West, 214.58 feet;
thence North 00 degrees 41 minutes 01 seconds West, 145.35 feet;
thence South 89 degrees 58 minutes 59 seconds West, 80.00 feet;
thence South 00 degrees 41 minutes 01 seconds East, 145.30 feet;
thence the following seven (7) calls are along the north right-of-way of
C.T.H. "III",
North 89 degrees 59 minutes 12 seconds West, 73.14 feet;
thence North 82 degrees 14 minutes 53 seconds West, 146.71 feet;
thence North 89 degrees 56 minutes 11 seconds West, 949.54 feet;
thence South 85 degrees 47 minutes 03 seconds West, 201.02 feet;
thence North 89 degrees 56 minutes 11 seconds West, 400.00 feet;
thence South 83 degrees 13 minutes 15 seconds West, 41.42 feet;
thence North 89 degrees 55 minutes 30 seconds West, 122.19 feet
to the point of beginning, containing 6,811,131 square feet [156.362 acres].
Subject to all easements and restrictions of record.

That I have fully complied with Chapter 236.34 of the Wisconsin Statutes
in surveying, dividing, and mapping the same and the Town of Menasha, and
Winnebago County Subdivision Ordinances.

This map is a correct representation of all of the exterior boundaries of
land surveyed and the division thereof.

Given under my hand this the 25th day of August, 2000

Gary A. Zahringer
Gary A. Zahringer, Reg. Wis. Land Surveyor, S-2098



CERTIFIED SURVEY MAP NO. _____

Line Table

L-1 = N00°20'59"W, 36.02'
 L-3 = N00°21'29"W, 231.68'
 L-5 = N00°00'33"E, 16.35'
 L-7 = N89°59'12"W, 214.58'
 L-9 = S89°58'59"W, 80.00'
 L-11 = N89°59'12"W, 73.14'
 L-13 = S85°47'03"W, 201.02'
 L-15 = S83°13'15"W, 41.42'

L-2 = S89°46'57"E, 17.50'
 L-4 = N85°08'31"E, 98.08'
 L-6 = S00°39'46"E, 145.12'
 L-8 = N00°41'01"W, 145.35'
 L-10 = S00°41'01"E, 145.30'
 L-12 = N82°14'53"W, 146.71'
 L-14 = N89°56'11"W, 400.60'
 L-16 = N89°55'30"W, 122.19'

Corporate Owner's Certificate:

Kimberly Clark Corporation, a corporation duly organized and existing under and by virtue of the Laws of the State of Delaware, hereby certify that we caused the land above described to be surveyed, divided and mapped and all as shown and represented on this map.

Dated this _____ day of _____, 2000.

(print or type name) President

(print or type name) Secretary

(signature) President:

(signature) Secretary

State of Wisconsin)
) SS
 Winnebago County)

Personally came before me on the _____ day of _____, 2000, the above owners to me known to be the persons who executed the foregoing instrument and acknowledge the same.

Notary _____ My Commission Expires _____



Gary A. Zahringer
 Aug. 25, 2000

CERTIFIED SURVEY MAP NO. _____

City of Neenah Extraterritorial Approval:

This Certified Survey Map was approved by the City of Neenah on this
the _____ day of _____, 2000

City of Clerk _____ Date _____

Certificate of Planning Committee:

Pursuant to the Land Subdivision Regulations of the County of Winnebago,
Wisconsin, all the requirements for approval have been fulfilled. This Minor
Subdivision was approved by the Winnebago County Planning and Zoning

Committee on this _____ day of _____, 2000.

Chairman, Planning and Zoning Committee

Treasurer's Certificate:

I hereby certify that there are no unpaid taxes or unpaid special
assessments on any of the lands shown hereon.

Town Treasurer

County Treasurer

Date:

Date:



Gay A. Zahning
Aug. 25, 2000

CERTIFIED SURVEY MAP NO. _____

Certificate of Town Board:

We hereby certify that the Town of Menasha Board of Supervisors adopted Resolution # _____ at their regular meeting of _____, approving the Certified Survey Map with/without conditions as stated in the resolution.

_____ Town Chairman	_____ Date	_____ Town Clerk	_____ Date
------------------------	---------------	---------------------	---------------

This Certified Survey Map is contained wholly within the property described in the following recorded instruments:

<i>Owners of record:</i>	<i>Recording information:</i>	<i>Parcel number:</i>
Kimberly Clark Corporation	Document #865372	008-0559
	Document #865734	008-0555
	"	008-0557
	"	008-0561
	"	008-0566
	"	008-0569
	"	008-0570
	"	008-0573
	"	008-0575




Gary A. Zahminger
Aug. 25, 2000

PART OF THE S.E. 1/4 OF THE N.E. 1/4 OF SECTION 20,
T17N, R17E, IN THE TOWN OF BLACK WOLF, WINNEBAGO COUNTY,
WISCONSIN.


BEARINGS ARE REFERENCED TO THE EAST LINE
OF THE N.E. 1/4 OF SECTION 20-17-17, WHICH
HAS AN ASSUMED BEARING OF SOUTH 00°26'16" EAST
ALL DISTANCES ARE MEASURED TO THE NEAREST
HUNDREDTH OF A FOOT.

- DENOTES 3/4 INCH DIAMETER IRON ROD 24 INCHES LONG
SET, WEIGHING NOT LESS THAN 1.50 LBS PER LINEAL FOOT.
- ⊙ DENOTES EXISTING UTILITY POLE.
- ⊞ DENOTES EXISTING UTILITY PEDESTAL.



CURVE TABLE

CURVE	RADIUS	LENGTH	CHORD	BEARING	DELTA
A	11426.91'	163.41'	163.41'	S26°33'56"E	00°48'10"




C. 1/4 CORNER
SECTION 20-17-17.
(NAIL WITH WASHER PER TIES)

AS OWNER I HEREBY RESTRICT ALL LOTS SO THAT NO OWNER, POSSESSOR,
USER, LICENSEE OR OTHER PERSON MAY HAVE ANY RIGHT OF DIRECT
VEHICULAR INGRESS FROM OR EGRESS TO ANY HIGHWAY LYING WITHIN THE
RIGHT OF WAY OF S.T.H. "45" EXCEPT FOR ONE EXISTING RESIDENTIAL
DRIVEWAY AND ONE EXISTING AGRICULTURAL DRIVEWAY FOR LOT 1 AS
DEPICTED ON THIS MAP. IT IS EXPRESSLY INTENDED THAT THIS
RESTRICTION CONSTITUTE A RESTRICTION FOR THE BENEFIT OF THE
PUBLIC AS PROVIDED IN S.236.293, STATS. AND SHALL BE ENFORCEABLE
BY THE DEPARTMENT OR ITS ASSIGNS.

NO IMPROVEMENTS OR STRUCTURES ARE ALLOWED BETWEEN THE RIGHT OF
WAY LINE AND THE HIGHWAY SETBACK LINE. IMPROVEMENTS AND
STRUCTURES INCLUDE, BUT ARE NOT LIMITED TO SIGNS, PARKING AREAS,
DRIVEWAYS, WELLS, SEPTIC SYSTEMS, DRAINAGE FACILITIES, BUILDINGS
AND RETAINING WALLS. IT IS EXPRESSLY INTENDED THAT THIS
RESTRICTION IS FOR THE BENEFIT OF THE PUBLIC AS PROVIDED IN
SECTION 236.293, WISCONSIN STATUTES, AND SHALL BE ENFORCEABLE BY
THE WISCONSIN DEPARTMENT OF TRANSPORTATION OR ITS ASSIGNS.
CONTACT THE WISCONSIN DEPARTMENT OF TRANSPORTATION FOR MORE
INFORMATION. THE PHONE NUMBER MAY BE OBTAINED BY CONTACTING THE
COUNTY HIGHWAY DEPARTMENT.

C.O.T. APPROVAL NO. 70-045-0352-00-C
MARCH 31, 2000



NO. 3244A

CERTIFIED SURVEY MAP NO. _____

SHEET 2 OF 4

PART OF THE S.E. 1/4 OF THE N.E. 1/4 OF SECTION 20, T17N, R17E,
TOWN OF BLACK WOLF, WINNEBAGO COUNTY, WISCONSIN.

**SURVEYORS CERTIFICATE
(STATE OF WISCONSIN)**

:SS

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Registered Land Surveyor do hereby
certify;

THAT I have surveyed, divided and mapped part of the S.E. 1/4 of
the N.E. 1/4 of Section 20, T17N, R17E, Town of Black Wolf,
Winnebago County, Wisconsin, which is bounded and described as
follows;

COMMENCING AT THE E. 1/4 CORNER OF SAID SECTION, THENCE SOUTH
38°47'22" WEST ALONG THE SOUTH LINE OF SAID 1/4 SECTION 42.09 FT.
TO A POINT ON THE WEST LINE OF U.S.H. "45" AND THE POINT OF
BEGINNING OF THE PARCEL TO BE DESCRIBED, THENCE CONTINUING SOUTH
38°47'22" WEST ALONG SAID LINE 1281.21 FT., THENCE NORTH 00°31'51"
WEST ALONG THE WEST LINE OF SAID 1/4-1/4 SECTION 1330.81 FT.,
THENCE NORTH 80°44'36" EAST ALONG THE NORTH LINE OF SAID 1/4-1/4
SECTION 613.34 FT. TO A POINT ON THE WEST LINE U.S.H. "45", THENCE
SOUTH 26°52'04" EAST ALONG SAID LINE 12.22 FT., THENCE SOUTH
17°56'21" EAST ALONG SAID LINE 101.34 FT., THENCE SOUTH 27°18'32"
EAST ALONG SAID LINE 299.98 FT., THENCE SOUTH 34°03'26" EAST ALONG
SAID LINE 151.04 FT., THENCE SOUTH 27°18'31" EAST ALONG SAID LINE
756.76 FT., THENCE SOUTHEASTERLY 163.41 FT. ALONG SAID LINE AND
THE ARC OF A CURVE WHOSE CENTER LIES TO THE SOUTHWEST WHOSE RADIUS
IS 11426.91 FT, AND WHOSE CHORD BEARS SOUTH 26°53'56" EAST 163.41
FT, TO THE POINT OF BEGINNING.

THAT this Certified Survey Map is contained wholly within the
property described in the following recorded instrument(s): Doc.
No. 10, 318.


THAT I have made this survey by the direction of Robert Dahl and
Janet Dahl, owners of said land.

THAT such map is a correct representation of all the exterior
boundaries of the land surveyed and the land division thereof
made.

THAT I have fully complied with the provisions of Chapter 236 of
the Wisconsin Statutes and the Land Subdivision Ordinances of
Winnebago County and the Town Of Black Wolf.

Date

4-3-00


Reinhard Roehlig, Registered
Wisconsin Land Surveyor S-1368



NO. 3244A

CERTIFIED SURVEY MAP NO. _____

SHEET 3 OF 4

PART OF THE S.E. 1/4 OF THE N.E. 1/4 OF SECTION 20, T17N, R17E,
TOWN OF BLACK WOLF, WINNEBAGO COUNTY, WISCONSIN.

OWNERS CERTIFICATE

AS OWNERS, we hereby certify that we caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County and Town Of Black Wolf Subdivision Ordinances.

WITNESS the hands and seals of said representatives this _____ day of _____, 2000.

Robert Dahl

Janet Dahl

STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

PERSONALLY came before me this _____ day of _____ 2000 the
aforementioned Robert Dahl and Janet Dahl, to me known to be the
persons who executed the foregoing instrument and acknowledged the
same.

My Commission Expires _____

Notary Public, Winnebago
County, State of Wisconsin

COUNTY TREASURERS CERTIFICATE


I, _____, being the duly elected, qualified and
acting treasurer for Winnebago County, do hereby certify that in
accordance with the records in my office, there are no unpaid
taxes or unpaid special assessments as of _____ on any
land included in this Certified Survey Map.

Date _____ Treasurer _____

TOWN TREASURERS CERTIFICATE

I, _____, being the duly elected, qualified and
acting treasurer for the Town of Black Wolf, do hereby certify
that in accordance with the records in my office, there are no
unpaid taxes or unpaid special assessments as of _____
on any land included in this Certified Survey Map.

Date _____ Treasurer _____



NO. 3244A

CERTIFIED SURVEY MAP NO. _____

SHEET 4 OF 4

PART OF THE S.E. 1/4 OF THE N.E. 1/4 OF SECTION 20, T17N, R17E,
TOWN OF BLACK WOLF, WINNEBAGO COUNTY, WISCONSIN.

**WINNEBAGO COUNTY AND TOWN OF BLACK WOLF
PLANNING COMMISSION CERTIFICATES OF APPROVAL**

This Certified Survey Map of part of the S.E. 1/4 of the N.E. 1/4
of Section 20, T17N, R17E, Town of Black Wolf, Winnebago County,
Wisconsin, is hereby approved.


Date _____

County Planning Commission
Representative _____

Date _____

Town of Black Wolf
Representative _____

THIS DOCUMENT WAS DRAFTED BY
REINHARD ROEHLIG.




PART OF THE S.E. 1/4 OF THE N.E. 1/4 OF SECTION 20,
T17N, R17E, IN THE TOWN OF BLACK WOLF, WINNEBAGO COUNTY,
WISCONSIN.

BEARINGS ARE REFERENCED TO THE EAST LINE
OF THE N.E. 1/4 OF SECTION 20-17-17, WHICH
HAS AN ASSUMED BEARING OF SOUTH 00°26'16" EAST
ALL DISTANCES ARE MEASURED TO THE NEAREST
HUNDREDTH OF A FOOT.

- DENOTES 3/4 INCH DIAMETER IRON ROD 24 INCHES LONG
SET, WEIGHING NOT LESS THAN 1.50 LBS PER LINEAL FOOT.
⊙ DENOTES EXISTING UTILITY POLE.
⊠ DENOTES EXISTING UTILITY PEDESTAL.

CURVE TABLE

CURVE	RADIUS	LENGTH	CHORD	BEARING	DELTA
A	11428.91'	163.41'	163.41'	S26°53'56"E	00°49'10"




C. 1/4 CORNER
SECTION 20-17-17.
(NAIL WITH WASHER PER TIES)

AS OWNER I HEREBY RESTRICT ALL LOTS SO THAT NO OWNER, POSSESSOR,
USER LICENSE OR OTHER PERSON MAY HAVE ANY RIGHT OF DIRECT
VEHICULAR INGRESS FROM OR EGRESS TO ANY HIGHWAY LYING WITHIN THE
RIGHT OF WAY OF S.T. 45" EXCEPT FOR ONE EXISTING RESIDENTIAL
DRIVEWAY AND ONE EXISTING AGRICULTURAL DRIVEWAY FOR LOT 1 AS
DEPicted ON THIS MAP. IT IS EXPRESSLY INTENDED THAT THIS
RESTRICTION CONSTITUTE A RESTRICTION FOR THE BENEFIT OF THE
PUBLIC AS PROVIDED IN S.236.293, STATS., AND SHALL BE ENFORCEABLE
BY THE DEPARTMENT OR ITS ASSIGNS.

NO IMPROVEMENTS OR STRUCTURES ARE ALLOWED BETWEEN THE RIGHT OF
WAY LINE AND THE HIGHWAY SETBACK LINE. IMPROVEMENTS AND
STRUCTURES INCLUDE, BUT ARE NOT LIMITED TO SIGNS, PARKING AREAS,
DRIVEWAYS, WALLS, SEPTIC SYSTEMS, DRAINAGE FACILITIES, BUILDINGS
AND RETAINING WALLS. IT IS EXPRESSLY INTENDED THAT THIS
RESTRICTION IS FOR THE BENEFIT OF THE PUBLIC AS PROVIDED IN
SECTION 236.293, WISCONSIN STATUTES, AND SHALL BE ENFORCEABLE BY
THE WISCONSIN DEPARTMENT OF TRANSPORTATION OR ITS ASSIGNS.
CONTACT THE WISCONSIN DEPARTMENT OF TRANSPORTATION FOR MORE
INFORMATION. THE PHONE NUMBER MAY BE OBTAINED BY CONTACTING THE
COUNTY HIGHWAY DEPARTMENT.

D.O.T. APPROVAL NO. 70-045-0352-00-C
MAY 25, 2000



ROEHLIG
LAND SURVEYING
&
CONSULTING LTD.
4041 State Road 91 • Oshkosh WI • 54904
(920) 273-2884

NO. 3244A

CERTIFIED SURVEY MAP NO. 4539

SHEET 2 OF 4

PART OF THE S.E. 1/4 OF THE N.E. 1/4 OF SECTION 20, T17N, R17E,
TOWN OF BLACK WOLF, WINNEBAGO COUNTY, WISCONSIN.

**SURVEYORS CERTIFICATE
STATE OF WISCONSIN)**

:SS

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Registered Land Surveyor do hereby
certify;

THAT I have surveyed, divided and mapped part of the S.E. 1/4 of
the N.E. 1/4 of Section 20, T17N, R17E, Town of Black Wolf,
Winnebago County, Wisconsin, which is bounded and described as
follows;

COMMENCING AT THE E. 1/4 CORNER OF SAID SECTION, THENCE SOUTH
88°47'22" WEST ALONG THE SOUTH LINE OF SAID 1/4 SECTION 42.09 FT.
TO A POINT ON THE WEST LINE OF U.S.H. "45" AND THE POINT OF
BEGINNING OF THE PARCEL TO BE DESCRIBED, THENCE CONTINUING SOUTH
88°47'22" WEST ALONG SAID LINE 1281.21 FT., THENCE NORTH 00°31'51"
WEST ALONG THE WEST LINE OF SAID 1/4-1/4 SECTION 1330.81 FT.,
THENCE NORTH 88°44'36" EAST ALONG THE NORTH LINE OF SAID 1/4-1/4
SECTION 613.34 FT. TO A POINT ON THE WEST LINE U.S.H. "45", THENCE
SOUTH 26°52'04" EAST ALONG SAID LINE 12.22 FT., THENCE SOUTH
17°56'21" EAST ALONG SAID LINE 101.34 FT., THENCE SOUTH 27°18'32"
EAST ALONG SAID LINE 299.98 FT., THENCE SOUTH 34°03'26" EAST ALONG
SAID LINE 151.04 FT., THENCE SOUTH 27°18'31" EAST ALONG SAID LINE
756.76 FT., THENCE SOUTHEASTERLY 163.41 FT. ALONG SAID LINE AND
THE ARC OF A CURVE WHOSE CENTER LIES TO THE SOUTHWEST WHOSE RADIUS
IS 11426.91 FT, AND WHOSE CHORD BEARS SOUTH 26°53'56" EAST 163.41
FT, TO THE POINT OF BEGINNING.

THAT this Certified Survey Map is contained wholly within the
property described in the following recorded instrument(s): Doc.
No. 1012818.

THAT I have made this survey by the direction of Robert Dahl and
Janet Dahl, owners of said land.

THAT such map is a correct representation of all the exterior
boundaries of the land surveyed and the land division thereof
made.


THAT I have fully complied with the provisions of Chapter 236 of
the Wisconsin Statutes and the Land Subdivision Ordinances of
Winnebago County and the Town Of Black Wolf.

Date

4-3-00

Reinhard Roehlig
Reinhard Roehlig, Registered
Wisconsin Land Surveyor S-1368





Description For Parcel # 1
That Part Of The S.W.1/4 Of The S.W.1/4 Of Sec. 20-17-17, Town Of Black
Wolf, Winnebago County, Wis. Described As Follows: The East 300.0 ft.
Of The West 693.0 ft. Of The South 290.4 ft. Of The S.W.1/4 Of The S.W.1/4
Of Sec. 20-17-17. Said Parcel Contains 2.0 Acres More Or Less.

SEC. 20-17-17

PARCEL #1.
2.0 ACRES ±

THE UNIVERSITY OF CHICAGO

SW. COR. SEC. 25-13-17

BLACK WOLF FT. ROAD
S. LINE OF SEC. 26-17-07

22410
1' x 100'
Iron Stakes Shown Thus *



Surrey & Flattig Co.
Oshkosh, Wis.
T.E. Stearns - Co. Surveyor
April 10, 1967

55

Survey For E. Thon


Description For Parcel # 1
That Part Of The S.E. 1/4 Of The S.W. 1/4 Of Sec. 20-17-17, Town Of Black
Wolf, Winnebago County, Wis. Described As Follows: The East 220.0 ft. of
The West 357.0 ft. of The South 200.0 ft. of The S.E. 1/4 Of The S.W. 1/4
Of Sec. 20-17-17. Said Parcel Contains 1.01 Acres More Or Less

TOWN OF BLACK WOLF

S.E. 1/4 OF S.W. 1/4

SEC. 20-17-17

KARL THON FARM



Scale
1" = 100'
Iron Stakes Shown Here -

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
July 8, 1907



5

Survey For Paul Fowler

That Part Of The N.1/2 Of The N.E.1/4 Of Sec. 20-17-17, Town Of Black Wolf, Winnebago County, Wis. Bounded And Described As Follows: Commencing At A Point Where The North Line Of Sec. 20-17-17 Intersects The Centerline Of U.S.H. # 45, Thence S.24°14'E. Along The Centerline Of Said Highway, A Distance Of 465.9 ft. To The Place Of Beginning; Thence Southwesterly At A Right Angle To The Centerline Of Said Highway A Distance Of 379.3 ft., Thence S.22°33'E. A Distance Of 197.7 ft., Thence N.61°45'E., 408.0 ft. To The Centerline Of U.S.H. # 45, Thence N.24°14'W. Along Said Centerline, 357.6 ft. To The Place Of Beginning. Said Parcel Contains 2.24 Acres More Or Less Except That Portion Used For Highway Purposes.

TOWN OF BLACK WOLF

SEC. 20-17-17


N.1/2 OF N.E.1/4

PAUL FOWLER PROP.



Scale
1" = 200'

Iron Stakes Shown Thus - •




Survey & Mapping Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
Aug. 8, 1970

Survey For Paul Fowler:

Description For Parcel # 1

That Part Of The N.1/2 Of The N.E.1/4 Of Sec. 20-17-17, Town Of Black Wolf, Winnebago County, Wis. Described As Follows: Commencing At A Point Where The North Line Of Sec. 20-17-17 Intersects The Center Line Of U.S.H. #45, Thence S.24°14'E. Along The Center Line Of Said Highway A Distance Of 342.2 ft. To The Place Of Beginning; Thence Southwesterly At A Right Angle To The Center Line Of Said Highway A Distance Of 500.0 ft.; Thence Southeasterly, Parallel To The Center Line Of U.S.H. #45, A Distance Of 435.6 ft.; Thence Northeasterly 500.0 ft. To A Point On The Center Line Of Said Highway That Is S.24°14'E. A Distance Of 435.6 ft. From The Place Of Beginning; Thence N.24°14'W. Along Said Center Line, 435.6 ft. To The Place Of Beginning. Said Parcel Contains 5.0 Acres More Or Less Except That Portion Used For Highway Purposes.



Survey & Planning Co.
Oshkosh, Wis.
T.E. Stearns - Registered Surveyor
July 3, 1970

(5)

Survey For Ken Nelson:


Description For Parcel 'A'

East Part Of The S.W. 1/4 Of The S.W. 1/4 Of Sec. 20-17-17, Town Of Black Wolf, Winnebago County, Wis., Bounded & Described As Follows:
Commencing At The South West Corner Of Sec. 20-17-17, Thence East Along The South Line Of Sec. 20, 238.0 ft. To The Place Of Beginning; Thence North, Parallel With The West Line Of Sec. 20, 540.4 ft., Thence East, Parallel With The South Line Of Sec. 20, 455.0 ft., Thence South, Parallel With The West Line Of Sec. 20, 317.0 ft., Thence West, Parallel With The South Line Of Sec. 20, 300.0 ft., Thence South, Parallel With The West Line Of Sec. 20, 323.4 ft. To The South Line Of Sec. 20, Thence West Along The South Line Of Sec. 20, 455.0 ft. To The Place Of Beginning. Said Parcel Contains 4.5 Acres More Or Less, Except That Portion Used For Road Purposes.

Survey For Louis Fickert:

Description For Parcel 'B'

East Part Of The S.W. 1/4 Of The S.W. 1/4 Of Sec. 20-17-17, Town Of Black Wolf, Winnebago County, Wis., Bounded & Described As Follows:
The West 238.0 ft. Of The South 640.4 ft. Of The S.W. 1/4 Of The S.W. 1/4 Of Sec. 20-17-17. Said Parcel Contains 3.5 Acres More Or Less Except That Portion Used For Road Purposes.



Iron Stakes Shown Thus -



Survey & Platting Co.
Oshkosh, Wis.
Stearns - Reg. Surveyor
Nov. 15, 1971
Rev. May 31, 1974

Survey For Fred Caldwell:


Description For Parcel # 1
That Part Of The S.E. 1/4 Of The N.W. 1/4 Of Sec. 20-17-17, Town Of Black Wolf,
Winnetago County, Wis. Bounded & Described As Follows:
The South 175.0 ft. Of The East 248.9 ft. Of The S.E. 1/4 Of The N.W. 1/4 Of
Sec. 20-17-17, Said Parcel Contains 1.0 Acre More Or Less, Except That
Portion Used For Road Purposes.

TOWN OF BLACK WOLF

SEC. 20-17-17

S.E. 1/4 OF N.W. 1/4


CALDWELL PROP.



Iron Stakes Shown Thus - •



Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
Oct. 7, 1972



CITY OF OGDEN ENGINEERING DEPARTMENT R.H.C.	DRAWN 4/30/41	SURVEY OF S. 1/4, NE. 1/4, SEC. 20 T. 11N - R. 11E TOWN OF BLACK HAWK HERMAN POMMERING
	SCALE 1" = 1000'	

PLAT 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200



STATE OF WISCONSIN

SS WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 4116

WINNEBAGO COUNTY

SHEET 1 OF 2

Surveyor's Certificate:


I, Thomas M. Kromm, Wisconsin Registered Land Surveyor of Kromm Land Surveying, certify that I have surveyed and mapped under the direction of William Cuttill a part of the Southwest Quarter (SW 1/4) of the Southwest Quarter (SW 1/4) of Section Twenty (20), Township Seventeen (17) North, Range Seventeen (17) East, Town of Black Wolf, Winnebago County, Wisconsin containing 403.648 square feet of land and being described by:

Commencing at the Southwest corner of said Section 20; thence N.89°29'38"E. 693.02 feet, along the South line of the SW 1/4 of said Section 20 to the true point of beginning; thence N.00°03'58"W. 656.62 feet, thence N.89°28'10"E. 624.24 feet; thence S.00°01'07"W. 656.90 feet, thence S.89°29'38"W. 623.27 feet, to the true point of beginning. The afore described parcel being all of those lands described in and contained wholly within Document Number 989474 as recorded in the Winnebago County Register of Deeds Office. Tax parcel No. 004-0362-01

That such is a correct representation of all exterior boundaries surveyed. That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same. The afore described parcel being subject to all easements and restrictions of record.

Dated this 14th day of October, 1938.

Thomas M. Kromm
Wisconsin Registered Land Surveyor
Thomas M. Kromm



Bearing reference: South line SW 1/4, Section 20-17-17
recorded as N.89°29'38"E

**LEGEND**

- o = 1" X 24" Iron pipe weighing 1.68 lbs. per lineal foot set
- o = 1" Iron pipe found.
- ⊕ = Winnebago County Bernsten Monument
- = PK nail set
- () = Recorded measurements

KROMM LAND SURVEYING

1224 Grand Street
Oshkosh, WI 54901
414-426-3643



L-0890



STATE OF WISCONSIN

SS WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 4116

WINNEBAGO COUNTY

SHEET 1 OF 2

Surveyor's Certificate:




I, Thomas M. Kromm, Wisconsin Registered Land Surveyor of Kromm Land Surveying, certify that I have surveyed divided and mapped under the direction of William Cuttill a part of the Southwest Quarter(SW 1/4) of the Southwest Quarter(SW1/4) of Section Twenty(20), Township Seventeen(17) North, Range Seventeen(17) East, Town of Black Wolf, Winnebago County, Wisconsin containing 409,648 square feet of land and being described by:

Commencing at the Southwest corner of said Section 20; thence N.89°29'38"E. 693.02 feet, along the South line of the SW 1/4 of said Section 20 to the true point of beginning; thence N.00°03'58"W. 656.62 feet, thence N.89°28'10"E. 624.24 feet; thence S.00°01'07"W. 656.90 feet; thence S.89°29'38"W. 623.27 feet, to the true point of beginning. The afore described parcel being all of those lands described in and contained wholly within Document Number 989474 as recorded in the Winnebago County Register of Deeds Office. Tax parcel No. 004-0362-01

That such is a correct representation of all exterior boundaries surveyed. That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same. The afore described parcel being subject to all easements and restrictions of record.

Dated this 14th day of October, 1998.

Thomas M Kromm
Wisconsin Registered Land Surveyor
Thomas M. Kromm



LEGEND

- X 24" Iron pipe weighing 1.68 lbs. per lineal foot set
- * = 1" Iron pipe found.
- ⊕ = Winnebago County Bernsen Monument
- = PK nail set
- () = Recorded measurements

KROMM LAND SURVEYING
1224 Grand Street
Oshkosh, WI 54901
414-426-3643



L-0890

STATE OF WISCONSIN

SS WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 4116


WINNEBAGO COUNTY


SHEET 2 OF 2

Owner's Certificate:


As owner's, We hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 12 day of October, 1998.


William L. Cullill


Christine L. Cullill

Personally came before me this 12 day of OCTOBER, 1998, the above owner's to me, known to be the persons who executed the foregoing instrument and acknowledged to be the same.



Notary signature
Anne M. Muench

My commission expires 10-10-99


TOWN & COUNTY TREASURER'S CERTIFICATE:

I, Mary E. Krueger Deputy being the duly elected, qualified and acting Treasurer of the County of Winnebago, do hereby certify that the records in my office show no unredeemed tax sales and no unpaid taxes or special assessments as of November 11, 1998 affecting the lands included in this Certified Survey Map.

11/11/98
Date:


County Treasurer:


10/29/98
Date:


Town Treasurer:


WINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE AND TOWN BOARD APPROVAL:

This Certified Survey Map of a part of the SW 1/4 of the SW 1/4 of Section 20, T.17N., R.17E., Town of Black Wolf, Winnebago County, Wisconsin, is hereby approved.

11/18/98
Date:


Planning Commission Representative


11-9-98
Date:


Town Board Representative


Tax parcel number 004-0362-01.

1035055





Register's Office
Winnebago County, Wis.
Received for record this 19th
day of Nov A.D., 1998
at 5:06 o'clock P.M. and
recorded in Vol. 1 of CSM
on page 4116


Register of Deeds

✓ KROMM LAND SURVEYING
1224 Grand Street
Oshkosh, WI 54901
414-426-3643



