


29-18-14

NO.	SURVEYED FOR	SURVEYOR	DATE	PLAT NO.	CERTIFIED MAP NO.	SURVEYS		SURVEY LOCATION
						VOL.	PAGE	
K	Hulmeville	Snyder	4-18-76					29, T18N, R14E NE1/4
C	Tanner	Hawkinsworth	7-11-79		540142	1	652	29, T18N, R14E SW1/4
H	Boals	Cox	1-11-80		545717	1	723	29, T18N, R14E Galt
R	Steenbock	Mullen	13-11-81					N1/2

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO.
Part of Gov't. Lot 5 of Fractional Sec. 29, T.18N., R.14E., Town of
Rushford, Winnebago County, Wisconsin

Bearings are referenced to the West line of the NE $\frac{1}{4}$ of Sec. 29, assumed
to bear S.00°17'36"E.



Calvin W. Hawksworth
Calvin W. Hawksworth S-1290
Wisconsin Registered Land Surveyor
September 14, 1988

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

This Certified survey map of part of Gov't. Lot 5 of Frac. Sec. 29,
T.18N., R.14E., Town of Rushford is hereby approved.

Date

Authorized signature

Sheet 1 of 2 sheets



Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO.
Part of Gov't. Lot 5 of Fractional Sec. 29, T.18N., R.14E., Town of
Rushford, Winnebago County, Wisconsin.

SURVEYOR'S CERTIFICATE

I, Calvin W. Hawksworth, registered land surveyor, hereby certify:
That I have surveyed, divided and mapped the parcel of land located
in part of Gov't. Lot 5 of Fractional Sec. 29, T.18N., R.14E., Town of
Rushford, Winnebago County, Wisconsin, described as follows: Beginning
at an iron pipe that is 1946.70 ft., S.00°17'36"E. and 1615.82 ft.,
S.87°18'21"E. and 132.00 ft., N.01°41'03"W. and 417.11 ft., N.88°18'57"E.
of the North $\frac{1}{4}$ corner of said Sec. 29. From that point running
N.08°39'53"W., 317.18 ft., thence N.88°18'57"E., 147.52 ft., thence
S.01°41'03"E., 415.36 ft. to the center line of Eureka Lock Road, thence
S.73°37'17"W., 12.30 ft., thence 99.52 ft. along the arc of a curve whose
chord bears S.75°58'28.5"W., 99.49 ft., thence N.01°39'04"W., 125.08 ft.
to the said point of beginning. Being a parcel of land of 1.213 acres,
more or less. Subject to all restrictions and easements of record.

That I have made such survey, land divisions and map by the direction
of Douglas Nick, 720 Wisconsin St., Oshkosh, WI. 54901; that such map is
a true and correct representation of the exterior boundaries of the land
surveyed.

That I have fully complied with the provisions of Sec. 236.34 of
the Wisconsin Statutes and the Winnebago County Subdivision Ordinance
in surveying, dividing and mapping the same.

Calvin W. Hawksworth
Calvin W. Hawksworth S-1290
Wisconsin Registered Land Surveyor
September 14, 1988

OWNER'S CERTIFICATE

As owner(s), I(we) hereby certify that I(we) caused the land de-
scribed on this certified survey map to be surveyed, divided and mapped
as represented hereon.

Dennis H. Craig, owner
8954 Eureka Lock Rd.
Omro, WI. 54963

Alexandria J. Craig, owner
8954 Eureka Lock Rd.
Omro, WI. 54963

STATE OF WISCONSIN) SS
WINNEBAGO COUNTY)

Personally came before me this _____ day of _____,
1988, the above named owner(s) to me known to be the person(s) who
executed the foregoing instrument and acknowledged the same.

Notary Public, _____ WI.

My commission expires _____.

Sheet 2 of 2 sheets

SAYLER SURVEY, INC.

WINNECONNE, WI.

PLAT OF SURVEY


BEING A PART OF LOT 1 IN WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1536 BOUNDED AND DESCRIBED AS FOLLOWS;
COMMENCING AT THE N.W. CORNER OF SAID LOT (ALSO THE N.W. CORNER OF SECTION 29), THENCE SOUTH 89-11-54 EAST ALONG THE NORTH LINE OF SAID LOT 309.84 FT., THENCE SOUTH 84-43-24 EAST 450.10 FT., THENCE SOUTH 16-15-06 EAST 401.83 FT., THENCE SOUTH 19-34-15 EAST 371.51 FT., THENCE SOUTH 15-01-05 EAST 457.06 FT., THENCE SOUTH 18-14-08 EAST 200.00 FT. TO A POINT ON THE NORTHERLY RIGHT OF WAY LINE OF EUREKA LOCK ROAD, THENCE SOUTH 71-45-52 WEST ALONG SAID LINE 209.85 FT., THENCE SOUTHWESTERLY 204.21 FT. ALONG SAID LINE AND THE ARC OF A CURVE WHOSE CENTER LIES TO THE SOUTHEAST WHOSE RADIUS IS 604.44 FT. AND WHOSE CHORD BEARS SOUTH 62-05-08 WEST 203.24 FT., THENCE SOUTH 52-24-25 WEST ALONG SAID LINE 410.05 FT., THENCE SOUTHWESTERLY 158.55 FT. ALONG SAID LINE AND THE ARC OF A CURVE WHOSE CENTER LIES TO THE SOUTHEAST WHOSE RADIUS IS 292.30 FT. AND WHOSE CHORD BEARS SOUTH 36-52-04 WEST 156.61 FT. TO THE SOUTHWEST CORNER OF SAID LOT 1 AND ALSO A POINT ON THE WEST LINE OF THE N.W. 1/4 OF SECTION 29, THENCE NORTH 00-48-06 EAST ALONG SAID WEST LINE 2356.62 FT. TO THE POINT OF BEGINNING. ALL IN THE N.W. 1/4 OF SECTION 29, T18N, R14E, TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN. SAID PARCEL CONTAINS 1,092,361 SQUARE FEET (25.0772 ACRES).

JANUARY 12, 1988

SURVEY FOR STEVE HELMUTH

SURVEY NO. 1181

- ——— DENOTES 1 INCH DIAMETER IRON PIPE FOUND.
- ——— DENOTES INCH DIAMETER IRON PIPE, 24" LONG SET.



SURVEYOR'S CERTIFICATE

I, REINHARD H. W. ROEHLIG, Registered Land Surveyor No. S-1368, hereby certify: That I have surveyed the property described hereon and that the above map is a true representation thereof and shows the size and location of the property, its exterior boundaries, the location and dimensions of all visible structures thereon, fences, apparent easements, roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the property, and also those who purchase, mortgage, or guarantee the title thereto within one (1) year from the date hereon, and as to them I certify the accuracy of said survey and map.


SCHULER & ASSOCIATES

320 W. Northland Ave.
Appleton, WI. 54912
(414) 734-9107

2530 W. 20th Ave.
Oshkosh, WI. 54904
(414) 426-2800

REGISTERED LAND SURVEYOR

DATE



653997

Register's Office
Winnebago County, Wis.
Received for record this 11th
day of June A.D., 1986
at 8:00'clock A.M. and
recorded in Vol. 1... of CSM
on page 1536.


Margaret Dahms
Register of Deeds

Natl. Survey

cbg w.
10

CERTIFIED SURVEY MAP NO. 1536

BEING A PART OF THE N.W. 1/4 AND GOVERNMENT LOTS 7 AND 8 IN SECTION 29, T18N, R14E, IN THE TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN.



CERTIFIED SURVEY MAP NO. 1536

BEING A PART OF THE N.W. 1/4 AND GOVERNMENT LOTS 7 AND 8 IN SECTION 29, T18N, R14E, IN THE TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN.


- ① ——— DENOTES WINNEBAGO COUNTY BERNTSEN MONUMENT FOUND.
- ——— DENOTES 1 INCH DIAMETER IRON PIPE, 24 " LONG, WEIGHING NOT LESS THAN 1.13 LBS PER LINEAL FOOT SET.
- () ——— DENOTES RECORD DIMENSIONS WHERE DIFFERENT FROM FIELD MEASUREMENTS.

ALL DIMENSIONS SHOWN ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE WEST LINE OF THE N.W. 1/4 OF SECTION 29 WHICH IS ASSUMED TO BEAR NORTH 00-48-06 EAST.

CURVE DATA

CURVE	ARC	RADIUS	CHORD & BEARING	I
A	158.55	292.30	(156.61) S36-52-04W	31-04-41
B	201.34	226.30	(194.74) N26-55-19E	50-58-11
C	204.21	604.44	(203.24) S62-05-08W	19-21-27
D	181.91	538.44	(181.05) N62-05-08E	19-21-27
E	307.33	454.59	(301.51) N88-52-05W	38-44-07
F	262.71	388.59	(257.73) S88-52-05E	38-44-07
G	98.70	494.89	(98.54) N75-12-50W	11-25-38
H	122.80	560.89	(122.55) S75-46-20E	12-32-38
J	59	372.40	(59.89) N06-02-58E	09-13-29



CERTIFIED SURVEY MAP NO. 1536

BEING A PART OF THE N.W. 1/4 AND GOVERNMENT LOTS 7 AND 8 IN SECTION 29, T18N, R14E, IN THE TOWN OF RUSHFORD WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin land surveyor do hereby certify;

THAT I have surveyed and mapped a part of the N.W. 1/4 and Government lots 7 and 8 in Section 29, T18N, R14E, Town of Rushford, Winnebago County, Wisconsin. which is bounded and described as follows:

Commencing at the N.W. corner of said Section, thence South 89-11-54 East along the North line of the N.W. 1/4 of said Section 1317.14 ft., thence South 00-13-53 West 655.88 ft., thence South 89-23-11 East 1323.68 ft. to a point on the east line of said N.W. 1/4, thence South 00-20-47 East along the East line of the N.W. 1/4 and the East line of Government Lot 7 aforesaid 1954.92 ft. to the Center 1/4 Corner of said section, thence South 00-20-47 East to the shoreline of the Fox River, thence North 00-20-47 West to the aforementioned Center 1/4 corner, thence South 73-00-18 West along a meander line 726.22 ft., thence South 64-44-07 West along a meander line 307.21 ft., thence South 54-50-36 West along a meander line 857.42 ft., thence South 31-35-36 along a meander line 770.91 ft., thence South 52-48-06 West along a line described on Page 323 of Volume 121 of Winnebago County Records 800.00 ft., thence North 00-48-06 East along the West line of Government Lot 8 aforesaid 575.63 ft., thence North 62-16-13 East 341.47 ft., thence North 00-48-06 East 599.50 ft., thence South 88-07-06 West 300.33 ft. to a point on the West line of Government Lot 8, thence North 00-48-06 East along said West line 655.37 ft. to the West 1/4 Corner of Section 29, thence North 00-48-06 East along the West line of the N.W. 1/4 of said Section 2640.70 ft. to the point of beginning.

THAT I have made this survey, land division and map by the direction of WINNEBAGO COUNTY BANK, City of Omro, Winnebago County, Wisconsin, owner of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

4-21-86....
Date



Reinhard Roehlig.....(SEAL)
Reinhard Roehlig Registered
Land Surveyor S-1368

1711-S

SHEET 4..OF.4..

CERTIFIED SURVEY MAP NO. 1536

BEING A PART OF THE N.W. 1/4 AND GOVERNMENT LOTS 7 AND 8 IN SECTION 29, T18N, R14E, IN THE TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE

AS OWNERS we hereby certify that we caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hand and seal of a duly appointed representative of Winnebago County Bank this... 29th ... day of ... April ... , 1986.

In The Presence Of:

Reinhard Roehlig

Tim Huth
TIM HUTH, Exec. Vice-President

STATE OF WISCONSIN)
:SS
WINNEBAGO COUNTY)

PERSONALLY came before me this 29th day of ... April ... 1986 the above named Tim Huth to me known to be a duly appointed representative of Winnebago County Bank and the person who executed the foregoing instrument and acknowledged the same.

Janice L. Emerson
Notary Public, Winnebago
County, State of Wisconsin

My Commission Expires... May 22, 1988...


WINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE

THIS Certified Survey Map of a part of the N.W. 1/4 and Government Lots 7 and 8 in Section 29, T18N, R14E, Town of Rushford, Winnebago County Bank owner, is hereby approved.

... June 9, 1986 ...
Date

Carol Owens
Planning Committee
Representative

THIS INSTRUMENT WAS DRAFTED BY REINHARD ROEHLIG.




Joining


STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

CERTIFIED SURVEY MAP
for
Harold A. Laabs

See Sheet 2 for description.




CURVE	RADIUS	CHORD BEARING	CHORD DIST	ARC DIST	CENTRAL ANGLE
A-3	512.01'	N 22° 28' 19.5" E.	420.13	432.09	48° 26' 39"



- LEGEND
- = 1" x 24" IRON PIPE WEIGHING 1.68 LBS. PER LINEAL FOOT
 - = 1 1/2" IRON PIPE FOUND
 - DATE JAN. 11, 1980
 - SCALE 1" = 100'
 - = P.K. NAIL SET

Dated this 11th day of JANUARY, 1980

James C. Cox
Wisconsin Registered Land Surveyor
James C. Cox S-1542



SURVEYOR'S CERTIFICATE:

I, James C. Cox, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped a part of Lots Two (2) and Three (3) and all of lots Four (4) and Five (5) of Block Five (5) also a part of Outlot One (1) in the Original Plat of Eureka also a part of vacated High Street and vacated Ceresco Street in the Original Plat of Eureka, in the Village of Eureka, Winnebago County, Wisconsin, also a part of Government Lot One (1) in Fractional Section Twenty-nine (29), Township Eighteen (18) North, Range Fourteen (14) East, Town of Rushford, Winnebago County, Wisconsin containing 3.19 Acres of land more or less and being described by: Commencing at a 1½" iron pipe found at the Southwest corner of Block Seven (7) in the Original Plat of Eureka in the Village of Eureka, thence S. 43°-18'-21" E. 8.25 feet to a point on the Northwestern right-of-way line of C.T.H. "E" also known as High Street, thence S. 46°-41'-39" W. 507.59 feet recorded as S. 46°-45' W. along the Northwestern right-of-way line of C.T.H. "E" also known as High Street to the true point of beginning, thence N. 11°-17'-40" W. 264.53 feet, thence S. 46°-41'-39" W. 220.00 feet to a one inch iron pipe that is N. 46°-41'-39" E. 25 feet more or less from the waters edge of the Bayou which lies South of the Fox River and the beginning of a meander line, running along the Southeasterly waters edge of said Bayou, thence, S. 13°-37'-08" W. 358.96 feet along said meander line, thence S. 20°-11'-13" W. 359.22 feet along said meander line to a one inch iron pipe which is N. 87°-37'-27" E. 55 feet more or less from the waters edge of said Bayou, and the termination of said meander line, thence N. 87°-37'-27" E. 220.00 feet along a fence line to a point on the Westerly right-of-way line of C.T.H. "E", thence N. 01°-45'-00" W. 138.55 feet along the Westerly right-of-way line of C.T.H. "E", thence Northeasterly 432.09 feet along the arc of a curve to the right and being the Northwestern right-of-way line of C.T.H. "E" having a radius of 512.01 feet and a chord of which bears N. 22°-28'-13.5" E. 420.13 feet, thence N. 46°-41'-39" E. 60.77 feet recorded as N. 46°-45' E. along the Northwestern right-of-way line of C.T.H. "E" to the true point of beginning.


Including all those lands lying between the meander line and the waters edge of the Bayou which lies South of the Fox River.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

Dated this 11th day of JANUARY, 1980

James C. Cox
Wisconsin Registered Land Surveyor S-1542
James C. Cox



STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Sheet 3 of 3

OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 18 day of January, 1980

In the Presence of:

Steven R. Miller

Joseph J. Miller

Harold A. Laabs
Harold A. Laabs

Clarissa E. Laabs
Clarissa E. Laabs

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 18 day of January, 1980, the above named Harold A. Laabs and Clarissa E. Laabs to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Joseph J. Miller
Notary Public _____, Wisconsin
My Commission expires June 31, 1981

WINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE:

This Certified Survey Map of a part of Lots 2 and 3 and all of Lots 4 and 5 of Block 5, also a part of Outlot 1 in the Original Plat of Eureka, also a part of vacated High Street and vacated Ceresco Street in the Original Plat of Eureka, in the Village of Eureka, Winnebago County, Wisconsin, also a part of Government Lot 1 in Fractional Section 29, T. 18 N., R. 14 E., town of Rushford, Harold A. Laabs and Clarissa E. Laabs, owners, is hereby approved.

Date January 14, 1980

by: Robert M. Henderson

Dated this 11th day of January, 1980

James C. Cox
Wisconsin Registered Land Surveyor S-1542
James C. Cox

545717

Register's Office

Winnebago County, Wis.

Received for record this 28th

day of Jan, A.D., 1980

at 9:36 o'clock A.M.


recorded in Vol. 1 of Survey Maps

on page 723

Helen M. Payne
Register of Deeds

Chy

Corporation Counsel 200



L-356

SURVEYOR'S CERTIFICATE:

Sheet 1 of 2

I, Lawrence C. Kriescher, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc. certify that I have surveyed, divided and mapped under the direction of Dennis H. Craig a part of Government Lot Five (5) of Fractional Section Twenty-nine (29), Township Eighteen (18) North, Range Fourteen (14) East, Town of Rushford, Winnebago County, Wisconsin containing 2.3294 acres of land and being described by: Commencing at the North Quarter Corner of said Section 29; thence S.00°-17'-36"E. 1946.70 feet along the West line of the NE¼ of said Section 29 to the extended centerline of Eureka Lock Road; thence S.87°-18'-21"E. 1615.82 feet, along the centerline of Eureka Lock Road and it's extension to the true point of beginning; thence N.01°-41'-03"W. 132.00 feet; thence N.88°-18'-57"E. 417.11 feet; thence S.01°-41'-03"E. 125.21 feet, to the centerline of Eureka Lock Road; thence Southwesterly 90.96 feet, along the arc of a curve to the right, having a radius of 1210.96 feet and the chord of which bears S.80°-20'-15"W. 90.95 feet; thence S.01°-41'-03"E. 313.69 feet; thence S.88°-18'-57"W. 160.37 feet; thence N.01°-41'-03"W. 308.02 feet, to the centerline of Eureka Lock Road; thence Northwesterly 55.09 feet, along the arc of a curve to the right, having a radius of 1210.96 feet and the chord which bears N.88°-36'-32.5"W. 55.08 feet; thence N.87°-18'-21"W. 112.00 feet, along said centerline to the true point of beginning.



That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.


Dated this 12TH day of NOVEMBER, 1985.

Lawrence C. Kriescher

Wisconsin Registered Land Surveyor S-1599
Lawrence C. Kriescher



AERO-METRIC ENGINEERING INC.
539 NORTH MADISON STREET
CHILTON, WISCONSIN 53014



THIS INSTRUMENT DRAFTED BY LAWRENCE C. KRIESCHER S-1599

L-1428

CURVE DATA

CURVE NO.	LOT NO.	RADIUS LENGTH	CHORD BEARING	CHORD LENGTH	CENTRAL ANGLE	ARC LENGTH	TANGENT BEARING
1-2	1	1177.96'	S.85°-17'-47"W.	303.34'	14°-47'-44"	304.19'	N.77°-53'-55"E. N.87°-18'-21"W.
3-4	1	1210.96'	S.80°-20'-15"W.	90.95'	04°-18'-14"	90.96'	N.78°-11'-08"E. S.82°-29'-22"W.
4-5	2	1210.96'	S.86°-17'-19"W.	160.47'	07°-35'-54"	160.59'	N.82°-29'-22"E. N.89°-54'-44"W.
5-6	1	1210.96'	N.88°-36'-32.5"W.	55.08'	02°-36'-23"	55.09'	S.89°-54'-44"E. N.87°-18'-21"W.
3-6	1	1210.96'	S.85°-26'-23.5"W.	305.82'	14°-30'-31"	306.64'	N.77°-53'-55"E. N.87°-18'-21"W.
7-8	2	1243.96'	S.86°-20'-33.5"W.	160.47'	07°-23'-47"	160.58'	N.82°-38'-40"E. N.89°-57'-33"W.

OWNER'S CERTIFICATE

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this _____ day of _____, 1985.

In the Presence of:

Dennis H. Craig

Alexandria J. Craig

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this _____ day of _____, 1985, the above named Dennis H. Craig and Alexandria J. Craig to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Notary Public _____, Wisconsin

My Commission expires _____

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map of a part of Government Lot 5 of Section 29, T.18N., R.14E., Town of Rushford, Dennis H. Craig and Alexandria J. Craig, owners, is hereby approved.

Date _____

By: _____

Dated this 12TH day of November, 1985.

Lawrence C. Kriescher
Wisconsin Registered Land Surveyor S-1599
Lawrence C. Kriescher



WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 657

Part of Gov't. Lot 8 in the SW $\frac{1}{4}$ of Sec. 29, T.18N., R.14E., in the Town of Rushford.

I, Calvin W. Hawksworth, registered land surveyor, hereby certify:

That I have surveyed, divided and mapped the parcel of land located in part of Gov't. Lot 8 in the SW $\frac{1}{4}$ of Sec. 29, T.18N., R.14E., in the Town of Rushford, Winnebago County, Wisconsin, described as follows: Beginning at a point on the West line of said Gov't. Lot 8 that is 1235.97 ft., NO $^{\circ}$ 00'E of the SW corner of said Sec. 29. From that point running NO $^{\circ}$ 00'E along the West line of said Gov't. Lot 8 748.540 ft., thence N87 $^{\circ}$ 19'E, 300.33 ft., thence SO $^{\circ}$ 00'W, 599.50 ft., thence S61 $^{\circ}$ 28'07"W, 341.47 ft. to the said point of beginning. Being a parcel of land of 4.642 acres, more or less. Subject to the easement recorded in Document No. 440441, Winnebago County Records and reserving therefrom that portion of above described parcel being used for road purposes.

That I have made such survey, land division and map by the direction of Charles Tanner, 4430 O'Reilly Road, Omro, Wisconsin; 54963; that such map is a correct representation of the exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Sec. 236.34 of the Wisconsin Statutes in surveying and mapping the same.



Calvin W. Hawksworth
Calvin W. Hawksworth S-1290
September 11, 1979. W.R.L.S.

OWNER'S CERTIFICATE

As owner(s) I(we) hereby certify that I(we) caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented hereon.

WITNESS the hand and seal of said owner(s) this 11th day of September, 1979.

In presence of:
James L. Howell
Witness

Barbara J. Tanner
Charles J. Tanner
Owner(s)
Address Omro, WI 54963
City-State Zip

STATE OF WISCONSIN) SS
WINNEBAGO COUNTY)

Personally came before me this 11th day of September, 1979, the above named Charles J. & Barbara J. Tanner to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.

Tom M. Carter
Notary Public, Winnebago Co. Wisc.

My commission expires June 1, 1980.

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

This Certified Survey Map of part of Gov't. Lot 8 in the SW $\frac{1}{4}$ of Sec. 29, T.18N., R.14E., Town of Rushford, is hereby approved.

Sept 14/1979
Date

Calvin W. Hawksworth
Authorized representative
Winnebago Co. Planning Committee

540142

Register's Office
Winnebago County, Wis.
Received for record this 14th
day of Sept. A.D. 1979
at 2:56 o'clock PM and
recorded in Vol. 1 of Survey maps
on page 657.

William M. Payne
Register of Deeds

Tanner Pd
2.00

29 18 14 1




CHARLES HELMUTH
TO
KENNETH HELMUTH

PART OF THE NE 1/4 OF THE NE 1/4 AND
PART OF GOV'T. LOT 5 OF SEC. 29, T.18 N.,
R.14E. IN THE TOWN OF RUSHFORD,
WINNEBAGO COUNTY, WISCONSIN.

R. K. Saylor
SURVEYOR

S-417

- * x DENOTES EXISTING FENCE
- DENOTES EXISTING IRON PIPE
- DENOTES CAPPED IRON PDS SET



S-000543
Scale: 1 in. = 100 ft.
April 18, 1976
Bk. 32 P. 67

DENNIS H. & ALEXANDRIA J. CRAIG

CURVE DATA (6)

$\Delta = 61^{\circ} 20' 30''$
 $R = 828.58'$
 $T = 60.54'$
 $L = 120.88'$

828 58


$T = 60.54$

$$L = 120.88'$$

PART OF GOV'T LOTS 5 AND 6 OF SEC 29, T18N,
R.14E., TOWN OF RUSHFORD, WINNEBAGO CO., WIS.

- IRON CORNER POST
- BERNTSEN MONUMENT
- ▲ EXISTING PK NAILS
- 1" IRON PIPE SET

(BEARINGS REFERENCED TO S.T. MULLEN SURVEY, 1881)



Calvin H. Hanksworth S. 1290
Wisconsin Registered Land Surveyor
JUNE 27, 1966
REVISED JANUARY 31, 1980.

SAYLER SURVEY, INC.

LAND SURVEYORS WINNECONNE, WI

AS-001555

58 34 0 33
 07 55 21 07

771aster

FORM NO. 783-A

THE STATE OF WISCONSIN

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 2115
Part of Gov't. Lot 5 of Fractional Sec. 29, T.18N., R.14E., Town of
Rushford, Winnebago County, Wisconsin.

Bearings are referenced to the West line of the NE $\frac{1}{4}$ of Sec. 29, assumed
bearing, S.00°17'36"E.

CURVE DATA:

1-2
 Δ = 14°47'44"
R. = 1176.96'
C. = 303.34'
L = 304.19'

Chord Bearing: S.85°17'47"W.


3-4
 Δ = 14°30'31"
R. = 1210.96'
C. = 305.82'
L = 306.64'

Chord Bearing: S.85°26'23.5"W.


LEGEND

- Board fence
- - - Wire fence
- Existing irons found
- 4" iron pipe

Robert H. Saylor
Robert H. Saylor 8-1894
Wisconsin Registered Land Surveyor
July 28, 1939



Sec. Line
N $\frac{1}{4}$ COR.
SEC. 29-18-14



Sheet 1 of 3 sheets

SAYLER SURVEY, INC. LAND SURVEYORS WINNECONNE, WI. FB. 56 P. 87

Sheet No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 2115
 Part of Gov't. Lot 5 of Fractional Sec. 29, T.18N., R.14E., Town of
 Rushford, Winnebago County, Wisconsin.


SURVEYOR'S CERTIFICATE

I, Robert H. Saylor, registered land surveyor, hereby certify:
 That I have surveyed and mapped the parcel of land located in part
 of Gov't. Lot 5 of Fractional Sec. 29, T.18N., R.14E. in the Town of
 Rushford, Winnebago County, Wisconsin, described as follows: Beginning
 at a point on the center line of Eureka Lock Rd. that is 1946.70 ft.,
 S.00°17'36"E. and 1615.82 ft., S.87°18'21"E. of the North 1/4 corner of
 said Sec. 29. From that point running N.01°41'03"W., 446.77 ft., thence
 N.88°18'57"E., 378.49 ft., thence S.08°39'53"E., 317.18 ft., thence
 S.01°39'04"E., 125.08 ft. to the centerline of Eureka Lock Rd., thence
 306.64 ft. along the arc of a curve whose chord bears S.85°26'23.5"W.,
 205.82 ft., thence N.87°18'21"W., 112.00 ft. to the said point of begin-
 ning. Being a parcel of land of 4.20 acres, more or less, Subject to all
 restrictions and easements of record.

That I have made such survey and map by the direction of Dennis
 Craig, 8954 Eureka Lock Rd., Omro, WI; 54963; that such map is a true
 and correct representation of the exterior boundaries of the land
 surveyed.

That I have fully complied with the provisions of Sec. 236.34 of
 the Wisconsin Statutes and the Winnebago County Subdivision Ordinance
 in surveying and mapping the same.

Robert H. Saylor
 Robert H. Saylor S-1894
 Wisconsin Registered Land Surveyor
 July 28, 1989

OWNER'S CERTIFICATE

As owners, we hereby certify that we caused the land described on
 this certified survey map to be surveyed and mapped as represented hereon.
 WITNESS the hand and seal of said owners this 14th day of

November, 1989.

Dennis H. Craig
 Dennis H. Craig, owner
 8954 Eureka Lock Rd.
 Omro, WI. 54963

Alexandria J. Craig
 Alexandria J. Craig, owner
 8954 Eureka Lock Rd.
 Omro, WI. 54963

STATE OF WISCONSIN)
 COUNTY OF WINNEBAGO) SS

Personally came before me this 13 day of November
 1989, the above named owners to me known to be the persons who executed
 the foregoing instrument and acknowledged the same.

Richard S. Schuck
 Notary Public

NOTARY

My commission expires 1-26-92

PUBLIC

Sheet 2 of 3 sheets

SAYLER SURVEY, INC. WINNECONNE, WI.

722uster

FORM NO. 983-A

RECEIVED

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 2115
Part of Gov't. Lot 5 of Fractional Sec. 29, T.18N., R.14E., Town of
Rushford, Winnebago County, Wisconsin.

CERTIFICATE OF TOWN TREASURER

I, Donna Kirk, being the duly elected, qualified and acting town treasurer of the town of Rushford, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or unpaid special assessments as of 11/13/89 on any of the land included in the Certified Survey Map shown hereon.

STATE OF WISCONSIN) SS
WINNEBAGO COUNTY)

Date

11/13/89

Donna R. Kirk
Town Treasurer

COUNTY TREASURER'S CERTIFICATE

I, Ruth Bradley, being the duly elected, qualified and acting treasurer of the county of Winnebago, do hereby certify that the records in my office show no unredeemed tax sales and no unpaid taxes or special assessments as of 11/13/89 affecting the lands included in the Certified Survey Map shown hereon.

STATE OF WISCONSIN) SS
WINNEBAGO COUNTY)

Date

11/13/89

Ruth H. Bradley
Treasurer

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE


This Certified Survey Map of part of Gov't. Lot 5 of Frac. Sec. 29, T.18N., R.14E., Town of Rushford, is hereby approved.

December 12, 1989
Date

Joanette Diskoff
Authorized signature

Robert H. Saylor
Robert H. Saylor S-1894
Wisconsin Registered Land Surveyor
July 28, 1989

735167



Register's Office
Winnebago County, Wis.
Received for record this 12th
day of Dec. A.D., 1989
at 11:32 o'clock A.M. and
filed in Vol. 4 of C.S.M.
on page 2115
Maryanne Adams
Register of Deeds

Sheet 3 of 3 sheets

SAYLER SURVEY, INC.

WINNECONNE, WI.

Pd.
8.00

Dennis Craig

PLAT OF SURVEY

BEING A PART OF LOT 1 IN WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1536 BOUNDED AND DESCRIBED AS FOLLOWS;
 COMMENCING AT THE N.W. CORNER OF SAID LOT (ALSO THE N.W. CORNER OF SECTION 29), THENCE SOUTH 89-11-54 EAST ALONG THE NORTH LINE OF SAID LOT 309.84 FT., THENCE SOUTH 84-11-24 EAST 450.10 FT., THENCE SOUTH 16-15-06 EAST 491.83 FT., THENCE SOUTH 19-34-15 EAST 371.51 FT., THENCE SOUTH 15-01-05 EAST 457.26 FT., THENCE SOUTH 18-14-08 EAST 200.00 FT. TO A POINT ON THE NORTHERLY RIGHT OF WAY LINE OF EUREKA LOCK ROAD, THENCE SOUTH 71-45-52 WEST ALONG SAID LINE 209.85 FT., THENCE SOUTHWESTERLY 204.21 FT. ALONG SAID LINE AND THE ARC OF A CURVE WHOSE CENTER LIES TO THE SOUTHEAST WHOSE RADIUS IS 604.14 FT. AND WHOSE CHORD BEARS SOUTH 62-05-08 WEST 203.24 FT., THENCE SOUTH 52-24-25 WEST ALONG SAID LINE 410.05 FT., THENCE SOUTHWESTERLY 123.94 FT. ALONG SAID LINE AND THE ARC OF A CURVE WHOSE CENTER LIES TO THE SOUTHEAST WHOSE RADIUS IS 292.30 FT. AND WHOSE CHORD BEARS SOUTH 40-03-48 WEST 124.97 FT. TO A POINT ON THE WEST LINE OF THE N.W. 1/4 OF SECTION 29, THENCE NORTH 00-28-44 EAST ALONG SAID WEST LINE 2326.02 FT. TO THE POINT OF COMMENCEMENT ALL IN THE N.W. 1/4 OF SECTION 29, T18N, R14E, TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN. SAID PARCEL CONTAINS 1076.922 SQUARE FEET (24.7227 ACRES).

JANUARY 12, 1988


SURVEY FOR STEVE HELMUTH

SURVEY NO. 1181

OCTOBER 31, 1989

REVISED BOUNDARY

- ——— DENOTES 1 INCH DIAMETER IRON PIPE FOUND.
- ——— DENOTES INCH DIAMETER IRON PIPE, 24" LONG SET.
- ——— DENOTES 3/4 INCH DIAMETER STEEL ROD SET, WEIGHING NOT LESS THAN 100 LBS PER LINEAL FOOT.



SURVEYOR'S CERTIFICATE

I, REINHARD H. W. ROEHLIG, Registered Land Surveyor No. S-1368, hereby certify: That I have surveyed the property described hereon and that the above map is a true representation thereof and shows the size and location of the property, its exterior boundaries, the location and dimensions of all visible structures thereon, fences, apparent easements, roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the property, and also those who purchase, mortgage, or guarantee the title thereto within one (1) year from the date hereof, and as to them I certify the accuracy of said survey and map.


SCHULER & ASSOCIATES

320 W. Northland Ave. 2530 W. 20th Ave.
 Appleton, WI. 54912 Oshkosh, WI. 54904
 (414) 734-9107 (414) 424-2800

REGISTERED LAND SURVEYOR

DATE



10/31/89



Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 2011
 Part of Gov't. Lot 5 of Fractional Sec. 29, T.18N., R.14E., Town of
 Rushford, Winnebago County, Wisconsin

Bearings are referenced to the West line of the NE $\frac{1}{4}$ of Sec. 29, assumed
 to bear S.00°17'36"E.



Calvin W. Hawksworth
 Calvin W. Hawksworth S-1290
 Wisconsin Registered Land Surveyor
 September 14, 1988

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

This Certified survey map of part of Gov't. Lot 5 of Frac. Sec. 29,
 T.18N., R.14E., Town of Rushford is hereby approved.

May 17, 1989
 Date

Janette Dickhoff
 Authorized signature

Sheet 1 of 1 sheets



Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 2011
Part of Gov't. Lot 5 of Fractional Sec. 29, T.18N., R.14E., Town of
Rushford, Winnebago County, Wisconsin.


SURVEYOR'S CERTIFICATE

I, Calvin W. Hawksworth, registered land surveyor, hereby certify:
That I have surveyed, divided and mapped the parcel of land located
in part of Gov't. Lot 5 of Fractional Sec. 29, T.18N., R.14E., Town of
Rushford, Winnebago County, Wisconsin, described as follows: Beginning
at an iron pipe that is 1946.70 ft., S.00°17'36"E. and 1615.82 ft.,
S.87°18'21"E. and 132.00 ft., N.01°41'03"W. and 417.11 ft., N.88°18'57"E.
of the North 1/4 corner of said Sec. 29. From that point running
N.08°39'53"W., 317.18 ft., thence N.88°18'57"E., 147.52 ft., thence
S.01°41'03"E., 415.36 ft. to the center line of Eureka Lock Road, thence
S.73°37'17"W., 12.30 ft., thence 99.52 ft. along the arc of a curve whose
chord bears 3.75°58'28.5"W., 99.49 ft., thence N.01°39'04"W., 125.08 ft.
to the said point of beginning. Being a parcel of land of 1.213 acres,
more or less. Subject to all restrictions and easements of record.

That I have made such survey, land divisions and map by the direction
of Douglas Nick, 720 Wisconsin St., Oshkosh, WI. 54901; that such map is
a true and correct representation of the exterior boundaries of the land
surveyed.

That I have fully complied with the provisions of Sec. 236.34 of
the Wisconsin Statutes and the Winnebago County Subdivision Ordinance
in surveying, dividing and mapping the same.

Calvin W. Hawksworth
Calvin W. Hawksworth S-1290
Wisconsin Registered Land Surveyor
September 14, 1988

**OWNER'S CERTIFICATE**

As owner(s), I(we) hereby certify that I(we) caused the land de-
scribed on this certified survey map to be surveyed, divided and mapped
as represented hereon.

Dennis H. Craig
Dennis H. Craig, owner
8954 Eureka Lock Rd.
Omro, WI. 54963

Alexandria J. Craig
Alexandria J. Craig, owner
8954 Eureka Lock Rd.
Omro, WI. 54963

STATE OF WISCONSIN) SS
WINNEBAGO COUNTY)

Personally came before me this 6 day of February,
1988, the above named owner(s) to me known to be the person(s) who
executed the foregoing instrument and acknowledged the same.

Marion Campbell
Notary Public, WI.

My commission expires June 17, 1990 722424

Sheet 2 of 2 sheets

SAYLER SURVEY, INC.

WINNECONNE, WI.

Register's Office
Winnebago County, Wis.
Received for record this 17th
day of May A.D., 19 89
at 12:02 o'clock P.M. and
filed in Vol. 1 of CSM
on page 2014
Register of Deeds

Pd
6

N.E. CORNER
SECTION 30-18-14

EAST LINE N.E. 1/4
SECTION 30

3.5

320.35

727

29.8

27.4

N. LINE OF S.E. 1/4
OF N.E. 1/4 SEC. 30

23

26.9


27

N.E. COR. OF
S.E. 1/4 OF N.E. 1/4
OF SECTION 30

CENTERLINE
OF 16' WIDE PATH

SCALE 1" = 60'

33' (12 ROD) WIDE STRIP
DESCRIBED IN ENTRY NO. 41
OF ABSTRACT NO. 12,967



SCHULER & ASSOCIATES

CONSULTING ENGINEERS & LAND SURVEYORS
 520 W. NORTHLAND AVE. APPLETON, WIS. 54911 (414) 734-3107
 2530 W. 20TH AVE. OSHKOSH, WIS. 54804 (414) 426-1800

N.W. 1/4 SECTION 29, T18N, R14E
 AND
 NE. 1/4 SECTION 30, T18N, R14E
 FENCE AND PATH LOCATIONS FOR
 JAMES SOBIESKI

DATE 11-17-88
 SCALE 1" = 60'
 JOB NO. 88-1355
 CHECKED
 DRAWN

REVISIONS

BY

Survey For Arnold Ellis:

Heading For Parcel # 1 & # 2


That Part Of Sec. 29-18-14 In The Town Of Rushford, Winnebago County, Wis.
Described As Follows: That Part Of The S.E. 1/4 Of The S.E. 1/4 Of Sec. 29-18-14
Described As Follows:

Description For Parcel # 1

The North 100.0 ft. Of The South 592.36 ft. Of The East 246.5 ft. Of The
S.E. 1/4 Of The S.E. 1/4 Of Sec. 29-18-14.

Description For Parcel # 2

Commencing At The South East Corner Of Sec. 28-18-14, Thence North Along The
East Line Of Sec. 29 A Distance Of 592.36 ft. To The Place Of Beginning;
Thence North Along Said East Line 152.5 ft., Thence N. 76° 45' W. To The Creek
Thence Southeasterly Along Creek To A Point 246.5 ft. Due West Of Place Of
Beginning, Thence Due East To The Place Of Beginning.



Iron Stakes Shown Thus **

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
Oct. 25, 1963

Survey For E. Tanner & John Freund Realtor

Description For Parcel # 1


That Part Of The W.1/2 Of The N.W.1/4 Of Sec. 29-18-10, Town Of Rushford, Winnebago County, Wis. Bounded & Described As follows:
Commencing At A Point Where The East Line Of The S.W.1/4 Of The N.W.1/4 Intersects The Centerline Of The Eureka Lock Road, Thence S. 73° 50' W. Along The Centerline Of Said Road, 215.5 ft. To The Place Of Beginning; Thence Northerly At A Right Angle To Said Road, 233.0 ft., Thence Westerly, Parallel With Said Road, 375.0 ft., Thence Southerly, 233.0 ft. To A Point On The Centerline Of Said Road That Is 375.0 ft. West Of The Place Of Beginning, Thence N. 73° 50' E. Along The Centerline Of Said Road, 375.0 ft. To The Place Of Beginning. Said Parcel Contains 2.0 Acres More Or Less Except A Portion Used For Road Purposes.



TOWN OF RUSHFORD

SEC. 29-18-10
W.1/2 OF N.W.1/4
S.W.1/4 OF N.W.1/4

TANNER FARM





PARCEL # 1.
2.0 ACRES ±

Scale
1" = 100'

Iron Stakes Shown Thus - -

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
July 21, 1972

PART OF GOV'T. LOTS 5 & 6 OF SEC. 29, T.18N., R.14E.,
TOWN OF RUSHFORD, WINNEBAGO CO., WI.



- = Existing monuments
- = 2 x 30" iron pipe set
- = 1 x 30" iron pipe set
- ⊙ = reference caps or RR spikes
- ⊙ = Benishen or Harrison monuments
- x --- x = fence
- () = recorded as
- = stone monument

I hereby certify that I have reviewed the above map as shown, according to official records and that the map above drawn is an accurate and correct representation of said property.

JUNE 13, 1921

William M. Henschel
Wisconsin Registered Land Surveyor S-1290

Sayler
[] survey, inc. []

139A WEST MAIN, BOX 252, WINNECONNE, WI 54985

SCALE 1 IN. = 200 FT.
PROJECT NO. S-002349
FIELD BOOK 56 PAGE 10

Plat of Survey

ELEVATION MAP- SEC. 29-18-14- WINNEBAGO CO.

CLIENT:
JOHN HOLLOWAY
W 267 HWY. "P"
RANDOLPH, WI.
53956

100 YR. FLOOD ELEV:
755.15- U.S.G.S.

B.M. ON HICKORY TREE
ON CRAIG PROPERTY
1250.1' EAST OF EAST
PROPERTY LINE-
EL. 762.08

PROPERTY LINES ACCORDING
TO SURVEY OF 6-27-86

LEGEND

- = Existing monuments
- = 2" x 30' iron pipe set
- = 1" x 30' iron pipe set
- ⊙ = reference caps or RR spikes
- ⊙ = Bernsten or Harrison monuments
- x--x = fence
- () = recorded as
- [] = stone monument



SURVEYORS CERTIFICATE


I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. **NOVEMBER 4, 1992**

Calvin W. Hawke
Wisconsin Registered Land Surveyor S-12.

Savler
Survey, Inc.


139A WEST MAIN, BOX 252, WINNECONNE, WI 54986

SCALE 1 IN. = 100 FT.
PROJECT NO. ES-002061
FIELD BOOK 65 PAGE 41



Plat of Survey


PART OF THE E1/2 OF THE NE1/4 OF GOV'T LOT 5 OF
SEC. 29, T.18N., R.14E., TOWN OF RUSHFORD, WINNEBAGO CO., WI.



SHEET 1 OF 2 SHEETS

LEGEND

- = Existing monuments
- = 2" x 30" iron pipe set
- = 1" x 30" iron pipe set
- ⊙ = reference caps or RR spikes
- ⊙ = Bernsten or Harrison monuments
- x—x = fence
- () = recorded as
- = stone monument



SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. FEBRUARY 15, 1993

Calvin W. Hawke
Wisconsin Registered Land Surveyor S-1290

Sawyer
Survey, Inc.

139A WEST MAIN, BOX 252, WINNECONNE, WI 54986

SCALE 1 IN. = 100 FT.
PROJECT NO. S-002638
FIELD BOOK 67 PAGE 38

Plat of Survey

PART OF THE E 1/2 OF THE NE 1/4 OF GOV'T LOT 5 OF SEC. 29, T.18N., R.14E.,
TOWN OF RUSHFORD, WINNEBAGO CO., WI.

CLIENT: PAT KAHER
3323 CO. RD. "X"
OMRO, WI 54963

LEGAL DESCRIPTION:

All that part of the E 1/2 of the NE 1/4 of Government Lot 5 of Sec. 29, T.18N., R.14E., Town of Rushford, Winnebago County, Wisconsin, described as follows:
Beginning at the SE corner of Lot 1 of Winnebago County Certified Survey Map 211.
From that point running N.00°00'00"E., 415.39 ft. (recorded as N.01°41'03"W., 415.36 ft.), thence N.90°00'00"W., (recorded as S.18°18'57"W.) 30.06 ft., thence N.00°00'00"E., 310.87 ft., thence S.90°00'00"E., 412.20 ft., thence S.00°00'00"W., 260.12 ft., thence N.90°00'00"W., 56.01 ft., thence S.01°16'17"E., 377.64 ft., thence S.75°10'00"W., 346.04 ft. to the said point of beginning. Being a parcel of land of 5.7 acres. Reserving therefrom that portion within the right of way of Eureka Lock Road presently used for road purposes. Subject to all easements and restrictions of record.

Sheet 2 of 2 sheets

LEGEND

- = Existing monuments
- = 2" x 30" iron pipe set
- = 1" x 30" iron pipe set
- = reference caps or RR spikes
- ⊙ = Bernsten or Harrison monuments
- X—X = fence
- () = recorded as
- = stone monument



SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. FEBRUAR 15, 1993

Calvin W. Hawksworth
Wisconsin Registered Land Surveyor S-1290

Saylor
survey, inc.

139A WEST MAIN, BOX 252,

WINNECONNE, WI 54986

SCALE _____
PROJECT NO. S-002638
FIELD BOOK 67 PAGE 38

NO. 3774

CERTIFIED SURVEY MAP NO.

SHEET 7 OF 4

BEING A RE-DIVISION OF LOT 1 IN CERTIFIED SURVEY MAP NO. 1536, IN PARTS OF THE N.E. 1/4, N.W. 1/4, S.E. 1/4 AND S.W. 1/4 OF THE N.W. 1/4 OF SECTION 29, T18N, R14E, TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN.

BEARINGS ARE REFERENCED TO THE WEST LINE OF THE N.W. 1/4 OF SECTION 29 WHICH IS ASSUMED TO BEAR NORTH 00°28'30"00 EAST.





DISTANCES ARE MEASURED TO THE NEAREST HUNDRETH OF A FOOT.

- DENOTES 3/4 INCH DIAMETER IRON REBAR 24 INCHES LONG, WEIGHING NOT LESS THAN 1.13 LBS PER LINEAL FOOT SET.

- DENOTES 1 INCH DIAMETER IRON PIPE FOUND. (UNLESS NOTED)

- () DENOTES RECORD DIMENSIONS WHERE DIFFERENT FROM ACTUAL MEASUREMENTS.

- DENOTES APPROXIMATE WETLAND LIMITS PER WINNEBAGO G.I.S. MAPPING.



REVISED APRIL 24, 2001
REVISED APRIL 13, 2001
MARCH 8, 2001

ROEHLIG

**LAND SURVEYING
&
CONSULTING LTD.**

A Division of R.A. Smith and Associates

4041 State Road 91 • Oakton, WI • 54904

(92C) 233-1284

NO. 3774

NO. 3774

CERTIFIED SURVEY MAP NO. 4801 SHZET 2 OF 4

BEING A RE-DIVISION OF LOT 1 IN CERTIFIED SURVEY MAP NO. 1536, IN PARTS OF THE N.E. 1/4, N.W. 1/4, S.E. 1/4 AND THE S.W. 1/4 OF THE N.W. 1/4 OF SECTION 29, T18N, R14E, IN THE TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN.

**SURVEYORS CERTIFICATE
STATE OF WISCONSIN)**

:SS

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Registered Land Surveyor do hereby certify;

THAT I have surveyed, divided and mapped A re-division of lot 1 in Certified Survey Map No. 1536 in parts of the N.E. 1/4, N.W. 1/4, S.E. 1/4 and the S.W. 1/4 of the N.W. 1/4 of Section 29, T18N, R14E, in the Town of Rushford, Winnebago County, Wisconsin, which is bounded and described as follows;


COMMENCING AT THE W. 1/4 CORNER OF SAID SECTION, THENCE NORTH 00°28'38" EAST ALONG THE WEST LINE OF SAID 1/4 SECTION 2637.88 FT. TO THE N.W. CORNER OF SAID SECTION, THENCE SOUTH 89°12'30" EAST ALONG THE NORTH LINE OF SAID 1/4 SECTION 309.84 FT. TO THE POINT OF BEGINNING OF THE PARCEL TO BE DESCRIBED, THENCE CONTINUING SOUTH 89°12'30" EAST ALONG SAID LINE 1006.98 FT., THENCE SOUTH 00°12'39" WEST 556.01 FT., THENCE SOUTH 89°22'41" EAST 606.02 FT., THENCE SOUTH 00°10'56" WEST 998.21 FT. TO A POINT ON THE NORTH LINE OF EUREKA LOCK ROAD, THENCE NORTH 69°30'01" WEST ALONG SAID LINE 202.56 FT., THENCE NORTHWESTERLY 307.14 FT. ALONG SAID LINE AND THE ARC OF A CURVE WHOSE CENTER LIES TO THE SOUTH AND WHOSE RADIUS IS 454.59 FT. AND WHOSE CHORD BEARS NORTH 88°51'21" WEST 301.33 FT., THENCE SOUTH 71°47'19" WEST ALONG SAID LINE 321.23 FT. TO THE S.W. CORNER OF UNPLATTED LANDS, THENCE NORTH 18°15'09" WEST 200.25 FT., THENCE SOUTH 71°43'50" WEST 375.32 FT. TO A POINT ON THE EAST LINE OF LANDS DESCRIBED IN DOCUMENT NO. 695270 SCHEDULE A, THENCE NORTH 14°58'59" WEST ALONG SAID LINE 457.29 FT., THENCE NORTH 19°34'21" WEST ALONG SAID LINE 371.43 FT., THENCE NORTH 16°14'33" WEST ALONG SAID LINE 401.43 FT., THENCE NORTH 04°44'27" WEST ALONG SAID LINE 450.10 FT. TO A POINT ON THE NORTH LINE OF SAID 1/4 SECTION AND THE POINT OF BEGINNING.

THAT this Certified Survey Map is contained wholly within the property described in the following record instrument(s): Document No. 0719163.

THAT I have made this survey by the direction of Steve Helmuth, owner of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.



Reinhard Roehlig
Reinhard Roehlig, Registered
Wisconsin Land Surveyor S-1368

NO. 3774

CERTIFIED SURVEY MAP NO. 4801

SHEET 3 OF 4

BEING A RE-DIVISION OF LOT 1 IN CERTIFIED SURVEY MAP NO. 1536, IN PARTS OF THE N.E. 1/4, N.W. 1/4, S.E. 1/4 AND THE S.W. 1/4 OF THE N.W. 1/4 OF SECTION 29, T18N, R14E, IN THE TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN.

OWNERS CERTIFICATE

AS OWNER, I hereby certify that I caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hand and seal of said Owner this 16 day of May, 2001.

Steve Helmuth
Steve Helmuth

STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

PERSONALLY came before me this 16 day of May, 2001 the aforementioned Steve Helmuth, to me known to be the person who executed the foregoing instrument and acknowledged the same.

Alexandria J. Craig
Notary Public, Winnebago
County, State of Wisconsin

My Commission Expires 07-22-2001

COUNTY TREASURERS CERTIFICATE

I, Diana M. Hellmann, being the duly elected, qualified and acting treasurer for Winnebago County, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or unpaid special assessments as of 5-18-01 on any land included in this Certified Survey Map.

Date 5-18-01


Treasurer Diana M. Hellmann
Deputy

TOWN TREASURERS CERTIFICATE

I, Kathryn Lewis, being the duly elected, qualified and acting treasurer for the Town of Rushford, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or unpaid special assessments as of May 14, 2001 on any land included in this Certified Survey Map.

Date May 14, 2001

Treasurer Kathryn Lewis



NO. 3774

CERTIFIED SURVEY MAP NO. 4801 SHEET 4 OF 4

BEING A RE-DIVISION OF LOT 1 IN CERTIFIED SURVEY MAP NO. 1536, IN PARTS OF THE N.E. 1/4, N.W. 1/4, S.E. 1/4 AND THE S.W. 1/4 OF THE N.W. 1/4 OF SECTION 29, T18N, R14E, IN THE TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN.

WINNEBAGO COUNTY PLANNING COMMISSION
CERTIFICATE OF APPROVAL

This Certified Survey Map of a re-division of lot 1 in Certified Survey Map No. 1536 in parts of the N.E. 1/4, N.W. 1/4, S.E. 1/4 and the S.W. 1/4 of the N.W. 1/4 of Section 29, T18N, R14E, in the Town of Rushford, Winnebago County, Wisconsin, is hereby approved.

June 27, 2001
Date

[Signature]
County Planning Commission
Representative

OWNERS CERTIFICATE

AS OWNER, I hereby certify that I caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hand and seal of said Owner this 7 day of JUNE, 2001.

[Signature]
Kenneth Helmuth

STATE OF WISCONSIN)

188

WINNEBAGO COUNTY)

PERSONALLY came before me this 7 day of JUNE 2001 the aforementioned Kenneth Helmuth, to me known to be the person who executed the foregoing instrument and acknowledged the same.

[Signature]
Notary Public, Winnebago
County, State of Wisconsin

My Commission Expires 07-22-01

THIS DOCUMENT WAS DRAFTED BY
MARK REINSCH.



1134600
REGISTER'S OFFICE
WINNEBAGO COUNTY, WI
RECORDED ON
06-22-2001 03:40 PM
SUSAN WINNINGSHOFF
REGISTER OF DEEDS
RECORDING FEE 16.00
TRANSFER FEE 4
OF PAGES 4

[Handwritten signature]

143 5000
Cousins
August 13, 1907




CERTIFIED SURVEY MAP NO. 5101

PART OF GOVERNMENT LOT 5 LOCATED IN PART OF THE NORTHEAST 1/4 AND PART OF THE SOUTHEAST 1/4 OF SECTION 29, TOWNSHIP 18 NORTH, RANGE 14 EAST, TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN.


DESCRIPTION OF 12' WIDE INGRESS/EGRESS EASEMENT:

CENTERLINE OF 12' INGRESS/EGRESS EASEMENT FOR THE BENEFIT OF LOTS 1 & 2 DESCRIBED AS FOLLOWS:
COMMENCING AT THE NORTHWEST CORNER OF LOT 2, THENCE SOUTH 07 DEGREES 00 MINUTES 00 SECONDS EAST 420.00 FEET, TO THE POINT OF BEGINNING; THENCE SOUTH 22 DEGREES 00 MINUTES 00 SECONDS EAST 50.00 FEET; THENCE SOUTH 10 DEGREES 00 MINUTES 00 SECONDS EAST 118.00 FEET; THENCE SOUTH 25 DEGREES 00 MINUTES 00 SECONDS WEST 120.00 FEET; THENCE SOUTH 20 DEGREES 00 MINUTES 00 SECONDS WEST 82.00 FEET; THENCE SOUTH 09 DEGREES 00 MINUTES 00 SECONDS WEST 55.00 FEET; THENCE NORTH 88 DEGREES 00 MINUTES 00 SECONDS EAST 100.00 FEET, TO ITS TERMINATION POINT.



CURVE DATA

Curve	Radius	Delta	Length	Chord Bearing	Chord
1	1210.96'	19°13'00"	406.15'	N84°46'50.0"E	404.25'
2	1243.96'	10°24'28"	225.97'	N89°11'05.0"E	225.65'
3	1243.96'	8°49'11"	191.49'	N79°34'15.5"E	191.30'



LEGEND

- 1-1/4" O.D. IRON PIPE SET, 24" LONG, WEIGHING 1.130 LBS. PER LIN. FOOT
- 1-1/4" O.D. IRON PIPE FOUND
- ⬢ GOVERNMENT CORNER
- FENCE LINE
- () RECORDED AS

FOX RIVER

SURVEY FOR:
DENNIS CRAIG
P.O. BOX 33
EUREKA, WI 54934



Andrew J. Shie
August 23, 2002

Martenson & Eisele, Inc.

Planning - Surveying - Engineering - Architecture

109 W. Main St., Omro, WI 54963

Phone (920) 685-6240 Fax (920) 685-6340

www.martenson-eisele.com

Email meomro@charter.net

PROJECT NO. 0-0851-001

FIELD BOOK SDR/FILE

FILE 0851001CSM.DWC SHEET 1 OF 3

This instrument was drafted by: AJS




CERTIFIED SURVEY MAP NO. 5101

PART OF GOVERNMENT LOT 5 LOCATED IN PART OF THE NORTHEAST 1/4 AND PART OF THE SOUTHEAST 1/4 OF SECTION 29, TOWNSHIP 18 NORTH, RANGE 14 EAST, TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN.


DESCRIPTION OF 12' WIDE INGRESS/EGRESS EASEMENT:

CENTERLINE OF 12' INGRESS/EGRESS EASEMENT FOR THE BENEFIT OF LOTS 1 & 2 DESCRIBED AS FOLLOWS:
COMMENCING AT THE NORTHWEST CORNER OF LOT 2; THENCE SOUTH 07 DEGREES 00 MINUTES 00 SECONDS EAST 420.00 FEET, TO THE POINT OF BEGINNING; THENCE SOUTH 22 DEGREES 00 MINUTES 00 SECONDS EAST 50.00 FEET; THENCE SOUTH 10 DEGREES 00 MINUTES 00 SECONDS EAST 118.00 FEET; THENCE SOUTH 25 DEGREES 00 MINUTES 00 SECONDS WEST 120.00 FEET; THENCE SOUTH 20 DEGREES 00 MINUTES 00 SECONDS WEST 82.00 FEET; THENCE SOUTH 09 DEGREES 00 MINUTES 00 SECONDS WEST 65.00 FEET; THENCE NORTH 88 DEGREES 00 MINUTES 00 SECONDS EAST 100.00 FEET, TO ITS TERMINATION POINT



CURVE DATA

Curve	Radius	Delta	Length	Chord Bearing	Chord
1	1210.96'	19°13'00"	406.15'	N84°46'50.0"E	404.25'
2	1243.96'	10°24'28"	225.97'	N89°11'05.0"E	225.65'
3	1243.96'	8°49'11"	191.49'	N79°34'15.5"E	191.30'




LEGEND

- 1-1/4" O.D. IRON PIPE SET, 24" LONG, WEIGHING 1.130 LBS. PER LIN. FOOT
- 1-1/4" O.D. IRON PIPE FOUND
- GOVERNMENT CORNER
- FENCE LINE
- RECORDED AS

FOX RIVER

SURVEY FOR:
DENNIS CRAIG
P.O. BOX 33
EUREKA, WI 54934



Andrew J. Shie
August 23, 2002



Martenson & Eisele, Inc.

Planning - Surveying - Engineering - Architecture

109 W. Main St., Omro, WI 54963

Phone (920) 685-6240 Fax (920) 685-6340

www.martenson-eisele.com

Email meomro@charter.net

PROJECT NO. 0-0851-001

FIELD BOOK SDR/FILE

FILE 0851001CSM.DWG SHEET 1 OF 3

This instrument was drafted by: AJS

Certified Survey Map No 5101

SURVEYOR'S CERTIFICATE

I, Andrew J. Shie, Registered Land Surveyor, do hereby certify

That I have surveyed, divided and mapped, at the direction of Lincoln Creek, part of Government Land 5 and 6 located in part of the Northeast 1/4 and part of the Southeast 1/4 of Section 29, Township 18 North, Range 14 East, Town of Rushford, Winnebago County, Wisconsin described as follows:


Commencing at the Northeast corner of said Section 29, thence South 00 degrees 00 minutes 00 seconds West 1861.66 feet, along the East line of the Northeast 1/4 of said Section 29, thence South 33 degrees 10 minutes 00 seconds West 277.91 feet, along the centerline of Litcha Lock Road, to the point of beginning, thence South 37 degrees 04 minutes 19 seconds East 161.89 feet, as described in Document 577933, thence North 33 degrees 10 minutes 00 seconds East 1861.66 feet, as described in Document 577933, thence South 00 degrees 00 minutes 00 seconds West 204.89 feet, along the East line of lands described in Document 577933, to a meander corner being North 00 degrees 00 minutes 00 seconds East 36 feet more or less from the shore of the Fox River, thence South 43 degrees 34 minutes 41 seconds West 376.65 feet, along a meander line to a meander corner being North 07 degrees 00 minutes 00 seconds West 31 feet more or less from the shore of the Fox River, thence South 89 degrees 11 minutes 29 seconds West 276.39 feet, along a meander line to a meander corner being North 07 degrees 00 minutes 00 seconds West 31 feet more or less from the shore of the Fox River, thence North 88 degrees 00 minutes 00 seconds West 161.12 feet, along a meander line to a meander corner being 12 feet more or less from the shore of the Fox River, thence North 01 degrees 22 minutes 22 seconds East 104.94 feet, along the East line of Document 577933 thence North 01 degrees 19 minutes 18 seconds West 558.67 feet, along the East line of Document 577933 thence South 85 degrees 38 minutes 10 seconds East 81.41 feet, along the centerline of Litcha Lock Road, thence along an arc of a curve to the left 406.15 feet, having a radius of 1210.96 feet, whose chord bears North 88 degrees 46 minutes 50 seconds East 404.23 feet, thence North 33 degrees 19 minutes 00 seconds East 207.74 feet, along the centerline of Litcha Lock Road, to the point of beginning.

That I have fully complied with Chapter 236.14 of the Wisconsin Statutes in surveying, dividing, and mapping the same and the Town of Rushford, and Winnebago County, Wisconsin Ordinance.

This map is a correct representation of all of the existing boundaries of land surveyed and the divisions thereof.

Given under my hand this 23rd day of August, 2003.

Andrew J. Shie
Andrew J. Shie, Reg. WI Land Surveyor, 57101



OWNERS CERTIFICATE

As owners we, the undersigned, hereby certify that we caused the land above described to be surveyed, divided and mapped and dedicated to the public all as shown and represented on this map.

Permis H. Craig, Jr. (Date) Alexander J. Craig (Date)

State of Wisconsin)
Winnebago County)

Personally came before me on the 27th day of August, 2003, the above named persons and acknowledged to be the persons who executed the foregoing instrument and acknowledge the same.

My Commission Expires 12/31/07

Certified Survey Map No. 5101

Certificate of Planning Committee:

Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This Subdivision was approved by the Winnebago County Planning and Zoning Committee on July 23, 2002 by Resolution 2002-08.

[Signature]
Chairperson, Planning and Zoning Committee

Treasurer's Certificate:

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

[Signature] 9-3-02 *[Signature]* 9/6/02
Town Treasurer Date County Treasurer Date

Town Board Approval:

We hereby certify that the Town of Rushford has reviewed and approved this certified survey map.

[Signature] 9/6/02 *[Signature]* 9-3-02
Town Chairman Date Town Clerk Date

This CSM is contained wholly within the property described in the following recorded instrument:

Owner(s) of record
Dennis H. & Alexandra J. Craig

Document(s)
972911

Parcel Number(s)
972901101



[Signature]
August 23, 2002


[Signature]

1. RECORD
2. OFFICE
3. COUNTY
4. TOWN
5. RECORD
6. OFFICE
7. COUNTY
8. TOWN
9. RECORD
10. OFFICE
11. COUNTY
12. TOWN
13. RECORD
14. OFFICE
15. COUNTY
16. TOWN
17. RECORD
18. OFFICE
19. COUNTY
20. TOWN
21. RECORD
22. OFFICE
23. COUNTY
24. TOWN
25. RECORD
26. OFFICE
27. COUNTY
28. TOWN
29. RECORD
30. OFFICE
31. COUNTY
32. TOWN
33. RECORD
34. OFFICE
35. COUNTY
36. TOWN
37. RECORD
38. OFFICE
39. COUNTY
40. TOWN
41. RECORD
42. OFFICE
43. COUNTY
44. TOWN
45. RECORD
46. OFFICE
47. COUNTY
48. TOWN
49. RECORD
50. OFFICE
51. COUNTY
52. TOWN
53. RECORD
54. OFFICE
55. COUNTY
56. TOWN
57. RECORD
58. OFFICE
59. COUNTY
60. TOWN
61. RECORD
62. OFFICE
63. COUNTY
64. TOWN
65. RECORD
66. OFFICE
67. COUNTY
68. TOWN
69. RECORD
70. OFFICE
71. COUNTY
72. TOWN
73. RECORD
74. OFFICE
75. COUNTY
76. TOWN
77. RECORD
78. OFFICE
79. COUNTY
80. TOWN
81. RECORD
82. OFFICE
83. COUNTY
84. TOWN
85. RECORD
86. OFFICE
87. COUNTY
88. TOWN
89. RECORD
90. OFFICE
91. COUNTY
92. TOWN
93. RECORD
94. OFFICE
95. COUNTY
96. TOWN
97. RECORD
98. OFFICE
99. COUNTY
100. TOWN

Certified Survey Map No. 5101

Certificate of Planning Committee:

Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This Minor Subdivision was approved by the Winnebago County Planning and Zoning Committee on 20th day of September, 20 02.


Chairperson, Planning and Zoning Committee

Treasurer's Certificate:

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

Gathryn Adams 9-3-02 Mary Krueger 9/6/02
Town Treasurer Date County Treasurer Date


Town Board Approval:

We hereby certify that the Town of Rushford has reviewed and approved this certified survey map.

Thomas J. Egan 9/3/02 Susan E. Carpenter 9-3-02
Town Chairperson Date Town Clerk Date

This CSM is contained wholly within the property described in the following recorded instruments:

Owner(s) of record	Document(s)	Parcel Number(s)
Dennis H. & Alexandria J. Craig	572935	022064803



Andrew J. Shie
August 23, 2002

PLAT OF SURVEY

KNOWN AS THE N. 1/4 OF THE NE 1/4 OF THE SE 1/4 OF SECTION 28, T4N, R10E, S20W 13
MUNICIPALITY, MINNEAPOLIS COUNTY, MINNESOTA

MORE PARTICULARS: OBTAINED AS FOLLOWS:

BEGINNING AT THE N 1/4 CORNER OF SAID SECTION, NORTH 70° 00' 00" EAST ALONG THE EAST LINE OF THE N 1/4 OF SAID SECTION 88.44 FT. TO THE NE CORNER OF LOT 1 IN TOWN 22N RANGE 14E MAP NO. 1538, THENCE NORTH 88° 00' 00" WEST ALONG THE NORTH LINE OF LOT 1 AND 2 IN SAID MAP 1275.66 FT., THENCE NORTH 00° 00' 00" EAST ALONG THE EAST LINE OF LOT 1 IN SAID MAP 655.89 FT. TO A POINT ON THE NORTH LINE OF THE N 1/4 OF SAID SECTION AND THE SE CORNER OF LOT 2 IN CENTRED QUARTER MAP NO. 3071, THENCE SOUTH 88° 00' 00" EAST ALONG THE LINE 1217.34 FT. TO THE POINT OF BEGINNING, BEING A LOT CONTAINING 18.77 ACRES OF LAND, BEING SUBJECT TO ALL EXISTING EASEMENTS AND RESTRICTIONS OF RECORD.

1950年1月1日

100-443881-1



1-2-3-4-5-6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100-101-102-103-104-105-106-107-108-109-110-111-112-113-114-115-116-117-118-119-120-121-122-123-124-125-126-127-128-129-130-131-132-133-134-135-136-137-138-139-140-141-142-143-144-145-146-147-148-149-150-151-152-153-154-155-156-157-158-159-160-161-162-163-164-165-166-167-168-169-170-171-172-173-174-175-176-177-178-179-180-181-182-183-184-185-186-187-188-189-190-191-192-193-194-195-196-197-198-199-200-201-202-203-204-205-206-207-208-209-210-211-212-213-214-215-216-217-218-219-220-221-222-223-224-225-226-227-228-229-230-231-232-233-234-235-236-237-238-239-240-241-242-243-244-245-246-247-248-249-250-251-252-253-254-255-256-257-258-259-260-261-262-263-264-265-266-267-268-269-270-271-272-273-274-275-276-277-278-279-280-281-282-283-284-285-286-287-288-289-290-291-292-293-294-295-296-297-298-299-300-301-302-303-304-305-306-307-308-309-310-311-312-313-314-315-316-317-318-319-320-321-322-323-324-325-326-327-328-329-330-331-332-333-334-335-336-337-338-339-340-341-342-343-344-345-346-347-348-349-350-351-352-353-354-355-356-357-358-359-360-361-362-363-364-365-366-367-368-369-370-371-372-373-374-375-376-377-378-379-380-381-382-383-384-385-386-387-388-389-390-391-392-393-394-395-396-397-398-399-400-401-402-403-404-405-406-407-408-409-410-411-412-413-414-415-416-417-418-419-420-421-422-423-424-425-426-427-428-429-430-431-432-433-434-435-436-437-438-439-440-441-442-443-444-445-446-447-448-449-450-451-452-453-454-455-456-457-458-459-460-461-462-463-464-465-466-467-468-469-470-471-472-473-474-475-476-477-478-479-480-481-482-483-484-485-486-487-488-489-490-491-492-493-494-495-496-497-498-499-500-501-502-503-504-505-506-507-508-509-510-511-512-513-514-515-516-517-518-519-520-521-522-523-524-525-526-527-528-529-530-531-532-533-534-535-536-537-538-539-540-541-542-543-544-545-546-547-548-549-550-551-552-553-554-555-556-557-558-559-560-561-562-563-564-565-566-567-568-569-570-571-572-573-574-575-576-577-578-579-580-581-582-583-584-585-586-587-588-589-590-591-592-593-594-595-596-597-598-599-600-601-602-603-604-605-606-607-608-609-610-611-612-613-614-615-616-617-618-619-620-621-622-623-624-625-626-627-628-629-630-631-632-633-634-635-636-637-638-639-640-641-642-643-644-645-646-647-648-649-650-651-652-653-654-655-656-657-658-659-660-661-662-663-664-665-666-667-668-669-670-671-672-673-674-675-676-677-678-679-680-681-682-683-684-685-686-687-688-689-690-691-692-693-694-695-696-697-698-699-700-701-702-703-704-705-706-707-708-709-710-711-712-713-714-715-716-717-718-719-720-721-722-723-724-725-726-727-728-729-730-731-732-733-734-735-736-737-738-739-740-741-742-743-744-745-746-747-748-749-750-751-752-753-754-755-756-757-758-759-760-761-762-763-764-765-766-767-768-769-770-771-772-773-774-775-776-777-778-779-780-781-782-783-784-785-786-787-788-789-790-791-792-793-794-795-796-797-798-799-800-801-802-803-804-805-806-807-808-809-810-811-812-813-814-815-816-817-818-819-820-821-822-823-824-825-826-827-828-829-830-831-832-833-834-835-836-837-838-839-840-841-842-843-844-845-846-847-848-849-850-851-852-853-854-855-856-857-858-859-860-861-862-863-864-865-866-867-868-869-870-871-872-873-874-875-876-877-878-879-880-881-882-883-884-885-886-887-888-889-890-891-892-893-894-895-896-897-898-899-900-901-902-903-904-905-906-907-908-909-910-911-912-913-914-915-916-917-918-919-920-921-922-923-924-925-926-927-928-929-930-931-932-933-934-935-936-937-938-939-940-941-942-943-944-945-946-947-948-949-950-951-952-953-954-955-956-957-958-959-960-961-962-963-964-965-966-967-968-969-970-971-972-973-974-975-976-977-978-979-980-981-982-983-984-985-986-987-988-989-990-991-992-993-994-995-996-997-998-999-1000-1001-1002-1003-1004-1005-1006-1007-1008-1009-1010-1011-1012-1013-1014-1015-1016-1017-1018-1019-1020-1021-1022-1023-1024-1025-1026-1027-1028-1029-1030-1031-1032-1033-1034-1035-1036-1037-1038-1039-1040-1

[illegible]

1. 凡在本行开立存款账户的客户，均可向本行申请开立支票。
 2. 支票的有效期为自签发之日起 10 个工作日内。
 3. 支票的金额不得超过账户余额。
 4. 支票的签发人必须是账户持有人或其授权代理人。
 5. 支票的收款人必须是本行开户的客户。
 6. 支票的用途必须合法。
 7. 支票的签发必须符合国家的法律法规。
 8. 支票的签发必须符合本行的规章制度。

31-10

10-10-68

THE UNIVERSITY OF CHICAGO


BRILL SCHOOL ROAD 00 0 17

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED
DATE 11/19/01 BY 60322 UCBAW

THE ABOVE ARE NOT KNOWN TO THE FBI AND OF NO VALUE
IN CONNECTION WITH THE CASE. (S) (U) (C) (S) (U) (C)
BUREAU 05/21/77 FAX

[illegible]

1950年1月1日 星期一 晴



ROBILLO

LAND SURVEYING

CONSULTING LTD

A Division of A. A. Books and More

1940 Universal Film - Release VI - 1944

1984

REFERENCES

PLAT OF SURVEY

KNOWN AS THE N. 1/2 OF THE N.E. 1/4 OF THE N.W. 1/4 OF SECTION 29, T18N, R14E, TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN.


MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE N. 1/4 CORNER OF SAID SECTION, THENCE SOUTH 00°21'23" EAST ALONG THE EAST LINE OF THE N.W. 1/4 OF SAID SECTION 651.64 FT. TO THE N.E. CORNER OF LOT 2 IN CERTIFIED SURVEY MAP NO. 1536, THENCE NORTH 89°23'46" WEST ALONG THE NORTH LINE OF LOTS 1 AND 2 IN SAID MAP 1323.68 FT., THENCE NORTH 00°12'14" EAST ALONG THE EAST LINE OF LOT 1 IN SAID MAP 655.88 FT. TO A POINT ON THE NORTH LINE OF THE N.W. 1/4 OF SAID SECTION AND THE S.E. CORNER OF LOT 2 IN CERTIFIED SURVEY MAP NO. 3671, THENCE SOUTH 89°12'30" EAST ALONG SAID LINE 1317.34 FT. TO THE POINT OF BEGINNING, BEING A LOT CONTAINING 19.8171 ACRES OF LAND, BEING SUBJECT TO ALL EXISTING EASEMENTS AND RESTRICTIONS OF RECORD.

NO. 3557A

SURVEY FOR RONALD GEHRKE

MARCH 11, 2002




Surveyor's Certificate

I, Mark Reinsch, Wisconsin Registered Land Surveyor, certify that I have surveyed the above described property and that the above map is a correct representation thereof and shows the size and location of the property, its exterior boundaries, the locations and dimensions of all visible structures thereon, boundary fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the property and also those who purchase, mortgage or guarantee title thereto, within one (1) year from the date hereof.

Date _____

Mark Reinsch, Registered
Land Surveyor S-2597-008



ROEHLIG

LAND SURVEYING

&

CONSULTING LTD.

A Division of R.A. Smith and Associates

2850 Universal Street • Oshkosh WI • 54904

(920) 233-2884

NO. 3557A

CENTER OF SECTION 29. 
(SERNTSEN MONUMENT)



CERTIFIED SURVEY MAP NO. 5010

PART OF LOT 3 OF CERTIFIED SURVEY MAP 1534, BEING PART OF QUARTER SECTION 8, AND PART OF SECTION 18, TOWNSHIP 18 NORTH, RANGE 14 EAST, COUNTY OF RUSK, STATE OF TEXAS, BEING PART OF QUARTER SECTION 8, AND PART OF SECTION 18, TOWNSHIP 18 NORTH, RANGE 14 EAST, COUNTY OF RUSK, STATE OF TEXAS, BEING PART OF QUARTER SECTION 8, AND PART OF SECTION 18, TOWNSHIP 18 NORTH, RANGE 14 EAST, COUNTY OF RUSK, STATE OF TEXAS.

EUREKA LOCK ROAD

SECTION 8
TOWNSHIP 18 NORTH
RANGE 14 EAST
COUNTY OF RUSK, TEXAS

LOT 3

LOT 2

LOT 1

FOX RIVER

SECTION 8
TOWNSHIP 18 NORTH
RANGE 14 EAST
COUNTY OF RUSK, TEXAS

SECTION 8
TOWNSHIP 18 NORTH
RANGE 14 EAST
COUNTY OF RUSK, TEXAS

SECTION 8
TOWNSHIP 18 NORTH
RANGE 14 EAST
COUNTY OF RUSK, TEXAS

SECTION 8
TOWNSHIP 18 NORTH
RANGE 14 EAST
COUNTY OF RUSK, TEXAS

SECTION 8
TOWNSHIP 18 NORTH
RANGE 14 EAST
COUNTY OF RUSK, TEXAS

SECTION 8
TOWNSHIP 18 NORTH
RANGE 14 EAST
COUNTY OF RUSK, TEXAS

SECTION 8
TOWNSHIP 18 NORTH
RANGE 14 EAST
COUNTY OF RUSK, TEXAS


SECTION 8
TOWNSHIP 18 NORTH
RANGE 14 EAST
COUNTY OF RUSK, TEXAS

SECTION 8
TOWNSHIP 18 NORTH
RANGE 14 EAST
COUNTY OF RUSK, TEXAS

SECTION 8
TOWNSHIP 18 NORTH
RANGE 14 EAST
COUNTY OF RUSK, TEXAS



Martenson & Eisele, Inc.
Surveyors
1000 N. 10th St.
Ft. Worth, Texas 76101
Phone: 744-2242
Telex: 154245
Cable: M&E



SECTION 8
TOWNSHIP 18 NORTH
RANGE 14 EAST
COUNTY OF RUSK, TEXAS

Certified Survey Map No 5610

SURVEYOR'S CERTIFICATE.

I, David W. Carlson II, Registered Land Surveyor, do hereby certify:

That I have surveyed, divided and mapped, at the direction of Erik Hoffmann, part of Lot 1 of Certified Survey Map 1316, being part of Government Lot 8, and part of the Southeast 1/4 of the Northwest 1/4, Section 29, Township 18 North, Range 14 East, Town of Rushford, Winnebago County, Wisconsin, described as follows:

Beginning at the West 1/4 corner of said Section 29, thence North 91 degrees 35 minutes 33 seconds East 31 01 feet, thence South 63 degrees 30 minutes 36 seconds East 1092 63 feet, thence South 47 degrees 30 minutes 02 seconds East 219 52 feet, to a meander corner being North 47 degrees 30 minutes 02 seconds West 40 feet more or less from the waters edge of the Fox River, thence South 47 degrees 30 minutes 45 seconds West 181 17 feet, along a meander line to a meander corner being North 61 degrees 27 minutes 06 seconds West 36 feet more or less from the waters edge of the Fox River, thence South 22 degrees 54 minutes 15 seconds West 953 31 feet, along a meander line of said Fox River, thence South 51 degrees 07 minutes 41 seconds West 681 31 feet, along the North line of land described in Volume 121, Page 121, thence North 01 degrees 07 minutes 41 seconds East 579 20 feet, along the West line of Government Lot 8, thence North 62 degrees 16 minutes 13 seconds East 333 61 feet, recorded as 341 47 feet, along the South line of Tract 1 of Certified Survey Map 657, thence North 00 degrees 48 minutes 06 seconds East 592 10 feet, along the East line of Tract 1 of Certified Survey Map 657, thence South 48 degrees 07 minutes 06 seconds West 289 16 feet, recorded as 295 12 feet, along the North line of Tract 1 of Certified Survey Map 657, thence North 01 degrees 07 minutes 41 seconds East 458 33 feet, along the said West line of Government Lot 8 to the point of beginning, including all lands between the meander line and the waters edge of the Fox River.

That I have fully complied with Chapter 236.14 of the Wisconsin Statutes in surveying, dividing, and mapping the same and the Town of Rushford, and Winnebago County Subdivision Ordinances.

This map is a correct representation of all of the exterior boundaries of land surveyed and the divisions thereof.

Given under my hand this 28 day of MARCH, 2002.
David W. Carlson II
David W. Carlson II, Reg. WI Land Surveyor, S 2331



OWNERS CERTIFICATE.


As owner I, the undersigned, hereby certify that I caused the land above described to be surveyed, divided and mapped and dedicated to the public as shown and represented on this map.

Erik Hoffmann
Erik Hoffmann, Managing Member Date

State of Wisconsin)
Winnebago County)

Personally came before me on the 24 day of MAY, 2002 the above signed Erik Hoffmann to be the person who executed the foregoing instrument and acknowledged the same.


James J. Jurek
My Commission Expires 4/4/07



Certified Survey Map No. 5010

Certificate of Planning Committee:

Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This Minor Subdivision was approved by the Winnebago County Planning and Zoning Committee on 24th day of May, 2002.


Chairperson, Planning and Zoning Committee

Treasurer's Certificate:

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

Ruthann A. Lewis 4-16-02 Diana M. Hellmann 5-3-02
Town Treasurer Date County Treasurer Deputy Date


Town Board Approval:

We hereby certify that the Town of Rushford has reviewed and approved this certified survey map.

Thomas J. Egan 4/16/02 Susan Carpenter 4-16-02
Town Chairperson Date Town Clerk Date

This CSM is contained wholly within the property described in the following recorded instruments:

Owner(s) of record	Document(s)	Parcel Number(s)
Eric Hoffmann	~~118351~~	0220657
RUSHFORD HEIGHTS, LLC	118351	



1183713
REGISTER'S OFFICE
WINNEBAGO COUNTY, WI
RECORDED ON
05-28-2002 08:48 AM
Vbl. 18.50/0
SUSAN WINNINGHOFF
REGISTER OF DEEDS
RECORDING FEE 15.00
TRANSFER FEE
OF PAGES 3
pd.



CERTIFIED SURVEY MAP NO. 5011

PART OF LOT 3 OF CERTIFIED SURVEY MAP 1536, BEING PART OF GOVERNMENT LOT 8, PART OF GOVERNMENT LOT 7, AND PART OF THE SOUTHWEST 1/4 OF THE NORTHWEST 1/4, SECTION 29, TOWNSHIP 18 NORTH, RANGE 14 EAST, TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN.

NOTE:

THE WEST 1/4 CORNER OF SECTION 29, T18N-R14E, WAS REPOSITIONED IN 1989, AFTER CSM 1536 WAS PREPARED.

CURVE DATA

C-2
RADIUS = 259.30'
DELTA = 50°58'11"
ARC = 230.67'
CHORD = S 26°55'19.5" W 223.14'


C-3
RADIUS = 226.30'
DELTA = 50°58'11"
ARC = 201.31'
CHORD = S 26°55'19.5" W 194.74'

C-4
RADIUS = 571.44'
DELTA = 19°21'27"
ARC = 193.06'
CHORD = S 62°05'08.5" W 192.15'

C-5
RADIUS = 538.44'
DELTA = 19°21'27"
ARC = 181.91'
CHORD = S 62°05'08.5" W 181.05'

C-6
RADIUS = 226.30'
DELTA = 11°56'26"
ARC = 47.16'
CHORD = S 07°24'27" W 47.08'

C-7
RADIUS = 226.30'
DELTA = 39°01'45"
ARC = 154.15'
CHORD = S 32°53'32.5" W 151.19'



SURVEY FOR:


ERIC HOFFMANN
333-B MONROE AVE.,
OMRO, WI 54963

LEGEND

- SECTION LINE
- CENTERLINE OF RIGHT-OF-WAY
- 1-1/4" IRON PIPE SET, 24" LONG, WEIGHING 1.130 LBS. PER LIN. FOOT
- 3/4" REBAR FOUND
- 1-1/4" O.D. IRON PIPE FOUND
- △ 1-1/4" REBAR FOUND
- 2" IRON PIPE FOUND
- ⊗ CHISELED "X" FOUND
- ⬠ GOVERNMENT CORNER
- FENCE LINE
- () RECORDED AS

BEARINGS ARE REFERENCED TO THE WEST LINE OF GOVERNMENT LOT 8, SECTION 29, T18N-R14E, ASSUMED TO BEAR N 01°07'41" E

Scale 1 inch = 200 feet
0 100 200 400



Martenson & Eisele, Inc.

Engineering - Surveying - Planning
109 W. Main St.
Omro, WI 54963
(920) 685-6240
Fax (920) 685-6340
E-MAIL meomro@charter.net

PROJECT NO. 0-0711-002

FIELD BOOK 9 PAGE 74

FILE 0711002CSM.DWG SHEET 1 OF 3

This instrument was drafted by: DWC

8-3

Certified Survey Map No. 5011

SURVEYOR'S CERTIFICATE

I, David W. Carlson II, Registered Land Surveyor, do hereby certify:

That I have surveyed, divided and mapped, at the direction of Eric Hoffmann, part of Lot 3 of Certified Survey Map 1536, being part of Government Lot 8, part of Government Lot 7, and part of the Southwest 1/4 of the Northwest 1/4, Section 29, Township 11 North, Range 14 East, Town of Rushford, Winnebago County, Wisconsin, described as follows:

Beginning at the West 1/4 corner of said Section 29, thence North 81 degrees 25 minutes 11 seconds East 11.01 feet, thence South 62 degrees 30 minutes 56 seconds East 1092.61 feet, thence South 67 degrees 50 minutes 02 seconds East 219.52 feet, to a meander corner being North 47 degrees 58 minutes 02 seconds West 40 feet more or less from the waters edge of the Fox River, thence North 47 degrees 39 minutes 45 seconds East 216.85 feet, along a meander line to a meander corner being North 18 degrees 10 minutes 12 seconds West 24 feet more or less from the waters edge of the Fox River and Westerly 115 feet more or less from the centerline of a navigable intermittent stream, thence North 04 degrees 12 minutes 06 seconds West 214.71 feet, along a meander line to a meander corner being Westerly 30 feet more or less from the centerline of a navigable intermittent stream, thence North 18 degrees 48 minutes 16 seconds West 759.96 feet, along a meander line to a meander corner being Westerly 30 feet more or less from the centerline of a navigable intermittent stream, thence North 18 degrees 22 minutes 42 seconds West 438.71 feet, along a meander line to a meander corner being South 71 degrees 45 minutes 52 seconds West 45.30 feet from the centerline of a navigable intermittent stream, thence North 71 degrees 45 minutes 52 seconds East 45.30 feet, along the South Right of Way line of EUREKA LEX K ROAD, thence North 27 degrees 35 minutes 07 seconds West 11.48 feet, thence South 71 degrees 45 minutes 52 seconds West 191.07 feet, along the centerline of EUREKA LEX K ROAD, thence along the centerline of EUREKA LEX K ROAD 191.06 feet along the arc of a curve to the left, having a radius of 571.44 feet, and whose chord bears South 67 degrees 05 minutes 08.5 seconds West 192.15 feet, thence South 52 degrees 24 minutes 25 seconds West 410.61 feet, along the centerline of EUREKA LEX K ROAD, thence along the centerline of EUREKA LEX K ROAD 230.67 feet along the arc of a curve to the left, having a radius of 259.30 feet, and whose chord bears South 24 degrees 55 minutes 19.5 seconds West 222.14 feet, thence South 01 degree 26 minutes 14 seconds West 34.99 feet, along the centerline of EUREKA LEX K ROAD, thence South 60 degrees 24 minutes 44 seconds West 147.20 feet, along the West line of said Southwest 1/4 of the Northwest 1/4, to the point of beginning, including all lands between the meander line and the waters edge of the Fox River, and the meander line and the centerline of a navigable intermittent stream.

That I have fully complied with Chapter 236.34 of the Wisconsin Statutes in surveying, dividing, and mapping the same and the Town of Rushford, and Winnebago County Subdivisions Chairman.

This map is a correct representation of all of the entire boundaries of land surveyed and the division thereof.

Given under my hand this 28 day of MARCH, 2002.

David W. Carlson II
David W. Carlson II, Reg. WI Land Surveyor, S 2361



OWNER'S CERTIFICATE

As owner I, the undersigned, hereby certify that I caused the land above described to be surveyed, divided and mapped and dedicated to the public, all as shown and represented on this map.

Eric Hoffmann
Rushford Heights LLC Date
Eric Hoffmann, Managing Member

State of Wisconsin)
Winnebago County)

Personally came before me on the 24 day of MARCH, 2002
to be the person who executed the foregoing instrument and acknowledge the same.

James J. Frank My Commission Expires 1/1/04



Certified Survey Map No. 5011

Certificate of Planning Committee:

Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This Minor Subdivision was approved by the Winnebago County Planning and Zoning Committee on May 14th day of 2002.

John P. Schickler
Chairman, Planning and Zoning Committee

Treasurer's Certificate:

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown herein.

William O'Shea 4/16/02 *Diana M. Hollman* 6/3/02
Town Treasurer Date County Treasurer Date


Town Board Approval:

We hereby certify that the Town of Rushford has reviewed and approved this certified survey map.

Thomas J. Egner 4/16/02 *Susan Carpenter* 4/16/02
Town Chairman Date Town Clerk Date

This CSM is contained wholly within the property described in the following recorded instruments:

Original of record	Document #	Parcel Number(s)
Eric Hoffmann	4177467	0210037
Premier Health, LLC	1183311	



1. 10. 2002
REGISTERED
COUNTY OF
WINNEBAGO
MAY 16, 2002
DAVID W. CARLSON
REGISTER OF DEEDS

Certified Survey Map No. 5011

Certificate of Planning Committee:

Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This Minor Subdivision was approved by the Winnebago County Planning and Zoning Committee on 24th day of May, 2002.

John A. Schaeffer
Chairperson, Planning and Zoning Committee

Treasurer's Certificate:

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

Robert A. Lewis 4-16-02 Diana M. Hellmann 5-3-02
Town Treasurer Date County Treasurer Deputy Date


Town Board Approval:

We hereby certify that the Town of Rushford has reviewed and approved this certified survey map.

Thomas J. Egan 4/16/02 Susan Carpenter 4-16-02
Town Chairperson Date Town Clerk Date

This CSM is contained wholly within the property described in the following recorded instruments:



Owner(s) of record	Document(s)	Parcel Number(s)
Eric Hoffmann	~~1177467~~	0220657
Rushford Heights, LLC	1183511	





CERTIFIED SURVEY MAP NO. 5012

PART OF LOT 3 OF CERTIFIED SURVEY MAP 1536, FROM PART OF GOVERNMENT LOT 2, PART OF GOVERNMENT LOT 1, AND PART OF THE SOUTHWEST 1/4 OF THE NORTHEAST 1/4, SECTION 29, TOWNSHIP 18 NORTH, RANGE 16 EAST, TOWN OF BROWNS, WISCONSIN.





Marlenson & Elze, Inc.
Engineering, Surveying, Mapping
101 N. Main St.
Oshkosh, WI 54901
Phone: (920) 435-4340
Fax: (920) 435-4340

PREPARED BY: MARLENSON & ELZE, INC.
DATE: 10/1/01
PROJECT: LOT 7, 8, 9, SECTION 29, TOWNSHIP 18 NORTH, RANGE 16 EAST, TOWN OF BROWNS, WISCONSIN.



CERTIFIED SURVEY MAP NO. 5012

PART OF LOT 3 OF CERTIFIED SURVEY MAP 1536, BEING PART OF GOVERNMENT LOT 8, PART OF GOVERNMENT LOT 7, AND PART OF THE SOUTHWEST 1/4 OF THE NORTHWEST 1/4, SECTION 29, TOWNSHIP 18 NORTH, RANGE 14 EAST, TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN.



REVISOR
MAY 24, 2002
MAY 28, 2002

LEGEND

- 1-1/4" IRON PIPE SET, 24" LONG, WEIGHING 1.130 LBS. PER LIN. FOOT
- 1-1/4" O.D. IRON PIPE FOUND
- GOVERNMENT CORNER

Martenson & Eisele, Inc.
Engineering - Surveying - Planning
109 W. Main St.
Omro, WI 54963
(920) 685-6240
Fax (920) 685-6340
E-MAIL meomro@charter.net

d-3