

M.E. Martenson & Elsie, Inc.
Engineering



CERTIFIED SURVEY MAP NO. 4898

PART OF LOT 5 AND ALL OF LOT 6 OF BLOCK 2 IN "PARSON'S ADDITION" TO WAUKAU, OUTLOT 12 OF THE "MAP OF WAUKAU", AND PART OF A 82.5' STRIP OF LAND FORMERLY A PART OF MAIN STREET, ALL IN SECTION 36, TOWNSHIP 18 NORTH, RANGE 14 EAST, TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN.

NORTH 1/4 CORNER
SECTION 36, T18N, R14E
ALUMINUM MONUMENT

NORTHEAST COR. 1/4
SECTION 36, T18N, R14E
ALUMINUM MONUMENT

SURVEY FOR:
ZACHARY MALNORY
412 E. HURON ST.
OMRO, WI 54963

BEARINGS ARE REFERENCED TO THE NORTH
LINE OF THE NORTHEAST 1/4, SECTION 36,
ASSUMED TO BEAR S 88°57'23" E

Scale 1 inch = 100 feet
0 50 100 200

CURVE DATA
C-1
RADIUS=527.96'
DELTA=16°06'20"
CHORD=N01°47'36"E 147.92'
ARC=148.41'



Andrew J. Shie
September 4, 2001

LEGEND

- 1" IRON PIPE SET, 24" LONG,
WEIGHING 1.130 LBS. PER LIN. FOOT
- 1" IRON PIPE FOUND
- ⊕ GOVERNMENT CORNER
- () RECORDED AS



Martenson & Eisele, Inc.
Engineering - Surveying - Planning
109 W. Main St.
Omro, WI 54963
(920) 685-6240
Fax (920) 685-6340
E-MAIL saysur@vbe.com

DOT APPROVAL NO. 70-116-0727-01

NOTES:

NO IMPROVEMENTS OR STRUCTURES ARE ALLOWED BETWEEN THE RIGHT-OF-WAY LINE AND THE HIGHWAY SETBACK LINE. IMPROVEMENTS AND STRUCTURES INCLUDE, BUT ARE NOT LIMITED TO, SIGNS, PARKING AREAS, DRIVEWAYS, WELLS, SEPTIC SYSTEMS, DRAINAGE FACILITIES, BUILDINGS AND RETAINING WALLS. IT IS EXPRESSLY INTENDED THAT THIS RESTRICTION IS FOR THE BENEFIT OF THE PUBLIC AS PROVIDED IN SECTION 236.293, WISCONSIN STATUTES, AND SHALL BE ENFORCEABLE BY THE WISCONSIN DEPARTMENT OF TRANSPORTATION OR ITS ASSIGNS. CONTACT THE WISCONSIN DEPARTMENT OF TRANSPORTATION FOR MORE INFORMATION. THE PHONE NUMBER MAY BE OBTAINED BY CONTACTING THE COUNTY HIGHWAY DEPARTMENT.

THE OWNER OF LAND THAT DIRECTLY OR INDIRECTLY DISCHARGES STORM WATER UPON A STATE TRUNK HIGHWAY OR CONNECTING HIGHWAY SHALL SUBMIT TO THE DEPARTMENT A DRAINAGE PLAN THAT ENSURES THAT THE ANTICIPATED DISCHARGE OF STORM WATER UPON A STATE TRUNK HIGHWAY OR CONNECTING HIGHWAY FOLLOWING THE DEVELOPMENT OF THE LAND IS LESS THAN OR EQUAL TO THE DISCHARGE PRECEDING THE DEVELOPMENT AND THAT THE ANTICIPATED DISCHARGE WILL NOT ENDANGER OR HARM THE TRAVELING PUBLIC, DOWNSTREAM PROPERTIES OR TRANSPORTATION FACILITIES.

PROJECT NO. 0-0753-C01

FIELD BOOK 10 PAGES 44, 45

FILE 075300*CSM.DWG SHEET 1 OF 3

This instrument was drafted by: AJS



CERTIFIED SURVEY MAP NO. 4898

PART OF LOT 5 AND ALL OF LOT 6 OF BLOCK 2 IN "PARSON'S ADDITION" TO WAUKAU, OUTLOT 12 OF THE "MAP OF WAUKAU", AND PART OF A 82.5' STRIP OF LAND FORMERLY A PART OF MAIN STREET, ALL IN SECTION 36, TOWNSHIP 18 NORTH, RANGE 14 EAST, TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN.

NORTH 1/4 CORNER
SECTION 36, T18N, R14E
ALUMINUM MONUMENT

NORTHEAST CORNER
SECTION 36, T18N, R14E
ALUMINUM MONUMENT

SURVEY FOR:
ZACHARY MALNORY
412 E. HURON ST.
OMRO, WI 54963

BEARINGS ARE REFERENCED TO THE NORTH
LINE OF THE NORTHEAST 1/4, SECTION 36,
ASSUMED TO BEAR S 88°57'23" E

Scale 1 inch = 100 feet
0 50 100 200

CURVE DATA
C-1
RADIUS=527.96'
DELTA=16°06'20"
CHORD=N01°47'36"E 147.92'
ARC=148.41'



Andrew J. Shie
September 4, 2001

LEGEND

- 1" IRON PIPE SET, 24" LONG,
WEIGHING 1.130 LBS. PER LIN. FOOT
- 1" IRON PIPE FOUND
- GOVERNMENT CORNER
- RECORDED AS



Martenson & Eisele, Inc.
Engineering - Surveying - Planning
109 W. Main St.
Omro, WI 54963
(920) 685-6240
Fax (920) 685-6340
E-MAIL saysur@vbe.com

DOT APPROVAL NO. 70-116-0727-01

NOTES:

NO IMPROVEMENTS OR STRUCTURES ARE ALLOWED BETWEEN THE RIGHT-OF-WAY LINE AND THE HIGHWAY SETBACK LINE. IMPROVEMENTS AND STRUCTURES INCLUDE, BUT ARE NOT LIMITED TO, SIGNS, PARKING AREAS, DRIVEWAYS, WELLS, SEPTIC SYSTEMS, DRAINAGE FACILITIES, BUILDINGS AND RETAINING WALLS. IT IS EXPRESSLY INTENDED THAT THIS RESTRICTION IS FOR THE BENEFIT OF THE PUBLIC AS PROVIDED IN SECTION 236.293, WISCONSIN STATUTES, AND SHALL BE ENFORCEABLE BY THE WISCONSIN DEPARTMENT OF TRANSPORTATION OR ITS ASSIGNS. CONTACT THE WISCONSIN DEPARTMENT OF TRANSPORTATION FOR MORE INFORMATION. THE PHONE NUMBER MAY BE OBTAINED BY CONTACTING THE COUNTY HIGHWAY DEPARTMENT.

THE OWNER OF LAND THAT DIRECTLY OR INDIRECTLY DISCHARGES STORM WATER UPON A STATE TRUNK HIGHWAY OR CONNECTING HIGHWAY SHALL SUBMIT TO THE DEPARTMENT A DRAINAGE PLAN THAT ENSURES THAT THE ANTICIPATED DISCHARGE OF STORM WATER UPON A STATE TRUNK HIGHWAY OR CONNECTING HIGHWAY FOLLOWING THE DEVELOPMENT OF THE LAND IS LESS THAN OR EQUAL TO THE DISCHARGE PRECEDING THE DEVELOPMENT AND THAT THE ANTICIPATED DISCHARGE WILL NOT ENDANGER OR HARM THE TRAVELING PUBLIC, DOWNSTREAM PROPERTIES OR TRANSPORTATION FACILITIES.

PROJECT NO. 0-0753-001

FIELD BOOK 10 PAGES 44, 45

FILE 0753001CSM.DWG SHEET 1 OF 3

This instrument was drafted by: AJS

Certified Survey Map No. 4898

SURVEYOR'S CERTIFICATE

I, Andrew J. Shie, Registered Land Surveyor, do hereby certify:

That I have surveyed, divided and mapped, in the direction of Zachary Maloney, part of Lot 5 and all of Lot 6 of Block 2 in "PARSON'S ADDITION" to Washburn, Outlot 12 of the "MAP OF WAUKAU", and part of a 12 1/2 strip of land formerly a part of Main Street, all in Section 16, Township 11 North, Range 14 East, Town of Rushford, Winnebago County, Wisconsin, described as follows:

Commencing at the Northeast corner of said Section 16, thence North 11 degrees 57 minutes 33 seconds West 2213.72 feet, along the North line of the Northeast 1/4 of said Section 16, thence South 60 degrees 00 minutes 00 seconds West 1110.97 feet, to the point of beginning, thence South 28 degrees 11 minutes 41 seconds East 117.10 feet, along the Easterly line of said Outlot 12 of the "MAP OF WAUKAU", thence South 64 degrees 11 minutes 07 seconds West 281.87 feet, along the Southerly line of said Outlot 12 of the "MAP OF WAUKAU", and said Lot 6 of Block 2 in "PARSON'S ADDITION" and its extension thereof, thence along an arc of a curve to the right 148.41 feet, having a radius of 527.96 feet, whose chord bears North 01 degrees 47 minutes 16 seconds East 147.92 feet, thence North 64 degrees 58 minutes 07 seconds East 214.82 feet, recorded as 144'00"00", along the Northerly line of said Lot 5 of Block 2 in "PARSON'S ADDITION", and said Outlot 12 of the "MAP OF WAUKAU", to the point of beginning.

That I have fully complied with Chapter 236.14 of the Wisconsin Statutes in surveying, dividing, and mapping the same and the Town of Rushford, and Winnebago County Subdivision Ordinances.

This map is a correct representation of all of the exterior boundaries of land surveyed and the divisions thereof.

Given under my hand this 4th day of September, 2001

Andrew J. Shie
Andrew J. Shie, W.L. Land Surveyor, S-2564



OWNER'S CERTIFICATE

As owner, I the undersigned, hereby certify that I caused the land shown described to be surveyed, divided and mapped and dedicated to the public all as shown and represented on this map.

As owner I hereby restrict all lots and blocks so that no owner, possessor, user, licensee or other person may have any right of direct vehicular ingress from or egress to any highway lying within the right of way of S. T. 11 "116", access as shown may be permitted by the department through the driveway permitting process. Easements are revocable. It is expressly intended that this restriction constitute a restriction for the benefit of the public as provided in s. 236.291, Stats., and shall be enforceable by the department, or its assigns. Any access shall be allowed only by special exception. Any access allowed by special exception shall be confirmed and granted only through the driveway permitting process and all permits are revocable. The Department of Transportation has granted a special exception to allow one existing residential/agricultural driveway for Lot 1. All driveways are subject to the provisions of Section 14.07 (2) Stats., and shall be evaluated under the criteria established in Section Trans 211, Wisconsin Administrative Code.


Zachary D. Maloney 11/20/01
Zachary D. Maloney Date

State of Wisconsin)
)SS
Winnebago County)

Personally came before me on the 20 day of Nov 2001 the above named person known to be the person who executed the foregoing instrument and acknowledge the same.

James L. Smith

My Commission Expires 1/4/02



Certified Survey Map No. 4898

Certificate of Planning Committee:

Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This Minor Subdivision was approved by the Winnebago County Planning and Zoning Committee on 27th day of November, 2001.

John A. Schaeffer
Chairman, Planning and Zoning Committee

Treasurer's Certificate:

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

Kathryn A. Lewis 9-4-01 *Diana M. Hellmann* 11-27-01
Town Treasurer Date County Treasurer Deputy Date


Town Board Approval:

We hereby certify that the Town of Rushford has reviewed and approved this certified survey map.

Thomas J. Egan 9/4/01 *Susan E. Carpenter* 9-4-01
Town Chairman Date Town Clerk Date

This CSM is contained wholly within the property described in the following recorded instruments:

Owner(s) of record	Document(s)	Parcel Number(s)
John B. King	1096605	0221048
Zachary D. Mahony	1147428	0221049
		0220815




Andrew J. Shie
September 4, 2001

PLAT OF SURVEY

PART OF CERTIFIED SURVEY MAP 411, BEING PART OF THE SE $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 30, T.18N., R.14E., TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN. EXCEPTING ALL LANDS DESCRIBED IN DOCUMENT NO. 1047754.

Michael A. Guse, ALB 00005
June 10, 2003
Drafted by LMO Verstegen




CONFIDENTIAL

(Michael A. Moa, Wisconsin Registered Land Surveyor
 hereby certify:
 That under the direction of Brian C. Vroman, III
 I have surveyed and mapped the lands as described above.
 Subject to all right of ways, easements and restrictions of
 record.
 That I have performed said survey according to the official
 records and in full accordance with Chapter A-87 of the
 Wisconsin Administrative Code in surveying and mapping
 the same to the best of my knowledge and belief.
 That such is a correct representation of all natural
 boundaries of the land surveyed.

WAR OF RAKA

PART 0 CHILDREN



PART OF CULLOT M

14-00000

- EXISTING COUNTY MONUMENT
- EXISTING 1" #
- EXISTING 30" REBAR
- SEPTIC VENT
- WELL

44 CON
 30 10 14



100-443484-100

104-105

11488

12

SCALE 1" = 50'



MOE LAND SURVEYING, INC.

MICHAEL A. MOE
REGISTRAR, WISCONSIN STATE
JOB # 2111

PLAT OF SURVEY


PART OF CERTIFIED SURVEY MAP 411, BEING PART OF THE SE $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 36, T.18N., R.14E., TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN. EXCEPTING ALL LANDS DESCRIBED IN DOCUMENT NO. 1047754.

Michael A. Moe

Michael A. Moe RLS #2066

June 30, 2003

Drafted by MD Verstagen




SURVEYOR'S CERTIFICATE:

I, Michael A. Moe, Wisconsin Registered Land Surveyor, hereby certify:
That under the direction of Brian Olk, Waukau, WI I have surveyed and mapped the lands as described above. Subject to all right-of-ways, easements and restrictions of record.
That I have performed said survey according to the official records and in full compliance with Chapter A-E7 of the Wisconsin Administrative Code in surveying and mapping the same to the best of my knowledge and belief.
That such is a correct representation of all exterior boundaries of the land surveyed.

MAP OF WAUKAU

PART OF OUTLOT 28




LEGEND


- EXISTING COUNTY MONUMENT
- EXISTING 1" IP
- EXISTING 3/4" REBAR
- SEPTIC VENT
- WELL

S $\frac{1}{4}$ COR.
36-18-14

SE COR
36-18-14



SCALE 1" = 50'



MOE LAND SURVEYING, INC.

MICHAEL A. MOE
REDGRANITE, WISCONSIN 54970
JOB # 03184

PLAT OF SURVEY

PART OF CERTIFIED SURVEY MAP 411, BEING PART OF THE SE $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 36, T.18N., R.14E., TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN. EXCEPTING ALL LANDS DESCRIBED IN DOCUMENT NO. 1047754.

Michael A. Moe
Michael A. Moe RLS #2066
June 30, 2003
Drafted by MD Verstegen




SURVEYOR'S CERTIFICATE:

I, Michael A. Moe, Wisconsin Registered Land Surveyor, hereby certify:
That under the direction of Brian Oik, Waukau, WI I have surveyed and mapped the lands as described above. Subject to all right-of-ways, easements and restrictions of record.
That I have performed said survey according to the official records and in full compliance with Chapter A-E7 of the Wisconsin Administrative Code in surveying and mapping the same to the best of my knowledge and belief.
That such is a correct representation of all exterior boundaries of the land surveyed.

MAP OF WAUKAU

PART OF OUTLOT 28



LEGEND


- ⊙ EXISTING COUNTY MONUMENT
- EXISTING 1" IP
- EXISTING 3/4" REBAR
- ▲ SEPTIC VENT
- WELL

S $\frac{1}{4}$ COR.
36-18-14

SE COR
36-18-14

1530.50' 2655.38' 1124.88'

SCALE 1" = 50'




MOE LAND SURVEYING, INC.

MICHAEL A. MOE
REDGRANITE, WISCONSIN 54970
JOB # 03184

PLAT OF SURVEY

ALL OF OUTLOT 33 PER H. W. LEACH'S MAP OF WAUKAU, AND ALL OF LOT 1, LOT 2, AND PART OF LOT 3 IN BLOCK "E", AND THE VACATED SOUTH 1/2 OF "SOUTH STREET" ADJACENT TO BLOCK "E" IN THE ORIGINAL PLAT OF WAUKAU, IN THE SOUTHEAST 1/4, SECTION 38, TOWNSHIP 18 NORTH, RANGE 14 EAST, TOWN OF HUNTERFORD, WINNEBAGO COUNTY, WISCONSIN



SURVEY FOR

MODEL 1111
2500 S.W. 111
Waukau, WI 54981

LEGEND


- 1. 1/4" = 100' SCALE
- 2. 1/4" = 100' SCALE
- 3. 1/4" = 100' SCALE
- 4. 1/4" = 100' SCALE
- 5. 1/4" = 100' SCALE
- 6. 1/4" = 100' SCALE
- 7. 1/4" = 100' SCALE
- 8. 1/4" = 100' SCALE
- 9. 1/4" = 100' SCALE
- 10. 1/4" = 100' SCALE
- 11. 1/4" = 100' SCALE
- 12. 1/4" = 100' SCALE
- 13. 1/4" = 100' SCALE
- 14. 1/4" = 100' SCALE
- 15. 1/4" = 100' SCALE
- 16. 1/4" = 100' SCALE
- 17. 1/4" = 100' SCALE
- 18. 1/4" = 100' SCALE
- 19. 1/4" = 100' SCALE
- 20. 1/4" = 100' SCALE
- 21. 1/4" = 100' SCALE
- 22. 1/4" = 100' SCALE
- 23. 1/4" = 100' SCALE
- 24. 1/4" = 100' SCALE
- 25. 1/4" = 100' SCALE
- 26. 1/4" = 100' SCALE
- 27. 1/4" = 100' SCALE
- 28. 1/4" = 100' SCALE
- 29. 1/4" = 100' SCALE
- 30. 1/4" = 100' SCALE
- 31. 1/4" = 100' SCALE
- 32. 1/4" = 100' SCALE
- 33. 1/4" = 100' SCALE
- 34. 1/4" = 100' SCALE
- 35. 1/4" = 100' SCALE
- 36. 1/4" = 100' SCALE
- 37. 1/4" = 100' SCALE
- 38. 1/4" = 100' SCALE
- 39. 1/4" = 100' SCALE
- 40. 1/4" = 100' SCALE
- 41. 1/4" = 100' SCALE
- 42. 1/4" = 100' SCALE
- 43. 1/4" = 100' SCALE
- 44. 1/4" = 100' SCALE
- 45. 1/4" = 100' SCALE
- 46. 1/4" = 100' SCALE
- 47. 1/4" = 100' SCALE
- 48. 1/4" = 100' SCALE
- 49. 1/4" = 100' SCALE
- 50. 1/4" = 100' SCALE
- 51. 1/4" = 100' SCALE
- 52. 1/4" = 100' SCALE
- 53. 1/4" = 100' SCALE
- 54. 1/4" = 100' SCALE
- 55. 1/4" = 100' SCALE
- 56. 1/4" = 100' SCALE
- 57. 1/4" = 100' SCALE
- 58. 1/4" = 100' SCALE
- 59. 1/4" = 100' SCALE
- 60. 1/4" = 100' SCALE
- 61. 1/4" = 100' SCALE
- 62. 1/4" = 100' SCALE
- 63. 1/4" = 100' SCALE
- 64. 1/4" = 100' SCALE
- 65. 1/4" = 100' SCALE
- 66. 1/4" = 100' SCALE
- 67. 1/4" = 100' SCALE
- 68. 1/4" = 100' SCALE
- 69. 1/4" = 100' SCALE
- 70. 1/4" = 100' SCALE
- 71. 1/4" = 100' SCALE
- 72. 1/4" = 100' SCALE
- 73. 1/4" = 100' SCALE
- 74. 1/4" = 100' SCALE
- 75. 1/4" = 100' SCALE
- 76. 1/4" = 100' SCALE
- 77. 1/4" = 100' SCALE
- 78. 1/4" = 100' SCALE
- 79. 1/4" = 100' SCALE
- 80. 1/4" = 100' SCALE
- 81. 1/4" = 100' SCALE
- 82. 1/4" = 100' SCALE
- 83. 1/4" = 100' SCALE
- 84. 1/4" = 100' SCALE
- 85. 1/4" = 100' SCALE
- 86. 1/4" = 100' SCALE
- 87. 1/4" = 100' SCALE
- 88. 1/4" = 100' SCALE
- 89. 1/4" = 100' SCALE
- 90. 1/4" = 100' SCALE
- 91. 1/4" = 100' SCALE
- 92. 1/4" = 100' SCALE
- 93. 1/4" = 100' SCALE
- 94. 1/4" = 100' SCALE
- 95. 1/4" = 100' SCALE
- 96. 1/4" = 100' SCALE
- 97. 1/4" = 100' SCALE
- 98. 1/4" = 100' SCALE
- 99. 1/4" = 100' SCALE
- 100. 1/4" = 100' SCALE

SURVEYOR'S CERTIFICATE

I, the undersigned, being a duly qualified Surveyor in and for the State of Wisconsin, do hereby certify that the foregoing is a true and correct copy of the original record of the survey of the above described property, as the same appears on the books of the Surveyor General of the State of Wisconsin, and that the same is a true and correct copy of the original record of the survey of the above described property, as the same appears on the books of the Surveyor General of the State of Wisconsin.

James H. Connelley
Surveyor General

BEARING AND DISTANCE TO THE NORTH LINE
OF THE ADJACENT LOT 1, SECTION 38, TOWNSHIP 18 NORTH,
RANGE 14 EAST, TOWN OF HUNTERFORD, WINNEBAGO COUNTY,
WISCONSIN.



Martenson & Elsie, Inc.
Planning, Surveying, Engineering, Architecture
304 W. Main St. (Corner 3rd St.)
Waukau, WI 54981
Phone (414) 881-4241 Fax (414) 881-1348
www.martenson-elzie.com
Email: martenson-elzie@comcast.net


RECEIVED MAY 5 1994
12:12 PM
111 1/2 1/2 1/2 1/2
THE SURVEYOR'S OFFICE

PLAT OF SURVEY

ALL OF OUTLOT 33 PER H.W. LEACH'S MAP OF WAUKAU, AND ALL OF LOT 1, LOT 2, AND PART OF LOT 3 IN BLOCK "E", AND THE VACATED SOUTH 1/2 OF "SOUTH STREET" ADJACENT TO BLOCK "E" IN THE ORIGINAL PLAT OF WAUKAU, IN THE SOUTHEAST 1/4, SECTION 36, TOWNSHIP 18 NORTH, RANGE 14 EAST, TOWN OF RUSHFORD, WINNEBAGO COUNTY, WISCONSIN.

EAST 1/4 CORNER
SECTION 36, T18N-R14E
ALUMINUM COUNTY MONUMENT

CENTER OF
SECTION 36, T18N-R14E
ALUMINUM COUNTY MONUMENT



SURVEY FOR:


MICHAEL VOGEL
2586 STH 116
WAUKAU, WI 54980

LEGEND

- 1-1/4" O.D. IRON PIPE SET, 24" LONG, WEIGHING 1.130 LBS. PER LIN. FOOT
- ▲ 1-1/4" STEEL REINFORCING BAR SET, 30" LONG WEIGHING 4.303 LBS. PER LIN. FOOT
- X CHISELED "X" SET
- 3/4" REBAR FOUND
- 1-1/4" O.D. IRON PIPE FOUND
- △ 1-1/4" REBAR FOUND
- 2" IRON PIPE FOUND
- ⊗ CHISELED "X" FOUND
- ⊙ GOVERNMENT CORNER
- FENCE LINE
- () RECORDED AS

BEARINGS ARE REFERENCED TO THE NORTH LINE
OF THE SOUTHEAST 1/4, SECTION 36, T18N-R14E
RECORDED TO BEAR N 89°42'16" W

Scale 1 inch = 60 feet
0 30 60 120



Martenson & Eisele, Inc.

Planning - Surveying - Engineering - Architecture

109 W. Main St., Omro, WI 54963
Phone (920) 685-6240 Fax (920) 685-6340
www.martenson-eisele.com
Email meomro@charter.net

PROJECT NO. 0-0979-001

FIELD BOOK SDR/FILE

FILE 0979001POS.DWG

THIS INSTRUMENT WAS DRAFTED BY: DWC