

2 - 18 - 16

NO.	SURVEYED FOR	SURVEYOR	DATE	PLAT. NO.	CERTIFIED MAP NO.	SURVEYS		SURVEY LOCATION
						VOL.	PAGE	
	R. Olson	Chomus	8-22-75			1	113	NE 1/4 - NE 1/4 Sec 2
	R. Olson	Chomus	11-23-77			1	258	NE 1/4 - NE 1/4 Sec 2
	Continental Oil	W. Martin	6-30-49					SE 1/4 - SE 1/4 Sec 2
	D. Bales	Chomus	11-2-78					NE 1/4 Sec 2
	D. Bales	Chomus	8-15-77					NE 1/4 - NE 1/4 Sec 2
	M. Kiser	Chomus	8-30-76					NE 1/4 - NE 1/4 Sec 2
	J. Duncan	Chomus	9-12-77					NE 1/4 - SE 1/4 Sec 2
	J. Sultke	Chomus	10-31-80					N 1/2 - NE 1/4 Sec 2
	R. Olson	Chomus	11-6-75					NE 1/4 Sec 2
	R. Olson	Chomus	11-5-75					NE 1/4 Sec 2
	R. Olson	Stearns	9-7-68					NE 1/4 NE 1/4 Sec 2
	R. Olson	Stearns	7-28-70					NE 1/4 NE 1/4 Sec 2
	D. Clark	Lowson	5-1-79					SE 1/4 NE 1/4 Sec 2
	Harold A. Beatty	Chomus	10-9-80					E 1/2 SE 1/4 Sec 2
	M. Anderson	Chomus	11-10-75					NE 1/4 Sec 2
	C. Wilson	Hawes	5-6-80					SW - SE
	C. Wilson	Chomus	6-3-81					NE - SE
	W. Rasmussen	Stute	10-29-81			1	967	Rasmussen Sub.

2-18-16

A circular seal for a Wisconsin Land Surveyor. The outer ring contains the text "WISCONSIN" at the top and "LAND SURVEYOR" at the bottom, separated by two stars. The center of the seal contains the text "STEVEN I. CHMURA", "5215", and "OFFICIAL WISCONSIN".



Steven T. Christie

 WIS. REGISTERED LAND SURVEYOR S-913

 NOTEBOOK 37 PAGE 76

	2

L-966


2-18-16

Winnebago

Plat of Survey

FOR
ORVILLE CLARK
1710 SHERIDAN ST., OSHKOSH

Aero-Metric C.S.M.
(J. KISOR)



AREA TO R.O.W. LINE 43.202 Acres

DETAIL C

DETAIL B


SE 1/4 - NE 1/4, SEC. 2, T.18N., R.16E.

NE 1/4 - SE 1/4, SEC. 2, T.18N., R.16E.

Note: Details are not drawn to scale.

LEGEND

- Existing monuments.
- 2" x 30" iron pipe set
- 1" x 30" iron pipe set
- reference caps or RR spikes
- Berntzen or Harrison monuments
- fence
- recorded as
- stone monument
- right of way post



SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. MAY 1, 1979

Calvin W. Hawke S-1290
Wisconsin Registered Land Surveyor

R. K. SAYLER, INC.
LAND SURVEYORS

SCALE 1 in. = 200 ft.

PROJECT NO. S-000971

2-18-16

SURVEY FOR JERRY DUGAN

(FOR MORTGAGE PURPOSES ONLY)

- DESCRIPTIONS -


TOTAL = The North 5 Acres of the South Half (S 1/2) of the NE 1/4 of Section 2, T.18N., R.16E., Town of Oshkosh, Winnebago County, Wisconsin. EXCEPTING therefrom those lands recorded in Volume 1248 Page 184 of records.

PARCEL "1" = The North 5 Acres of the South Half of the NE 1/4 of Section 2, T.18N., R.16E., Town of Oshkosh, Winnebago County, Wisconsin. EXCEPTING therefrom those lands recorded in Volume 1248 Page 184 of records and further excepting the West 1049.10 feet of said parcel.

PARCEL "2" = The East 349.70 feet of the West 1049.10 feet of the North 5 Acres of the South Half (S 1/2) of the NE 1/4 of the SE 1/4 of Section 2, T.18N., R.16E., Town of Oshkosh, Winnebago County, Wisconsin.


PARCEL "3" = The East 349.70 feet of the West 699.40 feet of the North 5 Acres of the South Half (S 1/2) of the NE 1/4 of the SE 1/4 of Section 2, T.18N., R.16E., Town of Oshkosh, Winnebago County, Wisconsin.

PARCEL "4" = The West 349.70 feet of the North 5 Acres of the South Half (S 1/2) of the NE 1/4 of the SE 1/4 of Section 2, T.18N., R.16E., Town of Oshkosh, Winnebago County, Wisconsin.




NOTE: BUILDINGS ARE ON PARCEL "1"

LEGEND
O = 1" IRON PIPE SET
● = 1" IRON PIPE FOUND
SCALE: 1" = 200'
JUNE 3, 1981




Steven T. Chronis
WIS. REGISTERED LAND SURVEYOR S-913

AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
OSHKOSH, WISCONSIN



SURVEY
FOR
JAMES DOEMEL

Lct Three (3) Block Two (2) in the Plat of Olson Acres, Section
Two (2) T. 18 N., R. 16 E., Town of Oshkosh, Winnebago County,
Wisconsin.



ALL BEARINGS REFERENCE TO THE NORTH
LINE OF BLOCK 2 PLAT OF OLSON ACRES
RECORDED AS S. 89°-09'-15" W.

LEGEND

O = 1" X 24" IRON PIPE SET

● = 1" IRON PIPE FOUND


DATE APRIL 8, 1967

SCALE: 1" = 30'


JAMES C. COX
WISCONSIN REGISTERED LAND SURVEYOR 6-1542

DATED THIS 11TH DAY OF APRIL 19 87

COX LAND SURVEYING
LAND SURVEYORS
OSHKOSH, WISCONSIN



T. 18 N., R. 16 E.



PLAT OF SURVEY

KNOWN AS 5466 REIGHMOOR ROAD, BEING LOT 28 IN THE PLAT OF REIGHMOOR, IN THE S.E. AND S.W. 1/4 OF SECTION 2, T18N, R16E, TOWN OF OMRO, WINNEBAGO COUNTY, WISCONSIN.


APRIL 9, 1986
JULY 23, 1986

SURVEY FOR ALL STAR REALTY
ADD WELL LOCATION

SURVEY NO. 1712-S

() = RECORD DIMENSIONS WHERE DIFFERENT FROM FIELD MEASUREMENTS.

- ——— DENOTES 1 INCH DIAMETER IRON PIPE SET.
- ——— DENOTES 1/2 INCH DIAMETER IRON ROD SET.
- ——— DENOTES 1 INCH DIAMETER IRON PIPE FOUND.




I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.



national survey & engineering

417 NORTH SAWYER STREET / P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 428-2800



STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Sheet 1 of 3

Certified Survey Map #258

for

Joseph P. Gibson

Surveyor's Certificate on Sheet 2 of 3


Dated this 23rd day of November, 1977

Steven T. Chronis
Wisconsin Registered Land Surveyor
Steven T. Chronis S-913



CURVE	RADIUS	CHORD DIST.	CHORD BEARING	CENTRAL ANGLE	ARC DIST.
A-C	22,549.37'	498.94'	N. 00° 26' 00" W.	01° 16' 04"	498.93'
A-B	22,549.37'	371.15'	N. 00° 16' 15.5" W.	00° 56' 35"	371.15'
B-C	22,549.37'	127.80'	N. 00° 54' 17.5" W.	00° 19' 29"	127.80'

ALL BEARINGS REFERENCED TO THE C. LINE OF SEC. 1/4
SEC. 11 T. 18N. R. 16E. ASSUMED TO BE NORTH




LEGEND

- = 1" x 24" IRON PIPE WEIGHING 168 LBS. PER LINEAL FOOT SET
- = 2" IRON PIPE FOUND
- ⊙ = POWER POLE
- SCALE: 1" = 100'
- NOTEBOOK 23 PAGE: 45-47
- DATE: NOVEMBER 21, 1977
- 3" R/W POST

AERO-METRIC ENGINEERING INC.

5 OTTER AVENUE

OSHKOSH WISCONSIN 54901



STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

SURVEYOR'S CERTIFICATE:


I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped a part of the Northeast Quarter (NE $\frac{1}{4}$) of the Northeast Quarter (NE $\frac{1}{4}$) of Section Two (2), Township Eighteen (18) North, Range Sixteen (16) East, Town of Oshkosh, Winnebago County, Wisconsin containing 3.329 Acres of land and being described by: Commencing at the Northeast corner of said Section 2, thence S. 00°-04'-44" W. 333.00 feet along the East line of the NE $\frac{1}{4}$ of said Section 2, thence S. 89°-42'-20" W. 293.30 feet along a line 333.00 feet South of and parallel to the North line of the NE $\frac{1}{4}$ of said Section 2 and the true point of beginning, running thence S. 00°-04'-44" W. 577.75 feet along a line 293.30 feet West of and parallel to the East line of the NE $\frac{1}{4}$ of said Section 2, thence N. 89°-42'-20" E. 251.97 feet along a line 910.75 feet South of and parallel to the North line of the NE $\frac{1}{4}$ of said Section 2 to its intersection with the West line of U.S.H. "45", thence N. 00°-12'-02" E. 78.88 feet along the West line of U.S.H. "45", thence Northerly 498.95 feet along the arc of a curve to the left being the West line of U.S.H. "45" having a radius of 22,549.37 feet and the chord of which bears N. 00°-26'-00" W. 498.94 feet, thence S. 89°-42'-20" W. 247.68 feet to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

Dated this 23rd day of November, 1977.

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



OWNER'S CERTIFICATE:

As owners we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 6 day of December, 1977.

In the presence of:

James J. Williamson
James J. Williamson
Dorothy M. Hoxell
Dorothy M. Hoxell

Joseph P. Gibson
Joseph P. Gibson
Rosemary P. Gibson
Rosemary P. Gibson

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Sheet 3 of 3

Personally came before me this 6th day of December, 1977, the
above named Joseph P. Gibson and Rosemary P. Gibson to me known to be the
persons who executed the foregoing instrument and acknowledged the same.

Donald D. Kopp
Notary Public Winnebago Co., Wisconsin
My Commission expires 2-10-77

CERTIFICATE OF WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map of a part of the NE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 2,
T. 18 N., R. 16 E., Town of Oshkosh, Winnebago County, Wisconsin Joseph P. Gibson
and Rosemary P. Gibson, owners, is hereby approved.

11-25-77
Date

Robert M. Hunter DRB

Dated this 23rd day of November, 1977

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis

L-430

507828

Notary's Office
Winnebago County, Wis.
Received for record this 6th
day of December, D. 1977
at 1:00 o'clock P. M. as
recorded in Vol. 1 of S.M.
on page 258
Deputy, Register & Deed

282

2 18 16 7

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

CERTIFIED SURVEY MAP

FOR

JAMES KISER

SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc. certify that I have surveyed, divided and mapped a part of the Northeast Quarter (NE $\frac{1}{4}$) of the Northeast Quarter (NE $\frac{1}{4}$) of Section Two (2), Township Eighteen (18) North, Range Sixteen (16) East, Town of Oshkosh, Winnebago County Wisconsin containing 0.819 Acres and being described by: Commencing at the East Quarter corner of said Section 2, thence N. 00°-04'-44" E. 1319.18 feet along the East line of the Northeast Quarter of said Section 2 to its intersection with the South line of the North $\frac{1}{2}$, NE $\frac{1}{4}$ of said Section 2, thence S. 89°-38'-15" W. 42.15 feet along the South line of the North $\frac{1}{2}$, NE $\frac{1}{4}$ of said Section 2 to its intersection with the West right-of-way line of U.S. Highway "45" and the true point of beginning, thence continue S. 89°-38'-15" W. 251.10 feet along the South line of the North $\frac{1}{2}$, NE $\frac{1}{4}$ of said Section 2, thence N. 00°-03'-44" E. 140.30 feet, thence N. 88°-47'-44" E. 251.45 feet to a point on the West right-of-way line of U.S. Highway "45"; thence S. 00°-10'-44" W. 144.00 feet along the West right-of-way line of U.S. Highway "45" to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes in surveying and mapping the same.

Dated this 30th day of April 1976

Steven T. Chronis
Steven T. Chronis
Wisconsin Registered Land Surveyor S-913

OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.



Dated this _____ day of _____ 1976

Owner: James Kiser

Dated this _____ day of _____ 1976

Owner: Gloria Kiser

AERO-METRIC ENGINEERING, INC.
P.O. BOX 176 — 5 OTTER AVE.
OSHKOSH, WISCONSIN 54901



NOTEBOOK 4 PAGES 33-38

THIS INSTRUMENT DRAFTED BY STEVEN T. CHRONIS

DETAIL AT SE CORNER
NOT TO SCALE

BEARINGS REFERENCED TO EAST LINE
NE 1/4 SECTION 2, T. 18N., R. 16E.
ASSUMED BEARING OF N. 00°-04'-44" E.

NE CORNER SECTION 2,
T. 18N., R. 16E.

EAST 1/4 CORNER
SECTION 2, T. 18N., R. 16E.

PLAT OF SURVEY

KNOWN AS 5466 REIGHMOOR ROAD, BEING LOT 28 IN THE PLAT OF REIGHMOOR, IN THE S.E. AND S.W. 1/4 OF SECTION 2, T18N, R16E, TOWN OF OMRO, WINNEBAGO COUNTY, WISCONSIN.

APRIL 7, 1986

SURVEY FOR ALL STAR REALTY


SURVEY NO. 1712-S

() = RECORD DIMENSIONS WHERE DIFFERENT FROM FIELD MEASUREMENTS.

O ——— DENOTES 1 INCH DIAMETER IRON PIPE SET.

□ ——— DENOTES 1/2 INCH DIAMETER IRON ROD SET.

● ----- DENOTES 1 INCH DIAMETER IRON PIPE FOUND.




I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.



national survey & engineering

417 NORTH SAWYER STREET / P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 426-2800




Zoning

SURVEYOR'S CERTIFICATE:

I, Ronald A. Dercks, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped a part of Outlot "A" of Block 3 of Olson Acres, a subdivision of a part of the Northeast Quarter (NE $\frac{1}{4}$) of Section Two (2), Township Eighteen (18) North, Range Sixteen (16) East, Twelfth (12th) Ward, City of Oshkosh, Winnebago County, Wisconsin containing 3.095 Acres of land and being described by: Commencing at the Southeast corner of Lot 1, Block 4, of the Plat of Olson Acres and being the true point of beginning; running thence S. 89°-09'-15" W. 227.37 feet along the South line of Block 4 to the Northeast corner of Tract "D" of Certified Survey Map No. 113 recorded in Volume 1 on Page 113 of Certified Survey Maps, thence S. 00°-54'-13" E. 163.90 feet along the East line of Tract "D" of said Certified Survey Map to the Southeast corner of said Tract "D", thence S. 89°-06'-28" W. 196.10 feet along the South line of Tract "D" and "C" of said Certified Survey Map to the Southwest corner of said Tract "C", thence S. 00°-51'-40" E. 230.62 feet to a point on the South line of said Plat of Olson Acres, thence N. 89°-04'-24" E. 423.36 feet along the South line of said Plat of Olson Acres to its Southeast corner, thence N. 00°-51'-49" W. 394.08 feet along the East line of Outlot "A" of Block 3 of said Olson Acres to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of the City of Oshkosh in surveying and mapping the same.



AERO-METRIC ENGINEERING INC.
1091 SOUTH WASHBURN STREET
OSHKOSH, WISCONSIN 54901

Ronald A. Dercks
WISCONSIN REGISTERED LAND SURVEYOR S-1615
RONALD A. DERCKS

DATED THIS 23 DAY OF June, 1982

THIS INSTRUMENT DRAWN BY RONALD A. DERCKS

L-1108

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Sheet 2 of 2

OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 23rd day of August, 1982

In the Presence of:

[Signature]

Robert W. Olson
Robert W. Olson

Helen L. Olson
Helen L. Olson

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 23rd day of August, 1982, the above-named Robert W. Olson and Helen L. Olson to me known to be the persons who executed the foregoing instrument and acknowledged the same.

[Signature]
Notary Public Joseph Hildebrand, Wisconsin
My Commission expires is permanent

Dated this 23 day of June, 1982

Joseph Hildebrand
Notary Public
Wisconsin Registered Land Surveyor S-1615
Ronald A. Dercks
STATE OF WISCONSIN



589069

Register's Office
Winnebago County, Wis.
Involved for record this 19th
day of April, A.D., 1983
at 1:10 o'clock P.M., and
recorded in Vol. 1 of S.M.
on page 111

[Signature]
Register of Deeds

Hildebrand

6

15
5-27-82
Lawrence C. Kriescher

SURVEYOR'S CERTIFICATE:

I, Lawrence C. Kriescher, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Arville J. Nonweiler a part of the Northeast Quarter (NE $\frac{1}{4}$) of the Southwest Quarter (SW $\frac{1}{4}$) of Section Two (2), Township Eighteen (18) North, Range Sixteen (16) East, Town of Oshkosh, Winnebago County, Wisconsin containing 8123 square feet of land and being described by: Commencing at the center of said Section 2, thence S. 00°-15'-41" W. 29.55 feet, thence S. 89°-40'-00" W. 165.66 feet to the Northwest corner of Lot 1 of Block 1, Sawicki Subdivision and being the true point of beginning, thence continue S. 89°-40'-00" W. 25.00 feet, thence South 324.92 feet, thence N. 89°-41'-50" E. 25.00 feet to a point on the West line of Lot 5 of said Block 1 being 25.00 feet South of the Northwest corner of said Lot 5, thence North 324.93 feet along the West line of said Block 1 to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

RESTRICTION

Outlot 1 and Lots 1 & 2 with the North 25 ft. of Lot 3 shall be combined into one. Outlot 2 and the North 25 ft. of Lot 5, all of Lot 4, and the South 50 ft. of Lot 3 shall be combined into one. These lots shall not be sold separately if the act of separation would create a violation of the Winnebago County Town/County Zoning Ordinance and/or the Winnebago County Subdivision Ordinance.


LEGEND

- = 1" x 24" IRON PIPE WEIGHING 1.68 LBS PER LINEAL FOOT SET
- ▲ = WINNEBAGO COUNTY BERNTSEN MONUMENT
- SCALE: 1" = 50'
- DATE: MAY 25, 1982
- N.B. 37 PG. 77
- = 1" IRON PIPE FOUND



Lawrence C. Kriescher
WISCONSIN REGISTERED LAND SURVEYOR S-1599
LAWRENCE C. KRIESCHER

DATED THIS 26TH DAY OF MAY, 1982



AERO-METRIC ENGINEERING, INC.
1091 SOUTH WASHBURN STREET
OSHKOSH, WISCONSIN 54901

THIS INSTRUMENT DRAFTED BY LAWRENCE C. KRIESCHER

L-1101

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Sheet 2 of 2

OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 3 day of JUNE, 1982

In the Presence of:

John A. Moore
John A. Moore

James Sawicki
James Sawicki

Diane M. Schmude
Diane M. Schmude

Thomas Sawicki
Thomas Sawicki

Paul Sawicki
Paul Sawicki

Carole Sawicki Born
Carole Sawicki Born

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 3 day of JUNE, 1982, the above named James Sawicki, Thomas Sawicki, Paul Sawicki and Carole Sawicki Born, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Diane M. Schmude

Diane M. Schmude
Notary Public Winnebago, Wisconsin
My Commission Expires 5-13-84

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map of a part of the NE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 2, T.18N., R.16E., James Sawicki, Thomas Sawicki, Paul Sawicki and Carole Sawicki Born, owners, is hereby approved.

Date

By: Mary Ann Schering

Dated this 26TH day of MAY, 1982

Lawrence C. Kriescher
Wisconsin Registered Land Surveyor S-1599
Lawrence C. Kriescher



576491

Register's Office
Winnebago County, Wis.
Received for record this 2nd
day of June A.D., 1982
at 8:44 o'clock AM and
recorded in Vol. 1 of Summary
on page 1019 made
Ernestine Dahmed
Register of Deeds


John Moore chg
60

zoning

2-18-16

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 967

PART OF OUTLOT 3, WM. F. AND META R. RASMUSSEN SUBDIVISION LOCATED IN THE SE 1/4 OF SECTION 12, T18N, R16E, 15TH WARD, CITY OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN




BEARINGS ARE REFERENCED TO THE SOUTH LINE OF OUTLOT 3, WM. F. AND META R. RASMUSSEN SUBDIVISION, WHICH BEARS S 89° 43' E


LEGEND

- ⊙ - 1" 30" REBAR SET
- - 3/4" REBAR FOUND
- - UTILITY EASEMENT
- () - RECORDED AS

DETAIL :




SURVEYED FOR:
WM. F. AND META R. RASMUSSEN
ROUTE 2, BOX 86
WAUTOMA, WIS 54982



Alan K. Shute
ALAN K. SHUTE S-1518

DATED THIS 29 DAY OF OCTOBER, 1981

SCALE 1" = 40'



WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 967

SURVEYOR'S CERTIFICATE

I, ALAN K. SHUTE, WISCONSIN REGISTERED LAND SURVEYOR, HEREBY CERTIFY:

THAT I HAVE SURVEYED, DIVIDED AND MAPPED PART OF OUTLOT 3, WM. F. AND META R. RASMUSSEN SUBDIVISION LOCATED IN THE SE $\frac{1}{4}$ OF SECTION 12, T18N, R16E, FIFTEENTH WARD, CITY OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN, DESCRIBED AS FOLLOWS: BEGINNING AT THE SW CORNER OF OUTLOT 3 BEING A 1"x30" REBAR SET, REPLACING A 1 $\frac{1}{2}$ "x48" IRON PIPE WHICH WAS BENT;


THENCE S 89 43' 00" E, 135.25'; THENCE N 00 14' 12" W, 210.00';
THENCE N 89 44' 13" W, 135.61'; THENCE S 00 21' 34" E, 210.00';

TO THE POINT OF BEGINNING.

THAT I HAVE MADE SUCH SURVEY, LAND DIVISION AND MAP UNDER THE DIRECTION OF WM. F. AND META R. RASMUSSEN, ROUTE 2, BOX 86, WAUTOMA, WISCONSIN, 54982, OWNERS OF SAID LAND.

THAT THIS MAP IS A CORRECT REPRESENTATION OF THE EXTERIOR BOUNDARIES OF THE LAND SURVEYED AND MAP MADE THEREOF.

THAT I HAVE FULLY COMPLIED WITH THE PROVISIONS OF CHAPTER 236.34 OF THE WISCONSIN STATUTES AND THE LAND SUBDIVISION ORDINANCE OF THE CITY OF OSHKOSH IN SURVEYING, DIVIDING AND MAPPING THE SAME.



Alan K. Shute
ALAN K. SHUTE S-1518

DATED THIS 29th DAY OF OCTOBER, 1981

OWNER'S CERTIFICATE

AS OWNERS, WM. F. AND META R. RASMUSSEN (HUSBAND AND WIFE), HEREBY CERTIFIES THAT WE CAUSED THE PROPERTY DESCRIBED TO BE SURVEYED, DIVIDED AND MAPPED AS REPRESENTED ON THIS MAP.

DATED THIS 2nd DAY OF Nov., 1981

Wm. F. Rasmussen
Meta R. Rasmussen

Wm. F. Rasmussen
WM. F. RASMUSSEN

Meta R. Rasmussen
META R. RASMUSSEN


CITY PLANNING COMMISSION CERTIFICATE

PURSUANT TO THE LAND SUBDIVISION ORDINANCE OF THE CITY OF OSHKOSH, ALL REQUIREMENTS FOR APPROVAL HAVE BEEN FULFILLED FOR THE ABOVE DESCRIBED LAND. THIS CERTIFIED SURVEY MAP IS HEREBY APPROVED AND ACCEPTED ON THIS 3rd DAY OF NOVEMBER, 1981.

Paul C. Johnson
PLANNING COMMISSION

STATE OF WISCONSIN)
COUNTY OF WINNEBAGO) SS

PERSONALLY CAME BEFORE ME THIS 2nd DAY OF November, 1981, THE ABOVE WM. F. AND META R. RASMUSSEN TO ME KNOWN TO BE THE PERSONS WHO EXECUTED THE FOREGOING INSTRUMENT, ACKNOWLEDGE THE SAME.



Paul C. Johnson
NOTARY PUBLIC

June 19, 1983
MY COMMISSION EXPIRES

570623

Register's Office
Winnobago County, Wis.
Received for record this 24 th
day of Nov. A.D., 1981
at 9:34 o'clock A.M. and
recorded in Vol. 1 of Survey
on page 967 maps
Myerice Adams
Register of Deeds

Winnobago Land Surveying
Coshack

Aug
200

CERTIFIED SURVEY MAP
FOR NEIL ANDERSON
OF A PRT. OF OUTLOT "A", BLOCK 3 OF OLSON ACRES

State of Wisconsin) ss
Winnebago County)

SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., hereby certify that I have Surveyed, Divided and Mapped A Part of Outlot "A", Block 3 in the Subdivision of Olson Acres being a Part of the NE 1/4 of Section 2, Township Eighteen (18) North, Range Sixteen (16) East, Town of Oshkosh, Winnebago County, Wisconsin, containing 1.248 Acres and being described by: Commencing at the Southeast corner of Tract "B" of Certified Survey Map recorded in Volume 1 Page 113 of Certified Survey Maps having Document No. 466839, thence S.00°-51'-30"E. 66.00 feet to the true point of beginning, thence continuing S.00°-51'-30"E. 164.65 feet to a point on the South line of the Plat of Olson Acres, thence S.89°-05'-35"W. 330.00 feet (Previously recorded as S.89°-05'W.) along the South line of said Plat of Olson Acres, thence N.00°-51'-30"W. 165.08 feet, thence N.89°-09'-15"E. 330.00 feet to the true point of beginning. Together with an Easement for the purpose of ingress and egress and being 66 feet in width and being described by: Commencing at the Southeast Corner of Tract "B" of Certified Survey Map recorded in Volume 1 page 113 of Certified Survey Maps, thence S.00°-51'-30"E. 180.65 feet, thence N.89°-09'-15"E. 66.00 feet, thence N.00°-51'-30"W. 180.65 feet, thence S.89°-09'-15"W. 66.00 feet along the South line of Tract "C" of said Certified Survey Map to the point of commencement.


That such is a correct representation of all exterior boundaries of the Land Surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes in Surveying and mapping the same.


Dated this 10th day of
November 1975.

Steven T. Chronis
Wisconsin Registered Land Surveyor
Steven T. Chronis S-913

(RECORDED IN VOL. 1, PAGE 113 OF C.S.M.'S)



ALL BEARS REFERENCED TO THE SOUTH LINE OF LOTS
1-10 BLOCK 3 IN THE PLAT OF OLSON ACRES



OWNER'S CERTIFICATE:

As owner I hereby certify that I caused the land described on this Certified Survey Map to be Surveyed, Divided, and Mapped as represented on this Certified Survey Map.

Witness the Hand and Seal of said Owner this _____ day of _____, 1975.


In the Presence of:

Neil Anderson

2-18-16

PLAT OF SURVEY
FOR
LANGLITZ REALTY

All of Lots 1, 2 and 3 of Block 2 in the Sawicki Subdivision being a part of the NE $\frac{1}{4}$ of the SW $\frac{1}{4}$ and the SE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 2, T.18N., R.16E., Town of Oshkosh, Winnebago County, Wisconsin. Also: A strip of land 25.00 feet in width lying immediately West of and adjacent to the West line of Lots 1, 2 and 3 of said Block 2. Total parcel contains 0.775 Acres.



LEGEND

○ = 1" x 24" IRON PIPE SET


⊙ = 2" IRON PIPE FOUND

SCALE: 1" = 50'

DATE: 10/3/1980

AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
OSHKOSH, WISCONSIN

WIS. REGISTERED LAND SURVEYOR 8-913
NOTEBOOK 37 PAGE 74, 75



L-957

2 18 16 6

Description For New Roadway:

That Part Of The N.E.1/4 Of The N.E.1/4 Of Sec. 2-18-16, Town Of Oshkosh, Winnebago County, Wis. Described As Follows: Commencing At The South East Corner Of The N.E.1/4 Of The N.E.1/4 Of Sec. 2-18-16, Thence West Along The South Line Of Said Quarter, 45.0 ft. To The West Right Of Way Line Of U.S.H. # 45, Thence Northerly Along Said Right Of Way Line, 141.78 ft. To The Place Of Beginning: Thence S.89°0'W., 248.5 ft., Thence S.90°0'W., 66.0 ft., Thence North, 195.5 ft., Thence East, 66.0 ft., Thence South, 135.5 ft., Thence N.89°0'E., 248.5 ft. To The Westerly Right Of Way Line Of U.S.H. # 45, Thence Southerly To The Place Of Beginning.

Description For Parcel 'A'
See Page # 2

Description For Parcel 'B'
See Page # 2

TOWN OF OSHKOSH

SEC. 2-18-16
N.E. 1/4 OF N.E. 1/4

HOWARD
KOSSEL

R.W. OLSON PROP.



Reedway

U.S.H. 45 NO. 2214 JACKSON DRIVE

—OTHE ACRES

FUTURE ROADWAY

4. ROADWAY

AMYX DRIVE

SOUTH LINE - N.E. $\frac{1}{4}$ OF N.E. $\frac{1}{4}$

S.E. CORNER
OF N.E. 1/4 OF N.E. 1/4

Scale
1" = 100'

Iron Stakes Shown Thus - ●

Survey & Platting Co.
Oshkosh, Wis.
T.E.Stearns - Reg. Surveyor
March 7, 1970
Rev. July 28, 1970


4

Description For Parcel # 1

That Portion Of The N.E.1/4 Of The N.E.1/4 Of Sec. 2-18-16, Town Of Oshkosh; Described As Follows: Beginning At The Northeast Corner Of Lot # 6, Block # 1 In The Plat Of OLSON ACRES, Thence East Along The Extended North Line Of Said Lot 6 A Distance Of 105.0 ft., Thence South, Parallel With The East Line Of Lot 6, 168.0 ft., Thence West 105.0 ft. To The Southeast Corner Of Said Lot 6, Thence North Along The East Line Of Lot 6 A Distance Of 168.0 ft. To The Point Of Beginning.


Description For Parcel # 2

That Portion Of The N.E.1/4 Of The N.E.1/4 Of Sec. 2-18-16, Town Of Oshkosh, Described As Follows: Commencing At The Northeast Corner Of Lot 6, Block 1 In The Plat Of OLSON ACRES, Thence East Along The Extended North Line Of Said Lot 6 A Distance Of 105.0 ft. To The Place Of Beginning; Thence East Along Said Extended North Line Of Lot 6, 95.0 ft., Thence South, Parallel With The East Line Of Lot # 6, 168.0 ft., Thence West, Parallel With The Extended North Line Of Lot 6, 95.0 ft., Thence North, Parallel With The East Line Of Lot 6, 168.0 ft. To The Place Of Beginning.



DESCRIPTION FOR ROBERT W. OLSON (REMAINING PARCEL)

A Tract of Land being a Part of Outlot "A" of Block 3 of Olson Acres, A Subdivision of A Part of the NE 1/4 of Section 2, Township Eighteen (18) North, Range Sixteen (16) East, Town of Oshkosh, Winnebago County, Wisconsin containing 3.096 Acres and being described by: Commencing at the Southwest corner of Tract "C" of a Certified Survey Map recorded in Volume 1 Page 113 of Certified Survey Maps having Document No. 466839, thence S.00°-51'-30"E. 230.65 feet to a point on the South line of said Plat of Olson Acres, thence N.89°-05'E. 423.20 feet along the South line of said Plat of Olson Acres to its Southeast corner, thence N.00°-50'-45" W. 394.41 feet along the East line of Outlot "A" of Block 3 of said Plat of Olson Acres, thence S.89°-09'-15"W. 227.20 feet along the North line of said Outlot "A", thence S.00°-51'-30"E. 164.00 feet along the East line of Tract "D" of a Certified Survey Map recorded in Volume 1 Page 113 of Certified Survey Maps, thence S.89°-09'-15"W. 196.00 feet along the South line of Tracts "D" and "C" of said Certified Survey Map to the point of commencement. The afore described being subject to an Easement for the purpose of ingress and egress and being 66 feet in width and being described by: Commencing at the Southwest corner of Tract "C" of a Certified Survey Map recorded in Volume 1 page 113 of Certified Survey Maps, thence S.00°-51'-30" E. 180.65 feet, thence N.89°-09'-15" E. 66.00 feet, thence N.00°-51'-30" W. 180.65 feet, thence S.89°-09'-15" W. 66.00 feet to the point of commencement.



ALL BEARINGS REFERENCED TO S LINE OF LOTS 1-3
BLOCK 4 OF THE PLAT OF OLSON ACRES.


(VOL. 1 PAGE 113 OF C.S.M.'S)

"B"

"C"

"D"


BLOCK 4
2 1



AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
OSHKOSH 11, WISCONSIN

Steven T. Chronis
WIS. REGISTERED LAND SURVEYOR S-913

NOTEBOOK PAGE



L-96


DESCRIPTION -- ROBERT W. OLSON TO NEIL ANDERSON

A tract of land being a part of Outlot "A" of Block 3 of Olson Acres, a subdivision of a part of the NE 1/4 of Section 2, T. 18 N., R. 16 E. Town of Oshkosh, Winnebago County, Wisc. containing 9.45 Acres and being described by: Commencing at the Southwest corner of tract "A" of a Certified Survey Map Recorded in Volume 1 on Page 113 of Certified Survey Maps, having Document No. 466839, thence N.00°-51'-30" W. 164.00 feet to the Northwest corner of said Tract "A", thence S.89°-09'-15" W. 880 feet along the North line of said Outlot "A" to the Southwest corner of Lot 10 of said Block 3, thence S.00°-50'-45" E. 16.00 feet along the West line of said Outlot "A" to the Southeast corner of Lot 13 of said Block 3, thence S.89°-09'-15" W. 192.02 feet along the South line of said Lot 13 to the Southwest corner of said Lot 13, thence S.1°-22'-45" E. 66.00 feet to the Northwest corner of lands recorded in Volume 1075 p. 462 of Records, thence N.89°-09'-15"E. 191.43 feet to the Northeast corner of Lands recorded in Volume 1075 p. 462 of Records, thence S.00°-50'-45"E. 166.27 feet to the Southeast corner of lands recorded in Volume 1075 page 462 of Records, thence N.89°-05'E. 1100.88 feet along the South line of said Outlot "A", thence N.00°-51'-30"W. 230.65 feet to the Southeast corner of Tract "B" of a Certified Survey Map recorded in Volume 1 page 113 of Certified Survey Maps, thence S.89°-09'-15"W. 220.00 feet along the South line of Tracts "A" and "B" of said Certified Survey Map to the point of commencement. Together with an Easement for the purpose of ingress and egress and being 66 feet in width and being described by: Commencing at the Southeast corner of Tract "B" of a certified survey map recorded in Volume 1 Page 113 of Certified Survey Maps, thence S.00°-51'-30"E. 180.65 feet, thence N.89°09'-15"E. 66.00 feet, thence N.00°-51'-30"W. 180.65 feet, thence S.89°-09'-15"W. 66.00 feet along the South line of Tract "C" of said Certified Survey Map to the point of commencement.



LEGEND
 O = RECOVERED 1" IRON PIPE
 O = RECOVERED 2" IRON PIPE
 SCALE: 1" = 200'
 DATE: NOV. 6, 1975


(NOTE: THIS MAP AND DESCRIPTION PREPARED FROM RECORDED INFORMATION ONLY.)



AERO-METRIC ENGINEERING, INC.
 PHOTOGRAMMETRIC ENGINEERS
 LAND SURVEYORS
 OSHKOSH, WISCONSIN

Steven T. Chronis
 WIS. REGISTERED LAND SURVEYOR S-913

NOTEBOOK PAGE



L-97

CERTIFIED SURVEY MAP # 113

SHEET 1 OF 2

FOR
ROBERT OLSON

State of Wisconsin)
Winnebago County) ss




SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc. hereby certify that I have Surveyed, Divided, and Mapped a Part of Outlot "A" in the Subdivision of Olson Acres being a Part of the NW 1/4 of the NE 1/4, and the NE 1/4 of the NE 1/4 of Section 2, Township Eighteen (18) North, Range Sixteen (16) East, Town of Oshkosh, Winnebago County, Wisconsin containing 68,224 square feet and being described by: Commencing at the Southeast corner of Lot 1, Block 4 of Olson Acres, thence S. 89°-09'-15" W. 227.20 feet along the South line of said Block 4 to the point of Beginning, thence continue S. 89°-09'-15" W. 416.00 feet along the South line of Block 4 and its extension thereof and along the South line of Lots 1 and 2 of Block 3 of Olson Acres to the Southwest corner of Lot 2 of said Block 3, thence S. 00°-51'-30" E. 164.00 feet, thence

Steven T. Chronis
August 22, 1975

LEGEND

- O = 2"x30" IRON PIPE WEIGHING 3.65 LBS. PER LINEAL FOOT.
- o = 1"x24" IRON PIPE WEIGHING 1.13 LBS. PER LINEAL FOOT.
- = 5' PUBLIC UTILITY EASEMENT
- DATE = AUG. 22, 1975
- = FOUND 1" IRON PIPE
- = FOUND 2" IRON PIPE



N. 89°-09'-15" E. 416.00 feet, thence N. 00°-51'-30" W. 164.00 feet to the point of beginning.


That such is a correct representation of all exterior boundaries of the Land Surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes in Surveying and Mapping the same.


Steven T. Chronis

Wisconsin Registered Land Surveyor S-913
Steven T. Chronis

Dated this 22nd day of August, 1975.



SECTION 2 T18 R16 E OSHKOSH
NO 535 PAGE 259



NOTE - STAKES ON ROAD 38 FT.
FROM & SHOWN THUS (C) IRON

SURVEY FOR BASS
OF N. 165.26' OF
S. 66.04' N. 24.0' E. 1/4
SEC. 2-18-16

4/6/44. R.T.W. HK
1/2 of PARCEL 12

SURVEY FOR D.G. STROEBEL
OF N. 165.26' OF THE S. 330.32'
OF NE. 1/4 OF S.E. 1/4 SEC. 2-18-16
TOWN OF OSHKOSH 7/15/43
R.F. WILKINSON


DATE MARCH 18, 1936 COPIED

SCALE 1"=500 FT.

G.H. WILKINSON

Sec 2

SECTION 2 T18 R16 E
NO 536 PAGE 260



NOTE - ACRES MORE OR LESS ACCORDING TO
GOVT. SURVEY
APRIL 28, 1890

NOTE - STAKES ON ROAD 30 FT. FROM LINE

DATE MARCH 10, 1936

SCALE 1" = 500 FT.

G. H. RAYBURN
SURVEYOR

Stock No. 26273

89-1399

SHEET 1 OF 3

CERTIFIED SURVEY MAP NO. _____

BEING A PART OF THE NORTH 5 ACRES OF THE SOUTH 10 ACRES OF THE N.E. 1/4 OF THE S.E. 1/4 OF SECTION 2, T18N, R16E, IN THE TOWN OF OSHKOSH, WI. WABAGO COUNTY, WISCONSIN.


◆ ——— DENOTES 1 INCH DIAMETER IRON PIPE FOUND.

○ ——— DENOTES 3/4 INCH DIAMETER IRON ROD, 24" LONG, WEIGHING NOT LESS THAN 1.13 LBS PER LINEAL FOOT SET.

ALL DIMENSIONS SHOWN ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE EAST LINE OF THE S.E. 1/4 OF SECTION 2, T18N, R16E, WHICH HAS AN ASSUMED BEARING OF NORTH 00-06-22 EAST.

UNPLATTED LANDS



SCHULER & ASSOCIATES

CONSULTING ENGINEERS & LAND SURVEYORS

320 W. NORTHLAND AVE. APPLETON, WIS. 54911 (414) 734-9107
1830 W. 20TH AVE. OSHKOSH, WIS. 54904 (414) 426-2800

89-1399

Stock No. 26273

89-1399

SHEET 2 OF 3

CERTIFIED SURVEY MAP NO. _____

BEING A PART OF THE NORTH 5 ACRES OF THE SOUTH 10 ACRES OF THE N.E. 1/4 OF THE S.E. 1/4 OF SECTION 2, T18N, R16E, IN THE TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Land Surveyor do hereby certify;

THAT I have surveyed and mapped a part of the N.E. 1/4 of the S.E. 1/4 of Section 2, T18N, R16E, in the Town of Oshkosh, Winnebago County, Wisconsin, which is bounded and described as follows:

Commencing at the E. 1/4 corner of said Section, thence South 00-06-22 West along the East line of said S.E. 1/4 aforesaid 991.98 ft. to a point on the North line of the South 10 acres of the N.E. 1/4 of the S.E. 1/4 of said Section, thence South 89-37-22 West along said line 40.00 ft. to a point on the West line of U.S. Highway "45" (Jackson Street), thence South 00-06-22 West along said West line 165.32 ft., thence South 89-37-59 West 1271.04 ft., thence North 00-09-00 East 165.09 ft., thence North 89-37-22 East 1270.92 ft. to the point of beginning.

THAT I have made this survey and land division by the direction of Lu Varne Kienast and Geraldine Kienast, his wife, City of Oshkosh, Winnebago County, owners of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

1-13-89

Date

Reinhard Roehlig
Reinhard Roehlig, Registered
Land Surveyor S-1368

(SEAL)



Stock No. 26273

89-1399

SHEET 3 OF 3

CERTIFIED SURVEY MAP NO. _____

BEING A PART OF THE NORTH 5 ACRES OF THE SOUTH 10 ACRES OF THE N.E. 1/4 OF THE S.E. 1/4 OF SECTION 2, T18N, R16E, IN THE TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE

AS OWNERS We hereby certify that We caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hands and seals of said owners this _____ day of _____ 1989.

In The Presence Of:

Lu Verne Kienast_____
Geraldine Kienast

STATE OF WISCONSIN)

:81

WINNEBAGO COUNTY)

PERSONALLY came before me this _____ day of _____ 1989 the above named Lu Verne Kienast and Geraldine Kienast, his wife, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Notary Public, Winnebago County,
State of Wisconsin

My Commission Expires _____


WINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE

THIS Certified Survey Map of a part of the N.E. 1/4 of the S.E. 1/4 of Section 2, T18N, R16E, Town of Oshkosh, Winnebago County, Wisconsin, Lu Verne Kienast and Geraldine Kienast, his wife, owners, is hereby approved.

Date _____

Planning Committee Representative

THIS INSTRUMENT WAS DRAFTED BY
REINHARD ROEHLIG.



NORTH 1/4 CORNER OF SECTION 1
T18N, R16E

LEGEND

- = 1" IRON PIPE FOUND
- = 1 1/2" IRON PIPE FOUND
- ⊙ = BERNTSEN MONUMENT FOUND

WEST LINE OF THE NORTHEAST 1/4 OF SECTION 1-18-16

NORTHWEST CORNER OF THE
SW 1/4 SECTION 1, T18N, R16E

NORTH LINE OF THE SOUTHWEST 1/4 OF THE NORTHEAST 1/4 SECTION 1-18-16

2637.22'

1318.61'

1307.61'

N00°-02'-44"W

N00°-02'-44"W

CENTER OF
SECTION 1
T18N, R16E

RAILROAD

FOX RIVER VALLEY

420.88'

N02°-28'-28"E

iron pipe 4.27' South
& 0.23' East of corner

S89°-47'-23"E 864.63'

S89°-47'

407'

DOWN GUY

GUY WIRE

DOWN GUY

TOWER

well - 0

NORTH IS REFERENCED TO
THE WEST LINE OF THE NW
1/4 OF SECTION 1, T18N, R16E,
TOWN OF OSHKOSH, WINNEBAGO
COUNTY, WISCONSIN, WHICH
IS ASSUMED TO BEAR
N00°-02'-44"W.

N89°-35'-16"W

iron pipe 1.79' South
& 0.08' East of corner

1-2
DU

24'


0

42

DESCRIPTION:

That part of the South West 1/4 of the North East 1/4 of Section One (1), Township Eighteen (18) North, of Range 32 West (16) East, in the Town of Oakbrook, Winnebago County, Wisconsin, lying East of the Eastern line of the right of way of the Chicago and North Western Transportation Company (formerly the Chicago and Northwestern Railway Company), excepting therefrom the Three (3) following described tracts of land, viz:-

1. The North 11 feet thereof.
2. The South 600 feet thereof.
3. That portion thereof included within the limits of County Trunk Highway "A", as now located.




Robert J. Rich 6-26-92

I HEREBY CERTIFY THAT I HAVE SURVEYED THE ABOVE DESCRIBED PROPERTY AND THE ABOVE MAP IS A TRUE REPRESENTATION THEREOF AND SHOWS THE SIZE AND LOCATION OF THE PROPERTY, ITS EXTERIOR BOUNDARIES, THE LOCATION AND DIMENSIONS OF ALL VISIBLE STRUCTURES THEREON, FENCES, APPARENT EASEMENTS AND ROADWAYS AND VISIBLE ENCROACHMENTS, IF ANY.

THIS SURVEY IS MADE FOR THE EXCLUSIVE USE OF THE PRESENT OWNERS OF THE PROPERTY, AND ALSO THOSE WHO PURCHASE, MORTGAGE OR GUARANTEE THE TITLE THERETO WITHIN ONE (1) YEAR FROM THE DATE HEREON, AND AS TO THEM I HEREBY CERTIFY THAT SAID SURVEY AND THE ABOVE MAP WERE MADE IN ACCORDANCE WITH ACCEPTABLE PROFESSIONAL STANDARDS AND THAT THE INFORMATION CONTAINED HEREON IS, TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF, A TRUE AND ACCURATE REPRESENTATION THEREOF.

TOLERANCES (EXCEPT AS NOTED)	REVISIONS			WNAH ATTN: DAN ZULENER P.O. BOX 707 NEENAH, WISCONSIN 54956		
	NO.	DATE	BY	CAROW LAND SURVEYING CO., INC. P.O. BOX 1297 APPLETON, WISCONSIN 54912		
DECIMAL	1			DRAWN BY KJY-TC CHK'D TRACED	SCALE 1" = 401' DATE 06/26/92 APP'D	MATERIAL DRAWING NO. 8891,219
FRACTIONAL	2					
ANGULAR	3					



DESCRIPTION: A PARCEL OF LAND LOCATED IN THE SOUTHEAST 1/4 OF THE SOUTHEAST 1/4 OF SECTION 2, TOWNSHIP 18 NORTH, RANGE 16 EAST, TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN, MORE FULLY DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF SECTION 2; THENCE NO-03-22E, 394.30 FEET ALONG THE EAST LINE OF THE SOUTHEAST 1/4 OF SECTION 2; THENCE S89-43-40W, 38.67 FEET TO THE WEST LINE OF U.S. HIGHWAY "46" AND TO THE POINT OF BEGINNING; THENCE CONTINUING S89-43-40W, 306.83 FEET; THENCE SO-06-22W, 211.80 FEET; THENCE S89-43-40W, 182.60 FEET; THENCE SO-06-22W, 82.50 FEET TO THE NORTH LINE OF THE CHICAGO AND NORTHWESTERN RAILROAD; THENCE S89-43-40W, 9.50 FEET ALONG SAID NORTH LINE; THENCE NO-06-22E, 165.00 FEET; THENCE S89-43-40W, 333.03 FEET (RECORDED AS 324.00 FEET); THENCE SO-06-22W, 165.00 FEET TO THE NORTH LINE OF THE CHICAGO AND NORTHWESTERN RAILROAD; THENCE S89-43-40W, 441.55 FEET (RECORDED AS 444.50 FEET) ALONG SAID NORTH LINE TO THE WEST LINE OF THE SOUTHEAST 1/4 OF THE SOUTHEAST 1/4; THENCE NO-08-55E, 395.17 FEET ALONG SAID WEST LINE TO THE SOUTH LINE OF THE NORTH 5 ACRES OF THE SOUTH 1/2 OF THE SOUTHEAST 1/4 OF THE SOUTHEAST 1/4 OF SECTION 2; THENCE N89-41-20E, 1273.07 FEET ALONG SAID NORTH LINE TO THE WEST LINE OF U.S. HIGHWAY "46"; THENCE SO-04-20W, 101.73 FEET ALONG SAID WEST LINE TO THE POINT OF BEGINNING. SAID PARCEL CONTAINS 7.88 ACRES OF LAND MORE OR LESS. SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD.

S2 T18 R16

SOUTH 1/2 OF THE
SECTION 2, T18N, R16E
1273.07'

CHAIN LINK
FENCE

589°-43'-40"W
182.50'

589°-43'-40"W 305.83'
38.67'
50°-06'-22"E 211.80'

394.30'
N0°-06'-22"E
CENTERLINE OF RIGHT-OF-WAY
U.S. HIGHWAY "45" (JACKSON DRIVE)

EAST LINE OF THE SE 1/4
SECTION 2, T18N, R16E


N

NORTH IS REFERENCED TO THE EAST LINE OF THE SE 1/4
OF SECTION 2, T18N, R16E, AND IS ASSUMED TO BEAR
N0°-06'-22"E.

SOUTHEAST CORNER OF SECTION 2,
T18N, R16E

LEGEND

- ◊ = 3/4" x 24" SOLID ROUND IRON REBAR
SET WEIGHING 1,502 LBS PER LIN. FT.
- = 1" IRON PIPE FOUND
- ◊ = 2" IRON PIPE FOUND
- ◊ = PK NAIL FOUND
- = BRANTSEN MONUMENT FOUND
- ✕ = 1" IRON PIPE FOUND REPT, RESET
- (0.00') = DISTANCE RECORDED AS



Robert F. Reider

I HEREBY CERTIFY THAT I HAVE SURVEYED THE ABOVE DESCRIBED PROPERTY AS SHOWN
ACCORDING TO THE OFFICIAL RECORDS AND THAT THIS PLAT OF SURVEY IS A CORRECT
REPRESENTATION OF SAID SURVEY.

10-28-91

TOLERANCES EXCEPT AS NOTED	REVISIONS			JOHN SIMPSON - PLUS WOOD PURCHASE ORDER #306968		
	NO	DATE	BY	2750 VINLAND ROAD OSHKOSH, WIS. 54902		
DECIMAL	1			CARON LAND SURVEYING CO., INC.		
	2			1837 W. WISCONSIN AVE. P.O. BOX 1297		
	3			APPLETON, WIS. 54912-1297		
FRACTIONAL	4			DRAWN BY	SCALE	MATERIAL
	5			FR dy EC	1"=100'	
ANGULAR	6			CHK'D	DATE	DRAWING NUMBER
	7				10-28-91	
	8			TRACED	APP'D	A366.116-91

OF THE NORTHEAST 1/4 OF SECTION 2
T 19 N. R 16 E. ASSUMED TO BEAR
N 88°04'48" E

LEGEND

- o 3/4" REBAR SET
- * 1" IRON PIPE FOUND

SURVEYOR'S CERTIFICATE:

I hereby certify that I have surveyed this property and this map is a true representation thereof and shows the size and location of the property, its exterior boundaries, the location and dimensions of all visible structures thereon, fences, apparent easements and roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owner of the property, and also those who purchase, mortgage or guarantee the title thereto within one (1) year from date hereof; and as to them I hereby certify that said survey and map were made in accordance with acceptable Professional Standards and that the information contained thereon is, to the best of my knowledge, information and belief a true and accurate representation thereof.

DATE _____ REGISTERED LAND SURVEYOR

S 88°19'45" W
377.99

SOUTH LINE OF THE NORTHWEST 1/4 OF THE NORTHEAST 1/4 OF SECTION 2


EAST LINE OF THE NORTHWEST 1/4 OF THE NORTHEAST 1/4 OF SECTION 2

PLAT OF SURVEY

PART OF THE NORTHWEST 1/4 OF THE NORTHEAST 1/4 OF SECTION 2, TOWN 19 NORTH, RANGE 16 EAST, TOWN OF VINLAND, WINNEBAGO COUNTY, WISCONSIN

SURVEYED FOR: J.J. KELLER & ASSOC. INC.


DRAWN BY	CHECKED	APPROVED
MLK, JGE		
NO.	DATE	REVISION






Martenson & Eisele, Inc.
Consulting Engineering & Land Surveying
1919 American Court
Neenah, WI 54956 Ph. (414) 731-0331

FIELD BK	PAGE
55	39
SCALE	DATE
1"=100'	6-6-90
COMP FILE	DISK
SS173454	169
DRAWING NO.	
173-45	





DETAIL



N 01° 15' 03" W
153.94
1504.94

12.80 ACRES LOT
0.22 ACRES ROAD
13.02 TOTAL

S 01° 15' 03" E
1379.58



NORTH IS REFERENCED TO THE NORTH LINE

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO.

Part of the SW 1/4 of the SE 1/4, Sec. 2, T.18N., R.16E., Town of Oshkosh, Winnebago Co., WI.

Bearings are referenced to the West line of the SE 1/4, assumed bearing, N.00°11'25"E.

Tax No. 018-0064

SURVEYOR'S CERTIFICATE:

I, Robert H. Saylor, registered land surveyor hereby certify:

That I have surveyed, divided and mapped the parcel of land located in part of the SW 1/4 of the SE 1/4 of Sec. 2, T.18N., R.16E. in the Town of Oshkosh, Winnebago County, Wisconsin, described as follows: Beginning at a point that is 653.25 ft., N.00°11'25"E. of a Berntsen monument at the South 1/4 corner of said Sec. 2. From that point continuing N.00°11'25"E., 366.87 ft., thence N.89°37'56"E., 352.71 ft., thence S.41°01'20"W., 488.97 ft., thence S.89°37'56"W., 33.00 ft. to the said point of beginning. Being a parcel of land of 1.62 acres. Reserving therefrom that portion within the right of way of Vinland Rd. presently used for road purposes. Subject to all easements and restrictions of record.

That I have made such survey, land division and map by the direction of Carl Doemel, 3020 Vinland Rd., Oshkosh, WI; 54901; that such map is a true and correct representation of the exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Sec. 236.34 of the Wisconsin Statutes and the Winnebago County Subdivision Ordinance in surveying, dividing and mapping the same.

Robert H. Saylor
Robert H. Saylor S-1894
Wisconsin Registered Land Surveyor
November 1, 1993

Sheet 1. of 2 sheets




WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE:

This certified survey map of part of the SW 1/4 of the SE 1/4 of Sec. 2, T.18N., R.16E. in the Town of Oshkosh, is hereby approved.

Date _____


Authorized signature _____



LEGEND:

- 1" X 30" pipe weighing 1.13lbs/lineal ft.
- ⊙ Berntsen monument

75' Set Back line from water's edge



Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. _____

Part of the SW 1/4 of the SE 1/4, Sec. 2, T.18N., R.16E., Town of Oshkosh, Winnebago Co., Wi.

CORPORATE OWNER'S CERTIFICATION:

OSHKOSH STORAGE CO., a corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, as owner, does hereby certify that said corporation caused the land described on this plat to be surveyed, divided and mapped as represented on this plat.

IN WITNESS WHEREOF, the said Oshkosh Storage Co. has caused these presents to be signed by Walter C. Doemel, its president and countersigned by Maxine B. Doemel its, secretary at _____, Wisconsin, and its corporate seal to be hereunto affixed on this _____ day of _____, 1993

In the presence of:

OSHKOSH STORAGE CO.

Countersigned: _____, Secretary President

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this _____ day of _____, 1993, the above named person(s) to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.

Notary Public

My commission expires _____

CERTIFICATE TOWN TREASURER:

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

I, Maribeth Gabert, being duly elected, qualified and acting treasurer of the Town of Oshkosh, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or unpaid special assessments as of _____, 1993 on any of the land included in this certified survey map.

Date_____
Town Treasurer

COUNTY TREASURER'S CERTIFICATE:

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

I, _____, being duly elected, qualified and acting treasurer of the County of Winnebago, do hereby certify that the records in my office show no unredeemed tax sales and no unpaid taxes or special assessments as of _____, 19____ affecting the lands included in this certified survey map.

Date_____
County Treasurer


Robert H. Saylor

S-1894

Wisconsin Registered Land Surveyor

November 1, 1993

Sheet 2 of 2 sheets



SAYLER SURVEY, INC.

WINNEBAGO

SURVEYOR

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 2928
 Part of the SW 1/4 of the SE 1/4, Sec. 2, T.18N., R.16E., Town of Oshkosh, Winnebago Co., WI.

Bearings are referenced to the West line of the SE 1/4, assumed bearing, N.00°11'25"E.

Tax No. 018-0064

SURVEYOR'S CERTIFICATE:

I, Robert H. Saylor, registered land surveyor hereby certify:

That I have surveyed, divided and mapped the parcel of land located in part of the SW 1/4 of the SE 1/4 of Sec. 2, T.18N., R.16E. in the Town of Oshkosh, Winnebago County, Wisconsin, described as follows: Beginning at a point that is 653.25 ft., N.00°11'25"E. of a Berntsen monument at the South 1/4 corner of said Sec. 2. From that point continuing N.00°11'25"E., 366.87 ft., thence N.89°37'56"E., 352.71 ft., thence S.41°01'20"W., 488.97 ft., thence S.89°37'56"W., 33.00 ft. to the said point of beginning. Being a parcel of land of 1.62 acres. Reserving therefrom that portion within the right of way of Vinland Rd. presently used for road purposes. Subject to all easements and restrictions of record.

That I have made such survey, land division and map by the direction of Carl Doemel, 3020 Vinland Rd., Oshkosh, WI; 54901; that such map is a true and correct representation of the exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Sec. 236.34 of the Wisconsin Statutes and the Winnebago County Subdivision Ordinance in surveying, dividing and mapping the same.


Robert H. Saylor
 Robert H. Saylor S-1894
 Wisconsin Registered Land Surveyor
 November 1, 1993
 Sheet 1 of 2 sheets

**WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE:**

This certified survey map of part of the SW 1/4 of the SE 1/4 of Sec. 2, T.18N., R.16E. in the Town of Oshkosh, is hereby approved.

June 6, 1994
 Date

Joanne M. Shivers
 Authorized signature

**NOTES:**

- 1" x 30" pipe weighing 1.23lbs/lineal ft.
- Berntsen monument

All of Lot 1 is in a mapped wetland until otherwise determined by the WI DNR.
 75' Set Back line from water's edge



Block No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 2928

Part of the SW 1/4 of the SE 1/4, Sec. 2, T.18N., R.16E., Town of Oshkosh, Winnebago Co., Wi.

CORPORATE OWNER'S CERTIFICATE:

OSHKOSH STORAGE CO., a corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, as owner, does hereby certify that said corporation caused the land described on this plat to be surveyed, divided and mapped as represented on this plat.

IN WITNESS WHEREOF, the said Oshkosh Storage Co. has caused these presents to be signed by Walter C. Doemel, its president and countersigned by Maxine B. Doemel its, secretary at WINNECONIE Wisconsin, and its corporate seal to be hereunto affixed on this 17th day of December, 1993

In the presence of:

[Signature]

Oshkosh Storage Co.
OSHKOSH STORAGE CO.

Countersigned: Maxine B. Doemel, Secretary

Walter C. Doemel
President

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 17th day of December, 1993, the above named person(s) to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.

Irene F. Haedt
Notary Public Oshkosh Wis.

My commission expires 10-6-1996

CERTIFICATE TOWN TREASURER:

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

I, Maribeth Gabert, being duly elected, qualified and acting treasurer of the Town of Oshkosh, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or unpaid special assessments as of December 31, 1993 on any of the land included in this certified survey map.

12-31-93
Date

Maribeth Gabert
Town Treasurer

COUNTY TREASURER'S CERTIFICATE:

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

I, Keith H. Bradley, being duly elected, qualified and acting treasurer of the County of Winnebago, do hereby certify that the records in my office show no unredeemed tax sales and no unpaid taxes or special assessments as of JAN 6, 1994 affecting the lands included in this certified survey map.

Jan. 6, 1994
Date

Keith H. Bradley
County Treasurer

Robert H. Saylor
Robert H. Saylor S-1894
Wisconsin Registered Land Surveyor
November 1, 1993
Sheet 2 of 2 sheets



SAYLER SURVEY, INC.

WINNEBAGO

LAND SURVEYOR

878184


Register's Office

Winnebago County, Wis.
Received for record this 2nd
day of Jan A.D., 19 94
at 8:04 o'clock AM, and
filed in Vol. 1 of SSM
on page 2928

Marjorie K. Klammer
Register of Deeds

Chy
12th

CERTIFIED SURVEY MAP NO. 3270, PART OF THE
NW 1/4 OF THE SE 1/4, SECTION 2, T18N, R16E, TOWN OF OSHKOSH,
WINNEBAGO COUNTY, WISCONSIN






Stock No. 26273

CERTIFIED SURVEY MAP NO. 3270

LOCATED IN PART OF THE NW1/4 OF THE SE1/4, SECTION 2, T18N, R16E, TOWN OF OSHKOSH, WINNEBAGO COUNTY WISCONSIN.

SURVEYOR'S CERTIFICATE:

I CHARLES OFFERMAN, STATE OF WISCONSIN REGISTERED LAND SURVEYOR NO. 826, DO HEREBY CERTIFY THAT BY THE ORDER OF THE OWNER, I HAVE SURVEYED A PARCEL OF LAND IN THAT PART OF THE NW1/4 OF THE SE1/4, SECTION 2, T18N, R16E, TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN BEING BOUND AND DESCRIBED AS FOLLOWS: COMMENCING AT THE E1/4 CORNER OF SAID SECTION 2; THENCE S89°32'47"W, ALONG THE NORTH LINE OF THE SE1/4 OF SAID SECTION 2, A DISTANCE OF 2267.17 FEET TO THE POINT OF BEGINNING; THENCE CONTINUING S89°32'47"W, ALONG SAID NORTH LINE 328.75 FEET TO THE EASTERLY RIGHT-OF-WAY OF VINLAND ROAD; THENCE S00°04'12"E, ALONG SAID EASTERLY RIGHT-OF-WAY 265.00; THENCE N89°32'47"E, 328.75 FEET; THENCE N00°04'12"W, 265.00 TO THE NORTH LINE OF THE NW1/4 OF THE SE1/4 AND THE POINT OF BEGINNING, CONTAINING 2.00 ACRES, MORE OR LESS AND BEING SUBJECT TO OR HAVING RIGHTS OF ANY EASEMENTS, COVENANTS, AGREEMENTS, RESTRICTIONS OR RIGHTS OF RECORD. I DO FURTHER CERTIFY THAT THIS MAP IS A TRUE REPRESENTATION OF THE SURVEYED LANDS AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF SECTION 236.24 OF WISCONSIN STATUTES AND THE SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY IN SURVEYING, DIVIDING, AND MAPPING THE SAME.


 CHARLES OFFERMAN, REG. NO. S-926

6/21/95
 DATED



OWNER'S CERTIFICATE

AS AUTHORIZED REPRESENTATIVE OF THE OWNERS, I DO HEREBY CERTIFY THAT I HAVE CAUSED THE LAND ON THIS MAP TO BE SURVEYED, MAPPED AND DIVIDED AS REPRESENTED.


 AUTHORIZED REPRESENTATIVE

7/31/95
 DATED
STATE OF WISCONSIN) SS
WINNEBAGO COUNTY)

PERSONALLY CAME BEFORE ME THIS 31st DAY OF July, 1995, THE ABOVE NAMED, TO ME KNOWN TO BE THE PERSON WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGE THE SAME.

NOTARY PUBLIC
WISCONSIN



COUNTY

MY COMMISSION EXPIRES

10/12/97

WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE APPROVAL:

THIS CERTIFIED SURVEY MAP HAS BEEN APPROVED BY THE WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE.


 AUTHORIZED REPRESENTATIVE


9/26/95
 DATED

TREASURER'S CERTIFICATE:

WE DO HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES OR UNPAID SPECIAL ASSESSMENTS ON ANY OF THE LANDS INCLUDED IN THIS CERTIFIED SURVEY MAP.


 TOWN TREASURER


9.25.95
 DATED


 COUNTY TREASURER


9.26.95
 DATED

OSHKOSH TOWN BOARD APPROVAL:

THIS CERTIFIED SURVEY MAP HAS BEEN REVIEWED AND ACCEPTED BY THE TOWN OF OSHKOSH.


 TOWN CHAIRMAN

9/25/95
 DATED


 TOWN CLERK

915620

Register's Office

Winnebago County, Wis.

Received for record this 27th day of Sept A.D., 1995at 2:04 o'clock AM, and
filed in Vol. 1 of CSM
on page 3270
9.25.95
 DATED

SHEET 2 OF 2

Pd
12


 Register of Deeds
 Winnebago County, Wis.

*All of the Southeast 1/4 of the Northwest 1/4 of
Section 2, Town 18 North, Range 16 East, Town of Oshkosh,
Winnebago County, Wisconsin*




- 3/4" STEEL REINFORCING BAR SET, 24' LONG,
WEIGHING 1.502 LBS. PER LIN. FOOT
- 1" IRON PIPE SET, 24' LONG,
WEIGHING 1.130 LBS. PER LIN. FOOT
- ▲ 1-1/4" STEEL REINFORCING BAR SET, 30' LONG,
WEIGHING 4.303 LBS. PER LIN. FOOT
- × CHISELED "X" SET
- 3/4" REBAR FOUND
- 1" IRON PIPE FOUND
- △ 1-1/4" REBAR FOUND
- ⊗ 2" IRON PIPE FOUND
- ⊗ CHISELED "X" FOUND
- ⊗ GOVERNMENT CORNER

~~X-X-X~~ FENCE LINE
() RECORDED AS



Scale 1 inch = 300 feet

Bearings are referenced to the East line of the Northwest 1/4 of Section 2, assumed to bear S 00°13'31" E.



Danbury, Nae
10/21/96

PROJECT NO. 148-369A


FIELD BOOK _____ PAGE _____
DISK 12/1/78 FILE C3M/4836, 94
SHEET 1 OF 2

THIS INSTRUMENT WAS DRAFTED BY:-*YAS*

Martenson & Eisele, Inc.

CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WIS. 54956
PHONE (414) 731-0381

CERTIFIED SURVEY MAP NO. 3616
*All of the Southeast 1/4 of the Northwest 1/4 of
 Section 2, Town 18 North, Range 16 East, Town of Oshkosh,
 Winnebago County, Wisconsin*




LEGEND

- 3/4" STEEL REINFORCING BAR SET, 24" LONG, WEIGHING 1.502 LBS. PER LIN. FOOT
- 1" IRON PIPE SET, 24" LONG, WEIGHING 1.130 LBS. PER LIN. FOOT
- ▲ 1-1/4" STEEL REINFORCING BAR SET, 30" LONG, WEIGHING 4.303 LBS. PER LIN. FOOT
- X CHISELED "X" SET
- 3/4" REBAR FOUND
- 1" IRON PIPE FOUND
- △ 1-1/4" REBAR FOUND
- 2" IRON PIPE FOUND
- ⊗ CHISELED "X" FOUND
- ⊙ GOVERNMENT CORNER

*** FENCE LINE
 () RECORDED AS

Bearings are referenced to the East line of the Northwest 1/4 of Section 2, assumed to bear S 00°13'31" W.



Daniel W. Hoel
 10/21/96

PROJECT NO. 148-369A

FIELD BOOK _____ PAGE _____
 DISK WNA FILE C.S.M. 148-369A
 SHEET 1 OF 1

THIS INSTRUMENT WAS DRAFTED BY: MAS

Martenson & Eisele, Inc.
 CONSULTING ENGINEERING & LAND SURVEYING
 1919 AMERICAN COURT
 NEENAH, WIS. 54956
 PHONE (414) 731-0381

CERTIFIED SURVEY MAP NO. 3616



not to scale

UNPLATTED LANDS

DETAIL "A"

N 89°45'36" E 1301.25'

The North line of the Southeast 1/4 of the Northwest 1/4


LOT 1

DETAIL "D"

LOT 2

DETAIL "B"

Detail "C"



Daniel W. Hoel
10/21/96

Outlet 1 of
C.S.M. 1019

Lot 1 of Block 1 of
SAWICKI SUBDIVISION

PROJECT NO. 148-369A

SHEET 2 OF 4

C.S.M. 3270

C.T.H. "JJ"

Center of Section 2
T. 18 N. R. 16 E
Alumina county
monument

VINLAND ROAD

C.T.H. "JJ"

Winnebago County Landfile Site

C.S.M. 166

C.S.M. 143

N 00°07'57" E
The West line of the Southeast 1/4 of the Northwest 1/4

S 00°07'57" W 1323.09'

The East line of Certified Survey Map 166 as previously surveyed and monumented by others

18.74'

18.2'

20.89'

19.9'

1252.29'

1257.31'

S 89°45'00" W 1299.11'

PROPOSED C.S.M.

S 00°12'49" E 280.00'

280.00'

S 89°47'11" W
160.00'

N 89°47'11" E
160.00'

201.95'

41.95'

204.10'

44.10'

280.01'

N 00°12'49" W

1322.88'

S 00°13'31" W

636.04'

48.97'

33'

636.00'

989.65'

73.65'

S 00°18'21" W

29.61'

41.80'


33'

406.83'

S 00°00'00" W

S 00°15'41" W

CERTIFIED SURVEY MAP NO. 3616



not to scale

UNPLATTED LANDS

DETAIL "A"

N 89°45'36" E 1301.25'

The North line of the Southeast 1/4 of the Northwest 1/4

18.74'

18.2'

1252.29'

48.97'

33'

636.00'

989.65'

66'

636.04'

C.T.H. "JJ"

LOT 1

S 89°47'11" W

160.00'

204.10'

44.10'

S 00°12'49" E 280.00'

LOT 2

280.00'

DETAIL "B"

66'

1322.88'

N 90°12'49" W

280.01'

S 00°13'31" W

VINLAND ROAD

160.00'

N 89°47'11" E

201.95'

41.95'

73.65'

S 00°18'21" W

33'

406.83'

Center of Section 2
T 18 N, R 16 E
Aluminum county
monument

Detail "C"

S 00°00'00" W

10.58'

41.80'

1257.31'

The South line of the Southeast 1/4 of the Northwest 1/4

S 89°45'00" W 1299.11'

PROPOSED C.S.M.

29.61'

S 00°00'00" W

S 00°15'41" W

C.T.H. "JJ"

C.S.M. 3270

Winnepago County Landfill Site

S 00°07'57" W 1323.09'

The West line of the Southeast 1/4 of the Northwest 1/4


C.S.M. 166

N 00°07'57" E

C.S.M. 143

The East line of Certified Survey Map 166 as previously surveyed and monumented by others

DETAIL "D"



Daniel W. Hoel
10/21/96

Outlot 1 of
C.S.M. 1019

Lot 1 of Block 1 of
SAWICKI SUBDIVISION

CERTIFIED SURVEY MAP NO. 3616

SURVEYOR'S CERTIFICATE:

I, Daniel W. Hoel, Registered Land Surveyor, do hereby certify:

That I have surveyed, divided and mapped, at the direction of Fred Glander, all of the Southeast 1/4 of the Northwest 1/4 of Section 2, Town 18 North, Range 16 East, Town of Oshkosh, Winnebago County, Wisconsin described as follows:

Commencing at the North 1/4 corner of said Section 2; thence along the East line of the Northwest 1/4 of said Section 2, South 00 degrees 12 minutes 49 seconds East, 1322.88 feet to the point of beginning; thence continuing along the East line of the Northwest 1/4 of said Section 2, South 00 degrees 12 minutes 49 seconds East, 1322.88 feet; thence along the South line of the Northwest 1/4 of said Section 2, South 89 degrees 45 minutes 00 seconds West, 1299.11 feet; thence along the West line of the Southeast 1/4 of the Northwest 1/4 of said Section 2, North 00 degrees 07 minutes 57 seconds West, 1323.09 feet; thence along the North line of the Southeast 1/4 of the Northwest 1/4 of said Section 2, North 89 degrees 45 minutes 36 seconds East, 1301.25 feet to the point of beginning, containing 1,720,073 square feet (39.487 acres). Subject to all easements and restrictions of record.


That I have fully complied with Chapter 236.34 of the Wisconsin Statutes in surveying, dividing, and mapping the same and the Town of Oshkosh and Winnebago County Subdivision Ordinances.

This map is a correct representation of all of the exterior boundaries of land surveyed and the division thereof.

Given under my hand this 21 day of OCTOBER, 1996.

Daniel W. Hoel

Daniel W. Hoel, Reg. Wis. Land Surveyor, S-1786



OWNERS CERTIFICATE:

As owners we, the undersigned, hereby certify that we caused the land above described to be surveyed, divided and mapped to the public all as shown and represented on this map.

Dated this 28 day of October, 1996.


Gordon Gallinger
Gordon Gallinger

State of Wisconsin }
Winnebago County } SS

Personally came before me on the 21 day of October, 1996, the above owners to me known to be the persons who executed the foregoing instrument and acknowledge the same.

Nancy Coenen
Notary

My Commission Expires 3/26/2000



PROJECT NO. 148-369A
SHEET 3 OF 4

CERTIFIED SURVEY MAP NO. 3616

CERTIFICATE OF PLANNING COMMITTEE:

Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This Minor Subdivision was approved by the Winnebago County Planning and Zoning Committee on 20th day of January, 1996.

John A. Schuller
Chairman, Planning and Zoning Committee

TREASURER'S CERTIFICATE:

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

Maurice H. Stalder
Town Treasurer

Mary E. Krueger Deputy
County Treasurer

October 28, 1996
Date:

10-29-96
Date:


This Certified Survey Map is contained wholly within the property described in the following recorded instruments:

Owners of record:	Recording information:	Parcel number:
Gordon Gallinger &	Document #813939	018-0048-00

958853

Register's Office
Winnebago County, Wis.
Received for record this 7th
day of Jan A.D., 19 97
at 8:04 o'clock AM. and
filed in Vol. 1 of CSM
page 3616

Susan W. Wenzel
Register of Deeds



Daniel W. Hoel
10/21/96

Pl. 2
16

PROJECT NO. 148-369A
SHEET 4 OF 4

CERTIFIED SURVEY MAP NO. _____

Part of the Southwest 1/4 of Section 2, Township 18 North, Range 16 East,
Town of Oshkosh, Winnebago County, Wisconsin.

West 1/4 corner
Section 2
T 18 N, R 16 E
Aluminum county
monument

Center of Section 2
T 18 N, R 16 E
Aluminum county
monument

UNPLATTED LANDS

N 89°45'00" E 2598.22'

SEE
DETAIL "A"

1299.11'

N 89°45'00" E 1299.11'

1257.31'

S 89°40'00" W 150.00'

WINNEBAGO COUNTY

C.S.M. 143

SEE
DETAIL "C"

LANDFILL SITE

(990.00')
N 00°26'35" E 590.67'
The East line of the Northwest 1/4 of the Southwest 1/4 of Section 2

The South line of the North 990 feet of the Northwest 1/4 of the Southwest 1/4

N 89°45'00" E 1302.35'

N 89°40'00" E 25.00'

S 00°00'00" W 60.00'

S 89°40'00" W 25.00'

LOT 1

Lot 3,463,674 sq. ft. [73.653 ac.]
Road 1,234 sq. ft. [0.028 ac.]
Total 3,470,908 sq. ft. [73.681 ac.]

POND

-20' Sanitary sewer easement per
Document #486778

S 89°38'55" W 2427.89'

The North line of the South 674 feet

S 89°38'55" W 2610.74'

UNPLATTED LANDS

Survey for:
Chamco, Inc.
120 Jackson Street
Oshkosh, WI 54901

SEE
DETAIL "D"

Southwest corner
Section 2
T 18 N, R 16 E
Aluminum county
monument

FOX VALLEY RAILROAD


S 89°38'55" W 2615.91'

South 1/4 corner
Section 2
T 18 N, R 16 E
Aluminum county
monument


LEGEND

- 3/4" STEEL REINFORCING BAR SET, 24" LONG, WEIGHING 1.502 LBS. PER LIN. FOOT
- 1" IRON PIPE SET, 24" LONG, WEIGHING 1.130 LBS. PER LIN. FOOT
- ▲ 1-1/4" STEEL REINFORCING BAR SET, 30" LONG, WEIGHING 4.303 LBS. PER LIN. FOOT
- X CHISELED 'X' SET
- 3/4" REBAR FOUND
- 1" IRON PIPE FOUND
- △ 1-1/4" REBAR FOUND
- 2" IRON PIPE FOUND
- ⊗ CHISELED 'X' FOUND
- ⊙ GOVERNMENT CORNER

X-X-X FENCE LINE
() RECORDED AS



Daniel W. Hoel
12/6/96



Scale 1 inch = 400 feet
0 200 400 800

Bearings are referenced to the
North line of the Southwest 1/4
of Section 2, assumed to
bear N 89°45'00" E

Martenson & Eisele, Inc.

CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WIS. 54956
PHONE (414) 731-0381

PROJECT NO. 221-222A

FIELD BOOK _____ PAGE _____
DISK _____ FILE _____
SHEET 1 OF 5

THIS INSTRUMENT WAS DRAFTED BY: M.E.S.

CERTIFIED SURVEY MAP NO. _____

Part of the Southwest 1/4 of Section 2, Township 18 North, Range 16 East,
Town of Oshkosh, Winnebago County, Wisconsin.

West 1/4 corner
Section 2
T 18 N, R 16 E
Aluminum county
monument

Center of Section 2
T 18 N, R 16 E
Aluminum county
monument

UNPLATTED LANDS

N 89°45'00" E 2598.22'

N 89°45'00" E 1299.11'

S 89°40'00" W 150.00'

SEE
DETAIL "A"

WINNEBAGO COUNTY
C.S.M. 143

SEE
DETAIL "C"

LANDFILL SITE

The South line of the North 990 feet of
the Northwest 1/4 of the Southwest 1/4

N 89°45'00" E 1302.25'

1-1/4" Rebar found is
2.8" East of line and
0.38" South of line

80' watermain easement
recorded in Doc. #811011

N 89°40'00" E 25.00'

S 00°00'00" W 60.00'

S 89°40'00" W 25.00'

LOT 1

Lot 3,469,674 sq. ft. [79.653 ac.]
Road 1,234 sq. ft. [00.028 ac.]
Total 3,470,908 sq. ft. [79.681 ac.]

POND

20' Sanitary sewer easement per
Document #486778

S 89°38'55" W 2427.89'

The North line of the South 674 feet
S 89°38'55" W 2610.74'

UNPLATTED LANDS

Survey for:
Chamco, Inc.
120 Jackson Street
Oshkosh, WI 54901

Southwest corner
Section 2
T 18 N, R 16 E
Aluminum county
monument

South 1/4 corner
Section 2
T 18 N, R 16 E
Aluminum county
monument

FOX VALLEY RAILROAD

S 89°38'55" W 2615.01'


LEGEND

- 3/4" STEEL REINFORCING BAR SET, 24" LONG,
WEIGHING 1.502 LBS. PER LIN. FOOT
- 1" IRON PIPE SET, 24" LONG,
WEIGHING 1.130 LBS. PER LIN. FOOT
- ▲ 1-1/4" STEEL REINFORCING BAR SET, 30" LONG,
WEIGHING 4.303 LBS. PER LIN. FOOT
- X CHISELED "X" SET
- 3/4" REBAR FOUND
- └ 1" IRON PIPE FOUND
- △ 1-1/4" REBAR FOUND
- 2" IRON PIPE FOUND
- ⊗ CHISELED "X" FOUND
- ⊙ GOVERNMENT CORNER

--- FENCE LINE
() RECORDED AS



Daniel W. Hoel
12/6/96



Scale 1 inch = 400 feet
0 200 400 800

Bearings are referenced to the
North line of the Southwest 1/4
of Section 2, assumed to
bear N 89°45'00" E

Martenson & Eisele, Inc.


CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WIS. 54956
PHONE (414) 731-0381

PROJECT NO. 221-277A

FIELD BOOK _____ PAGE _____
DISK _____ FILE _____
SHEET 1 OF 5

THIS INSTRUMENT WAS DRAFTED BY: J.A.S.



CERTIFIED SURVEY MAP NO. _____



DETAIL "A"



not to scale

Center of Section 2
T 18 N, R 16 E
Aluminum county
monument



DETAIL "B"

not to scale




Daniel W. Hoel
12/6/96




DETAIL "C"

not to scale



PROJECT NO. 221-277-A
SHEET 2 OF 5



CERTIFIED SURVEY MAP NO. _____



DETAIL "A"




not to scale

Center of Section 2
T 18 N, R 16 E
Aluminum county
monument




DETAIL "B"

not to scale



DETAIL "C"

not to scale



CERTIFIED SURVEY MAP NO. _____

SURVEYOR'S CERTIFICATE:

I, Daniel W. Hoel, Registered Land Surveyor, do hereby certify:

That I have surveyed, divided and mapped, at the direction of Chamco, Inc., part of the Southwest 1/4 of Section 2, Town 18 North, Range 16 East, Town of Oshkosh, Winnebago County, Wisconsin described as follows:

Commencing at the West 1/4 corner of said Section 2; thence along the North line of the Southwest 1/4 of said Section 2, North 89 degrees 45 minutes 00 seconds East, 1299.11 feet to the point of beginning; thence continuing along said North line, North 89 degrees 45 minutes 00 seconds East, 1278.23 feet; thence along the East line of the Southwest 1/4 of said Section 2, South 00 degrees 00 minutes 00 seconds East, 29.55 feet; thence along the North lines of Lot 1 of Block 1 of SAWICKI SUBDIVISION and Certified Survey Map 1019 recorded in Volume 1 of Certified Survey Maps on Page 1019 as Document #576491, South 89 degrees 40 minutes 00 seconds West, 191.66 feet; thence along the West lines of said Certified Survey Map 1019 and lands described in Document #709468 and the extension of, South 00 degrees 00 minutes 00 seconds West, 1933.75 feet; thence North 89 degrees 40 minutes 00 seconds East, 25.00 feet; thence along the West line said SAWICKI SUBDIVISION, South 00 degrees 00 minutes 00 seconds West, 60.00 feet; thence along the North line of lands described in Document #878495, South 89 degrees 40 minutes 00 seconds West, 25.00 feet; thence along the East line of lands described in said Document #878495 and its extension, South 00 degrees 00 minutes 00 seconds East, 898.75 feet; thence along the North line of the South 874 feet as described in said Document #878495, South 89 degrees 38 minutes 55 seconds West, 2427.89 feet; thence along the West line of the Southwest 1/4 of said Section 2, North 00 degrees 37 minutes 28 seconds East, 977.97 feet; thence along the South line of the North 990 feet of the Northwest 1/4 of the Southwest 1/4 of said Section 2, North 89 degrees 45 minutes 00 seconds East, 1302.25 feet; thence along the East line of the Northwest 1/4 of the Southwest 1/4 of said Section 2, North 00 degrees 26 minutes 35 seconds East, 990.07 feet (previously recorded as 990.00 feet) to the point of beginning, containing 3,470,908 square feet (79.681 acres), reserving that portion presently used for roadway purposes and subject to all easements and restrictions of record.

That I have fully complied with Chapter 236.34 of the Wisconsin Statutes in surveying, dividing, and mapping the same and the Town of Oshkosh, and Winnebago County Subdivision Ordinances.

This map is a correct representation of all of the exterior boundaries of land surveyed and the division thereof.

Given under my hand this 5 day of DECEMBER, 1996.

Daniel W. Hoel
Daniel W. Hoel, Reg. Wis. Land Surveyor, S-1786



CERTIFIED SURVEY MAP NO. _____

OWNERS CERTIFICATE:

As owner I, the undersigned, hereby certify that I caused the land above described to be surveyed, divided and mapped to as shown and represented on this map.

James Sawicki

State of Wisconsin }
Winnebago County } SS

Personally came before me on the _____ day of _____, 1996,
the above owner to me known to be the person who executed the foregoing
instrument and acknowledge the same.

----- My Commission Expires _____
Notary

OWNERS CERTIFICATE:

As owner I, the undersigned, hereby certify that I caused the land above described to be surveyed, divided and mapped to as shown and represented on this map.

Paul Sawicki

State of Wisconsin }
Winnebago County } SS

Personally came before me on the _____ day of _____, 1996,
the above owner to me known to be the person who executed the foregoing
instrument and acknowledge the same.

----- My Commission Expires _____
Notary

OWNERS CERTIFICATE:


As owner I, the undersigned, hereby certify that I caused the land above described to be surveyed, divided and mapped to as shown and represented on this map.

Thomas Sawicki

State of Wisconsin }
Winnebago County } SS

Personally came before me on the _____ day of _____, 1996,
the above owner to me known to be the person who executed the foregoing
instrument and acknowledge the same.

----- My Commission Expires _____
Notary



PROJECT NO. 221-222-A
SHEET 4 OF 5

CERTIFIED SURVEY MAP NO. _____

OWNER'S CERTIFICATE:

James W. Born and Carole A. Born as trustees of the Born Revocable Trust dated May 17, 1994, a trust duly organized and existing under and by virtue of the Laws of the State of Wisconsin, hereby certify that we caused the land above described to be surveyed, divided and mapped all as shown and represented on this map.

Dated this _____ day of _____, 1996.

James W. Born, Trustee

Carole A. Born, Trustee

State of Wisconsin }
Winnebago County } SS

Personally came before me on the _____ day of _____, 1996, the above owners to me known to be the persons who executed the foregoing instrument and acknowledge the same.

Notary My Commission Expires _____

CERTIFICATE OF PLANNING COMMITTEE:

Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This Minor Subdivision was approved by the Winnebago County Planning and Zoning Committee on _____ day of _____, 1996.

Chairman, Planning and Zoning Committee

TREASURER'S CERTIFICATE:

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

Town Treasurer

County Treasurer

Date:

Date:

This Certified Survey Map is contained wholly within the property described in the following recorded instruments:

Owners of record:

Recording information:

Parcel number:


James Sawicki
Paul Sawicki
Thomas Sawicki

Document #569434

James W. Born and
Carole A. Born as trustees
of the Born Revocable Trust
dated May 17, 1994

" #878495

018-0049
018-0050
018-0051
018-0053




Daniel W. Hoel 12/6/96

PROJECT NO. 201-277A
SHEET 5 OF 5

963226

Document Number	AFFIDAVIT OF CORRECTION	This space reserved for recording date Register's Office Winnebago County, Wis. Received for record this <u>16th</u> day of <u>March</u> A.D. 19<u>97</u> <u>3:08</u> o'clock <u>P</u>.M. <i>Aileen Wherry</i> REGISTER OF DEEDS <i>chy</i> <i>18</i>
I, Daniel W. Hoel, State of Wisconsin Land Surveyor No. S-1786, hereby certify the following in connection with a Certified Survey Map recorded in the Winnebago County Register of Deeds Office in Volume 1 of Certified Survey Maps on page 3639 as Document #981092, said Certified Survey Map is located in part of the Southwest 1/4 of Section 2, Town 18 North, Range 16 East, Town of Oshkosh, Winnebago County, Wisconsin.		Return to MARTENSON & Eisele 1919 American Ct. Neenah, WI 54956
Parcel Identification Number		
1. The distance along the East line of Lot 1 of said Certified Survey Map 3639 also being the West line of Certified Survey Map 1019 and the extension of said West line as shown on sheet 1 of 5 of said Certified Survey Map 3639 reads " S 00 00'00" W 1933.75' " this should be amended to read " S 00 00'00" W 975.00' ". 2. Line 20 of the SURVEYOR'S CERTIFICATE on sheet 3 of 5 of said Certified Survey Map 3639 reads "... West, 1933.75 feet; thence North 89 degrees 40 minutes 00 seconds East, 25.00 ..." this should be amended to read "... West, 975.00 feet; thence North 89 degrees 40 Minutes 00 seconds East, 25.00 ..."		
<i>Daniel W. Hoel</i> _____ Daniel W. Hoel, Reg. WI Land Surveyor S-1786		
State of Wisconsin Winnebago County		
Personally came before me on <u>16</u> day of <u>March</u>, 1997, the above named Daniel W. Hoel, and acknowledged the same.		
Notary <u>Patricia M. Martenson</u> Name		<u>Winnebago</u> County
My commission expires <u>11/9/97</u>		
This instrument was drafted by: Martenson & Eisele, Inc.		
(221277a.aff)		

CERTIFIED SURVEY MAP NO. _____
All of the Southeast 1/4 of the Northwest 1/4 of
Section 2, Town 18 North, Range 16 East, Town of Oshkosh,
Winnebago County, Wisconsin




LEGEND

- 3/4" STEEL REINFORCING BAR SET, 24" LONG, WEIGHING 1.502 LBS. PER LIN. FOOT
- 1" IRON PIPE SET, 24" LONG, WEIGHING 1.130 LBS. PER LIN. FOOT
- ▲ 1-1/4" STEEL REINFORCING BAR SET, 30" LONG, WEIGHING 4.303 LBS. PER LIN. FOOT
- × CHISELED "X" SET
- 3/4" REBAR FOUND
- 1" IRON PIPE FOUND
- △ 1-1/4" REBAR FOUND
- ⊠ 2" IRON PIPE FOUND
- ⊗ CHISELED "X" FOUND
- ⊙ GOVERNMENT CORNER

*** FENCE LINE
 () RECORDED AS

Martenson & Eisele, Inc.
 CONSULTING ENGINEERING & LAND SURVEYING
 1919 AMERICAN COURT
 NEENAH, WIS. 54956
 PHONE (414) 731-0381

Bearings are referenced to the East line of the Northwest 1/4 of Section 2, assumed to bear S 00°13'31" W




Daniel W. Hoel
 10/21/96

PROJECT NO. 158-369A
 FIELD BOOK _____ PAGE _____
 DISK UN13 FILE CSM/158-369A
 SHEET 1 OF 1

THIS INSTRUMENT WAS DRAFTED BY: MES


CERTIFIED SURVEY MAP NO. _____
*All of the Southeast 1/4 of the Northwest 1/4 of
 Section 2, Town 18 North, Range 16 East, Town of Oshkosh,
 Winnebago County, Wisconsin*



LEGEND


- 3/4" STEEL REINFORCING BAR SET, 24" LONG, WEIGHING 1.502 LBS. PER LIN. FOOT
- 1" IRON PIPE SET, 24" LONG, WEIGHING 1.130 LBS. PER LIN. FOOT
- ▲ 1-1/4" STEEL REINFORCING BAR SET, 30" LONG, WEIGHING 4.303 LBS. PER LIN. FOOT
- X CHISELED "X" SET
- 3/4" REBAR FOUND
- 1" IRON PIPE FOUND
- △ 1-1/4" REBAR FOUND
- ⊠ 2" IRON PIPE FOUND
- ⊗ CHISELED "X" FOUND
- ⊙ GOVERNMENT CORNER

*** FENCE LINE
 () RECORDED AS



Scale 1 inch = 300 feet
 0 150 300 600

Bearings are referenced to the East line of the Northwest 1/4 of Section 2, assumed to bear S 00°13'31" W



Daniel W. Hoel
 10/21/96

PROJECT NO. 148-369A

FIELD BOOK _____ PAGE _____
 DISK UNIX FILE CSM/148369a
 SHEET 1 OF 1

THIS INSTRUMENT WAS DRAFTED BY: MAJ

Martenson & Eisele, Inc.
 CONSULTING ENGINEERING & LAND SURVEYING
 1919 AMERICAN COURT
 NEENAH, WIS. 54956
 PHONE (414) 731-0381

not to scale

DETAIL "A"

N 89°45'36" E 1301.25'

The North line of the Southeast 1/4 of the Northeast 1/4

125229'

LOT 1

LOT 2

DETAIL "B"

Detail "C"

S 00°00'00" W
10.58

C.T.H. "JJ"

VINLAND ROAD

Center of Section 2
T 18 N, R 16 E
Aluminum county
monument

C.T.H. "JJ"

C.S.M. 3270

PROJECT NO. 148-369A
SHEET 2 OF 4

SHEET 2 OF 4