
ST VI					CERTIFIED	SUR	EYS	
数	SURVEYED FOR	SURVEYOR	OATE	PLAT NO.	MAP NO.	VOL.	PAGE	SURVEY LOCATION
フラ	n A BUR	Volretion	5-28-40					11014 Sec 1
\mathbb{Z}	Warner)	Rochlice	5-5-80		549241		754	11E14-56114 Sec. 7
1/5	Till man	Worston	4-10.55					110014 Sec 7
	Chrout	Woberton	5-27-50					NO14 Sec. 7
15	unRest acres	chronia	2-17-76	-				E1/2 - NW/SW Nec 17
19	meurs	Samala	4-22-28		518038	1/_	1359	GOUT 607 / 127
16/	Miller	Xxxman	10-18-79		542103	L <i>I</i> ,	1022	GOUT LOT 2 SEC. 7
	care	THUKY COUTE	0-19-79		543624	_/	1091	GOVI LOT 1 DEC 7
10,	arrey	Hoursund	5-23-77				181	O'Krueg Plat
4/4	Willi Sty	Sono	6-17-72					XIW14 / XW14 Dec
146	Warner	MANUG	10-1-19	والمراجعة	5,34356	1.2.	572	NE'14-SW14 Sec. 1
1	KATAK	(MIMBA)	8-7-77	· Start and American processing the State of Sta		1		Kinkest acres
-16	1 Warner	Rosneg	5-14-19		1533717	14	563	NE114-301114 Sec7
-14-	MICH	Sharalla	12-22-28		232369		5/0	GUIT LOT Sec. 7.
\mathcal{L}^{2}	Mickell)	XKumal)	9-18-20		1223192		432	GOUT LOT ! SECT
10	skeker	Schmalz	5-21-19		125707	1.4.	1594	COUT COT 1 Sec. 7
N)	DWILLES	Spanal .	0-4-78		1524405	12,	1.53	E13 SW14 Sec. 7
IB.	miller	Harrows.	5-1-27					NETY SUNTY Sec. 7
1/2	L KILGAZ	Wolvision						
13,	(ness)	Harrous.	3-11-69	-	38377		23	SE114 Sec.17
46	<u> </u>	Jasrous	311-69		138/32/2	J/_	134_	St=114 Sec.7
LE	rules	Jamous	3-11-69		38/329	1./_	132	SE 1/4 Sec 7
	nulle	Jamous_	3-25-197	-	PARIO	. ./	12	SE14 Sec 7
B	<u> </u>	Janeur)	3-25-69		138/200	1/	30	ISE 114 SE-7
14	Miller Pahoe Uessonius)	Lochlia Chronia	3-24-181		38/8/29	J.Z.	13/_	SE 114 Sec. 7 HICKORY LN BILL HAUEN LN:
W	pance	Kolhlig.	5-13-81	-				HICKORY L-N
	elessarius)	(Monta)	5-21-81					BELL HAUEN LN.
						ļ		
SE 13.5	선물에 있으면 기가장을 문어하다.		1		1. 3 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			



DESCRIPTION: LOT TWO (2) OF CERTIFIED SURVEY MAP NUMBER 32 AS RECORDED IN VOLUME 1 OF CERTIFIED SURVEY MAPS ON PAGE 32, BEING PART OF THE SEX OF SECTION 7, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

WELHOUSE BUILDERS: 1933 SCARLET OAK TRAIL

NO BUILDING ENCROACHMENTS PRESENT

2 STORY HOUSE WITH ATTACHED GARAGE



I. ROBERT F. REIDER

Relat F. Reiler certify that this mortgage inspection was made by me or under my direction and control of the described property on, , according to the official records OCTOBER 20, 1988 and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief. HCME SAVINGS in agreement with Carow Land Surveying Co., Inc. has waivered parts of Administrative Code A-E 5.01 (3 through 7). THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE.. THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF: HOME SAVINGS

-								
	REVISIONS	Home Savings P.O. BOX 1276, APPLETON, WISCONSIN. 54912						
L		CAROW LAND SURVEYING CO., INC., P.O. BOX 1297 1887 W. WISCONSIN AVE. • APPLETON, WI 54912						
-	-	CRAWN BY	DV	SCALE 1"=60	DRAWING N	0.		
T		1000	Y	ave 10-20-	88 A5399-	2 A ITA		

Chapter A-E 5

MINIMUM STANDARDS FOR PROPERTY SURVEYS

A-E 5.01 Min/mum standards for prop- A-E 5.02 U.S. public lend survey mone erty surveys

A-E 5.01 Minimum standards for property surveys. (1) Score. The minimum standards of this section apply to every property survey performed in this state except that,

(a) Where other standards for property surveys are prescribed by statute, administrative rule or ordinance, then such standards shall govern; and

(b) The land surveyor and his or her client or employer may agree in a signed statement to exclude any land surveying work from the requirements of this section except the preparation of a U.S. Public Land Surveyor Monument Record, providing any map prepared by the land surveyor for the client or employer includes a note which states that an agreement to exclude work from the requirements of this section has been made, the names of the parties making the agreement and a description in plain language of the requirements not compiled with.

(2) PROPERTY SURVEY, DEFINITION. In this section, "property survey" means any land surveying which includes as one of its principal purposes describing, monumenting, locating the boundary lines of or mapping one or more parcels of land. The term includes the restoration, perpetution or reestablishment of a U.S. public survey corner.

(3) Boundary Location. Every property survey should be made in accordance the with records of the register of deeds as nearly as is practicable. The surveyor shall acquire data necessary to retrace record title boundaries such as deeds, maps, certificates of title, and center line and other boundary line locations. The surveyor shall analyze the data and make a careful determination of the position of the boundaries of the parcel being surveyed. The surveyor shall make a field survey, traversing and connecting monuments necessary for location of the parcel and coordinate the facts of such survey with the snalysis. The surveyor shall set monuments marking the corners of such percel unless monuments already exist at such corners.

(4) Descriptions. Descriptions defining land boundaries written for conveyance or other purposes shall be complete, providing definite and unequivocal identification of lines or boundaries. The description must contain necessary ties to adjoiners together with data of dimensions sufficient to enable the description to be mapped and retraced and shall describe the land surveyed by government lot, recorded private claim, quarter-quarter section, section, township, range and county, and by metes and bounds commencing with some corner marked and established by the U.S. public land survey; or if such land is located in a recorded subdivision or recorded addition thereto, then by the number or other description of the lot, block or subdivision thereof which has been previously tied to a corner marked and established by the U.S. public land survey.

Register, August, 1982, No. 320

WISCONSIN ADMINISTRATIVE CODE

A-E 1

- (5) Mars. A man shall be drawn for every property survey showing information developed by the survey and including the following elements:
- (a) The map shall be drawn to a convenient again:
- (b) The map shall be referenced as provided in a. 59.61, Stata;
- (c) The map shall show the exact length and bearing of the boundary ries of the parcels surveyed. Where the boundary lines show bearings, lengths or locations winch vary from those recorded in deeds, abutting plats, or other instruments there shall be the following note placed along such lines, "recorded as (show recorded bearing, length or location)":
- (d) The map shall show and describe all monuments necessary for the location of the parcel and shall indicate whether such monuments were found or placed;
- (e) The map shall identify the person for whom the survey was made, the date of the survey, and shall describe the parcel as provided in (4), above:
- The map shall bear the stamp or seal and signature of the land sorted or under whose direction and control the survey was made with a statement certifying that the survey is correct to the best of his knowledge and belief.
- (6) Measurements. (a) Measurements shall be made with instruments and methods capable of attaining the required accuracy for the particular problem involved.
- (b) The minimum accuracy of linear measurements between points shall be 1 part in 3,000 on all property lines of boundary or interior survey.
- (c) In a closed traver 2 the sum of the measured angles shall agree with the theoretical sum by a difference not greater than 30 seconds per angle, or the sum of the total angles shall not differ from the theoretical sum by more than 120 seconds, whichever is smaller.
- (d) Any closed traverse depicted on a property survey map shall have a latitude and departure closure ratio of less than 1 in 3,990.
- (e) Bearings or angles on any property survey map shall be shown to the neatest minute; distances shall be shown to the nearest 1/100th foot.
- (7) Monuments. The type and position of monuments to be set on any survey shall be determined by the nature of the survey, the permanency required, the nature of the terrain, the cadastral features involved, and the availability of material.

History: Cr. Register, June, 1974, No. 222, ell. 7-3-76; am. (5). (e) and (6). (e). Register, June, 1976, No. 234, ell. 7-1-75; am. (1). (b). Register, January, 1982, No. 312, ell. 2-1-82; am. (1). (b). and e. and recr. (2). Register, August, 1982, No. 320, ell. 9-1-52.

A-E 5.02 U.S. public land survey monument record. (1) When MONUMENT RECORD REQUIRED. A U.S. public land survey monument record shall be prepared as part of any land survey which includes or requires the perpetuation, restoration or reestablishment of a U.S. public land survey corner, and, either,

Register, August, 1982, No. 320

That part of FRECTIONAL LOT DNE Soction 7. Township 15 Morth, of Range 24 East, described as follows, wir: Commencing at the Southwest cornors of water Practional Lat, thence east, along the South line of seld Fractional Lat 201.27 feet, thence north less degrees Immity sinuses west, 633 feet, the place of beginning, these continuing north less degrees energy sinutes west, 200.0 feet, these west, 205.4 feet, to the west line of water Fractional Lat, themce worth large segrees Twentywis minutes west, 200.03 feet, to a point that is due west of the place of beginning, themce west, 203.03 feet, to the place of beginning. TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN. SHMID: 2111 CARLTON RD. 205.41 NO BUILDING ENCROACHEET "S PRESENT 12 STORY HOUSE WITH ATTACHED GARAGE. GRAVEL DRIVE APPLETON, WI 2007 WELL I. ROBERT F. REIDER certify that this mortgage inspection was made by me or under my direction and control of the described property on. , according to the official records APRIL 20, 1988 and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief. Oshkosh Savings & Loan in agreement with Carow Land Surveying Co., Inc. has waivered parts of Administrative Code A-E 5.01 (3 through 7). THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE. 521生 THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF: 205.05 Oshkosh Savings & Loan. Oshkosh Savings & Loan REVISIONS P.O. Box 80, Oshkosh, Wis. CAROW LAND SURVEYING CO., INC., P.O. BOX 1297 1837 W. WISCONSIN AVE. - APPLETON, WI54912 SCALE 1"=50" ORAWN BY DRAWING NO 884.92 4-20-28

Chapter A-E 5

MINIMUM STANDARDS FOR PROPERTY SURVEYS

A-E 5.01 Minimum mandersh for peop- A-S 5.02 U.S. public land survey monuurty surveys.

A-E 5.01 Minimum standards for property surveys. (1) Score. The minimum standards of this section apply to every property survey performed in this state except that,

(a) Where other standards for property surveys are prescribed by statute, administrative rule or ordinance, then such standards shall govern; and

(b) The land surveyor and his or her client or employer may agree in a signed statement to exclude any land surveying work from the requirements of this section except the preparation of a U.S. Public Land Survey Monument Record, providing any map prepared by the land surveyor for the client or employer includes a note which states that an agreement to exclude work from the requirements of this section has been made, the names of the parties making the agreement and a description in plain language of the requirements not complied with.

(2) PROPERTY SURVEY, DEFINITION. In this section, "property survey" means any land surveying which includes as one of its principal purposes describing, monumenting, locating the boundary lines of or mapping one or more parcels of land. The term includes the restoration, perpetuation or reestablishment of a U.S. public survey corner.

(3) Boundary Location. Every property survey should be made in accordance the with records of the register of deeds as nearly as is practicable. The surveyor shall acquire data necessary to retrace record title boundaries such as deeds, maps, certificates of title, and center line and other boundary line locations. The surveyor shall analyze the data and make a careful determination of the position of the boundaries of the parcel being surveyed. The surveyor shall make a field survey, traversing and connecting monuments necessary for location of the parcel and coordinate the facts of such survey with the analysis. The surveyor shall set monuments marking the corners of such parcel unless monuments already exist at such corners.

(4) Descriptions. Descriptions defining land boundaries written for conveyance or other purposes shall be complete, providing definite and unequivocal identification of lines or boundaries. The description must contain necessary ties to adjoiners together with data of dimensions sufficient to enable the description to be mapped and retraced and shall describe the land surveyed by government lot, recorded private claim, quarter-quarter section, section, township, range and county, and by metes and bounds commencing with some corner marked and established by the U.S. public land survey; or if such land is located in a recorded subdivision or recorded addition thereto, then by the number or other description of the lot, block or subdivision thereof which has been previously tied to a corner marked and established by the U.S. public land survey.

Register, August, 1982, No. 320

WISCONSIN ADMINISTRATIVE CODE

A-E S

- (5) Mars A man shall be drawn for every property survey showing information developed by the survey and including the following elements:
- (a) The map shall be drawn to a convenient scale;
- (b) The map shall be referenced as provided in a. 59.61, Stata;
- (c) The map shall show the exact length and bearing of the boundaries of the parcels surveyed. Where the boundary lines show bearings, lengths or locations which vary from those recorded in deeds, abutting plats, or other instruments there shall be the following note placed along such lines, "recorded as (show recorded bearing, length or location)":
- (d) The map shall show and describe all monuments necessary for the location of the parcel and shall indicate whether such monuments were found or placed;
- (e) The map shall identify the person for whom the survey was made, the date of the survey, and shall describe the percel as provided in (4), above:
- (f) The map shall hear the stump or seal and signature of the land surveyor under whose direction and control the survey was made with a statement certifying that the survey is correct to the best of his knowledge and belief.
- (6) Measurements. (a) Measurements shall be made with instruments and methods capable of attaining the required accuracy for the particular problem involved.
- (b) The minimum accuracy of linear measurements between points shall be I part in 3,000 on all property lines of boundary or interior survey.
- (c) In a closed traverse the sum of the measured angles shall agree with the theoretical sum by a difference not greater than 30 seconds per angle, or the sum of the total angles shall not differ from the theoretical sum by more than 120 seconds, whichever is smaller.
- (d) Any closed traverse d. picted on a property survey map shall have a latitude and departure closure ratio of less than 1 in 3,000.
- (e) Bearings or angles on any property survey map shall be shown to the nearest minute; distances shall be shown to the nearest 1/100th foot.
- (7) Monuments. The type and position of monuments to be set on any survey shall be determined by the nature of the survey, the permanency required, the nature of the terrain, the cadestral features involved, and the availability of material.

History: Cr. Register, June, 1974, No. 222, eff. 7-1-74; am. (5). (s). and (6). (e), Register, June, 1975, No. 234, eff. 7-1-75; am. (i). (b), Register, January, 1982, No. 312, aff. 2-1-82; am. (1). (b). and r. and recr. (2). Register, August, 1982, No. 320, eff. 9-1-82.

A-E 5.02 U.S. public land survey menument record. (!) WHEN MONUMENT RECORD REQUIRED. A U.S. public land survey menument record shall be prepared as part of any land survey which includes or requires the perpetuation, restoration or reestablishment of a U.S. public land survey corner, and, either,

Register, August, 1982, No. 320

Der d

21-81-16

Register's Office
Winnebago County, Wis.
Received for record this 24th
day of Cuput A.D., 1985
at 8'00. o'clock A.M. and
recorded in Vol. 1... of C.S.M
on page 1442
Register of Deeds


David Man sasson. 1600 Dlaworr ave Sien Boy 8.00

WINNEBAGO COUNTY CERTIFIED SURVEY MAP Nº イダダン

SURVEYOR'S CERTIFICATE

I, David W. Mau, Registered Land Surveyor, hereby certify that I have surveyed, divided and mapped part of Government Lot 2, Section 7, T18N-R16E, "own of Algoma, Winnebago County, Wisconsin, more fully described on Sheet Two.

That such plat is a correct representation of all the exterior boundaries of the land survey and the division thereon. That I have made such a survey, land division and plat by the direction of the owners listed hereon. That I have fully complied with the provisions of Chapter 236, Section 236.34 of The Wisconsin Statutes, The Town of Algoma, and The Winnebago County Planning & Zoning Committee in surveying, dividing and mapping the same.



Drawing No.: L-1519A

SURVEYOR'S CERTIFICATE CONTINUED

Part of Government Lot 2, Section 7, T18N-R16E, Town of Algoma, Winnebago County, Wisconsin, more fully described as follows:

Commencing at the Meander corner on the North-South Quarter Line of Section 7, T18N-R16E, (Winnebago County Monument Number 28-c); thence N57°45'06'W, 11.82 feet to the point of beginning, said point being S0°00'00"W, 16 feet more or less from the waters of Lake Butte Des Morts; thence S0°00'00"W, 191.14 feet; thence N74°13'04"W, 343.80 feet; thence N0°32'44"E, 143.93 feet; thence N24°16'38"E, 153.95 feet to a point which is S24°16'38'W, 12 feet more or less from the waters of Lake Butte Des Morts and is the start of a meander line; thence \$53°13'35"E, 200.33 feet along said meander line to a point which is \$16°19'43"W, 20 feet more or less from the waters of Lake Butte Des Morts; thence \$57°45'06"E, 124.99 feet along said meander line to the point of beginning, which is \$0°00'00"W, 16 feet more or less from the waters of Lake Butte Des Morts.

Parcel contains 88,946 square fee:/2.04 acres more or less including all lands between the meander line and the waters of Lake Butte Des Morts.

CERT	IFI	CATE	OF	THE	TOWN	OF	ALGOMA
014111	• , •	0,116	V1		(() () ()	٠.	1112001111

Approved for the Town of Algoma this 21st day of liquot

CERTIFICATE OF THE COUNTY OF WINNEBAGO PLANNING & ZONING COMMISSION

Approved for the County of Winnebago Planning & Zoning Committee. this 27 de day of request, 1985.

Carol Owen Carol Guen Chairperson

GREEN BAY SURVE

> Sheet Two of Three Project No.: B-485 Drawing No.: L-1519B

OWNER'S CERTIFICATE

As Personal Representative for the Blanche Findersen Trust, I, Bruce Bell, hereby certify that I caused the land described on this Certified Survey Map to be surveyed divided, mapped and dedicated as represented hereon. I also certify that this Certified Survey Map is required to be submitted to The Town of Algoma and The Hinnebago County Planning & Zoning Committee for approval or objection in accordance with current Winnebago County Subdivision Ordinances.

Tik Remained Trust Officer For Blanch Findersen Trust

Personally came before me this KTH day of August, 1985, the above named representative, to me known to be the person who executed the foregoing instrument and acknowledged the same.

Notary Public

Winnebago County, Wisconsin

My Commission Expires My Commission Expires June 7, 1987

PUBLIC

DAVID W. MAU S. 1030 GREEN BAY OF WIS. OF SURVINION OF SU

Sheet Three of Three Project No.: B-485 Drawing No.: L-1419C

PLAT OF SURVEY


THAT PART OF GOVERNMENT LOT 1 (FRACTIONAL N.E. 174) QE SECTION TIDY HISE, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN WHICH AND DESCRIBED AS FOLLOWS: COMMENCING AT A POINT ON THE LOUNDED SOUTH LINE OF SAID N.E. 174 LOCATED NORTH 90-00 EAST 204.29 FT. FROM THE CENTER OF SECTION 7, THENCE NORTH 00-20 WEST 333.00 FT. TO THE TO THE WEST FOINT OF BEGINNING, THENCY SOUTH 90-00 WEST 204.65 FT. LINE OF SAID N.E. 1/4, THENCE NORTH 00-26 WEST 100.00 FT. ALONG SAID WEST LINE, THENCE NORTH 90-00 EAST 204.78 FT., THENCE SOUTH 00-20 EAST 100.00 FT. TO THE POINT OF BEGINNING, SAID PARCEL CONTAINS 0.468 ACRES.

MARCH 12, 1985

SURVEY FOR DENNIS BURK

SURVEY NO. 1596-9

) = RECORD DIMENSIONS WHERE DIFFERENT FROM FIELD MEASUREMENTS.






PLAT OF SURVEY

Client: Bruce Bell

Part of Government Lot 2, Fractional Section 7, T18N-R16E, Town of Algoma, Winnebago County, Wisconsin, more fully described on Description:

Sheet Two.

I, David W. Mau, Registered Land Surveyor, do hereby certify that the above described property was surveyed and mapped under my direct supervision and is correct to the best of my knowledge and belief.



Project No.: B-485 Drawing No.: L-1460A Client: Bruce Beli Plat of Survey Project No.: B-485 May 13, 1985

PARCEL A

Part of Government Lot 2, Fractional Section 7, T18N-R16E, Town of Algoma, Winnebago County, Wisconsin, more fully described as follows:

Commencing at the West 1/4 Corner, Section 7, T18N-R16E; thence north 2245.20 feet along the west line of Government Lot 2 to the north line of the private road described in Volume 776, page 581; thence S68°16'35"E, 309.22 feet along said north line; thence S79°48'50"E, 150.29 feet along said north line; thence S75°15'30"E, 204.76 feet along said north line also being the south line of Winnebago County Certified Survey Map, Number 1002 to the southeast corner of said Certified Survey Map and the point of beginning; thence N21°24'40"E, 214.00 feet along the east line of said Certified Survey Map to a point being S21°24'40"W, 24 feet more or less from the waters of Lake Butte Des Morts, said point being the start of a meander line; thence S67°40'55"E, 25.00 feet along said meander line to a point being S21°24'40"W, 17.5 feet more or less from the waters of Lake Butte Des Morts and is the end of the meander line; thence S21°24'40"W; 212.55 feet to the north line of the private road described in Volume 776, page 581; thence N71°00'20"W, 25.02 feet along said north line to the point of beginning.

Parcel contains 5851 square feet more or less, including all lands between the meander line and the waters of Lake Butte Des Morts.

PARCEL B

Part of Government Lot 2, Fractional Section 7, T18N-R16E, Town of Algoma, Winnebago County, Wisconsin, more fully described as follows:

Commencing at the West 1/4 Corner, Section 7, T18N-R16E; thence north 2245.20 feet along the west line of Government Lot 2 to the north line of the private road described in Volume 776, page 581; thence S68°16'35"E, 309.22 feet along said north line; thence S79°48'50"E, 150.29 feet along said north line; thence S75°15'30"E, 204.76 feet along said north line; thence S71°00'20"E, 25.02 feet along said north line to the point of beginning; thence N21°24'40"E, 212.55 feet to a point being S21°24'40"W, 17.5 feet more or less from the waters of Lake Butte Des Morts, said point being the start of a meander line; thence S72°32'47"E, 199.93 feet along said meander line to a point being S21°24'40"W, 26 feet more or less from the waters of Lake Butte Des Morts and is the end of the meander line; thence S21°24'40"W, 217.93 feet along the west line of Volume 819, page 467 to the north line of the private road described in Volume 776, page 581; thence N71°00'20"W, 199.63 feet along said north line to the point of beginning.

Parcel contains 47268 square feet more or less, including all lands between the meander line and the waters of Lake Butte Des Morts.

DAVID W.
MAU
S-1030
GREEN BAY
WIS.
SURVE

Project No.: B-485 Drawing No.: L-1460B

STATE OF WISCONSIN) SS CERTIFIED SURVEY MAP NO. 100 2 SHEET I of 2 WINNEBAGO COUNTY SURVEYOR'S CERTIFICATE:

I; Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Robert G. Hessenius STEVEN T.

CHRONIS

S-913

OSIGNOSH
WISCONSIN

RVEYOR, S-913 a part of Government Lot Two (2) of Fractional Section Seven (7), Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin containing 55,015 square feet of land more or less and being described by: Commencing at the West Quarter (W 14) corner of said Section 7, thence North 2245.20 feet along the West line of said Government Lot 2, thence S. 68°-16'-35" E. 309.22 feet, thence S. 79°-46'-50" E. 150.29 feet to the true point of beginning, running thence S. 75°-15'-30" E. 204.76 feet, thence N. 21°-24'-40" E. 214.00 feet to a point 24 feet more or less from the waters adde of lake Butto Des Monts. point 24 feet more or less from the waters edge of Lake Butte Des Morts, (Continued on Sheet 2 of 2) - LEGEND -LEGEND —

WINNEBAGO COUNTY BERNTSEN MONUMENT

O: 1"x 24" IRON PIPE WEIGHING 1.68 LBS./
LINEAL FOOT SET

O: 1 1/4" IRON PIPE FOUND

SCALE: 1" = 50'
MAY 21, 1981
NB. 57 R31-34,37638 LAND SURVEYOR, S-913 WISCONSIN REGISTERED STEVEN T. CHRONIS DATED THIS 21st DAY OF MAY, 1981 LAKE BUTTE UES MORTS 70 40'.55"E \$680,16',35"E. 303:40 WEST LINE FRAC SEC. 7 Lor 2245.20 OF GOVNT L 7, T. 18 N. R. 16 LOT FOT 35,890 sq.11 ± ALL BEARINGS REFERENCED LINE OF GOVN'T LOT 2, FRA T.18 K., R.16E., ASSUMED TO WEST 1/4 CORNER SECTION 7, T.18N., 12.33. 19,125 sq.ff. ± S.790, 48'-50"E. 150, 29'E. (RECORDED AS 8.799, 30'E. TO NEAR WANHOLE EE S. 750-15 30" IRECORDED 45 S.740-50'E. HAVEN LANE S. 7/0, 00'-20"E [RECORDED AS 3.700 40'E. 225.15 (PRIVATE ROAD; VOL. 776, P.581) WIDE EASEMENT FOR SANITARY SEWER DOC. NO. 53 50 AERO - METRIC ENGINEERING, INC. 1091 SOUTH WASHBURN STREET OSHKOSH, WISCONSIN 54901

THIS INSTRUMENT DRAFFED BY STEVEN T. CHRONIS

F-1050

STATE OF WISCONSIN) WINNEBAGO COUNTY

Sheet 2 of 2

STEVEN T.

CHRONIS S-913 OSHKOSH,

thence N. 67°-40'-55" W. 203.40 feet along a meander line to a point 50 feet more or less from the waters edge of Lake Butte Des Morts and the end of the meander line, thence S. 21°-24'-40" W. 241.00 feet to the true point of beginning, including all the land lying between the meander line and the water's edge of Lake Butte Des Morts.

This being the same parcel of land as described in Volume 1216 Page 393 of Deeds.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wiscensin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

Dated this RISH day of May . 1981.

Dated this 2/st day of 21/19, 1981.

Wisconsin Registered Land Surveyor S-913

Steven T. Chronis

OWNER'S CERTIFICATE:

C'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 21st day of May , 1981

In the Presence of:

Stephen P. Jansen

STATE OF WISCONSIN & SS WINNEBAGO COUNTY

May Personally came before me this 21st day of _, 1981, the above named Robert G. Hessenius and Marcia M. Hessenius to me known to be the persons who executed the foregoing instrument and acknowledged the same.

> Notary Public ር ያቴ ይ^{ራጋ} ፣, ' Wisconsin My Commission expires JANUARY 6 1975

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map of a part of Government Lot 2 of Fractional Section 7, T.18N., R.16E., Robert G. Hessenius and Marcia M. Hessenius, owners, is hereby approved.

Date July 9, 1981



Hogister's Office
Winnebago County, What the deceived for record this 12 day of 19 day

Robert & answ

Son

Zonin

STATE OF WISCONSIN) SS WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1304 SHEET 1 OF 2

SURVEYOR'S CERTIFICATE:


I, Ronald A. Dercks, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Lori Decker a part of Government Lot One (1) in Fractional Section Seven (7). Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin containing 40,364.33 square feet of land and being described by: All of Lot Two (2) of Certified Survey Map No. 594 recorded in Volume 1 on Page 594 of Certified Survey Maps, as Document No. 535787 in the Winnebago County Registry.

Lots 1 and 2 of this Certified Survey Map to have the right of ingress and egress over that portion of Lot 2 of Certified Survey Map No. 359, Document No. 518038 indicated on Sheet 1 as

a private road.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.



SCALE : 1" + 60'

WISCONSIN REGISTERED LAND SURVEYOR 5-1615
RONALD A. DERCKS

AERO - METRIC ENGINEERING INC.

1091 SOUTH WASHBURN STREET OSHKOSH, WISCONSIN 54901

DATED THIS ZITTL DAY OF July 1984

STATE OF WISCONSIN) SS		Sheet 2 of 2
MINNEBAGO COUNTY) 33		
OWNER'S CERTIFICATE: As owner, I hereby certify that I cau to be surveyed, divided and mapped as rep	used the land described on resented on this map.	this Certified Survey Map
Dated this 1st day of August	. 1984	
In the Presence of:	•	
in the rresence of .		
Carol stoffel	Lori Decker	
Carol Stoffel	Lori Decker	
la - ha L		
Marcia Marks	,	
STATE OF WISCONSIN) SS		
Personally came before me this <u>lst</u> Lori Decker to me known to be the person the same.	day of August who executed the foregoing	, 1984, the above named instrument and acknowledged
	Carol st	Hel mon
	Notary Public Win	nébago Co., Wiscomin
	My Commission expi Carol Stoffel	res 11/30/86. 48VIQ
WINNEBAGO COUNTY PLANNING & ZONING COMMIT		201
This Certified Survey Map of a part R.16E., Town of Algoma, Lori Decker, owner	of Government Lot 1 of Frer, is heleby approved.	actional Section 7, T.18N.,
8 /13 /84	By:	·Curbu-
Date	By:	
경향 (1945년 - 1945년) 경영(1945년) - 1940년 - 1941년 - 1		
	•	
다른 사람이 되었다. 		
27)	ø	
보기된 경기 : 1884년 - 1885 - 1885 - 1885 - 1885 - 1885 - 1885 - 1885 - 1885 - 1885 - 1885 - 1885 - 1885 - 1885 - 1885 - 1885		IN SCONS
Dated this 27-4 day of July	, 1984	
	4	RONALD A. W. DERCKS
Rushel Q. Dentes		S - 1615 OSHKOSH
Wisconsin Registered Land Surveyor S-161	5	WIS.
Ronald A. Dercks	616946	W This is the second of the se

Register's Office
Winnebago County, Wis.
Received or record this //
day of Lat. A.D., 19 //
at 7.0 20'clock M. and
recorded in Vol. / of Sm
on page / 304.

Register of Deeds

618342

L-1309

CHECIFICATE OF SURVEY

Charles of Surveyor of the State of Wishorship, heroby certify that I have at the order of Permurd M. ...illar, Broker, surveyed lands in the NEt of the SW. of Section 7, Township 18. North, Barge 16 East, Town of Algoma, Winnebged County, Visconsing more particularly described as follows:


Commencing at a point on the North line of the SW. of Sec. 7-18-15 lying 2504.36 feet South 89°29'52" East of the Northwest corner of said SW. of Sec. 7-18-16, thence South 89°29'52" East along said quarter line 120.00 feet, thence South 89°29'52" East along said quarter line 120.00 feet, thence South 89°29'52" East along said quarter line 120.00 feet, thence South 89°29'52" best along said quarter line 120.00 feet, thence South 89°29'52" best 323.00 feet to place of beginning. containing 0.854 acres more or less, the North 33.00 feet of which is occupied for highway rurposes.

I further certify that such survey and the representation thereof hereon are true and correct to the best of my knowledge and belief.

Ripon, Wisconsin, Pay 3, 1977 Trumblin B. Forvery Franklin B. Fervour, HISTS-0008 Notes: Foints shown a are wonumented with 1 "(1D) x 24 " inon pite. Points shown X are monumented with rails and buttons.

N89029152"W


122.00



PLAT OF SURVEY
FOR
PLUE OF WEITZ, 4205 LEONARD POINT ROAD, OSHKOSH, WIS. 54901

SUALE ~ 1" " 100"

NW CORNER E 1/2 NW 1/4 SW 1/4 SECTION 7 TIBNRIGE



LEGEND

FOUND IRON PIPE

IRON PIPE

K MASONRY NAIL

LEGAL DESCRIPTIONS


PARCEL WAR - The North 290 feet of the East 160 feet of the West 495 feet of the Rest 1/2 of the NV 1/4 SW 1/4 of Section 7, T18NR16E, Town of Algoma, Winnebsgo County, Nisconson, containing 1.10 acres, more or less.

PARCEL "B" - The North 290 feet of the East 1/2 of the 1/4 SW 1/4 of Saction 7.
T18FR16B. Town of Algora, Winnebago County.
Wisconsin. except the West 495 feet thereof and containing 1.11 gores, more or less,

CERTIFICATE OF SURVEY

I hereby CERTIFY that I have surreyed according to the annexed plat the 2 above described parcels of land. Given under my hand and seal this 17th day of June, 1972


Homer T. Bowls
Wis. Land Surveyor No. 800100
1520 Jefferson St.
Oshkosk, Wis. 54901



I. Franklin B. Farvour, Registered Land Surveyor of the State of Wisconsia, hereby certify that I have at the order of Bernard W. Willer, surveyed lands in the Southeast Quarter of Section 7, Township 18 North, Range 16 East, in the Town of Algora, Winnebago County, Wisconsin, nore particularly described as follows: Commencing at a point lying 2985.70 feet East and 1269.00 feet South of the West quarter Corner of Sec. 7-13-16, thence East 460.48 feet, thence South 05°25' West 212.37 feet, thence South 21°40' East 176.40 feet, thence South 31°37' West 70.19 fast, thence South 22012: East 105.25 feet, thence South 16014! West 29.64 feet, thence West 500.25 feet, thence North 561.00 feet to place of beginning. I further certify that I have fully couplied with the provisions of Chapter 236 of the Wisconsin Statutes in surveying Franklin B. Farry and according the same. Franklin B. Farvour. WLS S-0003 Notes: This map is prepared as the re-filing of Certified Survey Map recorded in Volume 1 or Certified Survey Mans of Winnebago County, on Page 27. for the purpose of correcting the SCOVS reference dimension of said document. to-S 050251 W 212.37 wit to read "at a point 2985.70 feet East- - instead of #2625.70 feet" as FRANKLIN B. 145.66 ft shows on said man. FARVOUR Points shown a are acquaented with 1" X 56.71 st MORES 30" iron pipe, weighing 1.60 lb/ft. WISCONSIN "x" indicates Wir corner of Sec. 7-18-16. 1269.00' North and 2985.70' West of Pbg. SUR These notes form a part of the foregoing surveyor's certificate. 65,772.00 SCALE Received for record this day of March, i.D. 1969 at 9.00 O'clock in the Mand recorded in Volume 1 of Certified Survey Maps of Winnebago County on Page 3/___ 381809 Document No. Viola Firmstahl, Register of Desis 134.00 ft 125,00 ft 147.00 ft 145.00 ft 561,00 ft North

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 697.

Part of Fractional Lot 1 of Sec. 7, T.18N., R.16E., Town of Algoma.



I, Calvin W. Hawksworth, registered land surveyor, hereby

That I have surveyed and mapped the parcel of land located in part of Fractional Lot 1 of Sec. 7, T.18N., R.16E. in the Town of Algoma, Winnebago County, Wisconsin, as recorded in Document No. 525262 of Winnebago County records and more specifically described as follows: Beginning at a point on the south line of said Fractional Lot 1 that is 2083.49 ft., N90°00'E of the center of said Sec. 7. From that point running N0°02'00"W, 332.38 ft. to a meander line of Lake Butte Des Morts, thence S52°30'00"E along said meander line, 408.45 ft. and the end of the meander line, thence S0°02'00"E, 166.13 ft., thence N60°25'00"W, 166.90 ft., thence S90°00'W, 178.80 ft. to the said point of beginning. Including all of the land lying between the meander line and the water's edge of Lake Eutte Des Morts. Being a parcel of land of 2.15 acres, more or less. Reserving therefrom that portion of above described parcel being used for road purposes and subject to all easements and restrictions of record.

That I have made such survey and map by the direction of

Sheet 1 of 2 sheets

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. Part of Fractional Lot 1 of Sec. 7, T. 18N., R. 16E., Town of Algoma. DOCUMENT NO. 525262 Herb Clark, 3686 Leonard Road West, Oshkosh, Wisconsin, 54901; that such plat is a correct representation of the exterior boundaries of the land surveyed. That I have fully complied with the provisions of Sec. 236.34 of the Wisconsin Statutes and the Winnebago County Subdivision Ordinance in safetying and mapping the same. Calvin W. Hawksworth S-12 Wisconsin Registered Land Surveyor Dctober 19, 1979 S-1290 WINNECONNE WIS. OWNER'S CERTIFICATER OF AS owner(s) "(We)" hereby certify that I(we) caused the land described on this Certified Survey Map to be surveyed and mapped as represented hereon. WITHESS the hand and seal of said owner(s) this Z day of In presence of: itness 3/02 STATE OF WISCONSIN) SS Zip PARIMENTANO COUNTY) Personally came before methis day of 1971, the above named fight to be the person(s) who executed the foregoing to me known instrument and acknowledged the same. Public, My commission expires WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE This Certified Survey Map of part, of Fractional Lot 1 of Sec. T.18N., R.16E., Town of Algama, I Winnebago Co. Planning Committee 543674 Register's Office Winnebago County, With The Received for record this 28 day of Next A.D. 1979

Sheet 2 of 2 sheets

Verbert Clock

Register of Den-

at 2.26 o'clock A M at recorded in Vol. 1. of Suran page 677

KNOWN AS 2072 HICKORY STREET, LOT 7 IN DOEMEL'S PLAT, TOWN OF CEHKOSH, WINNEBAGO COUNTY, WISCONSIN.

MAY 13, 1981


(FLOOD PLAIN SURVEY FOR WILLIAM DAHSE) SURVEY NO. 177-F.P.

BENCHMARK: TOP OF HYDRANT @ S.E. CORNER

OF MURDOCK AND HICKORY

ELEV. 753.55 (U.S.G.S. DATOM)

TAKE WINNERACO 100 YEAR
FLOOD DATUM IS 748.4 (U.S.G.S.)



I CERTIFY THAT THE ELEVATIONS SHOWN ON THIS PLAN ARE ACCUPATE AND ARE RELATED TO U.S.G.S. DATUM.





72.17 feet, thence South 88013 Rest 455.68 feet, thence North 606.00 feet to place of beginning. I further certify that I have fully conblied with the provisions of Chapter 236 of the Wisconsin Statutes in surveying and mapping the same. Farmer B. Farman Notes: This map is prepared as the re-filing of Certified Franklin B. Farvour, WIS S-0008 Survey Man recorded in Volume 1 of Certified Survey Mans of Winnebago County on Page 25, for the purpose of Private Road correcting the reference dimension of said \$ 16°14, W =27.24 st document, to wit to read "at a point 12985.70 feet East - - - " instead of SCOVO 12625.70 feet" as shown on said map. 661 Wide Points shown . are nonumented with 3 04°31: # 315.46 ft l" x 30" iron pipe weighing 1.60 84.59 22 FRANKLIN'B. 1b/ft. FARVOUR 155.48 ft nxn indicates Wir corner of Sec. 7-RIPON 91.99 ft 67.99 st WISCONSIN !O-118-16, 1830.00' North and 2985.70' West of Pbg. These notes form a part of the fore-SUR going Surveyor's Certificate. 65,802_47 65,849,65 65.913.75 SCALE: " = 100" Received for record this 25 day of March, A.D. 1969 at 9.00 O'clock in the L 4 and recorded in Volume 1 of Cartified Survey Maps of Winnebage County ox Page 30 Decument No. Viola Firnstahl, Register of Deeds 137.00 ft 149.00 ft 155.00 ft 165.00 ft 606.30 ft North

I, Franklin B. Farvour, Registered Land Surveyor of the State of Wisconsin, hereby cartify that I have at the Order of Bernard H. Willer, surveyed lands in the Southeast Quarter of Section 7, Township 18 North, Range 16 East, in the Town of Algora, Winnetzgo County, Wisconsin, core particularly described as follows: Commencing at a point lying 2985.70 feet East and 1830.00 feet South of the West Quarter Corner of Sec. 7-18-16, thence East 500.25 feet, thence South 16014: West 227.24 feet, thence South 04031: West 315.46 feet, thence South 35040: East

I, Franklix B. Farvour, Registered Land Surveyor of the State of Wisconsin, hereby certify that I have at the order of Bernard M. Willer surveyed lands in the Southeast Quarter of Section 7, Township 18 North, Range 16 East, in the Town of Algora, Winnebage County, Wisconsin, more perticularly described as follows: Commencing at a point lying 3764.20 bz feet East and 2012.00 feet South of the West Quarter Corner of Sec. 7-18-16, thence East 262,49 ft South 650.95 feet, thence West 778.50 feet, thence North 226.95 feet, theme North 85013 East 455.68 feet, thence South 63.10 feet, thence East 100.00 feet, thence North 100.00 fast, thence West 45.30 feet, thence North 350401 West 49.86 feet, thence North 04°31' East 284.55 feet, thence North 16°14' East 50.12 feet, thence East 262.49 feet to place of beginning. I further certify that I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes in surveying and mapping the same. 65,463,32 sq ft Irachin & Farry Notes: Points shown e are monumented with 1" x 30" iron pipe weighing 1.60 Franklin B. Farvour. WLS S-0003 1b/ft. *x" indicates West + Corner of Sec. 7-18-16 lying 3764.20 ft West and CONS East 291.10 ft 2012.00 ft North of Pbg. Scale: !" = 100! FARVOUR RIPON 650.95 Received for record this // day of WISCONSIN ! West 45.30 £ March A.D. 1969 at 9.04 66,668.15 O'clock in the / M and recorded in sq 🏗 North 100,00 Volume 1 of Certified Survey Maps 455.58 ft North 88013 : East South 63,10 of Winnebago County on Page 25. N 850194 M East Document No. 226.25 ft 100.00 ft Viola Firnstahl Rogister of Deeds 89.012.09 sq ft 56,408.39 sq ft 319.02 ft 459.48 \$ 778.50 ft Mest.

Pal Joseph


South 975.00 2th South 1037.00 ft 283,00 ft 215.00 50 279.00 ft 255.00 ft N3764.20 65,423.33 sq ft 65,356.50 sq ft 65.639.51 sq 14 65,397.59 sq ft # Et Cor Bec.7-18-16 51.32 # 25.84 16 193.61 24 256.14 ft N 050251 E 38.74 50 333.37 ft Private Road 66' wide North I, Franklin B. Farvour, Registered Land Surveyor of the State of Wisconsin, hereby certify that I have at the order of Bernard M. Willer surveyed lands in the N 09°10'30" W Southeast Quarter of Section 7, Township 18 North, Range 16 Scale: 1" = 100' East, in the Town of Algora, Winnebago County, Wisconsin, more Note: Points shown . are monumented particularly described as follows: Commencing at a point lying with 1" x 30" iron pipe weighing 1.60 lb/ft 3764.20 feet East and 975.00 feet South of the West Quarter Corner of Section 7-18-16, thence South 1037.00 feet, themes Received for record this // The day of West 262.49 feet, thence North 16014 East 222.99 feet, thence SCON North 22º12! West 94.76 feet. thence North 31º37: East 69.81 4.D, 1969 et 9:02 feet, thence North 21040: West 193,61 feet, thence North 050251 East 333.37 feet, thenco North 47°13'30" West 184.94 feet, O'clock in the ____ M and recorded in FRANKLIN B. thence North 0901030" West 38.74 feet, thence East 381.30 FARVOUR feet to place of beginning. I further certify that I have Volume 1 of Cortified Survey Maps of RIPON fully complied with the provisions of Chapter 236 of the WISCONSIN Wisconsin Statutes in surveying and mapping the same. Winnebago County on Page 1. Farry Document No. SUR Franklin B. Farvour, 718 S-0008 Viola Firnstahl, Register of Deads

7.18.17

9-01-91-1

SURVEY for JOHN PETEK \mathbf{of}

Lot 2, Sunkist Acres being a part of the $E^{1/2}$ of the NW/SW Section 7, T. 18 N., R. 16 E., Town of Algonia, Winnebago County, Wisconsin.



I, STEVEN T.CHRONIS, WISCONSM REGISTERED LAND SURVEYOR OF AERO-METRIC ENGINEERING, INC., HAVESURVEYED THE ABOVE DESCRIBED PROPERTY AND THE ABOVE NAPIS A TRUE REPRESENTATION THEREOF AND SHOWS THE SIZE AND LOCATION OF THE PROPERTY, ITS EXTENIOR GOUNDARIES, THE LOCATION AND DIMENSIONS OF ALL STRUCTURES THEREON, FENCES, APPARENT EASENENTS AND ROADWAYS AND VISIBLE ENCROSCHWENTS IF ANY.

LEGEND-

= I" IRON PIPE FOUND = 2" IRON PIPE FOUND SCALE: I" = 60'

DATE: AUGUST 8,1977

ARRO METRIC ENGINEERING, INC. PHOTOGRAMMETRIC ENGINEERS LAND SURVEYORS OSHKOSH , WISCONSIN

STEVENT. A STEVENT. OSHACOSH, WISCONSIN WISCONSIN WISCONSIN WISCONSIN SURVEYORMENTAL STREET, COLUMN THE STRE

Libn, Ribe

SUNKIST

NOTEBOOK 2 PAGE 46 L- 7378

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 189 Part of the recorded O'KRUEG PLAT in Gov't. Lot 1 of Sec. 7, Sec.

SUTTE OES MORTS T.18N., R.16E., Town of Algoma. Denotes 5/8"x24" capped iron pipe weighing 1.043 lbs./lineal ft. Bearings are referenced to the recorded OKRUEG PLAT, the West line of Gov't. Lot 1, bearing, NO°05'W. LOT 20 7883.75 Sq. Ft. House HIGHLAND WOLLS

I, Calvin W. Hawksworth, registered land surveyor, hereby

certify:


That I have surveyed and mapped a parcel of land located in part of Gov't. Lot 1, Sec. 7, T.18N., R.16E., Town of Algoma, Winnebago County, Wisconsin, described as follows:

Lot 20 of the recorded OKRUEG PLAT in part of Gov't. Lot 1, Sec. 7, T.18N., R.16E, Town of Algoma, Winnebago County, Wisconsin.


Being a parcel of land of 7,883.75 sq. ft. in area, more or

less. Subject to and including easements and restrictions of record. That I have made such survey and map by the direction of James D. Casey, 3958 Highland Shore Lane, Oshkosh, Wisconsin, 54901; that the above map is a true and correct representation of the exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Sec. 236.34 of the Wisconsin Statutes in surveying and mapping the same.



Surveyor S-1290 May 23, 1977.



CERTIFIED SURVEY MAP No. 359

State of Wisconsin)

Winnebago County

I, David M. Schmalz, Surveyor, certify that I have surveyed, divided and mapped for the owner a part of Fractional Lot 1, Section Seven (7), Township 18 North, Range 16 East, Town of Algoma, Wisconsin, containing 7.86 acres of land and being described as:

Commencing at the Southwest Corner Fractional Lot 1; thence East along the South line said Fractional Lot and centerline Leonard Road West, 1139.28 ft. (1138.50 ft.); thence North 0°19'51" West (North, North 0°05' West) 781.14 ft. to a stone monument found; thence North 0°00'08" West (North, North 0°05' West), 149.87 ft. to a 2" iron pipe found being South 0°00'08" East, 55 ft. † from the waters edge of Lake Butte des Morts; thence South 72°20'45" East, 245.29 ft. along a meander line of said lake to a 3/4" iron bar set being South 04°11'59" West, 21 ft. + from the waters edge of . aid lake; thence continue along the meander line South 53°36'49" East, 100.00 ft. to a 3/4" iron bar set being South 04°13'19" West, 21 ft. + from the waters edge Lake Butte des Morts and the end of the meander line; thence South 04°13'19" West (South 04°12' West) 268.53 ft. to a 1" iron pipe found; thence South 28°14' 23" East (South 28°25' East), 21.45 ft. to a 1" iron pipe found; thence South 43°36'47" East (South 43°38' East, 171.15 ft.) 170.94 ft. to a 1" iron pipe found; thence South 01°02'15" West (South 01°02' West, 386.78 ft.) 386.88 ft. to a railroad spike found on the South line said Fractional Lot 1; thence West along the South line said Fractional Lot 1 and Road West, 411.01 ft. (412.50 ft.) to the point of beginning.

Reserving the South 33 ft. for highway purposes.

Including the land lying between the meanderline and the waters edge of Lake Butte des Morts.

Subject to all easements and restrictions of record.

I further certify that I have complied with Chapter 236.34 of the Wisconsin Statutes the Shoreland and the Subdivision Ordinance of Winnebago. County.

Given under my hand this 22 up day of	MAG 1978.
David M. Schmol,	SI ECONO
David M. Schmalz, Reg. Wis. Land Surveyo CERTIFICATE of OWNER As owner we, the undersigned, hereby cer	\$-1284 MINASIUN
we caused the land above described to be divided and mapped all as shown and repron this map.	surveyed,
Date: 27	day of June ,1978.
In the presence of:	
Clowing R Propp	Piled m hayee
Witness	Owney m Milye
Witness	Owne r

Approved by the Winnebago County Planning Committee this 30 day of


Planning Committee Chairman 7

4-22-78

Prepared by: McMahon Associates, Inc. 1377 Midway Road Menasha, WI 54952

 \checkmark 518038

Adolph M Meyer Pol P.O. Box 21877 OSHKOSH 54903 2.00



SCALE IN FEET
SCALE I I' : 100'

Prepared by:

Mc Mahon Assoc.
Inc.

Menasha, Wisc.

CERTIFIED SURVEY MAP No.432

State of Wisconsin)
Winnebago County

ss

I, David M. Schmalz, Land Surveyor, do hereby certify that I have surveyed a part of Government Lot #1, Section Seven (7), Township 18 North, Range 16 East, Town of Algoma, Winnebago County, more fully described as follows:

lot 1 of Certified Survey Map recorded in Vol. 1, Page 359, Document #518038.

A part of Lot 2, of Certified Survey Map recorded in Vol. 1, Page 359, Doc. #518038 more fully described as follows:

Commencing at the Southeast corner of said Lot 2, thence North 87°56'00" West, 10.01 ft.; thence North 04°11'59" East, 314.64 ft.; to a point on a meander line being South 04°11'59" West, 21.00 ft. — from the waters edge; thence South 72°20'45" East along said meander line 10.29 ft. to a point being South 04°11'59" West, 21.00 ft. — from the waters edge; thence South 04°11'59" West, 311.87 ft. to the point of beginning. Total parcel containing 5.24 acres more or less including all lands lying between said meander line and the waters edge. Lot 2 of this Certified Survey Map to have the right of ingress, egress over that Portion of Lot 2 Certified Survey Map record in Vol. 1, Page 359, Doc. #518038 indicated on Sheet 1 as a private road and that I have fully complied with Chapter 236.34 of the Wisconsin Statutes in surveying, dividing, and mapping the same.

Given under my hand and seal this 18th day of September ,1978.

David M. Schmalz, Peg. Wis. Land Surveyor S-1284 McMahon Associates, Inc., Menasha, Wisconsin

CERTIFICATE OF OWNERS

As owners we, the undersigned, hereby certify that we caused the land described above to be surveyed, divided mapped all as represented on this map.

Dated this 20th day of Lept. ,1978.

DAVID M.
SCHMALZ
5-1284
MENASHA,
WIS.
SURVE


<u> </u>	Olel Dr. merce
asmaxkk	Owne iv
<i>улания</i> ж	Maralla C. Meyer
M descripts the same same frages when the same speed of the art was took by the same to th	London Il I Capa
KAAMCESA	Mallen A Dicker
Appropriate by the Winners	o County Planning Committee this 26 day of
,197	Lower M. Hanta Tax
	Planning Committee Chairman

/* 52319*2*

Manske Cha

CERTIFIED SURVEY MAP No. 453

PART of the NE 1/4 of the SW 1/4 of SECTION 7, TOWN 18 NORTH, RANGE 16 EAST, TOWN of ALGOMA, WINNEBAGO COUNTY, WISC.



SHEET 1 of 3

THIS INSTRUMENT DRAFTED BY Denter

r CHAMP Concer E

CERTIFIED S	URVEY	MAY	No.	453
-------------	-------	-----	-----	-----

State of Wisconsin) Winnebago County

1, David M. Schmalz, Surveyor, certify that I have surveyed, divided, and mapped for Bernard Miller a part of the East 1/2 of the Southwest 1/4 of Section Seven (7), Township 18 North, Range 16 East, Town of Algoma, Winnebago County, Wisconsin, containing 2.32 acres of land and being described as follows:

Commencing at the West 1/4 corner Section Seven (7); thence East 1312.47 ft. along the North line of the Southwest 1/4 to the Northwest corner of the East 1/2 of the Southwest 1/4;

Lot 1: and the point of beginning; thence continue East 208.70 ft.; thence south 0°11'25" East, 241.70 ft. to a 3/4" iron bar set; thence West 208.70 ft. to a 3/4" iron bar set on the West forty line; thence North 0°11'25" West, 241.70 ft. along the West forty line to the point of leginning.

Let 2: thence continue East 274.70 ft. to the point of beginning; thence continue East, 208.70 ft.; thence South 0°11'25" East, 241.70 ft. to a 3/4" iron bar set; thence West 208.70 ft. to a 3/4" iron bar set; thence North 0° 11'25" West, 241.70 ft. to the point of beginning. Subject to all easements and restrictions of record. Reserving that portion used for highway purposes. I further certify that I have complied with Chapter 236.34 of the Wisconsin Statutes and the Subdivision Ordinance of Winnebago in surveying, dividing and mapping the same.

Given under my hand this 4th day of October, 1978.

CERTIFICATE of OWNER

As owner we, the undersigned, hereby certify that we caused the land above described to be surveyed, divided, mapped and dedicated for street purposes, all as shown and represented on this map.

In the presence of:

Date: // day of October, 1975.

Remy H Johnson

Witness Bernard M. Miller

Owner a/k/a Henry G. Jorgenser and a/k/a Henry C. Jorgenson State of Wisconsin)

Winnebago County

Personally came before me on the // handay of Octobe ,1975, the above named owners to me known to be the persons who executed the foregoing instrument and acknowledge the same:

Octobe ,1975, the above named owners to me known to be the persons who executed the foregoing instrument and acknowledge the same:

Octobe ,1975, the above named owners to me known to be the persons who executed the foregoing instrument and acknowledge the same:

Octobe ,1975, the above named owners to me known to be the persons who executed the foregoing instrument and acknowledge the same:

Octobe ,1975, the latter of the persons who executed the foregoing instrument and acknowledge the same:

Notary Public-Winnebago Cuty, Wisconson of the persons who executed the foregoing instrument and acknowledge the same:

My Commission Expires: 5-1-83

WE KEN COLLEGE TO

CERTIFIED SURVEY MAP No. 453

APPROVALS

Approved by the Winnebago County Planning Committee, Winnebago County, Wisconsin this 11 day of October 1978.

Lo fert M. Huster Planning Committee Chairman 100e

DAVIO M SCHMALZ S-1781 MENASHA, WIS.

David M. Schnag 10-4-78

Register's Office
Wilmobuso County, With
Recorded for societ the 19th
day of October 50,1978
at 3:36 o'clock M. at
recorded in Voll of Survey Ma
on page 453

On page 453

On page 453

524485

Sheet 3 of 3

Bernie Miller Po

CERTIFIED SURVEY MAP No. 5/0 For: KEITH GARRAD DECKER Part of Government Lot #1 in Section 7, Fown 18 North, 406 S. Park St. Range 16 East, Town of LAKE BUTTE Oshkosh, Wisc. Algoma, Winnebago Co., Phone 235-8008 Wisconsin. 10.29'----\$ 72° 20' 45"E LOT 2 C.S.M., Vol. I, Pg. 359, Doc. No. 518038 Š 1-10 Reference Meridian: The South 432 line of Gov't Lot 1, assumed to bear West. ACRES & 0.87 S LANG 9 87 56 36'09" Prepared by: Mc Mahon Assoc. Inc. S 28" 14' 23"E 135.12 Consulting Engineers Reg. Land Surveyors ROAD Menasha, Wisconsin 3/) SHORE SURVEY LOT I LOT C.S.M., Vol. 1, Pg. 432, 100 200 Doc. No. 523192 CERTIFIED PRIVATE SCALE IN FEET SCALE: 1" = 100 EASE MENT 2 Ø --- LEGEND -107 = P. K. Nail Found = 3/4" x 24" steel re-bar set = 3/4" steel re-bar found EGRESS 00° 19' 1 **LAND 1.50** = 1 " Iron Pipe Found ROAD 0.10 = 2" Iron Pipe found ACRES 1.60 CONSTANTA 핑 MISCOND 1 MEN. WIS. WIS. WIS. AND SURVEY AND SURVE DAVID M. 135.00 LEONARD

ROAD

12-22-78

CERTIFIED	SURVEY	MAP	No.	510
COKITLIED	DOWALL	MAF	MO.	3/0

State of Wisconsin) Winnebago County

I, David M. Schmalz, Land Surveyor, do hereby certify that I have surveyed for Keith G. Decker a part of Covernment Lot #1, Section Seven (7), Township 18 North, Range 16 East, Town of Algoma, Winnebago County, more fully described as follows:

Lot 2 of Certified Survey Map recorded in Vol. 1, Page 432, Document #523192.

Total parcel containing 2.50 acres more or less including all lands lying between meander line and the waters edge. Lots 1 and 2 of this Certified Survey Map to have the right of ingress, egress over that Portion of Lot 2 Cortified Survey Map record in Vol. 1, Page 359, Doc. #518038 indicated on Sheet 1 as a private road and that I have fully complied with Chapter 236.34 of the Wisconsin Statutes the Shoreland and the Subdivision Ordinances of Winnebago County in surveying, dividing, and mapping the same,

Given under may hand and seal this 22 day of December

David M. Schmalz, Reg. Wist. Land Surveyor S-1284 McMahon Associates, Inc., Menasha, Wisconsin

CERTIFICATE OF OWNERS

As owners we, the undersigned, hereby certify that we caused the land described above to be surveyed, divided, mapped all as represented on this map.

5-1284

Dated this 27th day of December , 1978.

In the Presence of:


Witness, Carol Stoffel Reith Garrad Decker

Witness, Marcia Marks

Owner

Approved by the Winnebago County Planning Committee this // day of , 197 9.

Planning Committee Chairman



42--S

SHEET 1 of 3

CERTIFIED SURVEY NO. 563


BEING THE EAST 1/2 OF LOT 1 OF CERTIFIED SURVEY MAP NO. 453 IN VOLUME 1. BEING A PART OF THE N.E. 1/4 OF THE S.W. 1/4 OF SECTION 7, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

O DENOTES 1 INCH DIAMETER IRON PIPE, 24" LONG, WITH A WEIGHT OF 1.13 LBS. PER LINEAL FOOT.

DENOTES 3/4 INCH DIAMETER IRON ROD, 24" LONG, WITH A WEIGHT OF 1.50 LBS. PER LINEAL FOOT.


ALL DIMENSIONS ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE WEST LINE OF THE S.W. 1/4 OF SECTION 7, WHICH HAS AN ASSUMED BEARING OF NORTH 00°29'57" WEST.





P.O. BOX 2963 OSHKOSH, WISCONSIN 54901



SHEET 2 of 3

CERTIFIED SURVEY MAP NO. 563

BEING THE EAST 1/2 OF LOT 1 OF CERTIFIED SURVEY MAP NO. 453 IN VOIUME NO.1. BEING A PART OF THE N.E. 1/4 OF THE S.W. 1/4 OF SECTION 7, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE STATE OF WISCONSIN)

: SS

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin land surveyor do hereby certify;

THAT I have surveyed and mapped a division of Lot 1 of Certified Survey Map No.453, being a part of the N.E. 1/4 of the S.W. 1/4 of Section 7, T18N, R16E, in the Town of Algoma, Winnebago County, Wisconsin, which is bounded and described as follows;

Commencing at the West 1/4 corner of Section 7, thence Due East 1312,47 ft.along the North line of the S.W. 1/4 to the N.W. corner of lot 1, thence continuing Due East 104.35 ft. to the point of beginning of the land to be described; thence continuing Due East 104.35 ft. to a point, thence South 00°11'25" East 241.70 ft. to a point, thence Due West 104.35 ft. to a point, thence North 00°11'25" West 241.70 ft. to the point of beginning. The North 33.00 ft. of said parcel are used for road purposes.

THAT I have made this survey and land division and map by the direction of WILLIAM H. WARNER, Town of Algoma, Wisconsin, owner of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

5/14/79 Date

Reinhard Roehlig Registered
Land Surveyor S-1368

REINHARD
H.W. ROEHLIG
S-1368
OSHKOSH
WIS.
SUFFREEDE MARKETINGE

CERTIFIED SURVEY MAP NO. 563

BEING THE EAST 1/2 OF LOT 1 OF CERTIFIED SURVEY MAP NO. 453 IN VOLUME 1. BEING A PART OF THE N.E. 1/4 OF THE S.W. 1/4 OF SECTION 7, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE

AS OWNER I hereby certify that I caused the land described on this map to be surveyed and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.


Witness the hand and seal of said owner this Kill day of 1977 In The Presence of:	
Blatrice C. Flanagan William H. Warner Beatrice C. Flanagan	
STATE OF WISCONSIN) :SS WINNEBAGO COUNTY)	
PERSONALLY came before me this /K(/ day of ///////////////////////////////////	19 77
Notary Public, Winnebago County State of Wisconsin	
My Commission Expires (1997)	

WIMNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

THIS Certified Survey Map of a part of the N.E. 1/4 of the S.W. 1/4 of Section 7, T18N, R16E, Town of Algoma, William H. Warner, owner, is hereby approved.

Date May 24,1979

THIS INSTRUMENT WAS DRAFTED BY REINHARD ROEHLIG



Received for record this 25 th
day of Many A.D., 1970
at 3:02 o'clock P. M. au.
recorded in Vol. 1... of Survey Maps
as page 5:03
Register of Dash

National Survey, Polo

gring

CHE C

42-S (Revision)

SHEET 1 of 3

CERTIFIED SURVEY NO. 572

BEING A DIVISION OF LOT 1 OF CERTIFIED SURVEY MAP NO. 453 IN VOLUME 1. BEING A PART OF THE N.E. 1/4 OF THE S.W. 1/4 OF SECTION 7, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.


- O DENOTES 1 INCH DIAMETER IRON PIPE, 24" LONG, WITH A WEIGHT OF 1.13 LBS. PER LINEAR FOOT.
- DENOTES 3/4 INCH DIAMETER IRON ROD, 24" LONG, WITH A WEIGHT OF 1.50 LPS. PER LINEAL FOOT.

ALL DIMENSIONS ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE WEST LINE OF THE S.W. 1/4 OF SECTION 7, WHICH HAS AN ASSUMED BEARING OF NORTH 00°29'57" WEST.

NOTE:

ALONG WITH BEING A CERTIFIED SURVEY MAP UNTO ITSELF, THIS MAP IS ALSO A CORRECTION OF THE CERTIFIED SURVEY MAP RECORDED ON PAGE 563 OF VOLUME 1 OF WINNEBAGO COUNTY CERTIFIED SURVEY MAPS AS DOCUMENT NO. 533917.



notional survey @ engineering

P.O. BOX 2963 OSHKOSH, WISCONSIN 54901



SHEET 2 of 3

CERTIFIED SURVEY MAP NO. 572

BEING A DIVISION OF LOT 1 OF CERTIFIED SURVEY NO. 453 IN VOLUME 1. BEING A PART OF THE N.E. 1/4 OF THE S.W. 1/4 OF SECTION 7, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CEPTIFICATE STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin land surveyor do hereby certify;

THAT I have surveyed and mapped a division of Lot 1 of Certified Survey Map No.453, being a part of the N.E. 1/4 of the S.W. 1/4 of Section 7, T18N, R16E, in the Town of Algoma, Winnebago County, Wisconsin, which is bounded and described as follows;

Commencing at the West 1/4 corner of Section 7, thence Due East along the North Line of the S.W. 1/4 of said Section 1312.47 ft. to the N.W. corner of Lot 1, which is the point of beginning of the land to be described; thence continuing Due East 208.70 ft. to a point, thence South 00°11'25" East 241.70 ft. to a point, thence Due West 208.70 ft. to a point, thence North 00°11'25" West 241.70 ft. to the point of beginning. The North 33.00 ft. of said parcel are used for road purposes.

THAT I have made this survey and land division and map by the direction of WILLIAM H. WARNER, Town of Algoma, Wisconsin, owner of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

6-1-79 Date Reinhard Roehlig, Registered Land Surveyor S-1368

REINHARD
H.W. ROEHLIG
S 1368
OSHKOSH
WIS.
SURVERINGE

SHEET 3 of 3

CERTIFIED SURVEY MAP NO. 572

BEING A DIVISION OF LOT 1 OF CERTIFIED SURVEY MAP NO. 453 IN VOLUME 1. BEING A PART OF THE N.E. 1/4 CF THE S.W. 1/4 OF SECTION 7, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE

AS OWNER I hereby certify that I caused the land described on this map to be mapped and surveyed as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

Witness the hand and seal of said owner this off day of 1979.

In The Presence of:

| International Marie | Marie | William H. Warner | William H.

STATE OF WISCONSIN)
:SS
WINNEBAGO COUNTY)

personally came before me this of day of leave 1979 the above named William H. Warner to me known to be the person who executed the foregoing instrument and acknowledged the same.

Notary Public, Winnebage County, VION State of Wisconsin

My Commission Expires 6-19-81

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

THIS Certified Survey Map of a part of the N.E. 1/4 of the S.W. 1/4 of Section 7, T18N, R16E, Town of Algoma, William H. Warner, owner, is hereby approved.

Date June 5 1979

Chairman ding

THIS INSTRUMENT WAS DRAFTED BY REINHARD ROEHLIG

Singister's Office
Winnebogo County, Wia &
Received for record this &
day of June Ar 1979

My Oclock Picture
Recorded in Voi 1 a S. Mayor
Recorded in Voi 1 a S. Mayor
Dept. Solate C. Regulation of Devil

REINHARD
H.W. ROEHEIG
S.1368
OSHKOSH
WIS
OSHROBER
WIS
OSHROBER
OSH

CERTIFIED SURVEY MAP No. 594

Part of Lot 2, of Certified Survey Map recorded in Volume 1, page 510, Document No. 528369. Located in Gov't Lot #1 in Section 7, Town 18 North, Range 16 East, Town of Algoma, Winnebago County, Wisconsin.

Reference Meridian: The South line of Gov't Lot #1, assumed to bear West. C.S.M., VOL.1, PG. 359 LOT 2, CROSS IRON, 1.08 WEST 518038 DOC. WEST 89° 80'09. 32.00 135.00 90° 19 LOT ROAD 60 120 523192 510 LAND - 0.356 ROAD - 0.00 SCALE IN FEET TOTAL - 0.356 Acres SCALE : 1" = 60" 359, 135.00 SHORE o l Ś VOL. 1, PG. 4 CUMENT - - LEGEND --CS IK = Existing P. K. Nail = Existing 3/4" steel EASEMENT ri! PRIVATE re-bar = Existing [" Iron Pipe LOT 2 o = 3/4" x 24" steel re-bar 432, UTILITY set, weighing 1.50 lbs./ STING lin, ft. 8 30' Σŭ. LAND - 0.824 8 EASEMENT ROAD - 0.102 TOTAL - 0.926 Acres 3.15 For: Lori Decker 406 S. Park St. . 0 Oshkosh, Wisc. MGREUS - EGRESS <u>.</u>დ စ္ပိ Phone: 235-8008 ģ Prepared By t Mc Mahon Assoc. Inc. Consulting Engineers Reg. Land Surveyors Menasha, Wisc. 32,00 1 50° 19' 51" 8 890 40'09" 135.00

ROAD

Drawn by: S. Scott Mader

LEONARD

EAST

NO SURVE Sheet 1 of 2 David M. Schmol REVISED 5-21-79

DAVID M.

SCHMALZ 5-1284

MENASHA

W SURV

CERTIFIED SURVEY M	MAP No	· <u>594</u>
--------------------	--------	--------------

State of Wisconsin)
) s
Winnebago County)

I, David M. Schmalz, Land Surveyor, do hereby certify that I have surveyed for Lori Decker a part of Government Lot #1, Section Seven (7), Township 18 North, Range 16 East, Town of Algoma, Winnebago County, more fully described as follows:

A part of Lot 2 of Certified Survey Map recorded in Vol. 1, Page 510, Document #528369, described as follows:

Reginning at the Southeast Corner said Lot 2; thence North 0°19'51" West along the East line said Lot 2, 414.00 ft. to an existing 3/4" diameter iron bar; thence West, 135.00 ft. to an existing cross cut in a rock, reference iron West, 1.08 ft.; thence South 0°19'51" East along the West line said Lot 2, 414.00 ft.; thence East*along the South line said Lot 2 to the point of beginning. Total parcel containing 1.282 acros. Lots 1 and 2 of this Certified Survey Map to have the right of ingress, egress over that Portion of Lot 2 Certified Survey Map recorded in Vol. 1, Page 359, Doc. #518038 indicated on Sheet 1 as a private road and that 1 have fully complied with Chapter 236.34 of the Wisconsin Statutes, the Shoreland and the Subdivision Ordinances of Winnebago County in surveying, dividing and mapping the same.

fully complied with Chapter 236.34 of the Wisconsin Statutes, the Shorela and the Subdivision Ordinances of Winnebago County in surveying, dividin and mapping the same.

*, 135.00 ft.

Given under my hand and seal this Trn day of MARCH ,1979.

REVISED 5-21-79

David M. Schmalz, Reg. Wig. Land Surveyor S-1284

McMahon Associates, Inc., Menasha, Wisconsin

CERTIFICATE of OWNERS

As owners we, the undersigned, hereby certify that we caused the land described above to be surveyed, divided, mapped all as represented on this map.

Date this 15th day of March ,1979.

In the Presence of:

Witness Carol Stoffall A. Again Ducker

Witness, Carol Stoffel

Witness, Carol Stoffel

Witness, Marcia Marks

Owner

Approved by the Winnebago County Planning Committee this 25 day of Many, 1979.

Planning Committee Chairman

Register's Office
Winnebago County, Wis.
Received for record threat/Th
day of Laure A.D., 19 79
at 9130 ...o'olook A.M. and
recorded in Vol. 1...of Survey Maps
on page 594
Register of Duesis

.

Manske

2,00

011. 11:1. tera comprehe 14.42

> DAVID M. SCHMALZ S-1284 MENASHA

WIS.

CERTIFIED SURVEY MAP No. 1679

State of Wisconsin) Winnebago County

I, David M. Schmalz, Surveyor, certify that I have surveyed, divided, and mapped for Bernard Miller a part of the East 1/2 of the Southwest 1/4 of Section Seven (7), Township 18 North, Range 16 East, Town of Algoma, Winnebago County, Wisconsin, containing 1.16 acres of land and being described as follows:

Beginning at the Northeast Corner of Lot 2 Certified Survey Map recorded in Vol. 1 on Page 453 as Document #524485; thence East 208.70 ft. along the North Line of the Southwest 1/4; thence South 0°11'25" East, 241.70 ft.; thence West 208.70 ft. to the Southeast Corner said Lot 2; thence North 0° 11'25" West along the West Line said Lot 2, 241.70 ft, to the point of beginning. Subject to all easements and restrictions of record. Reserving that portion used for highway purposes. I further certify that I have complied with Chapter 236.34 of the Wisconsin Statutes and the Subdivision Ordinance of Winnebago in surveying, dividing and mapping the same.

Given under my hand this 18+h day of October, 1979.

David M. Schmoly

PREPARED FOR: BERNARD MILLER 1326 BROOK LANE OSHKOSH, WIS.

PREPARED BY: Mc MAHON ASSOCIATES, INC.

P.O.B. 405 MENASHA, WIS.

LEONARD 8 89 48 33. 208.70 LOT 2 C.S.M. RECORDED IN VOL. 1 P. 453 GE LOT DOCUMENT# 524 485 1.00 ACRES LAND Recorded on OCT 19,1978 o O.IS ACRES ROAD 1.16 ACRES TOTAL et 3:36 PM 208.70 UNPLATTED LANDS

1"=100 SCALE

NONTH

50 100 FT.

LEGEND

- P.K. NAIL SET

- 3/4" x 24" STEEL REBAR SET WEIGHING 1.5 Ibs./LIN. FT.

- Existing 3/4"x 24" iron bar

Bearing referenced to the East line Lot 2 certified Survey Map Vol. 1, Pg. 453 given bearing NO°11 125"E.

CERTIFIED SURVEY MAP No. 679

	,				
	EVON T	11 TA	A /00 m	•	CH. 1 \$ 1 12 12
	KI.I		ATTM:	αr	OWNER
\sim	***			0.1	O11 11 11 11

As owner we, the undersigned, hereby certify that we caused the land above described to be surveyed, divided, mapped and dedicated for street purposes, all as shown and represented

on this map.	,	
In the presence of: Dat	e: 20 h	day of October, 197 4
valored 5 In in		Henry It Johnson
Witness	(0	Owner
and the second s	ellekon yazarkezekelker dil rilli, iga. on dikkontaka darvan, ya dikin	trakentana (mat mat a newares sterra) alamaya patrika apara at ilaha asan pana alambaya ferdikalah berdika dapatenda at ilaha berdika at ilaha asan berdika at ilaha berdika at ilaha at ilaha berdika at ilaha at
Withess State of Wisconkin) o o s	0	Owner
Winnebago County)	20 th	day or October , 1979, th
above named owners to me known instrument and acknowledge the	i to be the pe	ersons who executed the foregoin
Dernou & Mille.	Му	y Commission Expires: 5-2-82
Notary Public-Winnebago Cnty,		
APPROVALS Approved by the Winnebago Coun Wisconsin this 230d day of		
5		
	Robert 4	M. Herritor

David M. Schmaly 10-18-79

Planning Committee Chairman dons

542103

Register's Olfice

Winnebago County, Wis Register of Dead

Sheet 2 of 2

Mueller Pagioo

.

105-S

SHEET 1 of 3

CERTIFIED SURVEY MAP NO. 754

BEING A DIVISION OF LOT 1 OF CERTIFIED SURVEY MAP NO. 679 IN VOLUME 1. BEING A PART OF THE N.E. 1/4 OF THE S.W. 1/4 OF SECTION 7, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY WISCONSIN.

O DENOTES 3/4 INCH DIAMETER RE-BAR, 24 INCHES LONG, WITH A WEIGHT OF 1.5 LBS PER LINEAR FOOT FOUND.

D ------DENOTES P.K. NAIL FOUND.

ALL DIMENSIONS ARE MEASURED TO THE NEAREST HUNDREDIH OF A FOOT.

BEARINGS ARE REFERENCED TO THE EAST LINE OF LOT 2 OF CERTIFIED SURVEY MAP NO. 453 IN VOLUME 1 WHICH HAS A GIVEN BEARING OF NORTH 00°11'25" EAST.

	N LINE S.W.1/4	LEONARD F			
N.E. COR. LOT 2.	A 33.00	and any representative events of the statement of the sta	208.70	uuraanen hai kiito aa aanuar Herritaria distriktiin Tajaalinaanen hiid	B 33.0
INTERIOR ANGLES	8	DUE	EAST	208.70	8
A) 89°48'35" B) 90°11'25" C) 89°48'35" D) 90°11'25"		104.35		104, 35	S 00°
LOT 2, C.S.M. #453, VOLUME 1, DOC. #524485	- 18	LOT 1 0.50 ACRES NE	0 0	LOT 2 0.50 ACRES	00° 11' 25" E 20
	8.70 N 00° 11' 25" W 2		8.70 8.70		241.70
25 50	241.70		1		
I" = 50'	70	104.35		104.35	<u> </u>
	•	Df	UE WE	ST 208.7	0

anotional survey engineering

417 NORTH SAWYER STREET/P.O. BOX 2963 OSHKOSH, WISCONSIN 54903 (414) 426-2800



UNPLATTED LANDS

SHEET 2 of 3

CERTIFIED SURVEY MAP NO. 754

BEING A DIVISION OF LOT 1 OF CERTIFIED SURVEY MAP NO. 679 IN VOLUME 1. BEING A PART OF THE N.E. 1/4 OF THE S.W. 1/4 OF SECTION 7, T18N, R16E, IN THE YOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE STATE OF WISCONSIN)

: SS

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin land surveyor do hereby certify;

THAT I have surveyed and mapped a division of Lot 1 of Certified Survey map No. 679, being a part of the N.E. 1/4 of the S.W. 1/4 of Section 7, T18N, R16E, in the Town of Algoma, Winnebago County, Wisconsin, which is bounded and described as follows;

Commencing at the N.E. corner of lot 2 of Certified Survey Map No. 453 in Volume 1 (Doc. No.524485), thence Pue East along the North line of the S.W. 1/4 208.70 ft. to a point, thence South Ou 11'25" East 241.70 ft. to a point, thence Due West 208.70 ft. to a point, thence North 00°11'25" West along the East line of said Lot 2 aforesaid 241.70 ft. to the point of beginning. The North 33.00 ft. of said parcel are reserved for roadway purposes.

THAT I have made this survey and land division and map by the direction of WILLIAM H. WARNER, The of Algoma, Wisconsin, owner of said land.

THAT such map is a true representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

5/5/80 Date Reinhard Roehlig, Registeredi Land Surveyor S-1368

MONTHAPPO

H. J. ROEHLIG

OSHOOSH

WIS.

SURVISION

SHEET 3 of 3


CERTIFIED SURVEY MAP NO. 754

BEING A DIVISION OF LOT 2 OF CERTIFIED SURVEY MAP NO. 679 IN VOLUME 1. BEING A PART OF THE N.E. 1/4 OF THE S.W. 1/4 OF SECTION 7, T18H, R16E, IN THE TOWN OF ALGOMA, WINNEBGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE

	AS OWNER I hereby certify that I caused the land described on this map to be mapped and surveyed as represented on this map in accordance with the Winnebago County Subdivision Ordinance.
	Witness the hand and seal of said owner this 13th day of 1980.
	In The Presence of:
ı	Mary Jun Tuchecliner William H. Warner
	STATE OF WISCONSIN)
	SS WINNEBAGO COUNTY
	PERSONALLY came before me this day of 1980 the above named William H. Warner to me known to be the person who executed the foregoing instrument and acknowledged the same.
	Notary Public, Winnebago County, State of Wisconsin.
	My Commission Expires 11-7-7-7
	WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE
	THIS Certified Survey Map of a part of the N.E. 1/4 of the S.W. 1/4 of Section 7 T18N, R16E, Town of Algona, William H. Warner, owner, is hereby approved.
	Date May 12, 1980 Lobut M. Hunter Dan

THIS INSTRUMENT WAS DRAFTED BY REINHARD ROBALIG.



Hegister County, Wise

Winesbage County, Wise

Received for record this 15th

day of May A.D., 1980

It 10:28 o'clock A.M. and

recorded in Vol 1 of Survey Maps

on page 754


Register of Deci


Tuchscherex


2.00

PLAT OF SURVEY for FIRST WISCONSIN NATIONAL BANK OF OSHKOSH

Being a part of Fractional Lot 1 and of the East % of the SE% of Fractional Section 7, T.18N., R.16E., Town of Algoma, Winnebago County, Wisconsin.







Survey & Platting Co.
Oshkosh, Wis.
T.E.Stearns - Reg. Surveyor

April 24, 1968

Descriptions Of Parcels # 7 & 8 For Geo. Fuhs

Description For Parcel # 7
That Part Of The East 1/2 Of The M.W.1/4 Of The S.W.1/4 Of Sec. 7-18-16,
Town Of Algoma, Winnebago County, Wis. Described As Follows: The North
290.0 ft. Of The E.1/2 Of The N.W.1/4 Of The S.W.1/4 Of Sec. 7-18-16,
Excepting Therefrom The West 330.0 ft. And That Portion To Be Used For
Highway Purposes Thereof. Said Parcel Contains 2.18 Acres More Or Less.

Description For Parcel #8
That Part Of The East 1/2 Of The N.W.1/4 Of The S.W.1/4 Of Sec. 7-18-16,
Town Of Algoma, Winnebage County, Wis. Described As Follows: The South
130.0 ft. Of The North 420.0 ft. Of The E.1/2 Of The N.W.1/4 Of The S.W.
1/4 Of Sec. 7-18-16, Excepting Therefrom The West 330.0 ft., And That
Portion To Be Used For Highway Purposes Thereof. Said Parcel Contains
0.98 Acres More Or Less.

June 28, 1969

(Parcels 9-10-11 Are Not Surveyed)

Description For Parcel # 9 (Use Heading Move)
The south 140.0 ft. Of The North 150.0 ft. Of The West 330.0 ft. Of The E.1/2 of The N.W.Z/4 of Sec. 7-18-16. Said Farcel Contains 0.98 Agres
More Or Less.

Description For Parcel # 9 (Use Heading Above)
The South 130.0 ft. Of The North 550.0 ft. Of The West 330.0 ft. Of The
E.1/2 Of The N.W.1/4 Of The S.W.1/4 Of Sec. 7-18-16. Baid Parcel Contains
0.98 Acres More Or Less.

Description For Parcel # 10 (Use Heading Above)
The South 130.0 ft. Of The North 680.0 ft. Of The West 330.0 ft. Of The
E.1/2 Of The N.W.1/4 Of The S.W.1/4 Of Sec. 7-18-16. Said Parcel Contains
0.98 Acres More Or Less.

Description For Parcel # 11 (Use Heading Above)
The South 130.0 ft. Of The North 810.0 ft. Of The West 330.0 ft. Of The
E.1/2 Of The N.W.1/4 Of The S.W.1/4 Of Sec. 7-18-16. Said Parcel Contains
0.98 Acres More Or Less.

Survey & Platting Co. Oshkosh, Wis. T.E.Stearns - Reg. Surveyor

July 20, 1966

Descriptions Of 6 Parcels Of Land For Geo. Fuhs:

Heading On All Parcels: That Part Of The N.W.1/4 Of The S.W.1/4 Of Sec. 7-18-16, Town Of Algoma, Winnebago County, Wis. Described As Follows:

Description For Parcel # 1
The North 160.0 ft. Of The West 330.0 ft. Of The East 1/2 of The N.W.1/4
Of The S.W.1/4 Of Sec. 7-18-16. Said Parcel Contains 1.21 Acres More Or
Less.

Description For Farcel # 2 (Use Heading Above)
The South 130.0 ft. Of The North 290.0 ft. Of The West 330.0 ft. Of The
East 1/2 Of The N.W.1/4 Of The S.W.1/4 Of Sec. 7-18-16. Said Parcel
Contains 0.98 Acres More Or Less.

Description For Parcel #3 (Use Heading Above)
The South 130.0 ft. Of The North 420.0 ft. Of The West 330.0 ft. Of The
East 1/2 Of The E.W.1/4 Of The S.W.1/4 Of Sec. 7-18-16. Said Parcel
Contains 0.98 Acres More Or Less.


Description For Farcel # 4 (Use Heading Above)
The South 130.0 ft. Of The North 550.0 ft. Of The East 1/2 Of The N.W.1/4
Of The S.W.1/4 Of Sec. 7-18-16, Excepting Therefrom The West 330.0 ft.
Thereof. Said Parcel Contains 0.99 Acres More Or Least

Description For Parcel # 5 (Use Heading Above)
The South 130.0 ft. Of The North 680.0 ft. Of The East 1/2 Of The N.W.1/4
Of The S.W.1/4 Of Sec. 7-18-16, Excepting Therefrom The West 330.0 ft.
Thereof. Said Parcel Contains 0.99 Acres More Or Less.

Description For Parcel # 6 (Use Heading Above)
The South 130.0 ft. Of The North 810.0 ft. Of The East 1/2 Of The N.W.1/4
Of The S.W.1/4 Of Sec. 7-18-16, Excepting Therefrom The West 330.0 ft.
Thereof. Said Parcel Contains 1.01 Acres More Or Less.

Road Description (Use Heading Above)
The East 60.0 ft. Of The West 360.0 ft. Of The North 1000.0 ft. Of The
East 1/2 Of The N.W.1/4 Of The S.W.1/4 Of Sec.7-18-16.


Description For Parcel # 1
That Part Of The N.E.1/4 Of The B.E.1/4 Of Bec. 7-18-16, Town Of Algora, Wishebage County, Nis. Bounded & Described As Follows:
The North 100.0 ft. Of The South 572.9 ft. Of The East 200.0 ft. Of The N.E.1/4 Of The S.E.1/4 Of Bec. 7-18-16. Said Parcel Contains 0.46 Acres More Or Less Except That Portion Used For Road Purposes.





Survey For R. C. Welfgram:

Description Of Parcel:
That Part Of Gov. Lot # 2 In Sec. 7-18-16, Town Of Algoma, Winnebago County, Wis. Described As Follows: Commencing On The West Line Of Sec. 7, 2245.6 ft. North Of The West 1/4 Corner, Being The Place Of Beginning: Thence S.68°0'E., 142.0 ft., Thence N.18°37'E., 252.0 ft. More Or Less Te The Shore Of Lake Butte Des Motrs, Thence Northwesterly Along The Shore Of Said Lake To The West Line Of Sec. 7, Thence South Along Said Section Line To The Place Of Beginning.

Survey For E.L. Harvey:
Description of Parcel:
That Part of Gov. Lot # 2 In Sec. 7-18-10, Town of Algoma, Winnebago County,
Wis. Described As Follows: Commencing On The West Line of Sec. 7, 2245.6 ft.
North of The West 1/4 Corner, Thence S.68°0'E., 142.0 ft. To The Place of
Beginning: Thence S.68°0'E., 95.0 ft., Thence N.19°31'E., 261.0 ft. More On
Less To The Shore of Lake Butte Des Morts, Thence Northwesterly Along Said
Shore To A Point That Is N.18°37'E. Of The Place of Beginning, Thence 8.18°37'W. To The Place Of Beginning.








PART OF SECTION TTIBARIGE TOWN OF ALGOMA PAGE 272 NO 556

S. C. St. Late and Market William


Dec. 3, 1891 Scale 1/2 1200' H.W. Leuch Surveyor Wm.H. Hunter & chain man OHO. Schulty | Chain man Robort Johnson Flugman



SURVEY OF 26 14 ACRE TRACT IN SECTION 7 T 18 HIRIGE.

Jan 27, 1868 Town of ALGUMA CPalmer County Surveyor

Scale. 1 1000' P. 120 No 249



Found Bearing Tree at N.W. Sec. Corner Ran East 19 chains to meander post on Lake Buttes des Morts Thence along meander line of Lake to meander post (found 8.T.) between Jections 748 Then ran boundary line of 26/4 acres as per diagrams.

From post between Sections 647 5.58° E. 11.50 chains in Sec 7
5 45° E. 10 chains
358° E. 34 chains
553° E. 19 chains to post between 5478.