


Plat of Survey

PART OF THE SE1/4 OF THE SE1/4 OF SEC. 16, T. 18N., R. 16E., IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN

CLIENT: MATT SALZSIEDER
921 OHIO ST.
OSHKOSH, WI

NOTE: Parcel described is an addition to Doc. No. 665687 and may not be sold separately, only in conjunction with adjoining parcel.



DESCRIPTION

Part of the SE1/4 of the SE1/4 of Sec. 16, T. 18N., R. 16E., in the Town of Algoma, Winnebago County, Wisconsin, described as follows: Beginning at an iron pipe that is 1333.33 ft. N. 01° 09' 53" W. and 83.75 ft. S. 89° 34' 10" W. and 167.93 ft. (Rec. as 167.60 ft.) S. 04° 31' 37" E. and 164.00 ft. S. 89° 34' 10" W. of the SE corner of said Sec. 16. From that point running S. 89° 34' 10" W. 10.00 ft., thence S. 04° 31' 37" E. 70.00 ft., thence N. 89° 34' 10" E. 10.00 ft., thence N. 04° 31' 37" W. 70.00 ft. to the said point of beginning. Being a parcel of land of 700.00 sq. ft. more or less. Parcel subject to a future easement for sewer and water to the parcel immediately west, over and across the parcel described hereon and Doc. No. 665687. Subject to all easements and restrictions of record.



LEGEND

- = Existing monuments
- = 2" x 30" iron pipe set
- = 1" x 30" iron pipe set
- = reference caps or R.R. spikes
- = Berritsen or Harrison monuments
- X—X = fence
- () = recorded as
- = stone monument

SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. SEPT. 20, 1988

Calvin W. Hawksworth
Wisconsin Registered Land Surveyor S-1290

Sayler
Survey, Inc.

139A WEST MAIN, BOX 262, WINNECONNE, WI 54988


SCALE 1" = 60'
PROJECT NO. S-001985
FIELD BOOK 57 PAGE 63

Plat of Survey

PART OF THE SE 1/4 OF THE SE 1/4 OF SEC. 16, T. 18N., R. 11E.,
TOWN OF ALGOMA, WINNEBAGO CO., WISCONSIN.

EXISTING PARCEL

CLIENT: MATT SALZSIEDER
321 OHIO ST.
OSHKOSH, WI.
54901



LEGEND

- = Existing monuments
- = 2" x 30" iron pipe set
- = 1" x 30" iron pipe set
- ⊙ = reference caps or RR. spikes
- ⊙ = Bernsten or Harrison monuments
- X—X = fence
- () = recorded as
- = stone monument

SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. AUGUST 29, 1988

REVISED SEPT. 20, 1988

Calvin W. Hawksworth

Wisconsin Registered Land Surveyor S-1290

Sayler
Survey, Inc.

135A WEST MAIN, BOX 252, WINNECONNE, WI 54986

SCALE 1 IN. = 60 FT.
PROJECT NO. S-001975
FIELD BOOK 57 PAGE 63



16-18-16

DESCRIPTION: LOTS 68 & 69, MELROSE PARK,
TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

REITER: 1254 CONRAD ST.

1 STORY HOUSE

NO BUILDING ENCROACHMENTS PRESENT



Robert F. Reider

I, ROBERT F. REIDER

certify that this mortgage inspection was made by me or under my direction and control of the described property on,

JUNE 6, 1988, according to the official records and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief. Terry Reiter in agreement with Carow Land Surveying Co., Inc. has waived parts of Administrative Code A-E 5.01 (3 through 7). THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE.

THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF:
TERRY REITER

REVISIONS	TERRY REITER		
	1243 CONRAD ST. OSHKOSH, WIS. 54901		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297		
	1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
DRAWN BY	DV	SCALE	DRAWING NO.
dw ko		1"=30'	886.24
APPRO	✓	DATE	6-7-88

Chapter A-E 5

MINIMUM STANDARDS FOR PROPERTY SURVEYS

A-E 5.01 Minimum standards for property surveys. A-E 5.02 U.S. public land survey monument record.

A-E 5.01 Minimum standards for property surveys. (1) SCOPE. The minimum standards of this section apply to every property survey performed in this state except that,

(a) Where other standards for property surveys are prescribed by statute, administrative rule or ordinance, then such standards shall govern; and

(b) The land surveyor and his or her client or employer may agree in a signed statement to exclude any land surveying work from the requirements of this section except the preparation of a U.S. Public Land Survey Monument Record, providing any map prepared by the land surveyor for the client or employer includes a note which states that an agreement to exclude work from the requirements of this section has been made, the names of the parties making the agreement and a description in plain language of the requirements not complied with.

(2) PROPERTY SURVEY. DEFINITION. In this section, "property survey" means any land surveying which includes as one of its principal purposes describing, monumenting, locating the boundary lines of or mapping one or more parcels of land. The term includes the restoration, perpetuation or reestablishment of a U.S. public survey corner.

(3) BOUNDARY LOCATION. Every property survey should be made in accordance with the records of the register of deeds as nearly as is practicable. The surveyor shall acquire data necessary to retrace record title boundaries such as deeds, maps, certificates of title, and center line and other boundary line locations. The surveyor shall analyze the data and make a careful determination of the position of the boundaries of the parcel being surveyed. The surveyor shall make a field survey, traversing and connecting monuments necessary for location of the parcel and coordinate the facts of such survey with the analysis. The surveyor shall set monuments marking the corners of such parcel unless monuments already exist at such corners.

(4) DESCRIPTIONS. Descriptions defining land boundaries written for conveyance or other purposes shall be complete, providing definite and unequivocal identification of lines or boundaries. The description must contain necessary ties to adjoining together with data of dimensions sufficient to enable the description to be mapped and retraced and shall describe the land surveyed by government lot, recorded private claim, quarter-quarter section, section, township, range and county, and by metes and bounds commencing with some corner marked and established by the U.S. public land survey; or if such land is located in a recorded subdivision or recorded addition thereto, then by the number or other description of the lot, block or subdivision thereof which has been previously tied to a corner marked and established by the U.S. public land survey.

Register, August, 1982, No. 320

Note: Items not underlined have been waived.

WISCONSIN ADMINISTRATIVE CODE

A-E 2

(5) MAPS. A map shall be drawn for every property survey showing information developed by the survey and including the following elements:

(a) The map shall be drawn to a convenient scale;

(b) The map shall be referenced as provided in s. 59.61, Stats.;

(c) The map shall show the exact length and bearing of the boundaries of the parcels surveyed. Where the boundary lines show bearings, lengths or locations which vary from those recorded in deeds, abutting plats, or other instruments there shall be the following note placed along such lines, "recorded as (show recorded bearing, length or location)";

(d) The map shall show and describe all monuments necessary for the location of the parcel and shall indicate whether such monuments were found or placed;

(e) The map shall identify the person for whom the survey was made, the date of the survey, and shall describe the parcel as provided in (4), above;

(f) The map shall bear the stamp or seal and signature of the land surveyor under whose direction and control the survey was made with a statement certifying that the survey is correct to the best of his knowledge and belief.

(6) MEASUREMENTS. (a) Measurements shall be made with instruments and methods capable of attaining the required accuracy for the particular problem involved.

(b) The minimum accuracy of linear measurements between points shall be 1 part in 3,000 on all property lines of boundary or interior survey.

(c) In a closed traverse the sum of the measured angles shall agree with the theoretical sum by a difference not greater than 30 seconds per angle, or the sum of the total angles shall not differ from the theoretical sum by more than 120 seconds, whichever is smaller.

(d) Any closed traverse depicted on a property survey map shall have a latitude and departure closure ratio of less than 1 in 3,000.

(e) Bearings or angles on any property survey map shall be shown to the nearest minute; distances shall be shown to the nearest 1/100th foot.

(7) MONUMENTS. The type and position of monuments to be set on any survey shall be determined by the nature of the survey, the permanency required, the nature of the terrain, the cadastral features involved, and the availability of material.

History: Cr. Register, June, 1974, No. 222, eff. 7-1-74; am. (5) (e) and (6) (e), Register, June, 1978, No. 234, eff. 7-1-78; am. (1) (b), Register, January, 1982, No. 313, eff. 2-1-82; am. (1) (b) and c. and rec. (2), Register, August, 1982, No. 320, eff. 8-1-82.


A-E 5.02 U.S. public land survey monument record. (1) WHEN MONUMENT RECORD REQUIRED. A U.S. public land survey monument record shall be prepared as part of any land survey which includes or requires the perpetuation, restoration or reestablishment of a U.S. public land survey corner, and, either,

Register, August, 1982, No. 320

16-18-16

SURVEY
for
DAN FRANK

Lots seventy five (75), seventy six (76) and the north half (N $\frac{1}{2}$) of that part of Barrett Avenue now vacated, lying south of and adjacent to and between the extended east and west lines of said lot 75 in the plat of Melrose Park, Town of Algoma, Winnebago County, Wisconsin.



LEGEND

○ = 5/8" X 24" STEEL ROD SET

● = 1" IRON PIPE FOUND



SCALE = 1" = 30'

DATE = APRIL 3, 1985

JAMES C. COX
WISCONSIN REGISTERED LAND SURVEYOR S-1542

DATED THIS 4TH DAY OF APRIL 19 85

COX LAND SURVEYING
LAND SURVEYORS
OSHKOSH, WISCONSIN



Sec 16 T18N R16E

PLAT OF SURVEY


KNOWN AS 1394 CONTRAD STREET, BEING LOT 1 OF C.S.M. NO. 773, RECORDED IN WINNEBAGO COUNTY REGISTRY AS DOCUMENT NO. 551435, BEING A RE-DIVISION OF LOTS 83, 84 AND 85 ALL IN MELROSE PARK SUBDIVISION, IN THE TOWN OF ALGONA, WINNEBAGO COUNTY, WISCONSIN.

AUGUST 19, 1983

SURVEY FOR OSHKOSH SAVINGS
APPLICANT: DARLENE LAABS

SURVEY NO. 1285-N

ONEIDA AVENUE (25.0)




SCALE 1" = 20'

I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.



national survey & engineering

417 NORTH SAWYER STREET / P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 426-2800



NOV 3 8 1986

Sheet 1 of 2

PLAT OF SURVEY

FOR
BERNIE MILLER

Being a part of the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 16, T.18N., R.16E.,
Town of Algoma, Winnebago County, Wisconsin.

See sheet 2 of 2 for description.

Navigation Easement
To Chongai & Lake
BUTE DES MORTS

N.01°11'15"W.

320'

N.01°11'15"W.

282.75'

N.89°06'05"E.

90.15'

11.78'

Water

74,110.67 Sq. Ft.

261.77'

135.51'

33.00'

S.01°29'10"E.

282.76'

N.01°29'10"W.

407.76'

33.00'

S.89°06'05"W.

282.85'

S.89°06'05"W.

C.S.M. VOL. 1, PAGE 1436
DOC. NO. 635935

C.S.M. VOL. 1, PAGE 1372
DOC. NO. 627842

DOC. NO. 629004

S.01°29'10"E.

S.01°29'10"E.

33.00'

33.00'

Easement for ingress & egress

Vol. 1156 Pg. 133
S.01°29'10"E.

Easement for ingress & egress

BEARING REFERENCE: South line NE $\frac{1}{4}$
SECTION 16, T.18N., R.16E., RECORDED AS
N.89°06'05"E.

LEGEND

○ = 1" x 24" Iron Pipe set
● = 1" Iron Pipe found
SCALE: 1" = 60'
Notebook 91 Pages 51, 52
September 22, 1986

SURVEYOR'S CERTIFICATE


I hereby certify that I have surveyed the above described property and that the above map is a true representation thereof and shows the size and location of the property, its exterior boundaries, the location of all visible structures and dimensions of all principal buildings thereon, boundary fences, apparent easements, roadways and visible encroachments, if any.

This survey is made for the use of the present owners of the property, and also those who purchase, mortgage, or guarantee the title thereto within one (1) year from date hereof.

AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
SHEBOYGAN, WISCONSIN

Steven T. Chironis
WIS. REGISTERED LAND SURVEYOR S-0913

NOTEBOOK 91 PAGE 51 & 52



L-1498

DESCRIPTION

A part of the Southeast Quarter (SE $\frac{1}{4}$) of the Northeast Quarter (NE $\frac{1}{4}$) of Section Sixteen (16), Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin containing 74,110.67 square feet of land and being described by: Commencing at the Northwest corner of Lot 1 of Certified Survey Map Number 1436, recorded in Volume 1, Page 1436 of Certified Survey Maps, document number 635935 in the Winnebago County Register of Deeds Office and being the true point of beginning; thence N.01°-11'-15"W. 282.75 feet; thence N.89°-06'-05"E. 261.37 feet; thence S.01°-29'-10"E. 282.76 feet; thence S.89°-06'-05"W. 262.85 feet to the true point of beginning.

Together with the afore described an easement for the purpose of ingress and egress over and across the following described property to wit: Commencing at the Southeast corner of Lot "1" according to Certified Survey Map No. 1372 recorded in Volume 1 on page 1372 of Certified Survey Maps Document No. 627842 and being the true point of beginning; thence N.89°-06'-05"E. 33.00 feet; thence N.01°-29'-10"W. 407.76 feet; thence S.89°-06'-05"W. 33.00 feet; thence S.01°-29'-10"E. 407.76 feet to the true point of beginning.

Also together with the afore described an easement for navigation ingress and egress over and across the following described property to wit: Commencing at the Northwest corner of Lot "1" of Certified Survey Map No. 1436 as recorded in Volume 1 on page 1436 of Certified Survey Maps, Document No. 635935; running thence N.01°-11'-15"W. 282.75 feet, along the west line of said Lot "1" projected north to the true point of beginning; thence continue N.01°-11'-15"W. 320 feet; thence N.89°-06'-05"E. 85 feet, thence S.01°-11'-15"E. 320 feet; thence S.89°-06'-05"W. 85 feet to the true point of beginning, and together with rights over the existing channel which leads to and connects with Lake Butte Des Morts.


STC/MMP
9/22/86

Zoning

2078

STATE OF WISCONSIN) ss. WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1372 SHEET 1 OF 2
WINNEBAGO COUNTY)

A PART OF THE SE 1/4 OF THE NE 1/4 OF SECTION 16, T. 18 N., R. 16 E., TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.





ALL BEARINGS REFERENCED TO THE SOUTH LINE OF THE NE 1/4 OF SECTION 16, T. 18 N., R. 16 E. ASSUMED TO BEAR N. 39° 08' 09" E.



- = 1" x 24" IRON PIPE WEIGHING 1.68 LBS./LINEAL FOOT SEY.
- = 1" IRON PIPE FOUND.
- △ = ROD AT R/W POST
- ⊙ = WINNEBAGO COUNTY BERNTSEN MONUMENT NB. 66 P. 68-69

DATED THIS 21ST DAY OF March, 1985

Ronald A. Dercks
WISCONSIN REGISTERED LAND SURVEYOR S-1615
RONALD A. DERCKS



AERO-METRIC ENGINEERING, INC.
539 NORTH MADISON STREET
CHILTON, WISCONSIN 53014

THIS INSTRUMENT DRAFTED BY RONALD A. DERCKS L-1367

SURVEYOR'S CERTIFICATE:

I, Ronald A. Dercks, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Bernard Miller a part of the Southeast quarter (SE $\frac{1}{4}$) of the Northeast quarter (NE $\frac{1}{4}$) of Section Sixteen (16), Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin containing 15,679.2 square feet of land and being described by: Commencing at the East quarter (E $\frac{1}{4}$) corner of said Section 16, thence S.89°-08'-09"W. 672.52 feet, along the South line of the NE $\frac{1}{4}$ of said Section 16; thence N.01°-29'-10"W. 414.29 feet; thence S.89°-06'-05"W. 33.00 feet to the true point of beginning; thence N.01°-29'-10"W. 116.00 feet; thence S.89°-06'-05"W. 130.00 feet; thence S.01°-29'-10"E. 116.00 feet to a point on the North line of a Frontage Road as described in Warranty Deed Document Number 604612 in the Winnebago County Registry; thence N.89°-06'-05"E. 130.00 feet along the North line of said Frontage Road to the true point of beginning subject to all easements of record.


That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 235.24 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

Dated this 21st day of March, 1985.

Ronald A. Dercks
Wisconsin Registered Land Surveyor S-1615

Ronald A. Dercks

OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 25th day of March, 1985.

In the Presence of:

Dorothy Miller
Dorothy Miller

Arlene Roberts
Arlene Roberts

STATE OF WISCONSIN }
WINNEBAGO COUNTY } SS

Personally came before me this 25th day of March, 1985, the above named Bernard M. Miller and James C. Miller to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Bernard M. Miller
Bernard M. Miller, Co-Partner
James C. Miller
James C. Miller, Co-Partner

Lois J. Frank
Notary Public Oshkosh, Wisconsin
My Commission expires May 4, 1986

Lois J. Frank

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map of a part of the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 16, T.18N., R.16E., Town of Algoma, Bernard M. Miller and James C. Miller, owners, is hereby approved.

Date

April 1, 1985

By:

Carol Owens

627842

Register's Office
Winnebago County, Wis.
Received for record this *1st*
day of *April*, A.D., 19*85*
at *10:10* o'clock *AM* and
recorded in Vol. *1* of CSM
on page *1372*

Gregorio A. Salas
Register of Deeds

B. Miller

Pd.
6


SURVEY CERTIFICATE:

I, Lawrence C. Kriescher, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., do hereby certify that I have surveyed, divided and mapped under the direction of Carl [Name] all of Lot 2 of Certified Survey Map No. 1653, recorded in Volume 1 on Page [Page] of Certified Survey Maps, Document No. 671543 and being a part of the Southwest Quarter (SW $\frac{1}{4}$) of the Southwest Quarter (SW $\frac{1}{4}$) of Section Sixteen (16) and the Northwest Quarter (NW $\frac{1}{4}$) of the Northwest Quarter (NW $\frac{1}{4}$) of Section Twenty-one (21), Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin, containing 0.824 acres of land.

That such is a correct representation of all exterior boundaries of the land surveyed.
That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

LOT "1" C.S.M. NO. 1640, VOL. 1 PG. 1640

WESTMOOR ROAD



AERO-METRIC ENGINEERING INC.
539 NORTH MADISON STREET
CHILTON, WISCONSIN 53014

CURVE DATA

SHEET 2 of 2

CURVE NO.	RADIUS LENGTH	CHORD BEARING	CHORD LENGTH	CENTRAL ANGLE	ARC LENGTH	TANGENT BEARINGS	
1 - 2	304.87'	N00°-40'-25"E	18.04'	03°-23'-30"	18.05'	N87°-07'-10"W	N89°-29'-20"E

OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this _____ day of _____, 1987.

In the Presence of:

Carl E. Johnson

Phyllis J. Johnson

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this _____ day of _____, 1987, the above named Carl E. Johnson and Phyllis J. Johnson to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Notary Public

My Commission expires _____

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE

This Certified Survey Map of all of Lot 2 of Certified Survey Map No. 1653, Document No. 671543 in Section 16 and 21, Town of Algoma, Carl E. Johnson and Phyllis J. Johnson, owners, is hereby approved.

Date _____

By: Carol Owens, Chairman

Dated this 4th day of August, 1987.

Lawrence C. Kriescher
Wisconsin Registered Land Surveyor S-1599
Lawrence C. Kriescher





SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Jane Langlitz a part of the Southwest Quarter (SW $\frac{1}{4}$) of the Southwest Quarter (SW $\frac{1}{4}$) and the Southeast Quarter (SE $\frac{1}{4}$) of the Southwest Quarter (SW $\frac{1}{4}$) of Section Sixteen (16), Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin containing 2.5593 acres of land and being described by: Commencing at Southwest corner of said Section 16; thence N.00°-21'-34"W. 332.24 feet, along the west line of the SW $\frac{1}{4}$ of said Section 16; thence N.89°-29'-18"E. 541.41 feet to the true point of beginning; thence continue N.89°-29'-18"E. 820.25 feet; thence S.09°-09'-30"E. 141.54 feet; thence westerly 77.14 feet, along the arc of a curve to the left having a radius of 323.70 feet and the chord of which bears S.74°-00'-53"W. 76.96 feet; thence westerly 100.30 feet, along the arc of a curve to the right having a radius of 257.70 feet and the chord of which bears S.78°-20'-18"W. 99.67 feet; thence S.89°-29'-20"W. 274.22 feet; thence westerly 160.51 feet, along the arc of a curve to the right having a radius of 238.87 feet and the chord of which bears N.71°-15'-40"W. 157.51 feet; thence N.52°-00'-40"W. 100.00 feet; thence westerly 183.46 feet, along the arc of a curve to the left having a radius of 305.04 feet and the chord of which bears N.69°-14'-26"W. 180.71 feet to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed. That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

WEST 1/4 CORNER SECTION 16,
T.18N., R.16E.



Dated this 3rd day of December, 1988
Steven T. Chronis
Steven T. Chronis
Wisconsin Registered Land Surveyor
Steven T. Chronis S-0913

AERO-METRIC ENGINEERING INC.
638 NORTH MADISON STREET
CHILTON, WISCONSIN 53014

THIS INSTRUMENT DRAFTED BY STEVEN T. CHRONIS

CURVE DATA

CURVE NO.	RADIUS	CHORD BEARING	CHORD LENGTH	CENTRAL ANGLE	ARC LENGTH	TANGENT BEARING	TANGENT BEARING
1 - 2	305.04'	S69°-14'-26"E	180.71'	34°-27'-32"	183.46'	N85°-28'-12"W	S52°-00'-40"E
3 - 4	238.87'	S71°-15'-40"E	157.51'	38°-30'-00"	160.51'	N52°-00'-40"W	N89°-29'-20"E
5 - 6	257.70'	N78°-20'-18"E	99.67'	22°-18'-04"	100.30'	S89°-29'-20"W	N67°-11'-16"E
6 - 7	323.70'	N74°-00'-53"E	76.96'	13°-39'-14"	77.14'	S67°-11'-16"W	N80°-50'-30"E

OWNER'S CERTIFICATE:

As owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 5th day of Dec., 1986.

In the Presence of:

Jane Langlitz
Jane Langlitz

STATE OF WISCONSIN)
WINNEBAGO COUNTY) ss

Personally came before me this 5th day of Dec., 1986, the above named Jane Langlitz, to me known to be the person who executed the foregoing instrument and acknowledged the same.

Laurie C. 317 Bayler
Notary Public Bayler, Wisconsin
My Commission expires 7-15-90

WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE:

This Certified Survey Map of a part of the SW $\frac{1}{4}$ of the SW $\frac{1}{4}$ and the SE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 16, T.18N., R.15E., Town of Algoma, Jane Langlitz, owner, is hereby approved.

DATED

12/18/86

BY: Jeanette Diskoff
CAROL OWENS, CHAIRMAN

Dated this 4th day of December, 1986.

Steven T. Chronis
Wisconsin Registered Land Surveyor S-0913
Steven T. Chronis



669058

Register's Office
Winnebago County, Wis.
Received for record this *18th*
day of *December* A.D., 19 *86*
at *3:32* o'clock *P.*M. and
recorded in Vol. *11* of *Edwin's*
on page *1640*

Marjorie Dahm
Register of Deeds

*2775 Wheaton, near
Oakbrook*

A. Hauglitz


*Pd
6.00*

SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Jane Langlitz a part of the Southwest Quarter (SW $\frac{1}{4}$) of the Southwest Quarter (SW $\frac{1}{4}$) of Section Sixteen (16) and the Northwest Quarter (NW $\frac{1}{4}$) of the Northwest Quarter (NW $\frac{1}{4}$) of Section Twenty-one (21), Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin containing 5.5899 acres of land and being described by: Commencing at the southwest corner of said Section 16; thence N.89°-29'-20"E. 250.00 feet, along the south line of the SW $\frac{1}{4}$ of said Section 16 to the true point of beginning; running thence N.00°-21'-34"W. 135.00 feet; thence N.89°-29'-20"E. 150.00 feet; thence N.00°-21'-34"W. 135.00 feet; thence N.89°-29'-20"E. 120.00 feet; thence S.00°-21'-34"E. 3.00 feet; thence easterly 160.71 feet, along the arc of a curve to the right having a radius of 239.04 feet and the chord of which bears S.71°-16'-17.5"E. 157.70 feet; thence S.52°-00'-40"E. 100.00 feet; thence easterly 204.86 feet, along the arc of a curve to the left having a radius of 304.87 feet and the chord of which bears S.71°-15'-40"E. 201.03 feet; thence N.89°-29'-20"E. 274.22 feet; thence easterly 113.92 feet, along the arc of a curve to the left having a radius of 323.70 feet and the chord of which bears N.79°-24'-26.5"E. 113.33 feet; thence S.20°-40'-27"E. 113.29 feet; thence S.00°-04'-45"E. 83.49 feet; thence S.89°-29'-20"W. 987.93 feet; thence N.00°-03'-01"E. 83.49 feet; thence S.89°-29'-20"W. 124.75 feet to the true point of beginning.

NOTE:

B = 1" IRON PIPE FOUND 1.36' N.E. 0.04'E.
C = 1 1/4" IRON PIPE FOUND 1.40' N.E. 0.21'W.
D = 1" IRON PIPE FOUND 0.82' N.E. 0.07'W.
E = 1" IRON PIPE FOUND 0.94' N.E. 0.29'E.



Dated this 4th day of Dec., 1986.

Steven T. Chronis
Wisconsin Registered Land Surveyor
Steven T. Chronis S-0913

— CURVE DATA —							
CURVE NO.	RADIUS	CHORD BEARING	CHORD LENGTH	CENTRAL ANGLE	ARC LENGTH	TANGENT BEARING	TANGENT BEARING
1 - 2	239.04'	S71°-16'-17.5"E.	157.70'	38°-31'-15"	160.71'	S89°-28'-05"W	S52°-00'-40"E
3 - 4	304.87'	S61°-06'-29.5"E	96.40'	18°-11'-39"	96.81'	N52°-00'-40"W	S70°-12'-19"E
4 - 5	304.87'	S80°-21'-29.5"E	107.48'	20°-18'-21"	108.05'	N70°-12'-19"W	N89°-29'-20"E
3 - 5	304.87'	S71°-15'-40"E	201.03'	38°-30'-00"	204.86'	N52°-00'-40"W	N89°-29'-20"E
6 - 7	323.70'	N79°-24'-26.5"E	113.33'	20°-09'-47"	113.92'	S.89°-29'-20"W.	N69°-19'-33"E.

OWNER'S CERTIFICATE:

As owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 5th day of Dec., 1986.

In the Presence of:

Jane Langlitz
Jane Langlitz

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 5th day of Dec., 1986, the above named Jane Langlitz to me known to be the person who executed the foregoing instrument and acknowledged the same.

Lorraine C. Probst
Notary Public Rollington, Wisconsin

My Commission expires 7-15-90

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map of a part of the SW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 16 and the NW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 21, T.18N., R.16E., Jane Langlitz, owner, is hereby approved.

Date


12/18/86

By: Carol Owens, Chairman

That such is a correct representation of all exterior boundaries of the land surveyed.
That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

Dated this 4th day of Dec., 1986.

Steven T. Chronis
Wisconsin Registered Land Surveyor S-0913
Steven T. Chronis



669057

Register's Office
Winnebago County, Wis.
Received for record this 18th
day of December A.D., 1986
at 3:30 o'clock P. M. and
recorded in Vol. 1... of 15th
on page 1639.
Marjorie Dahm
Register of Deeds

2775 Walnut St
Madison Wis
G. Houghlity 6th

671543

Register's Office
Winnebago County, Wis.
Received for record this 22nd
day of January A.D., 1987
at 3:36 o'clock P. M. and
recorded in Vol. 1 of C.S. M.
on page 165.3
Marjorie Dahm
Register of Deeds

Bd.
6.00

SURVEYOR'S CERTIFICATE:

I, Lawrence C. Kriescher, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Ronald C. Leichtfuss all of Lot 3 of Certified Survey Map No. 1639, recorded in Volume 1 of Page 1639 of Certified Survey Maps, Document No. 669057, and being a part of the Southwest Quarter (SW $\frac{1}{4}$) of the Southwest Quarter (SW $\frac{1}{4}$) of Section Sixteen (16) and the Northwest Quarter (NW $\frac{1}{4}$) of the Northwest Quarter (NW $\frac{1}{4}$) of Section Twenty-one (21), Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin, containing 2.2239 acres of land.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.


Dated this 12TH day of JANUARY, 1987.

Lawrence C. Kriescher
Wisconsin Registered Land Surveyor S-1599
Lawrence C. Kriescher



BEARING REFERENCE: WEST LINE OF THE SW $\frac{1}{4}$ SECTION 16, T.18N. R.16E. ASSIGNED N.00°21'34" E.

LOT 1
C.S.M. 1640
VOL. 1, PG. 1640



AERO-METRIC ENGINEERING INC.
539 NORTH MADISON STREET
CHILTON, WISCONSIN 53014

- CURVE DATA -

CURVE NO.	RADIUS LENGTH	CHORD BEARING	CHORD LENGTH	CENTRAL ANGLE	ARC LENGTH	TANGENT BEARING
1-2	304.87'	S80°-21'-29.5"E	107.48'	20°-18'-21"	108.05'	N70°-12'-19"W N89°-29'-20"E
Lot 1	304.87'	S78°-39'-36"E	89.67'	16°-54'-51"	90.00'	N70°-12'-19"W S87°-07'-10"E
Lot 2	304.87'	N00°-40'-25"E	18.04'	03°-23'-30"	18.05'	N87°-07'-10"W N89°-29'-20"E
3-4	323.70'	N79°-24'-26.5"E	113.33'	20°-09'-47"	113.92'	S89°-29'-20"W N69°-19'-33"E
Lot 3	323.70'	N88°-15'-27"E	13.91'	02°-27'-46"	13.92'	S89°-29'-20"W N87°-01'-34"E
Lot 4	323.70'	N78°-10'-33.5"E	99.60'	17°-42'-01"	100.00'	S87°-01'-34"W N69°-19'-33"E

OWNER'S CERTIFICATE:

As owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 22 day of JANUARY, 1987.

In the Presence of:

Maureen Christensen

Ronald C. Leichtfuss
Ronald C. Leichtfuss

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 22 day of January, 1987, the above named Ronald C. Leichtfuss to me known to be the person who executed the foregoing instrument, and acknowledged the same.

Maureen Christensen
Notary Public, WINNEBAGO CO., Wisconsin
My Commission expires 4/19/87

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map being all of Lot 3 of Certified Survey Map No. 1639, Document No. 669057 in Sections 16 and 21, Town of Algoma, Ronald C. Leichtfuss, owner, is hereby approved.

Date

January 23, 1987

By: Carol Owens
Carol Owens, Chairman

Dated this 12TH day of JANUARY, 1987.

Lawrence C. Kriescher
Wisconsin Registered Land Surveyor S-1599
Lawrence C. Kriescher



SURVEYOR'S CERTIFICATE:


SHEET 1 OF 2

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the

James C. Cox
WISCONSIN REGISTER LAND SURVEYOR
5-1842
JAMES C. COX

DATED THIS 11TH DAY OF JUNE 1965




LEGEND

- = 1" X 24" IRON PIPE WEIGHING 1.69 LBS. PER LINEAL FOOT SET
- = WINNEBAGO COUNTY BERNTSEN MONUMENT
- = 1" IRON PIPE FOUND
- ▲ = STATE OF WISCONSIN D.O.T. R/W MONUMENT

DATE JUNE 10, 1985
SCALE 1" = 80'
N. 8.1 P. 5. 6

TOTAL AREA = 1.639 ACRES



ALL BEARINGS REFERENCED TO THE INITIAL
OF THE SW 1/4 SEC. 16 T. 18N., R. 16E. ASSUMED TO
BEAR NORTH.

COX LAND SURVEYING
2220 SHERIDAN STREET
OSHKOSH, WISCONSIN 54901

THIS INSTRUMENT DRAFTED BY JAMES C. COX S-1842

J-5


STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

SHEET 2 OF 2

Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

Dated the 11th day of JUNE, 1985.

James C. Cox
Wisconsin Registered Land Surveyor S-1542
James C. Cox



OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided, and mapped as represented on this map.

Dated the 16th day of July, 1985.

In the Presence of:

Francis L. Kueper
Chris A. Salzinger

Thomas N. Rusch
Judy L. Rusch

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 16th day of July, 1985, the above named Thomas N. Rusch and Judy L. Rusch to me known to be the persons who executed the foregoing instrument and acknowledged the same.

NOTARY PUBLIC
State of Wisconsin
Karen L. Ryl

Karen L. Ryl
Notary Public Winnebago Wisconsin
My Commission expires 4-10-88

WINNEBAGO PLANNING & ZONING COMMITTEE :

This Certified Survey Map of Lot A and B of Certified Survey Map 518, a part of Lot 1 of Certified Survey Map 1218 and a part of the SW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 16, T.18N, R.16E, Town of Algoma, Thomas N. Rusch and Judy L. Rusch, owners, is hereby approved.

June 25, 1985
Date

Carol Owens
By:

634256


Register's Office
Winnebago County, Wis.
Received for record this 19th
day of July, A.D., 1985
at 2:58 o'clock A.M. and
recorded in Vol. 1 of CSM
on page 1419.

Register of Deeds

6th chg: Schmitt Abstract



SURVEY
FOR
RON MICHELS
OF

The North 157.00 feet of the West 317.75 feet of the NW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 16, T.18 N., R.16 E., Town of Alcoma, Winnebago County, Wisconsin.



LEGEND
 O = 1" x 24" IRON PIPE SET.
 o = 3/4" IRON PIPE FOUND.
 ● = 1" IRON PIPE FOUND.
 ⊙ = WINNEBAGO COUNTY
 BERNTSEN MONUMENT.
 SCALE: 1" = 50'
 DATE: 6/21/85

ALL BEARINGS REFERENCED TO THE WEST
LINE OF THE NW 1/4 OF SEC. 16,
ASSUMED TO BEAR N. 00° 09' 28" E.



AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
OSHKOSH, WISCONSIN

Ronald A. Dericks
WIS. REGISTERED LAND SURVEYOR 5-1615
NOTEBOOK 80 PAGE 46

L-1591



635935

Register's Office
Winnebago County, Wis
Received for record this *15th*
day of *August*, 19*85*
at *1:02* o'clock *P.*M. and
recorded in Vol. *1* of *CSM*
on page *1436*
Marjorie Dahm
Register of Deeds

Bernie Miller

Pls.
6


A part of the Southeast Quarter (SE $\frac{1}{4}$) of the Northeast Quarter (NE $\frac{1}{4}$) of Section 16, T.18 N., R.16 E., Town of Algoma, Winnebago County, Wisconsin.



Dated this 25TH Day of June, 1985

Ronald A. Dercks
Wisconsin Registered Land Surveyor S-1615

CERTIFIED SURVEY MAP



NORTH IS REFERENCED TO THE WEST
LINE OF THE NW 1/4 OF SECTION 16
WHICH IS RECORDED TO BEAR $S0^{\circ}09'28''W$

SCALE: 1" = 100'


LEGEND

- 3/4" REBAR SET
(24" LONG 1.502#/LIN.FT.)
- PK NAIL SET
- CENTERLINE OF ROAD
- RIGHT-OF-WAY
- EXISTING FENCELINE

SURVEY FOR: RUSSELL & JANET MERRILL
2928 OAKWOOD LANE
OSHKOSH, WI. 54904

PREPARED BY: OMNI ENGINEERS
303 SOUTH BLUEMOUND DR.
APPLETON, WI 54914
PROJECT S-2602A

DATED: JANUARY 26, 1990
ADDITIONS: FEBRUARY 22, 1990



OWNER'S CERTIFICATE: AS OWNERS
WE DO HEREBY CERTIFY THAT WE
CAUSED THE LANDS ON THIS MAP
TO BE SURVEYED AND MAPPED AS
SHOWN.

Richard C. Holtzman 3/3/90
RICHARD C. HOLTZMAN DATED
James M. Romain 3-3-90
JAMES M. ROMAIN DATED

STATE OF WISCONSIN
WINNEBAGO COUNTY

PERSONALLY CAME BEFORE ME THIS 3rd
DAY OF MARCH, 1990 THE ABOVE

NAMED TO ME KNOWN TO BE THE PERSONS WHO EXECUTED
THE FOREGOING INSTRUMENT AND ACKNOWLEDGED THE SAME.

NOTARY PUBLIC John P. Miller WINNEBAGO COUNTY, WI
MY COMMISSION EXPIRES 2-15-90

SURVEYOR'S CERTIFICATE: I, LARRY J. MILLER, STATE OF WISCONSIN
REGISTERED LAND SURVEYOR NO. S-1474 DO HEREBY CERTIFY THAT BY
THE ORDER OF THE OWNERS, I HAVE MADE A SURVEY OF A PARCEL OF
LAND LOCATED IN THE NW 1/4 OF THE NW 1/4 OF SECTION 16, T18N,
R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN, BEING
BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE NORTHWEST
CORNER OF SAID SECTION 16; THENCE $S00^{\circ}09'28''W$ ALONG THE WEST
LINE OF THE NW 1/4 OF SECTION 16 A DISTANCE OF 687.14 FEET TO
THE POINT OF BEGINNING; THENCE CONTINUING $S00^{\circ}09'28''W$ 245.00
FEET; THENCE $N89^{\circ}48'14''E$ 365.00 FEET; THENCE $N00^{\circ}09'28''E$
245.00 FEET; THENCE $S89^{\circ}48'14''W$ 365.00 FEET TO THE POINT OF
BEGINNING CONTAINING 2.05 ACRES OF LAND AND BEING SUBJECT TO
EASEMENTS, COVENANTS AND RESTRICTIONS OF RECORD IF ANY. I DO
FURTHER CERTIFY THAT THIS MAP IS A TRUE REPRESENTATION THEREOF
AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF
SECTION 236.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION
REGULATIONS OF WINNEBAGO COUNTY IN SURVEYING AND MAPPING THE
SAME.

LARRY J. MILLER, RLS NO. S-1474 Larry J. Miller DATED 1-26-90
OWNER'S CERTIFICATE: AS OWNERS, WE DO HEREBY CERTIFY THAT WE
CAUSED THE LANDS ON THIS MAP TO BE SURVEYED AND MAPPED AS SHOWN.

RUSSELL MERRILL Russell Merrill DATED 1-27-90
JANET MERRILL Janet Merrill DATED 1-27-90
STATE OF WISCONSIN, SS
WINNEBAGO COUNTY)

PERSONALLY CAME BEFORE ME THIS 3rd DAY OF Feb, 1990,
THE ABOVE NAMED TO ME KNOWN TO BE THE PERSONS WHO EXECUTED THE
FOREGOING INSTRUMENT AND ACKNOWLEDGED THE SAME.

NOTARY PUBLIC John P. Miller WINNEBAGO COUNTY, WI.
MY COMMISSION EXPIRES 2-15-90

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE APPROVAL: THIS
CERTIFIED SURVEY MAP HAS BEEN APPROVED BY THE WINNEBAGO COUNTY
PLANNING AND ZONING COMMITTEE.

Jeanette Diakoff 3/22/90
AUTHORIZED REPRESENTATIVE DATED

TREASURER'S CERTIFICATE: I DO HEREBY CERTIFY THAT THERE ARE NO
UNPAID TAXES OR UNPAID SPECIAL ASSESSMENTS ON ANY OF THE LANDS
INCLUDED IN THIS CERTIFIED SURVEY MAP.

John P. Miller 2/20/90 John P. Miller 2/20/90
TOWN TREASURER DATED COUNTY TREASURER DATED

739198

Register's Office


Winnebago County, Wis.

Received for record this 5th
day of March A.D., 1990

at 1:30 o'clock P. M. and

filed in Vol. 1 of CSM

on page 2151




Register of Deeds

Russell Merrill

Pd.
6⁰⁰.


SURVEY Sheet 1 of 2
for
BERNIE MILLER
of

Part of the E $\frac{1}{4}$ of the E $\frac{1}{4}$ of
the NE $\frac{1}{4}$ of Section 16, T.16N.,
R.16E., Town of Algoma,
Winnebago County, Wisconsin
(See Sheet 2 of 2 for Description)



Dated this 2nd day of August, 1990.
Steven T. Chronis
WIS. REGISTERED LAND SURVEYOR S-913
NOTEBOOK 115 PAGE 70-73

AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
SHEBOYGAN, WISCONSIN



SURVEY
for
BERNIE MILLER

"DESCRIPTION"

"The West Six and Five-tenths (6.5) rods of the East 1/2 of the East 1/2 of the NORTH EAST 1/4 of Section Sixteen (16) Township Eighteen (18) North, of Range Sixteen (16) East, in the Town of Algoma, Winnebago County, Wisconsin, excepting therefrom the South 80 rods thereof.

Together with Vendor's rights under a Perpetual Right-of-Way Agreement dated August 26, 1972, and recorded August 29, 1972, at 11:32 A.M. as Document No. 425602 in Volume 1353 of Records, Page 255;

Together with a Right-of-Way Easement over the property described in the Quit Claim Deed dated April 20, 1959, and recorded April 21, 1959, at 8:40 A.M. as Document No. 264521 in Volume 903 of Deeds, Page 113; and

Together with and subject to the Rights-of-Way for road purposes as set forth in Identities dated August 8, 1952, and recorded August 11, 1952, in Volume 680 on Page 97 and in Volume 680 on Page 99;

All of the above recordings being in the Office of the Register of Deeds for Winnebago County, Wisconsin.

Also together with the following Rights-of-Way granted Thomas P. Remley, to-wit:

Perpetual Right-of-Way contained in Instrument by and between Alward C. Abraham and Hazel E. Abraham, his wife, and in her own right and Thomas P. Remley, dated July 29, 1976 and recorded in the office of the Register of Deeds for Winnebago County, Wisconsin on August 18, 1976 as Document No. 482354;

Right-of-Way Easement contained in Instrument by and between Wilbur R. Abraham and Viola Abraham, also known as Viola E. Abraham, his wife, and in her own right, and Alward C. Abraham and Hazel E. Abraham, also known as Hazel Abraham, his wife, and in her own right and Thomas P. Remley, dated July 29, 1976 and recorded in said Register of Deeds on August 18, 1976 as Document No. 482355, Winnebago County, Wisconsin.


The above described property is also subject to Right-of-Way Grant in favor of Michigan Wisconsin Pipe Line Company dated May 26, 1956, and recorded July 5, 1956, at 8:06 A.M. as Document No. 235644 in Volume 813 of Miscellaneous, Page 357, Office of the Register of Deeds for Winnebago County, Wisconsin."

SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed the above described property and that the map shown on Sheet 1 of 2 is a true and accurate representation thereof to the best of my knowledge and belief.


Dated this 3rd day of August, 1990.

Steven T. Chronis
Wisconsin Registered Land Surveyor, S-0913
Steven T. Chronis



AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
SHEBOYGAN, WISCONSIN

Steven T. Chronis
WIS. REGISTERED LAND SURVEYOR S-0913
NOTEBOOK 115 PAGE 70-73



STATE OF WISCONSIN) SS
WINNEBAGO COUNTY)

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 3458

SURVEYOR'S CERTIFICATE:

Sheet 1 of 3

I, Thomas H. Kromm, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Matt Strubie a part of the Northeast Quarter (NE $\frac{1}{4}$) of the Northwest Quarter (NW $\frac{1}{4}$) of Section Sixteen (16), Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin containing 25,500 square feet of land and being described by:

Commencing at the North Quarter (NE $\frac{1}{4}$) Corner of said Section 16; thence S.00°-24'-22"E. 1313.62 feet, along the East line of the NW $\frac{1}{4}$ of said Section 16 to the SE Corner of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of said Section 16; thence S.89°-31'-20"W. 956.92 feet, along the South line of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of said Section 16; thence N.00°-26'-44"W. 16.17 feet to the true point of beginning; running thence S.89°-31'-11"W. 170.00 feet; thence N.00°-26'-44"W. 150.00 feet; thence N.89°-31'-11"E. 170.00 feet; thence S.60°-26'-44"E. 150.00 feet to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.



That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying, dividing and mapping the same.

Dated this 26th day of November, 1991.

Thomas M. Kromm

Wisconsin Registered Land Surveyor, S-2062


Thomas H. Kromm



-LEGEND-

- o = 1"X24" Iron Pipe weighing 1.68 lbs./lineal foot, Set
- * = 1" Iron Pipe, Found
- = 1 1/2" Iron Pipe, Found
- () = Recorded Information

Elevations based on National Geodetic Vertical Datum of 1929
100 Yr. Flood Elevation = 750 per Flood Insurance Study 7/23/1982 Com. Panel No. 550537.
BENCH MARK = Manhole at centerline Oneida and Sherrin = 759.71
Existing ground elevation = 757.7



Aero-Metric
ENGINEERING, INC.

LAND SURVEYORS
509 E. KILBUCK AVENUE
LAKE KOSHONG, WI 53014

THIS INSTRUMENT DRAFTED BY: Thomas H. Kromm

NOTE BOOK 119

PAGE 49-53

L. 2046

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 2458

CORPORATE OWNER'S CERTIFICATE:

Sheet 2 of 3

E.C. Merrill, Inc., a corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, as owner, does hereby certify that said corporation caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

IN WITNESS WHEREOF, the E.C. Merrill, Inc. has caused these presents to be signed by Jay Robert Merrill, its President, and countersigned by Janet L. Merrill, its Secretary, at Oshkosh, Wisconsin, and its corporate seal to be hereunto affixed on this 5 day of Dec., 1991.

In the Presence of:

Samuel E. Muel

Judy Felix

E.C. Merrill, Inc.

Jay Robert Merrill
President

Countersigned:

Janet L. Merrill

Secretary: Janet L. Merrill

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 5 day of December, 1991, Jay Robert Merrill, President, and Janet L. Merrill, Secretary, of the above named corporation, to me known to be the persons who executed the foregoing instrument, and to me known to be such President and Secretary of said corporation, and acknowledged that they executed the foregoing instrument as such officers as the deed of said corporation, by its authority.

Charles S. Mill
Notary Public, Winnebago County, Wisconsin

My Commission Expires 2-20-94

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map of a part of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 16, T.18N., R.16E., Town of Algoma, E.C. Merrill, Inc., owner, is hereby approved.

December 30, 1991
Date:

Janette D. Daboff
By: Authorized Representative

Dated this 26 day of November, 1991.

Thomas M. Kromm
Wisconsin Registered Land Surveyor, S-2062
Thomas M. Kromm



STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 2458

Sheet 3 of 3

COUNTY TREASURER'S CERTIFICATE:

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

I, Ruth H. Bradley, being the duly elected, qualified and acting Treasurer of the County of Winnebago, do hereby certify that the records in my office shown no unredeemed tax sales or no unpaid taxes or special assessments as of 12/12/91 affecting the lands included in this Certified Survey Map.

12/12/91
Date:

Ruth H. Bradley
County Treasurer: Ruth H. Bradley

CERTIFICATE OF TOWN TREASURER:

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

I, Joel Edson, being the duly elected, qualified and acting Town Treasurer of the Town of Algoma, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or unpaid special assessments as of 12/12/91 on any of the land included in this Certified Survey Map.

12/12/91
Date:

Joel Edson
Town Treasurer: Joel Edson

Dated this 26 day of November, 1991.

Thomas M. Kromm
Wisconsin Registered Land Surveyor, S-2062
Thomas M. Kromm




Register's Office
Winnebago County, Wis.
Received for record this 30th
day of December A.D., 1991
at 4:26 o'clock P. M. and
filed in Vol. 1 of S.S.M. S
on page 2458
Register of Deeds

783663

PLAT OF SURVEY

DESCRIPTION:

THE NORTH 85.0 FEET OF THE SOUTH 1514.0 FEET OF THE WEST 1/2 OF THE EAST 1/2 OF THE NORTHEAST 1/4 OF SECTION 16, TOWN 18 NORTH, RANGE 16 EAST, EXCEPTING THEREFROM THE WEST 50.0 FEET THEREOF, ALSO EXCEPTING THEREFROM THE EAST 16 RODS, ALL BEING IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.



BENCHMARK SET:

5" SPIKE SET IN POWER POLE.
ELEVATION: 749.57'


100 YEAR REGIONAL FLOOD ELEVATION:
749.90'

LEGEND:

- ✕ = 3/4" x 24" SOLID ROUND #6 IRON
 REBAR SET INSIDE FOUND 1" IRON
 PIPE.
 ○ = 1" IRON PIPE FOUND
 ✕ = LOWER POLE

CLIENT:

RICK PENNAU
c/o BOB PENNAU
1591 MARICOPA DRIVE
OSHKOSH, WISCONSIN 54904



I HEREBY CERTIFY THAT I HAVE SURVEYED THE ABOVE DESCRIBED PROPERTY AS SHOWN
ACCORDING TO THE OFFICIAL RECORDS AND THAT THIS PLAT OF SURVEY IS A CORRECT
REPRESENTATION OF SAID SURVEY

Robert F. Reider 5-22-92
ROBERT F. REIDER, RLS-1251 DATED




CAROW LAND SURVEYING CO., INC.

1837 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
PHONE 414-731-4168 FAX 731-5673

SCALE 1"=40'

DRAWN BY
062-113 KJO


PROJECT NO
A8811.628-92



Stock No. 26273

CERTIFIED SURVEY MAP 2475


ALL OF LOT 29 AND PART OF LOT 30 OF OAKWOOD CIRCLE SUBDIVISION
LOCATED IN THE NW 1/4 OF SECTION 16, T18N, R16E, TOWN OF ALGOMA,
WINNEBAGO COUNTY, WISCONSIN



NORTH IS REFERENCED TO THE
EAST LINE OF LOT 29 IN OAKWOOD
CIRCLE SUBDIVISION WHICH HAS
AN ASSUMED BEARING OF
N00°06'00"W

SURVEY FOR:
ALGOMA PROPERTIES
3500 W. TILLMAN ST.
APPLETON, WI.

PREPARED BY:
OMNI ENGINEERS
303 S. BIRMINGHAM DR.
APPLETON, WI.
PROJECT NO. P750A




SURVEYOR'S CERTIFICATE:

I, DAVID J. SCHROEDER, STATE OF WISCONSIN REGISTERED LAND SURVEYOR NO. S-1912 DO
HEREBY CERTIFY THAT BY THE ORDER OF THE OWNERS I HAVE MADE A SURVEY OF LAND LOCATED
IN LOT 29 AND PART OF LOT 30 IN OAKWOOD CIRCLE SUBDIVISION, IN THE NW 1/4 OF SECTION 16,
T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN WHICH IS BOUNDED AND DESCRIBED
AS FOLLOWS: BEGINNING AT THE SOUTHWEST CORNER OF SAID LOT 29; THENCE N89°54'00"E
ALONG THE SOUTH LINE OF SAID LOT 29 A DISTANCE OF 150.00 FEET; THENCE N00°06'00"W
ALONG THE EAST LINE OF SAID LOT 29 A DISTANCE OF 100.00 FEET; THENCE S89°52'34"W
ALONG THE NORTH LINE OF SAID LOT 29 A DISTANCE OF 40.00 FEET TO THE SOUTHEAST CORNER
OF LOT 30; THENCE N00°06'00"W ALONG THE EAST LINE OF SAID LOT 30 A DISTANCE OF 51.99
FEET TO THE SOUTHEAST CORNER OF LOT 1 OF CERTIFIED SURVEY MAP NO. 2403 WINNEBAGO
COUNTY RECORDS IN DOCUMENT NO. 774853; THENCE S77°36'25"W ALONG THE SOUTH LINE OF SAID
LOT 1 A DISTANCE OF 113.09 FEET; THENCE SOUTHEASTERLY 14.11 FEET ALONG THE ARC OF A
200.00 FOOT RADIUS CURVE CONCAVE TO THE SOUTHWEST HAVING A CHORD OF S02°07'16"E 14.10
FEET; THENCE S00°06'00"E ALONG THE WEST LINE OF LOTS 30 AND 29 A DISTANCE OF 113.80
FEET TO THE POINT OF BEGINNING BEING SUBJECT TO EASEMENTS, COVENANTS AND RESTRICTIONS
OF RECORD. I DO FURTHER CERTIFY THAT THIS MAP IS A TRUE REPRESENTATION OF THE SURVEYED
LANDS AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF SECTION 236.34 OF THE
WISCONSIN STATUTES AND THE SUBDIVISION REGULATIONS OF
WINNEBAGO COUNTY IN SURVEYING AND MAPPING THE SAME.

LEGEND

- EXISTING 3/4" REBAR
- ⊙ EXISTING 1 1/4" REBAR
- ⊙ DENOTES CURVE IDENTIFICATION
- ℄ DENOTES CENTERLINE

DAVID J. SCHROEDER, RLS NO. S-1912
DATED Feb 4, 1992





Stock No. 26273

CERTIFIED SURVEY MAP 2475

ALL OF LOT 29 AND PART OF LOT 30 OF OAKWOOD CIRCLE SUBDIVISION
LOCATED IN THE NW 1/4 OF SECTION 16, T18N, R16E, TOWN OF ALGOMA,
WINNEBAGO COUNTY, WISCONSIN



OWNER'S CERTIFICATE:

AS OWNER, I DO HEREBY CERTIFY THAT I HAVE CAUSED THE LANDS ON THIS MAP TO BE SURVEYED,
MAPPED, AND DIVIDED AS REPRESENTED.

JEFFREY J. WELHOUSE

DATED 2-19-92

AUTHORIZED REPRESENTATIVE, ALGOMA PROPERTIES

STATE OF WISCONSIN) SS
WINNEBAGO COUNTY)

PERSONALLY CAME BEFORE ME THIS 19th DAY OF February, 1992, THE ABOVE NAMED TO
ME KNOWN TO BE THE PERSON WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGE THE
SAME.

NOTARY PUBLIC Philip W. Schroeder Outagamie COUNTY, WISCONSIN
MY COMMISSION EXPIRES 10/17/93.

WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE APPROVAL:

THIS CERTIFIED SURVEY MAP HAS BEEN APPROVED BY THE WINNEBAGO COUNTY PLANNING AND
ZONING COMMITTEE.

AUTHORIZED REPRESENTATIVE

DATED Feb. 20, 1992

TREASURER'S CERTIFICATE:

I DO HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES OR UNPAID SPECIAL ASSESSMENTS ON
ANY OF THE LANDS INCLUDED IN THIS CERTIFIED SURVEY MAP.

TOWN TREASURER

DATED

COUNTY TREASURER

DATED

N 788143

Register's Office

Winnebago County, Wis.

Received for record this 20th
day of February A.D., 1992
at 7:14 o'clock M. and
filed in Vol. 1 of Alma
on page 2475

Register of Deeds

Pa
12.00
(CASH)

SHEET 2 OF 2


Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO.

Part of the NE1/4 of the SW1/4 of Sec. 16, T.18N., R.16E., Town of Algoma, Winnebago Co., Wi., including Lot 1 of C.S.M. No. 1681 of Winn. Co. Certified Survey Maps, Doc. No. 676967.

Bearings are referenced to the North line of the SW1/4 of Sec. 16, assumed bearing, N.90°00'00"E.

TAX PARCEL NO.



SURVEYOR'S CERTIFICATE:

I, Calvin W. Hawksworth, registered land surveyor, hereby certify:

That I have surveyed, divided and mapped the parcel of land located in part of the NE1/4 of the SW1/4 of Sec. 16, T.18N., R.16E. in the Town of Algoma, Winnebago County, Wisconsin, described as follows: Beginning at a point on the North line of the SW1/4 of said Sec. 16 that is 1687.82 ft., N.90°00'00" E. of the West 1/4 corner of said Sec. 16. From that point continuing N.90°00'00"E. along said North line, 53.00 ft., thence S.00°24'03"E., 144.12 ft., thence N.90°00'00"E., 105.03 ft., thence S.00°20'14"W., 425.13 ft., thence S.89°53'40"W., 159.94 ft., thence N.00°20'14"E., 569.54 ft. to the said point of beginning. Being a parcel of land of 1.74 acres. Reserving therefrom the northerly 33.00 ft., presently used for road purposes. Subject to all restrictions and easements of record.

That I have made such survey, land division and map by the direction of Gary Lerch, 2517 Omro Rd., that such map is a true and correct representation of the exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Sec. 236.34 of the Wisconsin Statutes and the Winnebago county Subdivision Ordinance in surveying, dividing and mapping the same.

Calvin W. Hawksworth
Calvin W. Hawksworth S-1290
Wisconsin Registered Land Surveyor
May 21, 1992



WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE:

This certified survey map of part of the NE1/4 of the SW1/4 of Sec. 16, T.18N., R.16E. in the Town of Algoma, is hereby approved.

Date

Authorized signature

Sheet 1 of 2 sheets



Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. _____

Part of the NE1/4 of the SW1/4 of Sec. 16, T.18N., R.16E., Town of Algoma, Winnebago Co., WI; including Lot 1 of C.S.M No. 1681 of Winn. Co. Certified Survey Maps, Doc. No. 676967

OWNER'S CERTIFICATE:

As owner(s), I(we) hereby certify that I(we) caused the land described on this certified survey map to be surveyed, divided and mapped as represented hereon.

 Gary Lerch
 2517 Omro Rd. Oshkosh, Wi. 54904
 STATE OF WISCONSIN)
 WINNEBAGO COUNTY) SS

Personally came before me this _____ day of _____, 1992, the above named person(s) to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.

 Notary Public, _____ Wi. My commission expires _____

CERTIFICATE OF TOWN TREASURER:

STATE OF WISCONSIN)
 WINNEBAGO COUNTY) SS

I, Joel Edson, being the duly elected, qualified and acting treasurer of the Town of Algoma, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or unpaid special assessments as of _____, 1992 on any of the land included in this certified survey map.

 Date Town Treasurer

COUNTY TREASURER'S CERTIFICATE:

STATE OF WISCONSIN)
 WINNEBAGO COUNTY) SS

I, _____, being the duly elected, qualified and acting treasurer of the County of Winnebago, do hereby certify that the records in my office show no unredeemed tax sales and no unpaid taxes or special assessments as of _____, 1992 affecting the lands included in this certified survey map.

 Date County Treasurer

Calvin W. Hawksworth
 Calvin W. Hawksworth S-1290
 Wisconsin Registered Land Surveyor
 May 21, 1992

Sheet 2 of 2 sheets



STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 2502

Sheet 1 of 3




SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Gerald F. Nerenhausen a part of the Northwest Quarter (NW $\frac{1}{4}$) of the Southwest Quarter (SW $\frac{1}{4}$) of Section Sixteen (16), Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin containing 2.068 Acres of land and being described by:

Commencing at the West Quarter (W $\frac{1}{4}$) Corner of said Section 16, thence N.89°-50'-31"E. 1184.02 feet, along the North line of the SW $\frac{1}{4}$ of said Section 16 to the true point of beginning; thence continue N.89°-50'-31"E. 171.84 feet; thence S.00°-08'-34"E. 524.26 feet; thence S.89°-50'-31"W. 171.84 feet; thence N.00°-08'-34"W. 524.26 feet to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying, dividing and mapping the same.



LEGEND

- 1" x 24" IRON PIPE WEIGHING 168 lbs./LINEAL FOOT SET
- 1" IRON PIPE FOUND
- 2" IRON PIPE FOUND
- BEHNNTSEN MONUMENT




Dated this and day of March, 1992.

Steven T. Chronis
Wisconsin Registered Land Surveyor, S-0913
Steven T. Chronis



Aero-Metric
ENGINEERING, INC.
LAND SURVEYS
539 NORTH MADISON ST.
CHILTON, WI 53014



THIS INSTRUMENT DRAFTED BY: Steven T. Chronis
NOTE BOOK 119 PAGE 73
L. 2072

STATE OF WISCONSIN } SS WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 2502
WINNEBAGO COUNTY }

OWNER'S CERTIFICATE:

Sheet 2 of 3

As Owners, We hereby certify that We caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 8 day of April, 1992.

In the Presence of:

Stephen T. Chronis
Stephen T. Chronis

Gerald F. Nerenhausen
Gerald F. Nerenhausen
Dorothy I. Nerenhausen
Dorothy I. Nerenhausen

STATE OF WISCONSIN } SS
WINNEBAGO COUNTY }

Personally came before me this 8 day of April, 1992, the above named Gerald F. Nerenhausen and Dorothy I. Nerenhausen to me known to be the persons who executed the foregoing instrument and acknowledged the same.

NOTARY PUBLIC
STATE OF WISCONSIN
LINDA M. GRIESBACH

Linda M. Griesbach
Notary Public, Winnebago, Wisconsin
My Commission Expires 9-4-94

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:


This Certified Survey Map of a part of the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 16, T.18N., R.14E., Gerald F. Nerenhausen and Dorothy I. Nerenhausen, owners, is hereby approved.

April 9, 1992
Date:

Jeanette Diakoff
By, Authorized Representative

Dated this 21 day of March, 1992.

Steven T. Chronis
Wisconsin Registered Land Surveyor, S-0913
Steven T. Chronis



STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 2502

Sheet 3 of 3

COUNTY TREASURER'S CERTIFICATE:

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

I, Ruth H. Bradley, being the duly elected, qualified and acting Treasurer of the County of Winnebago, do hereby certify that the records in my office show no unredemmed tax sales and no unpaid taxes or special assessments as of 4/8/92 affecting the lands included in this Certified Survey Map.

Date: 4/8/92

Ruth H. Bradley
County Treasurer: Ruth H. Bradley

CERTIFICATE OF TOWN TREASURER:

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS


I, Joel Edson, being the duly elected, qualified and acting Town Treasurer of the Town of Algoma, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or unpaid special assessments as of 4/8/92 on any of the land included in this Certified Survey Map.

Date: 4/8/92

Joel Edson
Town Treasurer: Joel Edson

Dated this 2nd day of March, 1992.

Steven T. Chronis
Wisconsin Registered Land Surveyor, S-0913
Steven T. Chronis



793726

Register's Office
Winnebago County, Wis.
Received for record this 9th
day of April A.D., 1992
at 3:00 o'clock P.M. and
filed in Vol. 1 of CSM
on page 2502

Marjorie H. Harn
Register of Deeds

dy: dero-Matru, chg
14




Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 2620

Part of the NE1/4 of the SW1/4 of Sec. 16, T.18N., R.16E., Town of Algoma, Winnebago Co., WI., including Lot 1 of C.S.M. No. 1681 of Winn. Co. Certified Survey Maps, Doc. No. 676967.

Bearings are referenced to the North line of the SW1/4 of Sec. 16, assumed bearing, N.90°00'00"E.

TAX PARCEL NO. 002-0107



SURVEYOR'S CERTIFICATE:

I, Calvin W. Hawksworth, registered land surveyor, hereby certify:
That I have surveyed, divided and mapped the parcel of land located in part of the NE1/4 of the SW1/4 of Sec. 16, T.18N., R.16E. in the Town of Algoma, Winnebago County, Wisconsin, described as follows:
Beginning at a point on the North line of the SW1/4 of said Sec. 16 that is 1687.82 ft., N.90°00'00" E. of the West 1/4 corner of said Sec. 16. From that point continuing N.90°00'00"E. along said North line, 53.00 ft., thence S.00°24'03"E. 144.12 ft., thence N.90°00'00"E., 103.08 ft., thence S.00°20'14"W., 425.13 ft., thence S.89°53'40"W., 159.94 ft., thence N.00°20'14"E., 569.54 ft. to the said point of beginning. Being a parcel of land of 1.74 acres. Reserving therefrom the northerly 33.00 ft., presently used for road purposes. Subject to all restrictions and easements of record.

That I have made such survey, land division and map by the direction of Gary Lerch, 2517 Omro Rd., that such map is a true and correct representation of the exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Sec. 235.34 of the Wisconsin Statutes and the Winnebago county Subdivision Ordinance in surveying, dividing and mapping the same.

Calvin W. Hawksworth
Calvin W. Hawksworth S-1290
Wisconsin Registered Land Surveyor
May 21, 1992



WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE:

This certified survey map of part of the NE1/4 of the SW1/4 of Sec. 16, T.18N., R.16E. in the Town of Algoma, is hereby approved.

November 2, 1992
Date

Carol Owens
Authorized signature

Sheet 1 of 2 sheets



Stock No. 26273

0020107

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 2620

Part of the NE1/4 of the SW1/4 of Sec. 16, T.10N., R.16E., Town of Algoma, Winnebago Co., WI; including Lot 1 of C.S.M. No. 1681 of Winn. Co. Certified Survey Maps, Doc. No. 676967

OWNER'S CERTIFICATE:

As owner(s), I(we) hereby certify that I(we) caused the land described on this certified survey map to be surveyed, divided and mapped as represented hereon.

Gary Lerch
 2517 Omro Rd. Oshkosh, WI. 54904

STATE OF WISCONSIN)
 WINNEBAGO COUNTY) SS

Personally came before me this 28th day of May, 1992, the above named person(s) to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.

Notary Public,

WINNEBAGO

WI.

My commission expires

11/12/95

CERTIFICATE OF TOWN TREASURER:

STATE OF WISCONSIN)
 WINNEBAGO COUNTY) SS

I, Joel Edson, being the duly elected, qualified and acting treasurer of the Town of Algoma, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or unpaid special assessments as of JUNE 2, 1992 on any of the land included in this certified survey map.

Date

4/2/92

TOWN TREASURER

Joel Edson

COUNTY TREASURER'S CERTIFICATE:

STATE OF WISCONSIN)
 WINNEBAGO COUNTY) SS

I, RUTH H. BRADLEY, being the duly elected, qualified and acting treasurer of the County of Winnebago, do hereby certify that the records in my office show no unredeemed tax sales and no unpaid taxes or special assessments as of JUN 2, 1992 affecting the lands included in this certified survey map.

Date

6/2/92

County Treasurer

Ruth H. BradleyCalvin W. Hawksworth

Calvin W. Hawksworth S-1290

Wisconsin Registered Land Surveyor

May 21, 1992

Sheet 2 of 2 sheets



Register of Deeds

Register's Office
 Winnebago County, Wis.
 Received for record this 28
 day of November, A.D., 1992
 at 8:00 o'clock A M. and
 filed in Vol. 1 of C.S.M.
 on page 2620

815404

12.00
 City

PLAT OF SURVEY


SITUATED ALONG CONRAD STREET. BEING LOT 87 IN MELROSE PARK SUBDIVISION, IN THE N.W. 1/4 OF SECTION 16, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

MAY 27, 1993

SURVEY FOR MC ALLISTER HOMES

NO. 2325

○ DENOTES 3/4" DIAMETER IRON ROD, 24" LONG, SET.
100.0 DENOTES ELEVATIONS (NOT TO LOCAL DATUM).



Surveyor's Certificate

I, Reinhard Roehlig, Wisconsin Registered Land Surveyor, certify that I have surveyed the above described property and that the above map is a correct representation thereof and shows the size and location of the property, its exterior boundaries, the locations and dimensions of all visible structures thereon, boundary fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the property and also those who purchase, mortgage or guarantee title thereto, within one (1) year from the date hereof.

5/27/93

Date

Reinhard Roehlig, Registered Land Surveyor S-1358

MAY 27, 1993

NO. 2453

CERTIFIED SURVEY MAP NO.


SHEET 1 OF 4

BEARINGS ARE REFERENCED TO THE WEST LINE OF THE SOUTHWEST 1/4 WHICH HAS AN ASSUMED BEARING OF NORTH 00°14'26" WEST.

- DENOTES 1 INCH IRON PIPE FOUND.
 - DENOTES 3/4 INCH DIAMETER IRON ROD, 24 INCHES LONG SET, WEIGHING NOT LESS THAN 1.50 LBS PER LINEAL FOOT.
 - DENOTES 2 INCH IRON PIPE FOUND.
 - () DENOTES RECORDED DIMENSION WHERE DIFFERENT FROM ACTUAL MEASUREMENT.
- DISTANCES ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

CURVE DATA TABLE

CURVE	RADIUS	LENGTH	INCHES	CHORD	DECKING	DELTA
A	323.70'	77.4'	38.75'	76.96'	574.08:17 W	15.38:16
B	257.70'	100.50'	50.79'	99.67'	578.27:42 W	22:18:02
C	238.87'	160.51'	83.42'	157.51'	N71:08:16 W	36:30:03
D	305.04'	183.46'	94.60'	180.71'	N69:07:02 W	34:27:36



APRIL 24, 1994

ROEHLIG
LAND SURVEYING
&
CONSULTING LTD.

417 North Sawyer Street • Oshkosh WI • 54901
(414) 233-2484



Stock No. 26273

NO. 2453

SHEET 2 OF 4

CERTIFIED SURVEY MAP NO. _____

BEING LOT 1 IN CERTIFIED SURVEY MAP NO. 1640 AND LOT 4 IN CERTIFIED SURVEY MAP NO. 1452 AND PART OF THE S. 1/2 OF THE S.W. 1/4 OF THE S.W. 1/4 AND PART OF THE S.E. 1/4 OF THE S.W. 1/4, ALL IN SECTION 16, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

**SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)**

:SS

WINNEBAGO COUNTY)


I, REINHARD ROEHLIG, Wisconsin Registered Land Surveyor do hereby certify;

THAT I have surveyed, divided and mapped Lot 1 in Certified Survey Map No. 1640, Lot 4 in Certified Survey Map No. 1452 and part of the S. 1/2 of the S.W. 1/4 of the S.W. 1/4 and part of the S.E. 1/4 of the S.W. 1/4 all in Section 16, T18N, R16E, Town of Algoma, Winnebago County, Wisconsin which is bounded and described as follows;

COMMENCING AT THE S.W. CORNER OF SAID SECTION, THENCE NORTH 00°14'26" WEST ALONG THE WEST LINE OF SAID 1/4 SECTION 332.24 FT. TO THE POINT OF BEGINNING OF THE PARCEL TO BE DESCRIBED, THENCE CONTINUING ALONG THE WEST LINE OF SAID 1/4 SECTION NORTH 00°14'26" WEST 321.97 FT., THENCE NORTH 89°43'38" EAST 210.00 FT., THENCE NORTH 00°14'26" WEST 10.67 FT. TO A POINT ON THE NORTH LINE OF THE S. 1/2 OF THE S.W. 1/4 OF THE S.W. 1/4 OF SECTION 16, THENCE NORTH 89°36'37" EAST ALONG SAID LINE 1150.69 FT. TO A POINT ON THE EAST LINE OF SAID 1/4-1/4 SECTION, THENCE SOUTH 00°22'45" EAST ALONG THE EAST LINE OF SAID 1/4-1/4 SECTION 332.24 FT., THENCE SOUTH 09°02'06" EAST 141.54 FT., THENCE SOUTHWESTERLY 77.14 FT. ALONG THE NORTH LINE OF WESTMOOR ROAD AND THE ARC OF A CURVE WHOSE CENTER LIES TO THE SOUTH WHOSE RADIUS IS 323.70 FT. AND WHOSE CHORD BEARS SOUTH 74°08'17" WEST 76.96 FT., THENCE SOUTHWESTERLY 100.30 FT. ALONG THE NORTH LINE OF SAID ROAD AND THE ARC OF A CURVE WHOSE CENTER LIES TO THE NORTH WHOSE RADIUS IS 257.70 FT. AND WHOSE CHORD BEARS SOUTH 78°27'42" WEST 99.67 FT., THENCE SOUTH 89°36'39" WEST ALONG THE NORTH LINE OF SAID ROAD 274.04 FT., THENCE NORTHWESTERLY 160.51 FT. ALONG THE NORTH LINE OF SAID ROAD AND THE ARC OF A CURVE WHOSE CENTER LIES TO THE NORTH WHOSE RADIUS IS 238.87 FT. AND WHOSE CHORD BEARS NORTH 71°08'16" WEST 157.51 FT., THENCE NORTH 51°53'16" WEST ALONG THE NORTH LINE OF SAID ROAD 100.00 FT., THENCE NORTHWESTERLY 183.46 FT. ALONG THE NORTH LINE OF SAID ROAD AND THE ARC OF A CURVE WHOSE CENTER LIES TO THE SOUTH WHOSE RADIUS IS 305.04 FT. AND WHOSE CORDS BEARS NORTH 69°07'02" WEST 180.71 FT., THENCE SOUTH 89°36'42" WEST ALONG THE NORTH LINE OF SAID ROAD 541.41 FT. TO THE POINT OF BEGINNING. THE WEST 33.00 FT OF SAID PARCEL IS RESERVED FOR PUBLIC RIGHT OF WAY PURPOSES. SAID PARCEL IS SUBJECT TO ALL EXISTING EASEMENTS AND RESTRICTIONS OF RECORD.

THAT I have made this survey by the direction of Tom Rusch, Winnebago County, owner of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.





Stock No. 26273

NO. 2453

SHEET 3 OF 4

CERTIFIED SURVEY MAP NO. _____

BEING LOT 1 IN CERTIFIED SURVEY MAP NO. 1640 AND LOT 4 IN CERTIFIED SURVEY MAP NO. 1452 AND PART OF THE S. 1/2 OF THE S.W. 1/4 OF THE S.W. 1/4 AND PART OF THE S.E. 1/4 OF THE S.W. 1/4, ALL IN SECTION 16, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

Date _____

Reinhard Roehlig, Registered
Wisconsin Land Surveyor S-1368

OWNERS CERTIFICATE

AS OWNER, I hereby certify that I caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hand and seal of said owner this ____ day of _____, 1994.

Tom Rusch

STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

PERSONALLY came before me this ____ day of _____ 1994 the aforementioned Tom Rusch, to me known to be the person who executed the foregoing instrument and acknowledged the same.


My Commission Expires _____


Notary Public, Winnebago
County, State of Wisconsin

COUNTY TREASURER'S CERTIFICATE

I, _____, being the duly elected, qualified and acting treasurer for Winnebago County, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or delinquent special assessments as of _____ on any land included in this Certified Survey Map.

Date _____ Treasurer _____





Stock No. 26273

NO. 2453

SHEET 4 OF 4

CERTIFIED SURVEY MAP NO. _____

BEING LOT 1 IN CERTIFIED SURVEY MAP NO. 1640 AND LOT 4 IN CERTIFIED SURVEY MAP NO. 1452 AND PART OF THE S. 1/2 OF THE S.W. 1/4 OF THE S.W. 1/4 AND PART OF THE S.E. 1/4 OF THE S.W. 1/4, ALL IN SECTION 16, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

TOWN TREASURER'S CERTIFICATE

I, _____, being the duly elected, qualified and acting treasurer for the Town of Algoma, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or delinquent special assessments as of _____ on any land included in this Certified Survey Map.

Date _____ Treasurer _____

WINNEBAGO COUNTY PLANNING COMMISSION
AND TOWN BOARD CERTIFICATE OF APPROVAL

This Certified Survey Map of Lot 1 in Certified Survey Map No. 1640, Lot 4 in Certified Survey Map No. 1452 and part of the S. 1/2 of the S.W. 1/4 of the S.W. 1/4 and part of the S.E. 1/4 of the S.W. 1/4, all in Section 16, T18N, R16E, Town of Algoma, Winnebago County, Wisconsin, is hereby approved.

Date _____ Planning Commission Representative _____

Date _____ Town Board Chairman or Representative _____

THIS DOCUMENT WAS DRAFTED BY
REINHARD ROEHLIG.




STATE OF WISCONSIN) SS
WINNEBAGO COUNTY)

SHEET 1 OF 3
CERTIFIED SURVEY MAP NO. _____
OF


ALL OF LOT 28, OF RED BIRD MEADOWS, A SUBDIVISION
BEING A PART OF THE NE1/4 OF THE NW1/4 OF
SECTION 16, T.18N., R.16E., TOWN OF ALGOMA,
WINNEBAGO COUNTY, WISCONSIN.

SURVEYED FOR:
RUSS MERRILL
P.O. BOX 4405
CAVE CREEK, AZ 85331

UNPLATTED LANDS OWNED BY
OTHERS.




Only if the surveyor's signature or stamp is in RED is this an original copy. Anything other than an original copy may contain unauthorized alterations to the original. The surveyor accepts no responsibility for non-original copies of this document.



- LEGEND -

- = 1" x 24" IRON PIPE SET
WT., 1.68 LBS. PER LINEAL FT.
- = 2" IRON PIPE FOUND
- = 1" IRON PIPE FOUND

- CURVE DATA ON SHEET 2 OF 3 -



BEARINGS REFERENCED TO THE
PLAT OF RED BIRD MEADOWS



PROJECT FILE: 2940622 DATE: 07-05-94
THIS INSTRUMENT DRAFTED BY: S.F.S.
NOTE BOOK: N/A PAGE: N/A
DWG. FILE: MERRILL L. 2196

STATE OF WISCONSIN)
WINNEBAGO COUNTY)SS WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. _____

Sheet 2 of 3

All of Lot 28 of Red Bird Meadows, A Subdivision being a part of the
NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 16, T.18N., R.16E., Town of Algoma,
Winnebago County, Wisconsin

CURVE DATA

CURVE	RADIUS	CHORD	CHORD BEARING	CENTRAL ANGLE	ARC DISTANCE	TANGENT BEARING
1-3	202.28'	273.29'	N.48°-03'-41.5"W.	84°-59'-19"	300.95'	N.05°-34'-02"W. S.89°-26'-39"W.
1-2	202.28'	154.37'	N.27°-59'-53"W.	44°-51'-47"	158.39'	N.05°-33'-59"W. N.50°-25'-47"W.
2-3	202.28'	138.78'	N.70°-29'-34"W.	40°-07'-32"	141.66'	N.50°-25'-47"W. S.89°-26'-39"W.

SURVEYOR'S CERTIFICATE:

I, Anthony P. Lulloff, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Russ Merrill a part of the Northeast Quarter (NE $\frac{1}{4}$) of the Northwest Quarter (NW $\frac{1}{4}$) of Section 16, Township 18 North, Range 16 East, Town of Algoma, Winnebago County, Wisconsin containing 372,337 square feet or 8.548 acres of land and being described as:


All of Lot 28 of Red Bird Meadows, a subdivision as recorded in the office of the Winnebago County Register of Deeds, being subject to any and all easements and restrictions of record.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County and the Town of Algoma in surveying and mapping the same.

Dated this 7th day of July, 1994.

Anthony P. Lulloff
Wisconsin Registered Land Surveyor - S-1655
Anthony P. Lulloff



OWNER'S CERTIFICATE:

As owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this _____ day of _____, 1994.

In the Presence of:

Henry R. Merrill

STATE OF WISCONSIN)
WINNEBAGO COUNTY)SS

Personally came before me this _____ day of _____, 1994, the above named Henry R. Merrill, to me known to be the person who executed the foregoing instrument and acknowledged the same.

Notary Public, _____, Wisconsin
My Commission Expires _____

STATE OF WISCONSIN }
WINNEBAGO COUNTY } SS WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. _____
Sheet 3 of 3

All of Lot 28 of Red Bird Meadows, A Subdivision being a part of the
NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 16, T.18N., R.16E., Town of Algoma,
Winnebago County, Wisconsin

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map of all of Lot 28 of Red Bird Meadows, A Subdivision
being a part of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 16, T.18N., R.16E., Town of Algoma,
Winnebago County, Wisconsin, Henry R. Merrill, owner, is hereby approved.

Date: _____

By: Authorized Representative _____

COUNTY TREASURER'S CERTIFICATE:

STATE OF WISCONSIN }
WINNEBAGO COUNTY } SS

I, Ruth H. Bradley, being the duly elected, qualified and acting Treasurer of
the County of Winnebago, do hereby certify that the records in my office show no
unredeemed tax sales and no unpaid taxes or special assessments as of _____
affecting the lands included in this Certified Survey Map.

Date: _____

County Treasurer: Ruth H. Bradley

CERTIFICATE OF TOWN TREASURER:

STATE OF WISCONSIN }
WINNEBAGO COUNTY } SS


I, Joel Edson, being the duly elected, qualified and acting Town Treasurer of
the Town of Algoma, do hereby certify that in accordance with the records in my
office, there are no unpaid taxes or unpaid special assessments as of _____
on any of the land included in this Certified Survey Map.

Date: _____

Town Treasurer: Joel Edson

Dated this 7th day of July, 1994.

Anthony P. Lulloff
Wisconsin Registered Land Surveyor, S-1655
Anthony P. Lulloff



STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS


CERTIFIED SURVEY MAP NO. 2961

OF
ALL OF LOT 28, OF RED BIRD MEADOWS, A SUBDIVISION
BEING A PART OF THE NE1/4 OF THE NW1/4 OF
SECTION 16, T.18N., R.16E., TOWN OF ALGOMA,
WINNEBAGO COUNTY, WISCONSIN.


SURVEYED FOR:
RUSS MERRILL
P.O. BOX 4105
CAVE CREEK, AZ 85331

UNPLATTED LANDS OWNED BY

OTHERS.



Only if the surveyor's signature or stamp is in RED is this an original copy. Anything other than an original copy may contain unauthorized alterations to the original. The surveyor accepts no responsibility for non-original copies of this document.




BEARINGS REFERENCED TO THE
PLAT OF RED BIRD MEADOWS

LEGEND

- = 1"x24" IRON PIPE SET
WT., 1.68 LBS. PER LINEAL FT.
- = 2" IRON PIPE FOUND
- = 1" IRON PIPE FOUND

- CURVE DATA ON SHEET 2 OF 3 -



Aero-Metric
ENGINEERING, INC.
LAND SURVEYS
539 NORTH MADISON ST.
CHILTON, WI 53014

PROJECT FILE: 2940522 DATE: 07-05-94
THIS INSTRUMENT DRAFTED BY: S.F.S.
NOTE BOOK N/A PAGE N/A
DWG. FILE: MERRILL L. 2196

STATE OF WISCONSIN } SS WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 2961
WINNEBAGO COUNTY }

Sheet 2 of 3

All of Lot 28 of Red Bird Meadows, A Subdivision being a part of the
NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 16, T.18N., R.16E., Town of Algoma,
Winnebago County, Wisconsin

CURVE DATA

CURVE	RADIUS	CHORD	CHORD BEARING	CENTRAL ANGLE	ARC DISTANCE	TANGENT BEARING
1-3	202.28'	273.29'	N.48°-03'-41.5"W.	84°-59'-19"	300.95'	N.05°-34'-02"W. S.89°-26'-39"W.
1-2	202.28'	154.37'	N.27°-59'-53"W.	44°-51'-47"	158.39'	N.05°-33'-59"W. N.50°-25'-47"W.
2-3	202.28'	138.78'	N.70°-29'-34"W.	40°-07'-32"	141.66'	N.50°-25'-47"W. S.89°-26'-39"W.

SURVEYOR'S CERTIFICATE:

I, Anthony P. Lulloff, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Russ Merrill a part of the Northeast Quarter (NE $\frac{1}{4}$) of the Northwest Quarter (NW $\frac{1}{4}$) of Section 16, Township 18 North, Range 16 East, Town of Algoma, Winnebago County, Wisconsin containing 372,337 square feet or 8.548 acres of land and being described as:


All of Lot 28 of Red Bird Meadows, a subdivision as recorded in the office of the Winnebago County Register of Deeds, being subject to any and all easements and restrictions of record.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County and the Town of Algoma in surveying and mapping the same.

Dated this 7th day of July, 1994.

Anthony P. Lulloff
Wisconsin Registered Land Surveyor - S-1655
Anthony P. Lulloff



OWNER'S CERTIFICATE:

As owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 7th day of July, 1994.

In the Presence of:

Elizabeth A. Merrill

Henry R. Merrill
Henry R. Merrill

STATE OF WISCONSIN } SS
WINNEBAGO COUNTY }

Personally came before me this 7 day of July, 1994, the above named Henry R. Merrill, to me known to be the person who executed the foregoing instrument and acknowledged the same.

Judith Felton
Notary Public, Winnebago, Wisconsin
My Commission Expires 5-4-97

STATE OF WISCONSIN)
WINNEBAGO COUNTY)

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 2961

Sheet 3 of 3

All of Lot 28 of Red Bird Meadows, A Subdivision being a part of the
NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 16, T.18N., R.16E., Town of Algoma,
Winnebago County, Wisconsin

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map of all of Lot 28 of Red Bird Meadows, A Subdivision
being a part of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 16, T.18N., R.16E., Town of Algoma,
Winnebago County, Wisconsin, Henry R. Merrill, owner, is hereby approved.

7/14/94
Date:

Jeanette Diakoff
By: Authorized Representative

COUNTY TREASURER'S CERTIFICATE:

STATE OF WISCONSIN)
WINNEBAGO COUNTY)

Mary E Krueger, Deputy
I, Ruth H. Bradley, being the duly elected, qualified and acting Treasurer of
the County of Winnebago, do hereby certify that the records in my office show no
unredeemed tax sales and no unpaid taxes or special assessments as of
7-8-94, affecting the lands included in this Certified Survey Map.

7-8-94
Date:

Mary E Krueger, Deputy
County Treasurer: Ruth H. Bradley

CERTIFICATE OF TOWN TREASURER:

STATE OF WISCONSIN)
WINNEBAGO COUNTY)

I, Joel Edson, being the duly elected, qualified and acting Town Treasurer of
the Town of Algoma, do hereby certify that in accordance with the records in my
office, there are no unpaid taxes or unpaid special assessments as of 7/8/94
on any of the land included in this Certified Survey Map.

7/8/94
Date:

Joel Edson
Town Treasurer: Joel Edson


Dated this 7th day of July, 1994.

Anthony P. Lulloff
Wisconsin Registered Land Surveyor, S-1655
Anthony P. Lulloff

881592

Register's Office
Winnebago County, Wis.
Received for record this 15th
day of July, A.D., 1994
at 8:10 o'clock AM. and
filed in Vol. 1 of CSM
on page 2961

Margaret A. ...
Register of Deeds



L-2186


pd
14

2990

A horizontal number line with the title "SCALE IN FEET" centered above it. The line has four tick marks labeled "100", "50", "0", and "100" from left to right. The segment between the first and second "100" is shaded with diagonal lines.

MELROSE PARK

A circular seal for the Wisconsin Land Surveyor. The outer ring contains the text "WISCONSIN" at the top and "LAND SURVEYOR" at the bottom, separated by two stars. The inner circle contains the text "CALVIN W. HAWKSWORTH", "S-1290", and "Winneconne Wis." in three lines.



SAYLER SURVEY, INC **LAND**
SURVEYORS **WINNECONNE, WI** **F.B. 69 P. 78**

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 2990

Part of the NE1/4 of the SW1/4 of Sec. 16, T.18N., R.16E., Town of Algoma, Winnebago Co., WI. combining C.S.M.s Nos. 1110, 1681 and 2620, and Doc. No. 577900, Winnebago Co. Records.

OWNER'S CERTIFICATE:

As owner(s), I(we) hereby certify that we caused the land described on this map to be surveyed, combined and mapped as represented hereon.

Gary Lerch
2531 Omro Rd. Oshkosh, WI; 54901

Ann E. Lerch

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me, the above named person(s) to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.

Margery L. Ramsdell
Notary Public WI.

My commission expires June 29, 1997

TOWN TREASURER'S CERTIFICATE:

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

I, Joel Edson, being the duly elected, qualified and acting treasurer of the Town of Algoma, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or unpaid special assessments as of August 4, 1994, 1994 on any of the land included in this certified survey map.

August 4, 1994
Date

Joel L. Edson
Town Treasurer

COUNTY TREASURER'S CERTIFICATE:

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS


I, Mary E. Knieger, Deputy being the duly elected, qualified and acting treasurer of the County of Winnebago, do hereby certify that the records in my office show no unredeemed tax sales and no unpaid taxes or special assessments as of August 4, 1994 affecting the lands included in this Certified Survey Map.

8-4-94
Date

Mary E. Knieger, Deputy
County Treasurer

Calvin W. Hawksworth
Calvin W. Hawksworth S-1290
Wisconsin Registered Land Surveyor
May 31, 1994

Sheet 2 of 2 sheets



884414

Register's Office
Winnebago County, Wis.
Received for record this 18
day of Aug A.D., 19 94
at 9:16 o'clock A.M. and
filed in Vol. 1 of CSM
on page 2990

Gregory A. Adams
Register of Deeds
Chy
12

✓ SAYLER SURVEY, INC

LAND
SURVEYORS

WINNECONNE, WI


F.B. 69 P. 78

STATE OF WISCONSIN)
WINNEBAGO COUNTY, SS


CERTIFIED SURVEY MAP NO. _____

OF

All of Outlot 1 of Red Bird Meadows Subdivision,
Located in the NW 1/4 of the NW 1/4 of Section 16,
T.18N., R.16E., Town of Algoma, Winnebago County, Wisconsin.



SURVEYED FOR:
E.C. MERRILL, INC.
504 WITZEL AVE
OSHKOSH, WI 54901




NOTE: INGRESS/EGRESS EASEMENT
GRANTED TO THE OWNER(S)
OF OUTLOTS 1 AND 3, OVER
AND THROUGH OUTLOT 2

Only if the surveyor's signature or stamp
is in RED is this an original copy. Anything
other than an original copy may contain
unauthorized alterations to the original.
The surveyor accepts no responsibility for
non-original copies of this document.



BEARINGS REFERENCED TO THE
WEST LINE OF THE NW 1/4, SECTION 16
ASSIGNED: N00°-12'-32"W



LEGEND

- = 1"x24" IRON PIPE SET
- = 2" IRON PIPE FOUND
- = 3/4" IRON PIPE FOUND
- = 1-1/4" IRON PIPE FOUND



539 NORTH MADISON STREET
CHILTON, WISCONSIN 53014
414-849-7708
800-472-5313

Aero-metric
ENGINEERING, INC.
CHILTON
LAND PLANNING & DESIGN DIVISION
PROPERTY SURVEYS & SUBDIVISIONS
ENGINEERING DESIGN SERVICES
LAND INFORMATION SYSTEMS

PROJECT FILE: 2941212
DWG. FILE: MERRILL3
DRAFTED BY: S.S.
DATE: 12-29-94
NOTEBOOK: 125 PAGE: 60
L- 2213

STATE OF WISCONSIN) WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. _____
WINNEBAGO COUNTY) SS


Sheet 2 of 3

SURVEYOR'S CERTIFICATE:

I, Anthony P. Lulloff, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Russell E. Merrill, all of Outlot 1, Red Bird Meadows Subdivision, located in the Northwest Quarter (NW 1/4) of the Northwest Quarter (NW 1/4) of Section 16, Township 18 North, Range 16 East, Town of Algoma, Winnebago County, Wisconsin containing 29,026 square feet of land and being subject to any and all easements and restrictions of record. That such is a correct representation of all exterior boundaries of land surveyed. That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

Dated this 29th day of December, 1994.

Anthony P. Lulloff
Wisconsin Registered Land Surveyor, S-1655
Anthony P. Lulloff



CORPORATE OWNER'S CERTIFICATE:

E. C. Merrill, Inc., a corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, as owner does hereby certify that said corporation caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this Certified Survey Map.

IN WITNESS WHEREOF, the said E. C. Merrill, Inc., has caused these presents to be signed by its President, Jay R. Merrill, and countersigned by Timothy M. Merrill, its Vice President, at Oshkosh, Wisconsin, and its corporate seal to be hereunto affixed on this _____ day of _____, 1994.

In the Presence of:

E. C. Merrill, Inc.

President: Jay R. Merrill

Countersigned:

Vice President: Timothy M. Merrill

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this _____ day of _____, 1994, the above named Jay R. Merrill, President and Janet L. Merrill, Secretary of E. C. Merrill, Inc. to me be known to be the people who executed the foregoing instrument and acknowledged the same.

Notary Public, _____, Wisconsin
My commission Expires _____

STATE OF WISCONSIN) WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. _____
WINNEBAGO COUNTY) SS

Sheet 3 of 3

All of Outlot 1, Red Bird Meadows Subdivision, located in the NW 1/4 of the NW 1/4 of Sec. 16, T.18N., R.16E., Town of Algoma, Winnebago County, Wisconsin.

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE CERTIFICATE:

This Certified Survey Map of all of Outlot 1, Red Bird Meadows Subdivision, located in the NW 1/4 of the NW 1/4 of Section 16, T.18N., R.16E., Town of Algoma, E. C. Merrill, Inc., owner, is hereby approved.

Date _____

Authorized representative: _____

COUNTY TREASURER'S CERTIFICATE:

STATE OF WISCONSIN)

I, Ruth H. Bradley, being the duly elected, qualified and acting Treasurer of the County of Winnebago, do hereby certify that the records in my office show no unredeemed tax sales or no unpaid taxes or special assessments as of _____ affecting the lands included in this Certified Survey Map.

Date: _____

County Treasurer: Ruth H. Bradley

CERTIFICATE OF TOWN TREASURER

STATE OF WISCONSIN)
WINNEBAGO COUNTY)SS


I, Joel Edson, being the duly elected, qualified and acting Town Treasurer of the Town of Algoma, do hereby certify that in accordance with the records in my office there are no unpaid taxes or unpaid special assessments as of _____ on any of the land included in this Certified Survey Map.

Date: _____

Town Treasurer: Joel Edson

Dated this 29th day of December, 1994.


Anthony P. Lulloff
Wisconsin Registered Land Surveyor, S-1655
Anthony P. Lulloff



FLOOD PLAIN SURVEY

BEING LANDS DESCRIBED IN DOCUMENT NO. 842086, BEING PART OF THE
SOUTHEAST ¼ OF THE NORTHEAST ¼ OF SECTION 16, TOWNSHIP 18 NORTH,
RANGE 16 EAST, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

BROOKS LANE (50')




BENCHMARK SET:

5" SPIKE IN POWER
POLE ELEVATION
751.90'

NOTE:

- 1) FIRST FLOOR ELEV.
751.90'
- 2) CRAWL SPACE ELEV.
749.87'
- 3) 100 YEAR REGIONAL
FLOOD ELEV.
749.90'



CLIENT:

TIM EISCH
1338 BROOKS LANE
OSHKOSH, WISCONSIN
54904

Robert F. Reider 6-13-94

I HEREBY CERTIFY THAT THE
ELEVATIONS SHOWN ARE TRUE
AND ACCURATE TO THE BEST
OF MY KNOWLEDGE.



CAROW LAND SURVEYING CO., INC.

1837 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
PHONE 414-731-4168 FAX 731-5673

SCALE
1" = 40'

DRAWN BY
ec ms SAW

PROJECT NO.
A946.8