


SPC 17 T78 NR 16R

ESTATES

All of Lot 1 of C.S.M. No. 1845; Lots 1, 2 & 3 of C.S.M. No. 1844; Lots 1, 2 & 3 of C.S.M. No. 1799; Lot 2 of C.S.M. No. 1393 and a part of Lot 1 of C.S.M. No. 137 all being a part of the SW1/4 of the NE1/4 and the NW1/4 of the NE1/4 of Section 17, T.18N., R.16E., Town of Algoma, Winnebago County, Wisconsin



STUDENT'S CERTIFICATE

I, Robert T. Orman, Wisconsin Registered Land Surveyor of Aero-Space Engineering, Inc., hereby certify:

That I have surveyed, divided, and capped PAULINE KEYSER being a subdivision of all of lot 1 of Certified Survey Map No. 1843; Lots 1, 2 and 3 of Certified Survey Map No. 1844; Lots 1, 2 and 3 of Certified Survey Map No. 1790; lot 2 of Certified Survey Map No. 1793 and a part of lot 1 of Certified Survey Map No. 137 all being a part of the Southeast Quarter (SE1/4) of the Northeast Quarter (NE1/4) and the Northwest Quarter (NW1/4) of the Northeast Quarter (NE1/4) of Section Sixteen (16), Township Eighteen (18) North, Range Fifteen (15) West, Town of Algonac, Village of Algonac, Vincennes, Indiana.

[illegible]

That I have fully complied with the provisions of Chapter 126 of the National Surveying and the Subdivision Regulations of the Town of Alameda in surveying, dividing, and mapping the same.

Wisconsin Registered Land Surveyor, 5-0013
Steven T. Christy

"CURVE DATA"

TYPE	LOC NO.	WATER DEPTH	CHORD BEARING	CHORD LENGTH	CENTRAL ANGLE	ARC LENGTH	TARGET BEARINGS
1-2	1	71.22°	5.13°-64°-00°-78"	138.33'	113°-23°-52"	189.43'	5.62°-53°-53"
3-4	5	60.00°	4.87°-12°-46°-57"	23.36'	51°-34°-13"	23.88'	5.64°-53°-53"
6-5	5	60.00°	5.38°-52°-16°-37"	319.10'	104°-04°-09"	203.23'	5.64°-53°-53"
1-5	5	60.00°	5.70°-38°-34°-27"	58.05'	52°-38°-33"	34.39'	5.63°-53°-53"
1-6	6	60.00°	5.56°-44°-34°-27"	53.05'	52°-38°-33"	34.39'	5.63°-53°-53"
1-7	7	60.00°	5.65°-15°-00°-78"	11.28'	50°-33°-39"	32.99'	5.30°-50°-00°-78"
1-8	8	60.00°	5.39°-17°-46°-78"	39.46'	50°-33°-39"	40.21'	5.30°-50°-00°-78"
3-6	3	30.00°	8.29°-14°-53°-78"	29.32'	56°-39°-46"	40.21'	5.30°-50°-00°-78"
7-6	3	30.00°	5.32°-47°-11°-78"	23.36'	51°-34°-13"	23.88'	5.43°-34°-13"
8-6	6	60.00°	Went	84.00'	271°-08°-48"	283.94'	5.43°-34°-13"
1-13	6	60.00°	5.15°-42°-11°-78"	39.36'	50°-33°-39"	40.21'	5.43°-34°-13"
1-14	6	60.00°	4.39°-24°-36°-78"	51.36'	50°-33°-39"	52.96'	5.44°-34°-13"
1-15	6	60.00°	Went	37.24'	50°-33°-39"	32.96'	5.64°-43°-30°-78"
1-16	6	60.00°	8.26°-21°-40°-78"	31.36'	50°-33°-39"	32.96'	5.64°-43°-30°-78"
1-17	6	60.00°	7.15°-43°-11°-78"	22.36'	50°-33°-39"	42.36'	5.43°-34°-13"
9-10	17	30.00°	8.22°-47°-11°-78"	23.36'	43°-21°-42"	23.88'	5.43°-34°-13"
11-12	22	30.00°	8.45°-00°-40°-78"	42.43'	50°-00°-00"	47.13'	5.43°-34°-13"

This instrument drafted by: Edward J. Conroy

PARTRIDGE ESTATES WINNEBAGO COUNTY, WISCONSIN

OWNER'S CERTIFICATE OF DESIGNATION

As owners, we hereby certify that we caused the land described on this plat to be surveyed, divided, mapped, and dedicated as represented on the plat. We also certify that this plat is required by s. 236.10 of s. 236.12 to be submitted to the following for approval or objection: Town of Algona, City of Oshkosh, Department of Agriculture, Trade and Commerce, Department of the Wisconsin County Planning and Zoning Commission.

WITNESS the hand and seal of said owner this _____ day of _____, 1998.

In the Presence of:

Thomas H. Smith

Richard L. Gehert

Gerald B. Rothman

Mark H. Hansen

STATE OF WISCONSIN) ss
WINNEBAGO COUNTY) ss

Personally came before me this _____ day of _____, 1998, the above named Thomas H. Smith, Richard L. Gehert, Gerald B. Rothman, and Mark H. Hansen to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Notary Public, _____, Wisconsin
My Commission Expires _____

CERTIFICATE OF TOWN

We, Donald W. Lange and Sarah E. Lange, members of the described land do hereby consent to the survey, division, mapping, and dedication of the land described on this plat, and to do hereby consent to the above certification of Thomas H. Smith, Richard L. Gehert, Gerald B. Rothman, and Mark H. Hansen, owners.

WITNESS the hand and seal of Donald W. Lange and Sarah E. Lange, members, this _____ day of _____, 1998.

In the Presence of:

Donald W. Lange

Sarah E. Lange

STATE OF WISCONSIN) ss
WINNEBAGO COUNTY) ss

Personally came before me this _____ day of _____, 1998, the above named Donald W. Lange and Sarah E. Lange to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Notary Public, _____, Wisconsin
My Commission Expires _____

CERTIFICATE OF WINNEBAGO COUNTY PLANNING & ZONING COMMISSION

The PLAT OF PARTRIDGE ESTATES, Thomas H. Smith, Richard L. Gehert, Gerald B. Rothman, and Mark H. Hansen, owners, is hereby approved.

Date _____
Chairman: Carol Olson

TOWN BOARD RESOLUTION

Resolved, that the PLAT OF PARTRIDGE ESTATES in the Town of Algona, Thomas H. Smith, Richard L. Gehert, Gerald B. Rothman, and Mark H. Hansen, owners, is hereby approved by the Town Board.

Date _____ Approved _____
Town Chairman: Judith A. V. Haskett

Date _____ Signed _____
Town Chairman: Judith A. V. Haskett

I hereby certify that the foregoing is a copy of a resolution adopted by the Town Board of the Town of Algona.

Town Clerk: Carol Olson

CITY COUNCIL RESOLUTION

Resolved, that the PLAT OF PARTRIDGE ESTATES being within the extrajurisdictional jurisdiction of the City of Oshkosh, Thomas H. Smith, Richard L. Gehert, Gerald B. Rothman, and Mark H. Hansen, owners, is hereby approved by the Common Council.

Date _____ Approved _____
Common Council Representative

Date _____ Signed _____
Common Council Representative

I hereby certify that the foregoing is a copy of a resolution adopted by the Common Council of the City of Oshkosh.

City Clerk: Brian C. Jensen

CERTIFICATE OF TOWN TREASURER

STATE OF WISCONSIN) ss
WINNEBAGO COUNTY) ss

I, Joel Olson being the duly appointed, qualified, and acting Town Treasurer of the Town of Algona, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or unpaid special assessments on or _____, 1998, on any of the land included in the PLAT OF PARTRIDGE ESTATES.

Date _____ Town Treasurer: Joel Olson

COUNTY TREASURER'S CERTIFICATE

STATE OF WISCONSIN) ss
WINNEBAGO COUNTY) ss

I, Mark E. Bradley, being the duly elected, qualified and acting treasurer of the County of Winnebago, do hereby certify that the records in my office show no unpaid taxes and no unpaid taxes or special assessments on or _____, 1998, affecting the lands included in the PLAT OF PARTRIDGE ESTATES.

Date _____ County Treasurer: Mark E. Bradley

Dated this _____ day of _____, 1998.

Winnebago Registered Land Surveyor, S-0913
Steven T. Chaberski

SURVEYOR'S CERTIFICATE:


I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Gary Fenn a part of the Northeast Quarter (NE $\frac{1}{4}$) of the Southwest Quarter (SW $\frac{1}{4}$) of Section Seventeen (17), Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin containing 3.228 Acres of land and being described by: Commencing at the West Quarter (W $\frac{1}{4}$) Corner of said Section 17; thence N.89°-38'-14"E. 1343.57 feet to the True Point of Beginning; thence continue N.89°-38'-14"E. 160.00 feet; thence S.00°-05'-52"E. 886.40 feet to a point on the Center Thread of the North Branch of Honey Creek, thence N.89°-51'-44"W. 56.24 feet along the Center Thread of the North Branch of Honey Creek; thence S.82°-11'-10"W. 100.51 feet along the Center Thread of the North Branch of Honey Creek; thence N.00°-21'-46"W. 898.93 feet to the True Point of beginning. Together with the above described and the above described being subject to a tile drainage easement agreement recorded in Volume 917 on Page 635-638 of Records, Document No. 272192.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

Dated this 23rd day of November, 1988.

Steven T. Chronis
Wisconsin Registered Land Surveyor S-0913
Steven T. Chronis



STEVEN T. CHRONIS

PAGE 39-41


L. 1711

THIS INSTRUMENT DRAFTED BY:

NOTE BOOK 101

Aero-metric
ENGINEERING, INC.

LAND SURVEYS
539 NORTH MADISON ST.
CHILTON, WI 53014



CERTIFIED SURVEY MAP

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

OWNER'S CERTIFICATE:

As owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this _____ day of _____, 1988.

In the Presence of:

Richard Lloyd Jones

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this _____ day of _____, 1988, the above named Richard Lloyd Jones to me known to be the person who executed the foregoing instrument and acknowledged the same.

Notary Public _____, Wisconsin

My Commission expires _____

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:


This Certified Survey Map of a part of the NE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 17, T.18N., R.16E., Richard Lloyd Jones, owner, is hereby approved.


Date _____

By: Carol Owens, Chairman

Dated this 23rd day of November, 1988.

Steven T. Chronis
Wisconsin Registered Land Surveyor S-0913
Steven T. Chronis





Lot Seventy-two (72) in HONEY CREEK ESTATES- SECOND ADDITION a part of the NE 1/4 of the SW 1/4 and the NW 1/4 of the SE 1/4 of Section 17, Township 18 North, Range 16 East, Town of Algoma, Winnebago County, Wisconsin.

—JOHN & SHERRI MANION—

1115 HONEYCREEK CIRCLE

NO BUILDING ENCROACHMENTS PRESENT
FOUNDATION ONLY


I, Robert F. Reider

certify that this mortgage inspection was made by me or under my direction and control of the described property on,

OCTOBER 27, 1988

, according to the official records and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief. Oshkosh Savings & Loan in agreement with Carow Land Surveying Co., Inc. has waived parts of Administrative Code A-E 5.01 (3 through 7). THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE.

THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF:
Oshkosh Savings & Loan.



Robert F. Reider

REVISIONS	Oshkosh Savings & Loan		
	P.O. Box 80, Oshkosh, Wis. 54902		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297		
	1837 W. WISCONSIN AVE. - APPLETON, WI 54912		
DRAWN BY	KO	SCALE	DRAWING NO.
APP'D	X	1"=30'	8810.72
		DATE	10-27-88

Chapter A-E 5

MINIMUM STANDARDS FOR PROPERTY SURVEYS

A-E 5.01 Minimum standards for property surveys. A-E 5.02 U.S. public land survey monument record.

A-E 5.01 Minimum standards for property surveys. (1) SCOPES. The minimum standards of this section apply to every property survey performed in this state except that,

(a) Where other standards for property surveys are prescribed by statute, administrative rule or ordinance, then such standards shall govern; and

(b) The land surveyor and his or her client or employer may agree in a signed statement to exclude any land surveying work from the requirements of this section except the preparation of a U.S. Public Land Survey Monument Record, providing any map prepared by the land surveyor for the client or employer includes a note which states that an agreement to exclude work from the requirements of this section has been made, the names of the parties making the agreement and a description in plain language of the requirements not complied with.

(2) PROPERTY SURVEY, DEFINITION. In this section, "property survey" means any land surveying which includes as one of its principal purposes describing, monumenting, locating the boundary lines of or mapping one or more parcels of land. The term includes the restoration, perpetuation or reestablishment of a U.S. public survey corner.

(3) BOUNDARY LOCATION. Every property survey should be made in accordance with the records of the register of deeds as nearly as is practicable. The surveyor shall acquire data necessary to retrace record title boundaries such as deeds, maps, certificates of title, and center line and other boundary line locations. The surveyor shall analyze the data and make a careful determination of the position of the boundaries of the parcel being surveyed. The surveyor shall make a field survey, traversing and connecting monuments necessary for location of the parcel and coordinate the facts of such survey with the analysis. The surveyor shall set monuments marking the corners of such parcel unless monuments already exist at such corners.

(4) DESCRIPTIONS. Descriptions defining land boundaries written for conveyance or other purposes shall be complete, providing definite and unequivocal identification of lines or boundaries. The description must contain necessary ties to adjoining together with data of dimensions sufficient to enable the description to be mapped and retraced and shall describe the land surveyed by government lot, recorded private claim, quarter-quarter section, section, township, range and county, and by metes and bounds commencing with some corner marked and established by the U.S. public land survey; or if such land is located in a recorded subdivision or recorded addition thereto, then by the number or other description of the lot, block or subdivision thereof which has been previously tied to a corner marked and established by the U.S. public land survey.

Register, August, 1982, No. 320

Note: Items not underlined have been waived.

WISCONSIN ADMINISTRATIVE CODE

A-E 5

(5) MAPS. A map shall be drawn for every property survey showing information developed by the survey and including the following elements:

(a) The map shall be drawn to a convenient scale;

(b) The map shall be referenced as provided in s. 59.61, Stats.;

(c) The map shall show the exact length and bearing of the boundaries of the parcels surveyed. Where the boundary lines show bearings, lengths or locations which vary from those recorded in deeds, abutting plats, or other instruments there shall be the following note placed along such lines, "recorded as (show recorded bearing, length or location)";

(d) The map shall show and describe all monuments necessary for the location of the parcel and shall indicate whether such monuments were found or placed;

(e) The map shall identify the person for whom the survey was made, the date of the survey, and shall describe the parcel as provided in (4), above;

(f) The map shall bear the stamp or seal and signature of the land surveyor under whose direction and control the survey was made with a statement certifying that the survey is correct to the best of his knowledge and belief.

(6) MEASUREMENTS. (a) Measurements shall be made with instruments and methods capable of attaining the required accuracy for the particular problem involved.

(b) The minimum accuracy of linear measurements between points shall be 1 part in 3,000 on all property lines of boundary or interior survey.

(c) In a closed traverse the sum of the measured angles shall agree with the theoretical sum by a difference not greater than 30 seconds per angle, or the sum of the total angles shall not differ from the theoretical sum by more than 120 seconds, whichever is smaller.

(d) Any closed traverse depicted on a property survey map shall have a latitude and departure closure ratio of less than 1 in 3,000.

(e) Bearings or angles on any property survey map shall be shown to the nearest minute; distances shall be shown to the nearest 1/100th foot.

(7) MONUMENTS. The type and position of monuments to be set on any survey shall be determined by the nature of the survey, the permanency required, the nature of the terrain, the cadastral features involved, and the availability of material.

History: Cr. Register, June, 1974, No. 222, eff. 7-1-74; am. (5) (a) and (6) (e), Register, June, 1975, No. 234, eff. 7-1-75; am. (1) (b), Register, January, 1982, No. 313, eff. 2-1-82; am. (1) (b) and c. and rec. (2), Register, August, 1982, No. 320, eff. 8-1-82.

A-E 5.02 U.S. public land survey monument record. (1) WHEN MONUMENT RECORD REQUIRED. A U.S. public land survey monument record shall be prepared as part of any land survey which includes or requires the perpetuation, restoration or reestablishment of a U.S. public land survey corner, and, either,

Register, August, 1982, No. 320

NOTE: The temporary entrance is in the rear of the building and the main entrance is in the front. The entrance is in the rear of the building and the main entrance is in the front.



- 10

1. *Journal of the American Medical Association*, 1997; 277: 1033-1037.

SHEET 1 of 2

PRAIRIE WOOD PLACE
WINNEBAGO COUNTY

CORP.	LOT NO.	BASIN LOCATION	CHOP LENGTH	CHOP LENGTH	LA. ANGLE	AIR LENGTH	THROAT THICKNESS
1-9	2	279.00'	5.78'-40"-00"	91.35'	25'-00"-00"	92.11'	5.88'-40"-00"
2-4		434.84'	5.67'-40"-00"	263.77'	40'-00"-00"	269.41'	5.67'-40"-00"
3-3	2	434.34'	5.64'-11"-13"	79.22'	44'-02"-00"	79.22'	5.71'-12"-18"
3-7		434.84'	5.64'-43"-37"	195.99'	27'-02"-38"	195.43'	5.71'-12"-18"
4-4	3	434.84'	5.77'-17"-38"	64.53'	08'-58"-12"	64.58'	5.83'-45"-04"
5-5	3	30.00'	5.57'-34"-57"	64.75'	102'-21"-30"	53.59'	4.71'-12"-18"
5-8		90.00'	5.58'-43"-57"	119.98'	177'-00"-72"	189.08'	5.08'-29"-14"
	2	90.00'	5.33'-10"-40"	26.54'	37'-28"-36"	36.23'	5.30'-38"-12"
	3	90.00'	5.68'-38"-29.59"	50.19'	49'-28"-43"	51.76'	5.33'-45"-08"
	4	90.00'	5.61'-54'-47.59"	50.19'	49'-28"-43"	51.76'	5.64'-38"-09"
	3	90.00'	5.14'-37"-30.74"	42.33'	41'-18"-00"	43.23'	5.37'-11"-24"
6-7	3	30.00'	5.47'-04"-11.74"	66.75'	102'-21"-30"	53.59'	5.81'-45"-04"
6-9		378.23'	5.83'-45"-14.74"	104.92'	177'-50"-44"	105.34'	5.77'-48"-57"
	7	338.23'	5.74'-54"-31.74"	68.10'	04'-08"-18"	68.14'	5.88'-19"-34"
	8	338.23'	5.83'-48"-53.74"	57.12'	09'-41"-28"	57.20'	5.87'-49"-57"
10-11	9	30.00'	5.43'-28"-53.74"	26.38'	93'-23"-16"	31.33'	5.88'-19"-34"
12-13		90.00'	5.80'-47"-19.57"	118.23'	169'-50"-45"	207.18'	6.00'-17"-18"
	12	90.00'	5.05'-14"-46.57"	10.37'	09'-54"-57"	10.38'	6.00'-17"-18"
	13	90.00'	5.34'-40"-00.57"	49.70'	60'-53"-46"	51.36'	6.10'-12"-15"
	14	90.00'	5.83'-35"-54.74"	49.70'	60'-53"-46"	51.36'	6.39'-08"-01.74"
	15	90.00'	5.47'-30"-30.57"	49.63'	64'-51"-46"	51.17'	6.71'-56"-11.74"
	16	90.00'	5.02'-28"-12.57"	42.23'	41'-12"-30"	43.15'	5.22'-04"-27.74"
13-14	16	30.00'	5.35'-33'-46.74"	48.57'	107'-27"-57"	56.24'	5.18'-08"-00.74"
13-16	16	271.22'	5.61'-45"-14.74"	64.44'	17'-50"-44"	68.79'	5.88'-19"-34"
17-12		480.84'	5.67'-10"-00.74"	338.91'	40'-00"-00"	355.88'	5.77'-49"-57"
		480.84'	5.77'-22"-51.57"	76.24'	09'-08"-58"	76.37'	6.22'-49"-52.57"
	20	480.84'	5.87'-17"-34.57"	3.27'	10'-43"-72"	93.00'	6.48'-55"-31.57"
	21	480.84'	5.81'-74"-56.57"	49.67'	10'-43"-72"	93.00'	5.87'-20"-42.74"
	22	480.84'	5.75'-53"-41.57"	76.23'	09'-27"-00"	76.32'	5.78'-53"-15.57"
18-12	22	143.80'	5.77'-24"-14.57"	33.54'	12'-28"-16"	39.61'	6.04'-10"-14.57"

TOWN BOARD RESOLUTION

Resolved, that the FLAT OF FEATHER WOOD PLACE in the Town of Algona, Gordon M. Lecher and Marlene A. Dasher, owners, in hereby approved by the Town Board.

Page _____ Approved _____

Date _____ Signed _____

I hereby certify that the foregoing is a copy of a resolution adopted by the Town Board of the Town of Algon.

Time Clerk: Carol Hendrix

CURSON COUNCIL RESOLUTION:

Resolved, that the case of FRANK WOOD FLEMING being within the extrajurisdiction of the City of Quebec, Gordon H. Barker and Arthur J. Barker, contrary to law be removed by the Grand Council.

I hereby certify that the foregoing is a copy of a resolution adopted by the Common Council of the City of Detroit.

THE UNIVERSITY OF CHICAGO

COUNTY TREASURER'S CERTIFICATE

STATE OF WASHINGTON)
KINGSTON COUNTY) ss.

I, Ruth E. Bradley, being the duly elected, qualified and acting treasurer of the County of Hennepin, do hereby certify that the records in my office show an unexpended tax sales and no unpaid taxes or special assessments as of _____ 1980, affecting the lands involved in the PLAT OF PINEWOOD ACRES.

100-443887-100

CERTIFICATE OF TOWN TREASURER

STATE OF WISCONSIN)
Milwaukee County)

I, José Mero being duly appointed, qualified, and acting Town Treasurer of the Town of Algonia, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or unpaid special assessments as of _____, 1980, on any of the land included in the plat of FRANKLIN [redacted] [redacted]

ORDER OF CERTIFICATION OF REGISTRATION

In answer, we hereby certify that we cannot find the land described on this plan to be surveyed, divided, mapped and delineated as requested on the last. We also certify that this plan is required by a E.R. 10 or a C.R. 15 to be submitted in the following for approval or objection: Town of Algona, City of Oakbrook, Department of Agriculture, Trade and Consumer Protection and the Statewide Growth Planning and Zoning Commission.

WITNESS the hand and seal of this court this _____ day of _____, 19____.

In the presence of

www.elsevier.com/locate/jmb

.....

STATE OF VERMONT)
WINDSOR COUNTY)

Personally seen before on this _____ day of _____ 1908, the above named carbon H. Parker and Myrland A. Parker to be known to be the persons who executed the foregoing instrument and acknowledged the same.

Notary Public _____ Wisconsin

By Christopher Reynolds

QUANTITY OF VERSION

I, Anna F. Shulton, vendor of the above described land do hereby consent to the surveying, dividing, mapping, and subdivision of the land described on this plat, and I do hereby consent to the above certificate of Charles E. Barker and Phineas A. Barker, assessors.

WITNESS the hand and seal of Anne F. Sheldon, widow, this
day of _____ 1914.

In the presence of

© 2000 Blackwell Science Ltd *Journal of Internal Medicine* 247: 399–406

STATE OF ALABAMA)
COUNTY OF)

Personally seen before me this _____ day of _____, 19____
the above named J. M. Morgan to be the person who executed
the foregoing instrument (and acknowledged the same).

History Publishing

By Constantine S. Givens

CHIEF OF POLICE OF VERNON COUNTY PLACING A JURY CONVICTION

The plot of STAZIE WOLF BLACK, Gordon E. Barker and Herbert A. Sawyer, is hereby continued.

Data 10 20 30 40

17-18-16


Lot Sixty-four (64) in HONEY-CREEK ESTATES - SECOND ADDITION,
in the Town of Algoma, Winnebago County, Wisconsin.

FRED P. LITJENS & BETTY J. LITJENS

3132 HONEY CREEK CT. OSHKOSH, WI


NO BUILDING ENCROACHMENTS PRESENT.

1-STORY HOUSE WITH ATTACHED GARAGE



Robert F. Reider

I, ROBERT F. REIDER
certify that this mortgage inspection was made by me or
under my direction and control of the described property on,
JUNE 28, 1988, according to the official records
and that this drawing is a true representation of the
principal building lines thereon and is accurate to the
best of my knowledge and belief. Oshkosh Savings & Loan
in agreement with Carow Land Surveying Co., Inc. has
waivered parts of Administrative Code A-E 5.01 (3 through 7).
THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE.
THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF:
Oshkosh Savings & Loan.



REVISIONS	Oshkosh Savings & Loan P.O. Box 80, Oshkosh, Wis. 54902		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297 1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
DRAWN BY	KJV	SCALE	1"=40'
APPRO	X	DATE	6-28-88
		DRAWING NO.	886.134

(STATE OF WISCONSIN) WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO.


SURVEYOR'S CERTIFICATE:

SHEET 1 OF 2


I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Attorney Fintan M. Flanagan a part of the NE $\frac{1}{4}$ of the SE $\frac{1}{4}$ and the SE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 17, Township 18 North, Range 16 East, Town of Algoma, Winnebago County, Wisconsin containing 3.275 acres of land and being described by: Commencing at the Northeast Corner of Tract "4" of Certified Survey Map No. 417 recorded in Volume 1, Page 417 of Certified Survey Maps and being the true point of beginning; running thence N87°-47'-25"E 66.05 feet; thence S00°-04'-54"W 209.33 feet; thence N87°-47'-25"E 311.24 feet; thence S00°-04'-54"W 343.17 feet; thence S89°-43'-25"W 382.70 feet; thence N00°-04'-54"E 330.28 feet; thence N89°-43'-25"E 1.00 feet; thence N87°-47'-25"E 4.70 feet; thence N00°-04'-54"E 209.33 feet to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.



ALL BEARINGS REFERRED TO THE EAST LINE OF
THE ADJACENT LAND SURVEY MAP NO. 417
RECORDING N 100° 30' 00" W



Aero-metric
ENGINEERING, INC.
LAND SURVEYS
539 NORTH MADISON ST.
CHILTON, WI 53014

THIS INSTRUMENT DRAFTED BY: Steven T. Chronis

NOTE BOOK

PAGE

L-1659

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

SHEET 2 OF 2

OWNER'S CERTIFICATE:

As owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this _____ day of _____, 1988.

In the Presence of:

Anna F. Sheldon

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this _____ day of _____, 1988, the above named Anna F. Sheldon to me known to be the person who executed the foregoing instrument and acknowledged the same.

Notary Public _____, Wisconsin

My Commission expires _____

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:


This Certified Survey Map of a part of the NE $\frac{1}{4}$ of the SE $\frac{1}{4}$ and the SE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 17, T18N, R16E, Anna F. Sheldon, owner, is hereby approved.

Date

By: Carol Owens, Chairman

Dated this 28th day of June, 1988.

Steven T. Chronis
Wisconsin Registered Land Surveyor S-0913
Steven T. Chronis



SURVEYOR'S CERTIFICATE:

SHEET 1 OF 2


I, Lawrence C. Kriescher, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Thomas N. Rusch a part of Lot 3 of Certified Survey Map No. 1799 recorded in Volume 1 on Page 1799 of Certified Survey Maps, Document No. 693871 being a part of NW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 17, T18N, R16E, Town of Algoma, Winnebago County, Wisconsin containing 36,808 square feet of land and being described by: Commencing at the Northwest Corner of said Lot 3 and being the true point of beginning; thence S89°-40'-09"E 351.20 feet; thence Southwesterly 189.43 feet, along the arc of a curve to the left having a radius of 71.22 feet and the chord of which bears S13°-46'-04"W 138.33 feet; thence S89°-58'-05"W 134.60 feet; thence N80°-13'-07"W 185.20 feet; thence N00°-38'-14"W 105.00 feet to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

- CURVE DATA FOR 1-2 -

RADIUS	CHORD BEARING	CHORD DISTANCE	CENTRAL ANGLE	ARC LENGTH	TANGENT BEARING
71.22'	S13°-46'-04"W	138.33'	152°-23'-52"	189.43'	N62°-25'-52"W N89°-58'-00"E



Dated This 29th day of JANUARY, 1988.

Lawrence C. Kriescher
Wisconsin Registered Land Surveyor, S-1599
Lawrence C. Kriescher.



- LEGEND
- 1" x 24" Iron pipe weighing 169 lbs./lineal foot set.
 - 1" Iron pipe found
 - 2" Iron pipe found
 - Winnebago Only Bernheim Mon.

AERO-METRIC ENGINEERING INC.

539 NORTH MADISON STREET
CHILTON, WISCONSIN 53014

SCALE: 1" = 80'



THIS INSTRUMENT DRAFTED BY LAWRENCE C. KRIESCHER.

L-1625

OWNER'S CERTIFICATE:

As owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 11th day of April, 1988.

In the Presence of:

Colleen M. Davis

Thomas N. Rusch
Thomas N. Rusch

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 11th day of April, 1988, the above named Thomas N. Rusch to me known to be the person who executed the foregoing instrument and acknowledged the same.

NOTARY PUBLIC
STATE OF WISCONSIN
My Commission Expires

Karen L. Ryff
Notary Public Winnebago, Wisconsin
My Commission expires April 5, 1992

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map of a part of Lot "3" of CSM No. 1799 being a part of the NW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 17, T18N, R16E, Thomas N. Rusch, owner, is hereby approved.

Date May 17, 1988

By: Jeanette Diakoff
Jeanette Diakoff, Vice Chairman

Dated this 29th day of January, 1988.

Lawrence C. Kriescher
Wisconsin Registered Land Surveyor S-1599
Lawrence C. Kriescher



Register's Office
Winnebago County, Wis.
Received for record this 19th
day of May, A.D., 1988
at 10:44 o'clock A M. and
recorded in Vol. 1 of C.S.M.
on page 1845

Gregorio A. ...
Register of Deeds

701405

Tom Rusch

80
6.00 L-1625

(STATE OF WISCONSIN)
(WINNEBAGO COUNTY)

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1844


SURVEYOR'S CERTIFICATE:

Sheet 1 of 2

I, Lawrence C. Kriescher, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Richard L. Gabert all of Lot 1 of Certified Survey Map No. 1799 recorded in Volume 1 on Page 1799 of Certified Survey Maps, Document No. 693871 and being a part of the NW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 17, T18N, R16E, Town of Algoma, Winnebago County, Wisconsin containing 84,592 square feet of land.

2ND. ADD. TO LAKE BREEZE


Cont. Sheet
2 of 2



Dated this 29TH Day of JANUARY, 1988.


Lawrence C. Kriescher
Wisconsin Registered Land Surveyor, S-1599.
Lawrence C. Kriescher,
Revised this 13th Day of April, 1988

AERO-METRIC ENGINEERING INC.
539 NORTH MADISON STREET
CHILTON, WISCONSIN 53014



- LEGEND
- = 1" x 24" Iron Pipe Weighing 160 lbs / lineal foot set.
 - = 1" Iron Pipe found
 - = 2" Iron pipe found
 - ⊙ = Winnebago County Berntsen Monument


SCALE: 1" = 60'



THIS INSTRUMENT DRAFTED BY LAWRENCE C. KRIESCHER S-1599.

17-18-16

Lot Eighty-two (82), HONEY CREEK ESTATES- SECOND
ADDITION, Town of Algoma, Winnebago County,
Wisconsin.




--BARRAUD--

1092 HONEYCREEK CIRCLE

NO BUILDING ENCROACHMENTS PRESENT

TRI-LEVEL HOUSE WITH ATTACHED GARAGE



I, ROBERT F. REIDER

certify that this mortgage inspection was made by me or
under my direction and control of the described property on,
April 8, 1988, according to the official records
and that this drawing is a true representation of the
principal building lines thereon and is accurate to the
best of my knowledge and belief. Chase Home Mortgage Corp.
in agreement with Carow Land Surveying Co., Inc. has
waivered parts of Administrative Code A-E 5.01 (3 through 7).
THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE.
THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF:
CHASE HOME MORTGAGE CORP.

Robert F. Reider

REVISIONS		Chase Home Mortgage Corp. P.O. Box 28165 Green Bay, Wisconsin 54304	
		CAROW LAND SURVEYING CO., INC., P.O. BOX 1297 1837 W. WISCONSIN AVE. • APPLETON, WI 54912	
DRAWN BY	kv-dv	SCALE	1"=30'
APPRO	/	DATE	4-8-88
		DRAWING NO.	284.38

(STATE OF WISCONSIN)
(WINNEBAGO COUNTY)

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. _____


SURVEYOR'S CERTIFICATE:

Sheet 1 of 2

I, Lawrence C. Kriescher, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Richard L. Gabert all of Lot 1 of Certified Survey Map No. 1799 recorded in Volume 1 on Page 1799 of Certified Survey Maps, Document No. 693871 and being a part of the NW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 17, T18N, R16E, Town of Algoma, Winnebago County, Wisconsin containing

2ND. ADD. TO LAKE BREEZE 84,592 square feet of land.

Cont. Sheet
2 of 2



Dated this 29TH Day of JANUARY, 1988.

Lawrence C. Kriescher
Wisconsin Registered Land Surveyor, S-1599.
Lawrence C. Kriescher.
Revised this 13th Day of April, 1988

AERO-METRIC ENGINEERING INC.
539 NORTH MADISON STREET
CHILTON, WISCONSIN 53014



That such is a correct representation of all exterior boundaries of the land surveyed.
That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

Dated this 29TH day of JANUARY, 1988.

Lawrence C. Kriescher
Wisconsin Registered Land Surveyor S-1599
Lawrence C. Kriescher



OWNER'S CERTIFICATE:

As owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 11th day of April, 1988.

In the Presence of:

Carlton M. Giese

Richard L. Gabert
Richard L. Gabert

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 11th day of April, 1988, the above named Richard L. Gabert to me known to be the person who executed the foregoing instrument and acknowledged the same.

NOTARY PUBLIC
State of Wisconsin
Karen L. Rye

Karen L. Rye
Notary Public Winnebago, Wisconsin
My Commission expires April 5, 1992

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map of all of Lot 1 of CSM No. 1799, being a part of the NW $\frac{1}{4}$ of the NE $\frac{1}{4}$, Section 17, T18N, R16E, Richard L. Gabert, owner, is hereby approved.

Date

By: Jeanette Diakoff, Vice Chairman

17-18-16


Lot Forty-eight (48), HONEY CREEK ESTATES FIRST
ADDITION, Town of Algoma, Winnebago County,
Wisconsin.

---WORLD---

1003 SCENIC COURT

NO BUILDING ENCROACHMENTS PRESENT

TRI-LEVEL HOUSE WITH ATTACHED GARAGE




I, ROBERT F. REIDER

Robert F. Reider

certify that this mortgage inspection was made by me or
under my direction and control of the described property on,

January 11, 1988, according to the official records
and that this drawing is a true representation of the
principal building lines thereon and is accurate to the
best of my knowledge and belief. Chase Home Mortgage Corp.
in agreement with Carow Land Surveying Co., Inc. has
waivered parts of Administrative Code A-E 5.01 (3 through 7).
THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE.

THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF:
CHASE HOME MORTGAGE CORP.



12' UTILITY EASEMENT
AS PER PLAT


REVISIONS	Chase Home Mortgage Corp.		
	P.O. Box 28165 Green Bay, Wisconsin 54304		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297 1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
DRAWN BY	IT-KO	SCALE	1" = 40'
DATE	1-13-88	DRAWING NO.	88143
APPROD	X		

SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Ronald W. Lange all of Lot 2 of Certified Survey Map No. 1393 recorded in Volume 1 on Page 1393 of Certified Survey Maps, Document No. 630721 and being a part of the NW $\frac{1}{4}$ of the NE $\frac{1}{4}$ and the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 17, T18N, R16E, Town of Algoma, Winnebago County, Wisconsin containing 504,815 square feet of land.



L-1569



AERO-METRIC ENGINEERING INC.
539 NORTH MADISON STREET
CHILTON, WISCONSIN 53014

SCALE: 1" = 100'
100' 0' 50' 100' 200'
THIS INSTRUMENT DRAFTED BY STEVEN T. CHRONIS.

DATED THIS 6th DAY OF November, 1987.
Steven T. Chronis
WISCONSIN REGISTERED LAND SURVEYOR, S-0913
STEVEN T. CHRONIS.

That such is a correct representation of all exterior boundaries of the land surveyed.
That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.

Dated this 6th day of November, 1987.

Steven T. Chronis
Wisconsin Registered Land Surveyor S-0913
Steven T. Chronis



--- CURVE DATA FOR 1 - 2 ---

RADIUS	CHORD BEARING	CHORD DISTANCE	CENTRAL ANGLE	ARC LENGTH	TANGENT BEARING
71.22'	S13°-46'-04"W	138.33'	152°-23'-52"	189.43'	N62°-25'-52"W N89°-58'-00"E

OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

In the Presence of:

Ronald W. Lange
Ronald W. Lange

Sarah E. Lange
Sarah E. Lange

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 18th day of November 1987, the above named Ronald W. Lange and Sarah E. Lange to me known to be the persons who executed the foregoing instrument and acknowledged the same.

W.E. Stenhouse
Notary Public Oshkosh, Wisconsin

My Commission expires 6/10/90

WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE:


This Certified Survey Map of all of Lot 2 of CSM No. 1393 being a part of the W $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 17, T18N, R16E, Ronald W. Lange and Sarah E. Lange, owners, is hereby approved.

December 23, 1987
Date

Jeanette Dinkoff Vice Chairman
By: Carol Owens, Chairman

Register's Office
Winnebago County, Wis.
Received for record this 23rd
day of December A.D., 1987
at 11:10 o'clock A. M. and
recorded in Vol. 1 of C.S.M.
on page 1799
Gregory A. Adams
Register of Deeds

693871




That part of the NORTH EAST 1/4 of Section Seventeen (17) Township Eighteen (18) North, of Range Sixteen (16) East, in the Town of Algoma, Winnebago County, Wisconsin, described as follows, viz:-
Commencing at the East Quarter Post of said Section; thence north, along the East line of said Section, 1906.4 feet; thence west, parallel with the East and West Quarter line of said Section, 272.25 feet; thence south 86 degrees west, 221.3 feet, the place of beginning; thence north, parallel with the East line of said Section, 200 feet; thence south 86 degrees west, 100 feet; thence south, parallel with the East line of said Section, 200 feet; thence north 86 degrees east, 100 feet, the place of beginning.

ADDRESS: 2872 SHELTON DRIVE

1 STORY HOUSE WITH ATTACHED GARAGE

THERE ARE NO BUILDING ENCROACHMENTS

-PAULSON



Robert F. Reider

I, ROBERT F. REIDER

certify that this mortgage inspection was made by me or under my direction and control of the described property on,

NOVEMBER 7, 1986


, according to the official records and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief. FIRST GIBRALTAR MORT. CO. in agreement with Carow Land Surveying Co., Inc. has waived parts of Administrative Code A-E 5.01 (3 through 7).

THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE.


THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF: First Gibraltar Mortgage Co.

REVISIONS	FIRST GIBRALTAR MORTGAGE CO.		
	54 PARK PLACE, APPLETON, WISCONSIN 54915		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297		
	1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
	DRAWN BY ec ko EC	SCALE 1"=40'	DRAWING NO. 8611.45
	APPD X	DATE 11-7-86	

17-18-16



LOT TWENTY-EIGHT (28), IN PLAT OF HONEY CREEK ESTATES, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.




Robert F. Reider

LEE:
998 HONEY CREEK ROAD, OSHKOSH
ONE STORY HOUSE WITH ATTACHED GARAGE
NO BUILDING ENCROACHMENTS PRESENT


I, ROBERT F. REIDER
certify that this mortgage inspection was made by me or
under my direction and control of the described property on,
AUGUST 13, 1986, according to the official records
and that this drawing is a true representation of the
principal building lines thereon and is accurate to the
best of my knowledge and belief. Oshkosh Savings & Loan
in agreement with Carow Land Surveying Co., Inc. has
waivered parts of Administrative Code A-E 5.01 (3 through 7).
THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE.
THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF:
Oshkosh Savings & Loan.

REVISIONS	Oshkosh Savings & Loan		
	P.O. Box 80, Oshkosh, Wis. 54902		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297		
	1837 W. WISCONSIN AVE. - APPLETON, WI 54912		
DRAWN BY	ec dw	DW	SCALE 1"=30'
APP'D	X	DATE	8-14-86
			DRAWING NO. 868.113



Robert F. Reider

CENTERLINE
OF ROAD



The North 178.4 feet, front and rear, of the South 1333.4 feet, front and rear, of the East 244.25 feet of the East 1/2 of the NORTH EAST 1/4 of Section 17, Township 18 North, of Range 16 East, in the Town of Algoma.
WINNEBAGO COUNTY, WISCONSIN.

JOLIN:

1387 N. OAKWOOD ROAD, OSHKOSH

1½ STORY HOUSE

NO BUILDING ENCROACHMENTS PRESENT

I, ROBERT F. REIDER

certify that this mortgage inspection was made by me or under my direction and control of the described property on.

SEPTEMBER 16, 1986, according to the official records and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief. Oshkosh Savings & Loan in agreement with Carow Land Surveying Co., Inc. has waived parts of Administrative Code A-E 5.01 (3 through 7). THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE.

THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF:
Oshkosh Savings & Loan.

REVISIONS	Oshkosh Savings & Loan P.O. Box 80, Oshkosh, Wis. 54902		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297 1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
	DRAWN BY ec dv DEW	SCALE 1"=60'	DRAWING NO.
	APPRO ✓	DATE 7-18-86	869.93



17-18-16

PLAT OF SURVEY


KNOWN AS 3141 SHELTON DRIVE. BEING LOT 95 IN THE SECOND ADDITION TO LAKEBREEZE PLAT, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

JULY 10, 1986

SURVEY FOR ERA REALTY

SURVEY NO. 1765-S

- ——— DENOTES 1" DIAMETER IRON PIPE FOUND AS SHOWN.
- ——— DENOTES 1" DIAMETER, 24" LONG IRON PIPE SET.




I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.



national survey & engineering
 417 NORTH SAWYER STREET / P.O. BOX 2963
 OSHKOSH, WISCONSIN 54803
 (414) 426-2800




SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Melvin G. Apell all of Tract "1" of Certified Survey Map No. 575 as recorded in Volume I on page 575 of Certified Survey Maps, Document No. 534471 and being a part of the NW $\frac{1}{4}$ of the NE $\frac{1}{4}$ and the NE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 17, T.18N., R.16E., Town of Algoma, Winnebago County, Wisconsin containing 4.620 acres of land and being described by: Commencing at the North $\frac{1}{4}$ corner of said Section 17; thence N.89°-25'-00"E. 1018.17 feet, along the north line of the NE $\frac{1}{4}$ of said Section 17 to the northeast corner of Lot 115 in the Fourth Addition to Lake Breeze Plat and being the true point of beginning; thence continue N.89°-25'-00"E. 362.48 feet, along the north line of the NE $\frac{1}{4}$ of said Section 17; thence S.00°-00'-50"E. 582.13 feet; thence S.87°-46'-46"W. 329.71 feet; thence N.00°-00'-50"W. 351.54 feet; thence S.89°-25'-00"W. 33.00 feet; thence N.00°-00'-50"W. 240.01 feet, to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.


UNPLATTED LANDS

North $\frac{1}{4}$ corner Section 17,
T.18N., R.16E.North line NE $\frac{1}{4}$ Section 17, T.18N., R.16E.Dated this 24th day of July, 1986.

Steven T. Chronis
Wisconsin Registered Land Surveyor, S-0913
Steven T. Chronis

UNPLATTED LANDS

Bearing Reference: East line First Addition to Lake Breeze Plat recorded as N.00°-36'-00"W.



LEGEND

- = 1"x24" Iron Pipe weighing 1.68 lbs./linear foot set
 - = 1" Iron Pipe found
 - ⊙ = 2" Iron Pipe found
 - ⊛ = Winnebago County Bernitsen Monument
- Notebook 66 page 12-15
JULY 22, 1986

AERO - METRIC ENGINEERING, INC.
539 North MADISON STREET
CHILTON, WI. 53014

SCALE: 1" = 100'
100' 0' 100' 200' 300'
This instrument drafted by Steven T. Chronis
L-1476

CERTIFIED SURVEY MAP FOR MELVIN G. APELL

SHEET 2 OF 2

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 26 day of July, 1986.

In the Presence of:

Melvin G. Apell
Melvin G. Apell

Amy S. Apell
Amy S. Apell

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 26 day of July, 1986, the above named Melvin G. Apell and Amy S. Apell to me known to be the persons who executed the foregoing instrument and acknowledged the same.

NOTARY PUBLIC
STATE OF WISCONSIN
MARGARITA HAGEN

Margarita Hagen
Notary Public Winnebago, Wisconsin
My Commission expires 1-7-90


WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:

This Certified Survey Map of a part of the NW $\frac{1}{4}$ of the NE $\frac{1}{4}$ and the NE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 17, T.18N., R.16E., Town of Algoma, Melvin G. Apell and Amy S. Apell, owners, is hereby approved.

Date: August 26, 1986 By: Carol Owens
Carol Owens

Dated this 24th day of July, 1986.

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



660597

Register's
Winnebago County, Wis.
Received for record this 28th
day of August, 1986
at 1:32 o'clock P. M. and
recorded in Vol. 1 of C.S.M.
on page 1582
Margarita Hagen
Register of Deeds

Pd
6

L-1476

Stock No. 26273

CERTIFIED SURVEY MAP No. 1570

Page 1 of 2


I, David M. Schmalz, Wisconsin Registered Land Surveyor, certify that I have surveyed, divided and mapped for Paul Groskreutz, Lot 14, Novotny Plat being a part of the North West 1/4 of South East 1/4 of Section 17, Township 18 North, Range 16 East, in the Town of Algoma, Winnebago County, Wisconsin, containing 18,000 square feet or 0.4132 acres of land and being described as follows:

Lot 14, Novotny Plat

I, do further certify that I have complied with Section 236.34 of the Wisconsin Statutes and with the Winnebago County Land Subdivision Ordinance in surveying and mapping the same.

Dated this 11th day of July, 1986.

David M. Schmalz
David M. Schmalz - S-1284
WI Registered Land Surveyor



FOR: Paul Groskreutz
3101 Scenic Drive
Oshkosh, WI 54901
235-7465

Owner: State of Wisconsin
Department of Transpor,
944 Vanderperren Way
Green Bay, WI 54304
c/o Richard Hoppel

By: McMahon Associates, Inc.
P.O. Box 405
1377 Midway Road
Menasha, WI 54952
1-414-739-0351

Legend

- () = recorded as
- = existing 1 1/4 dia. rebar
- ⊗ = existing 1" dia. pipe
- = set 3/4" dia. x 24" long steel rebar weighing 1.5 lbs/lineal foot

THIS INSTRUMENT DRAFTED BY K. Hegner 7-11-86

Stock No. 26273

CERTIFIED SURVEY MAP No. 1570

Page 2 of 2

OWNER'S CERTIFICATE

State of Wisconsin)

Winnebago County) ss

As Owner(s), I(We) hereby certify that I(We) caused the land described on this map to be surveyed, divided, mapped and dedicated represented on this map.

Dated this 23rd day of July, 1986.

Witness

Witness

State of Wisconsin)

Winnebago County) ss

Personally appeared before me on the 23rd day of July, 1986, the above named owners to me known to be the persons who executed the foregoing instrument and acknowledged the same.Notary Public Rebecca J. Jones County, WI My Commission Expires 11-12-87CERTIFICATE of PLANNING AGENCYPursuant to the Land Subdivision Regulations of Winnebago County, Wisconsin, all the requirements for approval have been fulfilled. This minor subdivision was approved by the Winnebago County Planning and Zoning Committee on July 29, 1986.

Chairman, Winnebago County Planning and Zoning Committee

Director, Winnebago County Planning Department

CERTIFICATE of TOWN BOARD APPROVAL AND ROAD DEDICATION

Resolved, that this certified survey map is hereby approved by the Town Board.

Date Approved July 16, 1986

Town Board Chairman

Date Signed July 24, 1986I hereby certify that the foregoing is a copy of a resolution adopted by the Town of Algoma Carol J. Grogg, Town Clerk

658263

Register's Office
Winnebago County, Wis.
Received for record this 30th
day of July A.D., 1986
at 11:58 o'clock P. M. and
recorded in Vol. 1... of CSM
on page 1570

Walter J. Johnson
Register of Deeds

Pd. 6/
6


CERTIFIED SURVEY MAP NO.

BEING LOT 4 AND PART OF LOT 3 IN HONEY CREEK ESTATES, IN THE S.E. 1/4 OF SECTION 17, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

- ——— DENOTES 1 INCH DIAMETER IRON PIPE FOUND.
- ——— DENOTES 2 INCH DIAMETER IRON PIPE FOUND.
- ——— DENOTES 1-1/4 INCH DIAMETER IRON ROD FOUND.


ALL DIMENSIONS SHOWN ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE WEST LINE OF HONEYCREEK ROAD WHICH HAS AN ASSUMED BEARING OF NORTH 00-43-45 EAST.



national survey & engineering

417 NORTH SAWYER STREET
P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 426-2800



CERTIFIED SURVEY MAP NO.

BEING LOT 4 AND PART OF LOT 3 IN HONEY CREEK ESTATES, IN THE S.E. 1/4 OF SECTION 17, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)
:SS
WINNEBAGO COUNTY)

1. REINHARD ROEHLIG, Wisconsin land surveyor do hereby certify:

THAT I have surveyed and mapped Lot 4 and part of Lot 3 in Honey Creek Estates, in the S.E. 1/4 of Section, 17, T18N, R16E, in the Town of Algoma, Winnebago County, Wisconsin, which is bounded and described as follows:

Commencing at the N.E. corner of said Lot 4, thence South 00-43-45 West along the West R.O.W. line of Honeycreek Road 100.00 ft., thence North 89-16-15 West 150.00 ft., thence North 00-31-51 East 122.34 ft. to a point on the Southerly R.O.W. line of Hwy. "21", thence South 80-49-25 East 152.08 ft. along said R.O.W. line to the point of beginning.


THAT I have made this survey, land division and map by the direction of PAUL GROSKREUTZ (HONEY CREEK DEVELOPMENT), Town of Algoma, Winnebago County, Wisconsin, owner of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

1-27-86
Date

Reinhard Roehlig (SEAL)
Reinhard Roehlig, Registered
Land Surveyor S-1368



CERTIFIED SURVEY MAP NO.....

BEING LOT 4 AND PART OF LOT 3 IN HONEY CREEK ESTATES, IN THE S.E. 1/4 OF SECTION 17, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE

AS OWNER I hereby certify that we caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hand and seal of said owner this.....day of 1986.

In The Presence Of:

.....
PAUL GROSKREUTZ
(For Honeycreek Development)

STATE OF WISCONSIN)
:SS
WINNEBAGO COUNTY)

PERSONALLY came before me this.....day of.....1986 the above named Paul Groskreutz (for Honey Creek Development), known to be the person who executed the foregoing instrument and acknowledged the same.

.....
Notary Public, Winnebago
County, State of Wisconsin

My Commission Expires.....


WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

THIS Certified Survey Map of Lot 4 and part of Lot 3 in Honey Creek Estates, in the S.E. 1/4 of Section 17, T18N, R16E, Town of Algoma, Winnebago County, Wisconsin, Paul Groskreutz (Honey Creek Development), owner, is hereby approved.

.....
Date

.....
Planning Committee
Representative

THIS INSTRUMENT WAS DRAFTED BY REINHARD ROEHLIG.



FEB 2 1986

STATE OF WISCONSIN)
WINNEBAGO COUNTY)

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. _____

SHEET 1 of 2

SURVEYOR'S CERTIFICATE:


I, Lawrence C. Kriescher, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Richard M. Sheldon a part of the Northeast Quarter (NE $\frac{1}{4}$) of Section Seventeen (17), Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin containing 0.465 acres of land and being described by: Commencing at the northwest corner of Tract "1" of Certified Survey Map No. 622, recorded in Volume 1, Page 622 of Certified Survey Maps, Document Number 537522 and the true point of beginning; thence S.00°-04'-54"W. 209.33 feet along the west line of said Tract "1" to the southwest corner of said Tract "1", thence S.87°-47'-25"W. 97.00 feet; thence N.00°-04'-54"E. 209.33 feet to the south line of Sheldon Drive; thence N.87°-47'-25"E. 97.00 feet along the southline of Sheldon Drive to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.
That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.




DATED THIS 18TH DAY OF FEBRUARY, 1986
Lawrence C. Kriescher
WISCONSIN REGISTERED LAND SURVEYOR S-1599
LAWRENCE C. KRIESCHER

- = 1" x 24" IRON PIPE WEIGHING 1.68 LBS/LINEAL FOOT SET.
- = 1" IRON PIPE FOUND
- DATE: FEBRUARY 18, 1986



AERO-METRIC ENGINEERING INC.
539 NORTH MADISON STREET
CHILTON, WISCONSIN 53014



STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

SHEET 2 of 2

OWNER'S CERTIFICATE

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this _____ day of _____, 1986.

In the Presence of:

Richard M. Sheldon

Anna F. Sheldon

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this _____ day of _____, 1986, the above named Richard M. Sheldon and Anna F. Sheldon to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Notary Public _____, Wisconsin

My Commission expires _____

WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE:


This Certified Survey Map of a part of the NE $\frac{1}{4}$ of Section 17, T.18N., R.16E., Richard M. Sheldon and Anna M. Sheldon, owners, is hereby approved.

Date: _____

By: _____

Dated this 18TH day of FEBRUARY, 1986.

Lawrence C. Kriescher
Wisconsin Registered Land Surveyor S-1599
Lawrence C. Kriescher



PLAT OF SURVEY

KNOWN AS 1053 HONEYCREEK ROAD, BEING LOTS 3 AND 4 IN HONEY CREEK ESTATES, EXCEPTING THAT PORTION OF LOT 3 TAKEN FOR HWY. "21" R.O.W., IN SECTION 17, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

JANUARY 15, 1986


SURVEY FOR COMMUNITY SAVINGS

SURVEY NO. 1683-M

JANUARY 20, 1986

APPLICANT: JAMES GOYETTE

REVISE HWY "21" RIGHT OF WAY,
STAKE LOT



SCALE
1"=30'

I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments.

This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.



national survey & engineering

417 NORTH SAWYER STREET / P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 428-2800





BUYER: FLORENCE- 2952 SHELDON DR.
OSHKOSH, WIS.

1 STORY HOUSE WITH ATTACHED GARAGE

NO BUILDING ENCROACHMENTS PRESENT

NOTE: SUBJECT TO A WELL
AGREEMENT DESC. IN VOL. 1144
PAGE 632, UNABLE TO LOCATE
WELL.



PARCEL I

That part of the NORTH EAST 1/4 of Section Seventeen (17) Township Eighteen (18) North, of Range Sixteen (16) East, in the Town of Algoma, Winnebago County, Wisconsin, described as follows, viz:- Commencing at the East Quarter Post of said Section; thence north, along the East line of said Section, 1906.4 feet; thence west, parallel with the East and West Quarter line of said Section, 272.25 feet; thence south 86 degrees west, 721.8 feet, the place of beginning; thence south 86 degrees west, 100 feet; thence north, parallel with the East line of said Section, 200 feet; thence north 86 degrees east, 100 feet; thence south, parallel with the East line of said Section, 200 feet, to the place of beginning.
Tax Key No. 002-0125-07

PARCEL II

That part of the NORTH EAST 1/4 of Section Seventeen (17) Township Eighteen (18) North, of Range Sixteen (16) East, in the Town of Algoma, Winnebago County, Wisconsin, described as follows, viz:- Commencing at the East Quarter Post of said Section; thence west, along the South line of said North East 1/4, 1651 feet, to a point on the center line of a road, commonly known as Valley Road; thence north, along the center line of said road, 1841.5 feet; thence north 86 degrees 0 minutes east, 360 feet; thence north 0 degrees 0 minutes east, 200 feet; then a north 86 degrees 0 minutes east, 150 feet, the place of beginning; thence continuing north 86 degrees 0 minutes east, 150 feet; thence north 0 degrees 0 minutes east, 90 feet; thence south 86 degrees 0 minutes west, 150 feet; thence due south, 90 feet, to the place of beginning.

I, ROBERT F. REIDER

certify that this mortgage inspection was made by me or under my direction and control of the described property on, SEPTEMBER 17, 1984, according to the official records and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief. First Savings, in agreement with Carow Land Surveying Co., Inc. has waived parts of Administrative Code A-E 5.01 (3 through 7). THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE. THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF: First Savings.

Robert F. Reider 9-17-84

LEC

REVISIONS	First Savings P.O. Box 1017, Appleton, Wis. 54912		
	CAROW LAND SURVEYING CO., INC. P.O. BOX 1297 1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
DRAWN BY REV-th	MV	SCALE 1"=50'	DRAWING NO. 849-92
APPRO		DATE 9-17-84	


PLAT OF SURVEY

KNOWN AS 2979 HWY. "21", THAT PART OF THE N.E. 1/4 OF THE S.E. 1/4 OF SECTION 17, T18N, R16E, IN THE TOWN OF ALIXMA, WINNEBAGO COUNTY, WISCONSIN WHICH IS DESCRIBED AS FOLLOWS; COMMENCING ON THE EAST AND WEST 1/4 LINE OF SAID SECTION (CENTERLINE OF HWY. "21"), AT A POINT 1194.75 FT. WEST OF THE EAST 1/4 POST OF SAID SECTION, THENCE SOUTHERLY ALONG A FENCE DIVIDING THE FARMS OF MESSRS. BECK AND MELTZ (AS OF AUGUST 29, 1950), 290.4 FT., THENCE EAST PARALLEL WITH SAID EAST WEST 1/4 LINE 150.0 FT., THENCE NORTHERLY TO A POINT ON THE EAST AND WEST 1/4 LINE, 150.0 FT. EAST OF THE POINT OF BEGINNING, THENCE WEST ALONG SAID EAST AND WEST 1/4 LINE 150.0 FT. TO THE PLACE OF BEGINNING. ALSO: COMMENCING ON THE EAST-WEST 1/4 LINE (CENTERLINE OF HWY. "21") OF SAID SECTION AT A POINT 1194.75 FT. WEST OF THE EAST 1/4 POST OF SAID SECTION, THENCE SOUTHERLY ALONG A FENCE LINE DIVIDING THE FARMS OF MESSRS. BECK AND MELTZ (AS OF AUGUST 29, 1950), 290.4 FT., THENCE WEST PARALLEL WITH SAID EAST AND WEST 1/4 LINE TO A POINT 72 8/11 RODS WEST OF THE EAST LINE OF SAID SECTION, THENCE NORTH PARALLEL WITH THE EAST LINE OF SAID SECTION TO SAID EAST AND WEST 1/4 LINE, THENCE EAST ALONG SAID EAST AND WEST 1/4 LINE TO THE PLACE OF BEGINNING. SAID PARCEL CONTAINS 1.035 ACRES.

DECEMBER 13, 1982
OCTOBER 10, 1985

SURVEY FOR SMITH/LANGLITZ REALTY
REVISE SURVEY

SURVEY NO. 222-S




I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.



national survey & engineering

417 NORTH SAWYER STREET / P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 426-2800

Reinhard Roehlig




CERTIFIED SURVEY MAP NO. 1463

BEING A PART OF THE S.E. 1/4 OF SECTION 17, T18N, R16E, IN TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN:

- ——— DENOTES 1 INCH DIAMETER IRON PIPE FOUND.
- ——— DENOTES 1 INCH DIAMETER IRON PIPE, 24 " LONG, WEIGHING NOT LESS THAN 1.13 LBS PER LINEAL FOOT SET.
- () ——— DENOTES RECORD DIMENSIONS WHERE DIFFERENT FROM FIELD MEASUREMENTS.


ALL DIMENSIONS SHOWN ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE NORTH LINE OF THE S.E. 1/4 OF SECTION 17 WHICH IS ASSUMED TO BEAR NORTH 89-30-37 WEST.



reinhard h.w. roehlig

417 NORTH SAWYER STREET
P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 426-2800



CERTIFIED SURVEY MAP NO. 146.3

BEING A PART OF THE S.E. 1/4 OF SECTION 17, T18N, R16E, IN TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

SURVEYORS CERTIFICATE
STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin land surveyor do hereby certify:

THAT I have surveyed and mapped a part of the S.E. 1/4 of Section 17, T18N, R16E, in the Town of Algoma, Winnebago County, Wisconsin, which is bounded and described as follows:

Commencing on the East and West 1/4 line of said Section at a point 1194.75 ft. west of the east 1/4 post of said Section, thence southerly along a fence dividing the farms of messrs. Beck and Meltz (as of August 29, 1950), 290.4 ft, thence East parallel with said East and West 1/4 line, 373 ft., thence northerly to a point on said East and West 1/4 line 375 ft. East of the place of beginning, thence West along said East and West 1/4 line 375 ft. to the place of beginning, excepting therefrom the west 150 ft., front and rear thereof, heretofore conveyed to Alex Schock and wife.

said land is more particularly described as follows;

Commencing at the East 1/4 corner of Section 17, thence North 89-30-37 West along the North line of the S.E. 1/4 of said Section 821.81 ft. to the point of beginning of the land to be described, thence continuing North 89-30-37 West 225.00 ft., thence South 00-01-22 West 290.40 ft., thence South 89-30-37 East 223.00 ft., thence North 00-25-00 East 290.39 ft. to the point of beginning.


THAT I have made this survey, land division and map by the direction of GERTRUDE E. MAROHN, Town of Algoma, Winnebago County, Wisconsin, owner of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

10-14-55...
Date

Reinhard Roehlig..... (SEAL)
Reinhard Roehlig Registered
Land Surveyor S-1368



CERTIFIED SURVEY MAP No. 1463

BEING A PART OF THE S.E. 1/4 OF SECTION 17, T18N, R16E, IN TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE

AS OWNER I hereby certify that I caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hand and seal of said owner this 17th day of October, 1985.

In The Presence Of:

.....*[Signature]*.....

.....*Gertrude E. Marohn*.....
GERTRUDE E. MAROHN

STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

PERSONALLY came before me this 17th day of October, 1985 the above named Gertrude E. Marohn, to me known to be the person who executed the foregoing instrument and acknowledged the same.

.....*[Signature]*.....
Notary Public, Winnebago
County, State of Wisconsin

My Commission Expires in perpetuity

WINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE

THIS Certified Survey Map of a part of the S.E. 1/4 of Section 17, T18N, R16E, Town of Algoma, Gertrude E. Marohn, owner, is hereby approved.

October 25, 1985
Date


.....*Carol Owens*.....
Planning Committee
Representative

640543

THIS INSTRUMENT WAS DRAFTED BY REINHARD ROEHLIG.

Register's Office
Winnebago County, Wis.
Received for record this 24th
day of October A.D., 1985
at 4:00 o'clock P.M. and
recorded in Vol. 1 of CSM
on page 1463.


[Signature]
Register of Deeds



[Signature]
Schmitt District


17-18-16

NORTH OAKWOOD ROAD
110'



DESCRIPTION: THE SOUTH 110 FEET OF THE NORTH 769 FEET OF THE EAST 290.4 FEET OF THE NE $\frac{1}{4}$ OF THE SW $\frac{1}{4}$ OF SECTION 17, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

GLOYD: 1031 NORTH OAKWOOD ROAD
OSHKOSH, WISCONSIN
1 STORY ATTACHED GARAGE
THERE ARE NO BUILDING ENCROACHMENTS



Robert F. Reider

I, ROBERT F. REIDER
certify that this mortgage inspection was made by me or under my direction and control of the described property on, JULY 22, 1985, according to the official records and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief. Associated Mortgage Inc., in agreement with Carow Land Surveying Co., Inc. has waived parts of Administrative Code A-E 5.01 (3 through 7). THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE. THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF: Associated Mortgage Inc.

REVISIONS	Associated Mortgage Inc. P.O. BOX 2157, APPLETON, WIS. 54913-2157		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297 1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
	DRAWN BY ec dv DD	SCALE 1"=30'	DRAWING NO. 857.195
	APPD	DATE 7-22-85	

Zoning


WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1393

SHEET 1 OF 2

CERTIFIED SURVEY MAP FOR

RONALD LANGE

OF CERTIFIED SURVEY
MAP NO. 137, VOLUME 1, PAGE 137
PART OF THE W $\frac{1}{2}$ OF THE NE $\frac{1}{4}$ OF
SECTION 17, T.18N., R.16 E.
TOWN OF ALGOMA
WINNEBAGO COUNTY, WISCONSIN





Norman G. Hakala
MAY 16, 1985

INTERIOR ANGLES

1. 88° 58' 58"
2. 76° 33' 27"
3. 103° 38' 48"
4. 270° 17' 00"
5. 269° 37' 45"
6. 90° 18' 09"
7. 89° 41' 51"
8. 19° 16' 02"
9. 269° 43' 58"
10. 90° 16' 02"
11. 269° 43' 58"
12. 90° 16' 02"
13. 90° 00' 00"
14. 270° 38' 00"
15. 89° 37' 45"
16. 90° 22' 15"
17. 89° 43' 58"
18. 90° 16' 02"

- - 2" I.P. LOCATED
- - 1" I.P. LOCATED
- - 1" I.P. SET 1.1316/FT. IN WEIGHT.
- ▲ - ANGLE IRON STAKE LOCATED
- ⊙ - CAST ALUMINUM MOND. WITH CROSS LOCATED



-SURVEYOR'S CERTIFICATE-

I, Norman G Hakala, Registered Land Surveyor, hereby certify; That I have surveyed and mapped a parcel of land in the W. 1/2 of the NE 1/4 of Section 17, Township 18 North, Range 16 East, Town of Algoma, Winnebago County, Wisconsin. That I have made such certified survey by the direction of Ronald Lange, said parcel being bounded and described as follows.

CERTIFIED SURVEY MAP NO. 137, VOLUME 1, PAGE 137.


The above described parcel contains (731,634.6 sq.ft.) 16.7960 acres of land more or less. Being subject to all easements and restrictions of record. Reserving that part presently used for roadway purposes.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

Dated this 16, day of MAY, 1985

Norman G. Hakala
Wisconsin Registered Land Surveyor S- 1111
Norman G. Hakala



-OWNER'S CERTIFICATE-

As owner's we do hereby certify that we caused the land shown and described on this map to be surveyed, divided, and mapped as represented hereon.

Ronald W. Lange
Ronald E. Lange

Subscribed and sworn to before me this 20th day of MAY 1985.

W. G. Attenhille
Notary Public - Winnebago County, Wisconsin
My commission expires 6/15/86

-CERTIFICATE OF PLANNING & ZONING COMMITTEE-

This Certified Survey Map of part of the W 1/2 of the NE 1/4, Section 17, Township 18 North, Range 16 East, Town of Algoma, Ronald Lange,

Owner's is hereby approved.

May 2, 1985 Ronald Lange
Date

630721

Register's Office
Winnebago County, Wisconsin
Received for record this 22nd
day of May, A.D., 1985
at 10:30 o'clock A. M. and
recorded in Vol. 1 of C.S.M.
on page 1393.
Myra J. Hakala
Register of Deeds


Ronald Lange 6

2 STORY HOUSE WITH ATTACHED GARAGE


NO BUILDING ENCROACHMENTS PRESENT

BOWERS: 1375 LAKE BREEZE RD.
OSHKOSH, WISCONSIN.

EASEMENT DESCRIBED IN VOL. 1139 PAGE 292
DOES NOT AFFECT THIS PROPERTY.



Robert F. Reider



That part of the North East 1/4 of the NORTH WEST 1/4 of Section Seventeen (17) Township Eighteen (18) North, of Range Sixteen (16) East, in the Town of Algoma, described as follows, viz:- Commencing at the Northwest (most Northerly) corner of Lot Thirty-one (31) in Lake Breeze Plat; thence north Zero (0) degrees Eight (8) minutes east, along the Westerly line of Crestview Lane, Two Hundred Fifty-one and Seventy-five Hundredths (251.75) feet, the place of beginning; thence continuing north Zero (0) degrees Eight (8) minutes east, Two Hundred Eighty-two and Fifty-eight Hundredths (282.58) feet; thence south Eighty-three (83) degrees Thirty-two (32) minutes east, Two Hundred Twenty-six and Fifty-seven Hundredths (226.57) feet; thence south Zero (0) degrees Eight (8) minutes west, One Hundred Ninety and Zero-tenths (190.0) feet, to the Northerly line of Highhill Lane; thence westerly, along the arc of a curve to the left, being the Northerly line of said Highhill Lane, having a radius of Eight Hundred Forty and Zero-tenths (840.0) feet (which chord bears north Sixty-five (65) degrees Twenty-one (21) minutes west and measures Twenty-three and Ninety-four Hundredths (23.94) feet) Twenty-three and Ninety-five Hundredths (23.95) feet; thence north Sixty-four (64) degrees Thirty-two (32) minutes west, along the Northerly line of said Highhill Lane, Fifty-one and Twenty-seven Hundredths (51.27) feet; thence westerly, along the arc of a curve to the left, being the Northerly line of said Highhill Lane, having a radius of One Hundred Ten and Zero-tenths (110.0) feet (which chord bears south Fifty-seven (57) degrees Forty-eight (48) minutes west and measures One Hundred Eighty-five and Eighty-nine Hundredths (185.89) feet) Two Hundred Twenty-one and Forty-one Hundredths (221.41) feet; to the place of beginning.

I, ROBERT F. REIDER
certify that this mortgage inspection was made by me or under my direction and control of the described property on, APRIL 25, 1985, according to the official records and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief. Knutson Mortgage Corp., in agreement with Carow Land Surveying Co., Inc. has waived parts of Administrative Code A-E 5.01 (3 through 7). THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE. THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF: Knutson Mortgage & Financial Corp.

REVISIONS	Knutson Mortgage & Financial Corp. P.O. Box 1893, Appleton, Wis. 54913-1893		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297 1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
	DRAWN BY cc-dv MV	SCALE 1"=60'	DRAWING NO. 854.151
	APP'D	DATE 4-26-85	

PLAT OF SURVEY


KNOWN AS 1020 SCENIC COURT, BEING LOT 54 AND THE SOUTH 5.0 FT. FRONT AND REAR OF LOT 55 IN HONEY CREEK ESTATES FIRST ADDITION, SECTION 17, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

MAY 24, 1985

SURVEY FOR KEVIN PURTELL

SURVEY NO. 1621-S

- ----- DENOTES 1-1/4 INCH DIAMETER ROD FOUND.
- ----- DENOTES 1 INCH DIAMETER ROD FOUND.
- ----- DENOTES 1 INCH DIAMETER IRON PIPE SET.



I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent encumbrances and roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.



national survey & engineering
417 NORTH SAWYER STREET / P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 428-2800



623603

Wm. J. C.

Register's Office
Winnebago County, Wis.
Received for record this *20th*
day of *Dec.* A.D., 19 *84*
at *11:00* o'clock *A.* M. and
recorded in Vol. *1* of *R.S.M.*
on page *1346*

Myra J. Sakuma
Register of Deeds

chg.
6.00

Saylor Surveyors

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1346
 Located in part of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec. 17, T.18N., R.16E.,
 Town of Algoma, Winnebago County, Wisconsin.

Bearings are referenced to the Easterly line of
 FIRST ADDITION TO LAKE BREEZE, assumed to bear
 S.00°38'00"E.

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

This Certified Survey Map of part
 of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec. 17, T.18N.,
 R.16E., Town of Algoma is hereby
 approved.


Dec 20, 1984
 Date

Carol Owen
 Authorized signature


**OAK RIDGE
 COURT**

N.89°18'00"W.
 60.02'

N. 1/4 COR.
 SEC. 17-18-16
 150.04'
 S.00°38'00"E.
 210.06'



N
 FIRST ADDITION TO LAKE BREEZE



- ⊙ Berntsen monument
- Existing iron pipe
- 1"x30" iron pipe weighing 1.13 lbs./lineal ft.

Sheet 1 of 2 sheets

Calvin W. Hawksworth
 Calvin W. Hawksworth
 Wis. Reg. Land Surveyor
 December 7, 1984
 S-1290

SAYLER SURVEY, INC. LAND SURVEYORS WINNECONNE, WI.

F.B. 46
 P. 105

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1346
 Located in part of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec. 17, T.18N., R.16E.,
 Town of Algoma, Winnebago County, Wisconsin.

SURVEYOR'S CERTIFICATE


I, Calvin W. Hawksworth, registered land surveyor, hereby certify:

That I have surveyed, divided and mapped the parcel of land located in part of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec. 17, T.18N., R.16E. in the Town of Algoma, Winnebago County, Wisconsin, described as follows: Beginning at an iron pipe on the Easterly line of FIRST ADDITION TO LAKE BREEZE that is 210.06 ft., S.00°38'00"E. and 60.02 ft., N.89°18'00"W. and 600.00 ft., S.00°38'00"E. of the North $\frac{1}{4}$ corner of said Sec. 17. From that point running S.00°38'00"E., along the Westerly R.O.W. line of Lake Breeze Drive, 205.91 ft., thence N.85°02'00"W., 194.16 ft., thence N.00°08'00"E., 186.90 ft., thence N.89°22'00"E., 190.73 ft. to the said point of beginning.

That I have made such survey, land division and map by the direction of Kenneth G. Kriegel, 1515 Kentucky St., Oshkosh, Wi.; 54901; that such map is a true and correct representation of the exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Sec. 236.34 of the Wisconsin Statutes and the Winnebago County Subdivision Ordinance in surveying, dividing and mapping the same.

Calvin W. Hawksworth
 Calvin W. Hawksworth S-1290
 Wisconsin Registered Land Surveyor
 December 7, 1984.



OWNER'S CERTIFICATE

As owner(s), I(we) hereby certify that I(we) caused the land described on this certified survey map to be surveyed, divided and mapped as represented hereon.

WITNESS the hand and seal of said owner(s) this 12th day of December, 1984.

In presence of:

Carol Stoffel
 Witness, Carol Stoffel

Kenneth G. Kriegel
 Owner(s)
 1515 Kentucky St.
 Oshkosh, Wi. 54901

STATE OF WISCONSIN) SS
 WINNEBAGO COUNTY)

Personally came before me this 12th day of December, 1984, the above named owner(s) to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.

Carol Stoffel
 Notary Public, Winnebago Co. Wi.
 Carol Stoffel
 My commission expires 11/30/86.

Sheet 2 of 2 sheets

SAYLER SURVEY, INC.


WINNECONNE, WI.

DESCRIPTION
FOR
VACATION OF A PORTION OF THE TAMMY ROAD CUL-DE-SAC

Being a part of the Northeast Quarter (NE $\frac{1}{4}$) of Section Seventeen (17), Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin containing 2368 square feet of land and being described by: Commencing at the Southwest corner of Lot 1 of Certified Survey Map No. 999 recorded as Document No. 574454 in the Winnebago County Registry and being the true point of beginning; running thence N. 15°-04'-24" E. 65.36 feet, to a point 50.00 feet East of the center of radius; thence N. 15°-04'-38" W. 65.36 feet, to a point 33 feet East of the centerline of Tammy Road projected North; thence Southerly 155.11 feet, along the arc of a curve to the right having a radius of 71.22 feet and the chord of which bears S. 00°-00'-07" E. 126.23 feet to the true point of beginning.

DATED THIS 22nd DAY OF September, 1983.

Steven T. Chronis
WISCONSIN REGISTERED LAND SURVEYOR, S-0913
STEVEN T. CHRONIS




CURVE DATA FOR
VACATED PORTION OF
TAMMY LANE

RADIUS = 71.22'
CH. BR. = S. 00°-00'-07" E.
CH. DIST. = 126.23'
CENT. ANGLE = 124°-47'-38"
ARC LENGTH = 155.11'
TAN. BR. = N. 62°-23'-56" W.
TAN. BR. = S. 62°-23'-42" W.

— LEGEND —

- = 1" IRON PIPE FOUND
- ⊙ = 2" IRON PIPE FOUND
- = 3/4" STEEL BAR FOUND
- = 1" IRON PIPE SET

BEARING REFERENCE: WEST LINE OF
C.S.M. NO. 412 - ASSUMED TO BEAR
N. 00°-00'-08" W.



AERO-METRIC ENGINEERING, INC.
1091 SOUTH WASHBURN STREET
OSHKOSH, WISCONSIN 54901

THIS INSTRUMENT DRAFTED BY STEVEN T. CHRONIS

L-1201

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1141

UNPLATTED LANDS

272.25'

S 89° 40' 16" E 247.50'

LOT 1

29,724.75 SO. FY.

247.50'


LOT 2

29,724.75 SQ. FT.

UNPLATTED LANDS

LEGEND

- E 1/4 CORNER
SECTION 17-18-18





Alan K. Shute

 ALAN K. SHUTE S-1518

 DATED THIS 6 DAY OF JULY, 1983

JOB NO. 19-1052-83

FIELDBOOK 102, PAGES 27, 28

ROD MC ALLISTER
821 W. 9TH AVENUE
OSHKOSH, WISCONSIN 54901

PAGE 1 OF 2

DRAWN BY ALAN K. SHUTE

Winnebago Land Surveying
311 Baldwin Avenue, Oshkosh, Wisconsin 54901
Phone (414) 426-4951

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1141

SURVEYOR'S CERTIFICATE

I, ALAN K. SHUTE, WISCONSIN REGISTERED LAND SURVEYOR, HEREBY CERTIFY:

THAT I HAVE SURVEYED, DIVIDED AND MAPPED PART OF THE NE $\frac{1}{4}$, NE $\frac{1}{4}$ OF SECTION 17, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN, DESCRIBED AS FOLLOWS: COMMENCING AT THE EAST $\frac{1}{4}$ CORNER OF SAID SECTION, BEING AN ALUMINUM BERNTSEN MONUMENT; THENCE N 00°09'28" E, 2136.40'; THENCE N 89°40'16" W, 24.75' TO THE POINT OF BEGINNING, BEING A 1"x30" REBAR SET:


THENCE N 89°40'16" W, 247.50'; THENCE N 00°09'28" E, 240.20';
THENCE S 89°40'16" E, 247.50'; THENCE S 00°09'28" W, 240.20';

TO THE POINT OF BEGINNING, BEING 59,449.50 SQ. FT. IN AREA.

THAT I HAVE MADE SUCH SURVEY, LAND DIVISION AND MAP UNDER THE DIRECTION OF ROD MC ALLISTER, 821 WEST 9TH AVENUE, OSHKOSH, WISCONSIN, 54901.

THAT THIS MAP IS A CORRECT REPRESENTATION OF THE EXTERIOR BOUNDARIES OF THE LAND SURVEYED AND MAP MADE THEREOF, TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF.

THAT I HAVE COMPLIED WITH THE PROVISIONS OF CHAPTER 236.34 OF THE WISCONSIN STATUTES AND THE WINNEBAGO COUNTY SUBDIVISION ORDINANCE IN SURVEYING, DIVIDING AND MAPPING THE SAME.



Alan K. Shute
ALAN K. SHUTE

S-1518

DATED THIS 6 DAY OF July, 1983

PLANNING COMMITTEE CERTIFICATE

PURSUANT TO THE WINNEBAGO COUNTY SUBDIVISION ORDINANCE, ALL REQUIREMENTS FOR APPROVAL HAVE BEEN FULFILLED FOR THE ABOVE DESCRIBED LAND. THIS CERTIFIED SURVEY MAP IS HEREBY APPROVED AND ACCEPTED THIS 12 DAY OF July, 1983

Mary Ann Wernsing
CHAIRMAN

OWNER'S CERTIFICATE

AS OWNERS, RODNEY L. MC ALLISTER AND JILL E. MC ALLISTER (HUSBAND AND WIFE), HEREBY CERTIFY THAT WE HAVE CAUSED THE ABOVE DESCRIBED LAND TO BE SURVEYED, DIVIDED AND MAPPED AS REPRESENTED ON THIS MAP.

DATED THIS 8 DAY OF July, 1983

Rodney L. McAllister
RODNEY L. McALLISTER

Jill E. McAllister
JILL E. McALLISTER

STATE OF WISCONSIN)
COUNTY OF WINNEBAGO)SS

PERSONALLY CAME BEFORE ME THIS 8th DAY OF July, 1983 THE ABOVE NAMED OWNERS, RODNEY L. MC ALLISTER AND JILL E. MC ALLISTER TO ME KNOWN TO BE THE PERSONS WHO EXECUTED THE FOREGOING INSTRUMENT, ACKNOWLEDGE THE SAME.

Joy A. Raymond
Joy A. Raymond NOTARY PUBLIC

Winnebago County, Wisconsin.

COMMISSION EXPIRES Oct. 20, 1985

594479

Register's Office
Winnebago County, Wis.
Received for record this 14th
day of July A.D. 1883
at 9:00 o'clock A.M. and
recorded in Vol. 1 of S.M.
in page 7141
Mary Ann Johnson
Register of Deeds

Winnebago land

Chy
6 out

PLAT OF SURVEY Sec 17 T78N R16E

BEING LOT 99 IN THE THIRD ADDITION TO LAKE BREEZE PLAT, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

JULY 18, 1933

SURVEY FOR OSHKOSH SAVINGS
APPLICANT: JAMES M. CASPER
(MORTGAGE WAIVER ON FILE)

SURVEY NO. 1268-44

CURVE DATA

RADIUS: 327.56

$$A_{RC} = 24.14$$

СНОГО: N71°32'30.5"W
24.13

24.13

LAKE BREEZE COURT (66.0)

Let 17 020 R16



Winnebago Land Surveying

511 Baldwin Avenue, Oshkosh, Wisconsin 54901
Phone (414) 426-4957


MAP OF SURVEY

LOT 101, THIRD ADDITION TO LAKE BREEZE PLAT, TOWN OF ALGOMA,
WINNEBAGO COUNTY, WISCONSIN


LAKE BREEZE COURT (66')
(GRAVEL)



BEARINGS ARE REFERENCED TO THE THIRD ADDITION TO
LAKE BREEZE PLAT



• - 1" IRON PIPE FOUND PER PLAT



SURVEYOR'S CERTIFICATE

I, ALAN K. SHUTE, WISCONSIN REGISTERED LAND SURVEYOR, HAVE SURVEYED THE SITE SHOWN ON THIS MAP. THIS SURVEY AND MAP SHOWS THE SIZE AND LOCATION OF THE PROPERTY, ITS EXTERIOR BOUNDARIES, AND THE LOCATION OF ALL STRUCTURES THEREON, FENCES, APPARENT EASEMENTS, ROADWAYS AND VISIBLE ENCROACHMENTS IF ANY. THIS SURVEY IS MADE FOR THE EXCLUSIVE USE OF ROGER MATHWIG, 4098 OMRO ROAD, OSHKOSH, WISCONSIN, 54901 AND THOSE WHO PURCHASE, MORTGAGE OR GUARANTEE THE TITLE THERETO WITHIN ONE (1) YEAR FROM THE DATE HEREOF. TO THEM I CERTIFY THAT THIS SURVEY AND MAP WERE MADE IN ACCORDANCE WITH ACCEPTABLE PROFESSIONAL STANDARDS AND IN MY PROFESSIONAL OPINION THE ACCOMPANYING MAP IS A TRUE AND ACCURATE REPRESENTATION OF THIS SITE TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF.

Alan K. Shute

ALAN K. SHUTE R.L.S. - 1518
DATED THIS 1st DAY OF JUNE, 1983

Sec 17 T 18 R 16

Winnebago Land Surveying

511 Baldwin Avenue, Oshkosh, Wisconsin 54901
Phone (414) 426-4951


SKETCH

PART LOT 100, THIRD ADDITION TO LAKE BREEZE PLAT, TOWN
OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN

LAKE BREEZE COURT
(GRAVEL)

PARCEL "A" = 2324.22 SQ. FT.

• = 1" IRON PIPE FOUND



BEARINGS REFERENCED TO THE WEST LINE OF LOT 101,
WHICH BEARS S 00° 35' 00" E

LOT 100

LOT 101

N 5° 28' 04" E
210.97'
S 00° 35' 00" E
210.17'

"A"

1" IRON PIPE FOUND
.21' E. OF TRUE


UTILITY
JUNCTION
BOX

N 89° 37' 31" W
22.12'

LOT 82

LOT 83

SECOND ADDITION TO LAKE BREEZE PLAT



ALAN K. SHUTE

S-1518

DATED THIS 20th DAY OF JUNE, 1983

Survey & Descriptions For Richard Lichtwald:

That Part Of Sec. 17-18-16, Town Of Algoma, Winnebago County, Wis. Described As Follows: That Part Of The S.W. 1/4 Of The N.E. 1/4 Of Sec. 17-18-16 Described As Follows:

Parcel 'A'


The East 233.0 ft. Of The West 1254.0 ft. Of The South 158.0 ft. Of The S.W. 1/4 Of The N.E. 1/4 Of Sec. 17-18-16. Said Parcel Contains 0.99 Acres More Or Less.

Parcel 'B'

The East 233.0 ft. Of The West 1254.0 ft. Of The North 100.0 ft. Of The South 285.0 ft. Of The S.W. 1/4 Of The N.E. 1/4 Of Sec. 17-18-16. Said Parcel Contains 0.53 Acres More Or Less.

Parcel 'C'

The East 233.0 ft. Of The West 1254.0 ft. Of The North 100.0 ft. Of The South 385.0 ft. Of The S.W. 1/4 Of The N.E. 1/4 Of Sec. 17-18-16. Said Parcel Contains 0.53 Acres More Or Less.



Scale
1" = 100'
Iron Stakes Shown Thus * *

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
Nov. 21, 1963

(5)

Survey For Harold Barber: House At # 1232 Tammy Road

Lot Description:

All Of Lot # 2, In LIESE'S SUBD., Town Of Algoma, Part Of The West 1/2 Of The Sec. 17-18-16, Winnebago County, Wis. S. 1/4 N.E. 1/4


CERTIFICATE

To All Parties Interested In Title To Premises Surveyed.

I Hereby Certify That I Have Surveyed The Above Described Property, A Copy Of Which Is Set Forth Hereon, That The Survey Accurately Locates The Building On The Property & That There Are No Encroachments On The Property Or From The Property Onto Another Property Except As May Be Reflected On The Survey.

Dated: July 11, 1967

T.E. Stearns - Reg. Surveyor No. 339



Scale
1" = 30'

Iron Stakes Shown Thus -




Survey & Platting Co.
Oshkosh, Wis.

T.E. Stearns - Reg. Surveyor
July 11, 1967

5

Survey Parcels # 1-2-3 In The N.E.1/4 Of Sec. 17-18-16, Town Of Algoma,
Winnebago County, Wis.



Scale
1" = 200'

Iron Stakes Shown Thus -
State Law: 4 Parcels Of Land May Be
Sold In 5 Years.

Survey & Flattig Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
July 2, 1966

⑤

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor

July 2, 1966

Survey For W. Whiston:

Description For Parcel # 1

That Part Of The N.E.1/4 Of Sec. 17-18-16, Town Of Algoma, Winnebago County, Wis. Described As Follows: The North 120.0 ft. Of The South 1153.0 ft. Of The East 200.0 ft. Of The West 991.0 ft. Of The N.E.1/4 Of Sec. 17-18-16. Said Parcel Contains 0.55 Acres More Or Less.

Description For Parcel # 2

That Part Of The N.E.1/4 Of Sec. 17-18-16, Town Of Algoma, Winnebago County, Wis. Described As Follows: The North 120.0 ft. Of The South 1273.0 ft. Of The East 200.0 ft. Of The West 991.0 ft. Of The N.E.1/4 Of Sec. 17-18-16. Said Parcel Contains 0.55 Acres More Or Less.

Description For Parcel # 3

That Part Of The N.E.1/4 Of Sec. 17-18-16, Town Of Algoma, Winnebago County, Wis. Described As Follows: The North 120.0 ft. Of The South 1393.0 ft. Of The East 200.0 ft. Of The West 991.0 ft. Of The N.E.1/4 Of Sec. 17-18-16. Said Parcel Contains 0.55 Acres More Or Less.

Survey For W. Whiston:
May 24, 1969

(4)

Description For Parcel 'A'

That Part Of The N.E.1/4 Of Sec. 17-18-16, Town Of Algoma, Winnebago County, Wis. Described As Follows: The North 105.0 ft. Of The South 1498.0 ft. Of The East 200.0 ft. Of The West 991.0 ft. Of The N.E.1/4 Of Sec. 17-18-16, Except That Portion Used For Road Purposes. Said Parcel Contains 0.48 Acres More Or Less.

Description For Parcel 'B'

That Part Of The N.E.1/4 Of Sec. 17-18-16, Town Of Algoma, Winnebago County, Wis. Described As Follows: The North 105.0 ft. Of The South 1603.0 ft. Of The East 200.0 ft. Of The West 991.0 ft. Of The N.E.1/4 Of Sec. 17-18-16, Except That Portion Used For Road Purposes. Said Parcel Contains 0.48 Acres More Or Less.

Description For Parcel 'C'

That Part Of The N.E.1/4 Of Sec. 17-18-16, Town Of Algoma, Winnebago County, Wis. Described As Follows: The North 104.0 ft. Of The South 1707.0 ft. Of The East 200.0 ft. Of The West 991.0 ft. Of The N.E.1/4 Of Sec. 17-18-16, Except That Portion Used For Road Purposes. Said Parcel Contains 0.47 Acres More Or Less.

(3)

Survey For First National Bank: Lot # 1 In Lake Breeze Plat

Lot Description:

All Of Lot # 1 In The LAKE BREEZE FLAT, Part Of The S.E. 1/4 Of The N.W. 1/4 Of Sec. 17-18-16, Town Of Algoma, Winnebago County, Wis.


CERTIFICATE

To All Parties Interested In Title To Premises Surveyed

I Herby Certify That I Have Surveyed The Above Described Property, A Copy Of Which Is Set Forth Hereon, That The Survey Accurately Locates The Building On The Property & That There Are No Encroachments On The Property Or From The Property Onto Another Property Except As May Be Reflected On The Survey

Dated: Oct. 14, 1967.

T.E. Stearns - Reg. Surveyor No. 359



Scale
1" = 40'
Iron Stakes Shown Thus = o

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
Oct. 14, 1967

5

Survey For First National Bank - Lot # 10 In Lake Breeze Plat

Description Of Lot:

All Of Lot # 10 In The LAKE BREEZE PLAT, Being Part Of The N.E.1/4 & The S.E.1/4 Of Sec. 17-18-16, Town Of Algoma, Winnebago County, Wis.


CERTIFICATE

To All Parties Interested In Title To Premises Surveyed.


I Hereby Certify That I Have Surveyed The Above Described Property, A Copy Of Which Is Set Forth Hereon, That The Survey Accurately Locates The Building On The Property & That There Are No Encroachments On The Property Or From The Property Onto Another Property Except As May Be Reflected On Survey.

Dated: Dec. 27, 1967.

T.E. Stearns
T.E. Stearns - Reg. Surveyor #389



Survey Parcels 'A', 'B', & 'C' In The N.E. 1/4 Of Sec. 17-18-16, Town Of Algona,
Winnebago County, Wis.



Survey & Flattling Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
May 24, 1969

Survey For Fox Valley Builders:

Lot Descriptions


Lot Description:
All Of Lot # 1 In Mase's Subd., Town Of Algoma, Sec. 17-18-16, Winnebago
County, Wisconsin.

CERTIFICATE

I, Theo. E. Stearns Registered Surveyor In Winnebago County, Do Hereby
Certify That I Have Surveyed The Foundation Location On The Property
According To Official Records And That The Plat Map Drawn Is A Correct
Representation Of Said Survey.

Dated: Oct. 18, 1962

Wm. E. Stearns.
Reg. Bureau No. 8-359



SURVEY FOR MRS. JOHN GULIG:-
PART OF THE S.E. 1/4 OF SEC.
17-18-16



S.E. 1/4
SEC 17-18-16

E. 1/4 LINE

R.R. PAR RD.

S.E. 1/4 OF S.E. 1/4
SEC. 17-18-16

E. LINE
SEC. 17

S.L. SMITH

46.97 AC. ±

PARCEL "A"
13.28 ACRES.

S. LINE SEC. 17

N.E. 1/4 OF N.E. 1/4 SEC. 20-18-16

SURVEY & ENGINEERING CORP.

Oshkosh, Wis

J. E. STEARNS, SURVEYOR

AUG 12, 1957

REV. OCT. 30, 1962.

JOB # A-78

SCALE,
1" = 200'

IRON STAKES SHOWN THUS ---


SECTION
CORNER

STK. OUT
18' FROM
& RD.

(4)

Survey For Darel Simon Atty.

Re: Survey And Check Parcels On U.T.R. # 21 And Oakwood Road In The
N.E.1/4 Of The S.E.1/4 Of Sec. 17-18-16, Town Of Algona, Winnebago County,
Wis.



N.E. 1/4 OF S.E. 1/4

SEC. 17-18-16



100

Iron Stakes Shown Thus

Survey & Flattig Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
Sept. 22, 1962

(3)

SURVEY FOR OAKWOOD SCHOOL
TOWN OF ALGOMA, SEC. 17-18-16.
WINNEBAGO COUNTY, WIS.

TOWN OF ALGOMA

S.E. 1/4 OF N.E. 1/4
SEC. 17-18-16

M. SIPPEL

340.42'
OAKWOOD

SCHOOL

SCALE

1" = 200'


IRON STAKES SHOWN THUS--o

SURVEY & PLATTING CO.
DUNKOSH, WIS.

T.E. STEARNS - C. J. RYDER
REV. OCT. 17, 1960

Top # 345

Stake Out And Survey A 1500.0 ft. North & South Roadway On The Albert E.
Liese Property In The Town Of Algoma, Dec. 17-18-16



SURVEY & PLATTING CO.
OSHKOSH, WIS.
T.E. STEARNS - COUNTY SURVEYOR
SEPT. 28, 1961

6