


19 - 18 - 16

NO.	SURVEYED FOR	SURVEYOR	DATE	PLAT NO.	CERTIFIED MAP NO.	SURVEYS		SURVEY LOCATION
						VOL.	PAGE	
V	Welch	Miller	6.21.79					SE - NW 19-18-16
V	Welch	Saylor	10.8.76					E 1/2 - NW 19-18-16
R	Miller	Chapman	8.2.79		S39035	1	691	SW - SE 19-18-16



The North Four Hundred Ninety-two and Two-tenths (492.2) feet of the East Eight Hundred Eighty-five (885) feet of the North East 1/4 of the SOUTH EAST 1/4 of Section Nineteen (19) Township Eighteen (18) North, of Range Sixteen (16) East, in the Town of Algoma, Winnebago County, Wisconsin, excepting therefrom the five (5) following described tracts of land, viz:-


1. The West 103 feet of the East 169 feet of the North 222.2 feet thereof.
2. The South 90 feet of the North 312.2 feet of the West 200 feet of the East 266 feet thereof.
3. The West 100 feet of the East 366 feet of the North 222.2 feet thereof.
4. The West 97 feet of the East 266 feet of the North 222.2 feet thereof.
5. Those portions thereof heretofore conveyed for roadway purposes by deeds recorded in Volume 746 on Page 271 and as Document No. 432851.

GEORGE & FAYE CROWNER: 3671 4th ST. RD.

1 STORY HOUSE

NO BUILDING ENCROACHMENTS PRESENT

RE: EASEMENTS RECORDED IN VOL. 859 P. 567. THERE ARE NO VISIBLE EASEMENTS LOCATED ON, OVER OR ACROSS SUBJECT PROPERTY. HOWEVER SAID EASEMENT CANNOT BE SPECIFICALLY LOCATED.



Robert F. Reider

I, ROBERT F. REIDER

certify that this mortgage inspection was made by me or under my direction and control of the described property on, AUGUST 29, 1988, according to the official records and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief. Oshkosh Savings & Loan in agreement with Carow Land Surveying Co., Inc. has waived parts of Administrative Code A-E 5.01 (3 through 7). THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE. THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF: Oshkosh Savings & Loan.

REVISIONS	Oshkosh Savings & Loan		
	P.O. Box 80, Oshkosh, Wis. 54902		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297		
	1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
	DRAWN BY kv dv	DV	SCALE 1"=200'
	APPRO	DATE	DRAWING NO.
		8-29-88	888.142

[illegible]

SURVEYOR'S CERTIFICATE

I, LARRY J. MILLER, STATE OF WISCONSIN REGISTERED LAND SURVEYOR NO. S-1474 DO HEREBY CERTIFY THAT BY THE ORDER OF THE OWNER, VIRGINIA M. WEICH, I HAVE MADE A SURVEY OF LANDS LOCATED IN THE SE $\frac{1}{4}$ OF THE NW $\frac{1}{4}$ OF SECTION 19, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: BEGINNING AT THE NORTHWEST CORNER OF LOT 9, HORSESHOE ACRES ASSESSOR'S PLAT; THENCE S0°30'E ALONG THE WESTERLY LINE THEREOF 270.00 FEET; THENCE S89°50'E ALONG THE SOUTHERLY LINE THEREOF 151.76 FEET; THENCE S0°48'E ALONG THE WESTERLY LINE OF HORSESHOE ROAD 177.80 FEET; THENCE S44°48'W ALONG THE NORTHWESTERLY LINE OF A VISION CORNER 101.88 FEET; THENCE S89°46'W ALONG THE NORTHERLY LINE OF CTH "E" (4th STREET ROAD) 330.25 FEET; THENCE N0°30'W 522.60 FEET; THENCE S89°50'E 250.00 FEET TO THE POINT OF BEGINNING CONTAINING A TOTAL OF 3.81 ACRES MORE OR LESS.

I DO FURTHER CERTIFY THAT THIS PLAT IS A TRUE REPRESENTATION OF THE LANDS SURVEYED AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF SECTION 236.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY IN SURVEYING AND MAPPING THE SAME.

Larry J. Miller
LARRY J. MILLER, RLS #S-1474

6-21-79
DATED

DESCRIPTION OF PRIVATE ACCESS EASEMENT

A STRIP OF LAND BEING 30 FEET IN WIDTH LOCATED IN THE SE $\frac{1}{4}$ OF THE NW $\frac{1}{4}$ OF SECTION 19, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: BEGINNING AT THE NORTHWEST CORNER OF LOT 9, HORSESHOE ACRES ASSESSOR'S PLAT; THENCE N89°50'W ALONG THE NORTH LINE OF A C.S.M., 250.00 FEET; THENCE N0°30'W 30.00 FEET; THENCE S89°50'E 250.00 FEET; THENCE S0°30'E ALONG THE WESTERLY LINE OF HORSESHOE ROAD 30.00 FEET TO THE POINT OF BEGINNING CONTAINING 0.17 ACRES MORE OR LESS.

OWNER'S CERTIFICATE

AS OWNER I DO HEREBY CERTIFY THAT I HAVE CAUSED THE LANDS ON THIS PLAT TO BE SURVEYED AND MAPPED.

Virginia M. Weich
VIRGINIA M. WEICH, OWNER


6-26-79
DATED

WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE APPROVAL

THIS CERTIFIED SURVEY MAP HAS BEEN APPROVED BY THE WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE.

Robert M. Hunter
AUTHORIZED REPRESENTATIVE

6-27-79
DATED



563834



Register's Office

Winnebago County, Wis.

Received for record this 19th

day of May A.D. 1901

at 1:10 o'clock P. M. and

recorded in Vol. 1 of C.L.M.

on page 901

Regina Lohm

Register of Deeds

Winnipeg

*Winnipeg at Chg
200*

ORIGINAL




NORTH IS REFERENCED TO
THE WEST LINE OF CSN'S
VOLUME 1, PAGE 901;
WHICH IS RECORDED TO
BEAR NO° 30'W.

SCALE: 1" = 100'

LEGEND

- ⊙ 1 1/2" STEEL REBAR SET (30" LONG, 4.303#/LIN.FT.)
- 3/4" STEEL REBAR SET (24" LONG, 1.502#/LIN.FT.)
- EXISTING 3/4" STEEL REBAR
- △ EXISTING HIGHWAY RIGHT-OF-WAY POST

CERTIFIED SURVEY MAP
SURVEY FOR: KNIGHT REALTY
P.O. BOX 2642
OSHKOSH, WI
PREPARED BY: RICE & ORTH, INC.
APPLETON, WI
FILE NO. S-2042
DATE: AUGUST 17, 1982



SURVEYOR'S CERTIFICATE

I, LARRY J. MILLER, STATE OF WISCONSIN REGISTERED LAND SURVEYOR NO. S-1474 DO HEREBY CERTIFY THAT BY THE ORDER OF THE OWNER I HAVE RESUBDIVIDED LOT 2 OF "CERTIFIED SURVEY MAPS" VOLUME 1, PAGE 901, RECORDED AS DOCUMENT NO. 563834 OF WINNEBAGO COUNTY RECORDS, SAID LANDS BEING LOCATED IN THE SE 1/4 OF THE NW 1/4 OF SECTION 19, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN, AND ARE BOUNDED AND DESCRIBED AS FOLLOWS:

BEGINNING AT THE SOUTHWEST CORNER OF AFORESAID "CERTIFIED SURVEY MAP"; THENCE NO° 30'W 144.60 FEET; THENCE S89°50'E 250.00 FEET; THENCE NO° 30'W 108.00 FEET; THENCE S89°50'E 151.76 FEET; THENCE S0°48'E 177.80 FEET; THENCE S44°48'W 101.88 FEET; THENCE S89°46'W 330.25 FEET TO THE POINT OF BEGINNING CONTAINING A TOTAL OF 1.64 ACRES OF LAND MORE OR LESS AND BEING SUBJECT TO ANY EASEMENTS AND RESTRICTIONS OF RECORD.

I DO FURTHER CERTIFY THAT THIS MAP IS A TRUE REPRESENTATION THEREOF AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF SECTION 236.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY IN SURVEYING AND MAPPING THE SAME.

Larry J. Miller
LARRY J. MILLER, RLS NO. S-1474

8-17-82
DATED

OWNER'S CERTIFICATE

AS OWNER I DO HEREBY CERTIFY THAT I HAVE CAUSED THE LANDS ON THIS MAP TO BE SURVEYED, DIVIDED, AND MAPPED AS SHOWN.

Virginia M. Weich
VIRGINIA M. WEICH, OWNER

Aug 19-1982
DATED

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

PERSONALLY CAME BEFORE ME THIS *19* DAY OF *August*, 1982, THE ABOVE NAMED TO ME KNOWN TO BE THE PERSON WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGED THE SAME.

Russell F. Williams
NOTARY PUBLIC

Winnebago COUNTY, WISCONSIN
MY COMMISSION EXPIRES *is permanent*

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE APPROVALS:

THIS CERTIFIED SURVEY MAP HAS BEEN APPROVED BY THE WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE.

Mark Ann Williams
AUTHORIZED REPRESENTATIVE

8/26/82
DATED

N

NORTH IS REFERENCED TO
THE WEST LINE OF CSM'S
VOLUME 1, PAGE 901;
WHICH IS RECORDED TO
BEAR NO°30'W.

SCALE: 1" = 100'

LEGEND

- ⊙ 1½" STEEL REBAR SET (30" LONG, 4.303#/LIN.FT.)
- 3/4" STEEL REBAR SET (24" LONG, 1.502#/LIN.FT.)
- EXISTING 3/4" STEEL REBAR
- △ EXISTING HIGHWAY RIGHT-OF-WAY POST

CERTIFIED SURVEY MAP
SURVEY FOR: KNIGHT REALTY
P.O. BOX 2642
OSHKOSH, WI
PREPARED BY: RICE & ORTH, INC.
APPLETON, WI
FILE NO. S-2042
DATE: AUGUST 17, 1982

SURVEYOR'S CERTIFICATE

I, LARRY J. MILLER, STATE OF WISCONSIN REGISTERED LAND SURVEYOR NO. S-1474 DO HEREBY CERTIFY THAT BY THE ORDER OF THE OWNER I HAVE RESUBDIVIDED LOT 2 OF "CERTIFIED SURVEY MAPS" VOLUME 1, PAGE 901, RECORDED AS DOCUMENT NO. 553034 OF WINNEBAGO COUNTY RECORDS, SAID LANDS BEING LOCATED IN THE SE¼ OF THE NW¼ OF SECTION 19, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN, AND ARE BOUNDED AND DESCRIBED AS FOLLOWS:

BEGINNING AT THE SOUTHWEST CORNER OF AFORESAID "CERTIFIED SURVEY MAP"; THENCE NO°30'W 144.60 FEET; THENCE S89°50'E 250.00 FEET; THENCE NO°30'W 108.00 FEET; THENCE S89°50'E 151.76 FEET; THENCE SO°48'E 177.80 FEET; THENCE S44°48'W 101.58 FEET; THENCE S89°46'W 330.25 FEET TO THE POINT OF BEGINNING CONTAINING A TOTAL OF 1.64 ACRES OF LAND MORE OR LESS AND BEING SUBJECT TO ANY EASEMENTS AND RESTRICTIONS OF RECORD.

I DO FURTHER CERTIFY THAT THIS MAP IS A TRUE REPRESENTATION THEREOF AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF SECTION 230.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY IN SURVEYING AND MAPPING THE SAME.

Larry J. Miller
LARRY J. MILLER, RLS NO. S-1474

8-17-82
DATED

OWNER'S CERTIFICATE

AS OWNER I DO HEREBY CERTIFY THAT I HAVE CAUSED THE LANDS ON THIS MAP TO BE SURVEYED, DIVIDED, AND MAPPED AS SHOWN.

Virginia M. Weich
VIRGINIA M. WEICH, OWNER

Aug 19-1982
DATED

STATE OF WISCONSIN)
WINNEBAGO COUNTY)

PERSONALLY CAME BEFORE ME THIS 19 DAY OF August, 1982, THE ABOVE NAMED TO ME KNOWN TO BE THE PERSON WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGED THE SAME.

Robert F. Williams
NOTARY PUBLIC

Winnebago COUNTY, WISCONSIN


MY COMMISSION EXPIRES is permanent

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE APPROVALS:

THIS CERTIFIED SURVEY MAP HAS BEEN APPROVED BY THE WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE.

Mary Ann O'Leary
AUTHORIZED REPRESENTATIVE

8/26/82
DATED




579591

Register's Office
Winnebago County, Wis.
Received for record this 31st
day of August, 1982
at 9:18 clock A.M.
recorded in Vol. 1 of S.M.
in page 1039
Register's Office
Register of Deeds


Wellman & Wellman

Chas
1700




VIRGINIA WEICH

PART OF THE E 1/2 OF THE NW 1/4
OF SEC. 19, T.18N., R.16E. IN THE
TOWN OF ALSOMA, WINNEBAGO
COUNTY, WISCONSIN.



- ① DENOTES EXISTING IRON PIPE
- DENOTES CAPPED IRON PIPE SET

R. K. Saylor
SURVEYOR S-417




S- 000641

Scale: 1 in. = 100 ft.

October 8, 1976

Bk. 35 P. 41




DESCRIPTION: THE NORTH 220 FEET OF THE SOUTH 265 FEET OF OF THE WEST 140 FEET OF THE WEST HALF OF THE EAST HALF OF THE NORTHWEST ONE-QUARTER OF SECTION 19, TOWN 18 NORTH, RANGE 16 EAST, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN

ADDRESS: 4144 W. 4TH STREET

1½ STORY HOUSE

THERE ARE NO BUILDING ENCROACHMENTS.

-FORBES



I, ROBERT F. REIDER

Robert F. Reider

certify that this mortgage inspection was made by me or under my direction and control of the described property on, DECEMBER 31, 1984, according to the official records and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief. Associated Mortgage Inc., in agreement with Carow Land Surveying Co., Inc. has waived parts of Administrative Code A-E 5.01 (3 through 7). THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE. THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF: Associated Mortgage Inc.

REVISIONS	Associated Mortgage Inc. 1011 N. Lynndale Dr. Suite 2B, Appleton, Wis.		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297 1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
DRAWN BY	EC	SCALE	DRAWING NO.
EC	EC	1"=40'	8412.167
DATE	12-31-84		


MAP OF SURVEY
PART OF THE NE 1/4 OF THE NW 1/4 OF SECTION 19, T18N, R16E,
TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN

WILLIAMS AND WILLIAMS
c/o ANN BLISS

① -- 1 1/4" REBAR FOUND
■ -- 1" x 30" REBAR SET

RADIUS = 66.01'
ARC = 312.06'
CHORD = S 45° 26' W, 92.64'
Δ = 89 08'
TANGENT = S 60° 52' E, 65.01'

BEARINGS ARE REFERENCED TO THE WEST
LINE OF LOT 1, HORSESHOE ACRES
ASSESSOR'S PLAT WHICH BEARS N 00° 52' W



Part of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 19,
T18N, R17E, Town of Algoma, Winnebago
County, Wisconsin, described as follows:
Beginning at the Northwest corner of
Lot 1, Horseshoe Acres Assessor's Plat,
being a 1 $\frac{1}{4}$ " Re-bar found,

thence along a curve to the left 312.06', whose radius is 66.01', having a chord length of 92.64' which bears S 45° 26' W;

thence S 00° 52' E, 322.41';
thence East, 66.01';
thence N 00° 52' W, 388.42'



to the Point of Beginning. The above described parcel to be used for road purposes only. Parcel contains .82 acres more or less.

I, Alan K. Shute, Land Surveyor, hereby certify that I have surveyed the property as shown and described and that the above map is a correct representation of the same.

Alan K. Lute

ALAN K. SHUTE S-1518

DATED THIS 25 DAY OF JUNE, 1981



Zoning

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Sheet 1 of 2

CERTIFIED SURVEY MAP
for
Ronald Miller

SURVEYOR'S CERTIFICATE:


I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped a part of the Southwest Quarter (SW $\frac{1}{4}$) of the Southeast Quarter (SE $\frac{1}{4}$) of Section Nineteen (19) Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin containing 1.00 Acres of land and being described by: Commencing at the South Quarter (S $\frac{1}{4}$) Corner of said Section 19, thence East 724.01 feet along the South line of the SE $\frac{1}{4}$ of said Section 19 to the true point of beginning, thence North 208.71 feet, thence East 208.71 feet, thence South 208.71 feet, thence West 208.71 feet along the South line of the SE $\frac{1}{4}$ of said Section 19 and the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.


Dated this 2nd day of August, 1979

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



— LEGEND —

- = 1" 24" IRON PIPE WEIGHING 168 LBS/LINEAL FOOT.
- = P.K. NAIL SET.
- SCALE: 1" = 60'
- NOTEBOOK 47 PAGE 50
- DATE: AUG. 2, 1979



AERO-METRIC ENGINEERING INC.

1091 SOUTH WASHBURN ST.
OSHKOSH, WISCONSIN 54901

THIS INSTRUMENT DRAFTED BY STEVEN T. CHRONIS S-913

L-706

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

OWNER'S CERTIFICATE:

As owners, we hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 9th day of August, 1979

In the Presence of:

Henton M. Plonogian
Denise Butler

Claude F. Miller
Claude F. Miller
Hannah Miller
Hannah Miller

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 9th day of August, 1979, the above named Claude F. Miller and Hannah Miller to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Henton M. Plonogian
Notary Public, Winnebago, Wisconsin
My Commission expires is permanent

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE CERTIFICATE:


This Certified Survey Map of a part of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of section 19, T. 18 N., R. 16 E., Claude F. Miller and Hannah Miller owners, is hereby approved.

Date August 3, 1979

by Loriel M. Hentzen DRB

Dated this 2nd day of August, 1979

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



Registered Office
Winnebago County, Wis.
Received for record this 24th day of August, A.D. 1979, at 10:44 o'clock A.M. recorded in Vol. 1 of Survey Maps on page 641
James C. Hughes
Dep. Registrar of Deeds

L-706

539035

Henton M. Plonogian
24

Survey For Geo. Crouner:

Description For Parcel # 1

That Part Of The N.E.1/4 Of The S.E.1/4 Of Sec. 19-18-16, Town Of Algoma, Winnebago County, Wis. Described As Follows: The West 103.0 ft. Of The East 169.0 ft. Of The South 189.2 ft. Of The North 222.2 ft. Of The N.E.1/4 Of The S.E.1/4 Of Sec. 19-18-16. Said Parcel Contains 0.44 Acres More Or Less In The Clear.

CERTIFICATE

I Hereby Certify That I Have Surveyed The Above Described Property, A Copy Of Which Is Set Forth Hereon, And That The Survey Accurately Locates The Property & That There Are No Encroachments On The Property Or From The Property Onto Another Property Except As May Be Reflected On The Survey. Also That The Seller Has Complied With All The State And County Regulations Pertaining To The Subdivision Of Property In Winnebago County.


Dated: Nov. 7, 1969

T.E. Stearns
T.E. Stearns - Reg. Surveyor # 359



E 1/4 COR. SEC. 19-18-16

NOTE: TILE DRAINAGE EASEMENT IS
WEST OF CROWNER PROP.
TILE DRAINAGE EASEMENT #250979



492.2 To E. ROAD

4TH ST. ROAD - C.T.H.E.
885.0' To SEC. COR.
N.T.S.

PUBLIC UTILITY LINES
INSIDE HIGHWAY RIGHT OF WAY

TOWN OF ALGOMA.

SEC. 19-18-16

N.E. 1/4 OF S.E. 1/4

GEO. CROWNER PROP.

66.0 PUBLIC ROAD DEEDED MAY 3, 1954
IN VOL. # 746 ON PAGE # 271, WINNEBAGO CO.

885.0 To SEC. LINE P.L.
N.T.S.

222.2 To E. ROAD
189.2 To IRONS

PARCEL #1
0.44 ACRES
IN THE CLEAR

103.0
169.0
270.0 To IRONS

E. CLAIRVILLE ROAD

E. LINE - SEC. 19-18-16

Scale
1" = 100'

Iron Stakes Shown Thus - •

N.T.S. - Not To Scale

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
Nov. 7, 1969

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor

Oct. 5, 1972

Survey For Geo. Crowner:


Description For Parcel # 3
That Part Of The N.E.1/4 Of The S.E.1/4 Of Sec. 19-18-16, Town Of Algoma,
Winnebago County, Wis. Bounded & Described As Follows:
The West 100.0 ft. Of The East 366.0 ft. Of The North 222.2ft. Of The
N.E.1/4 Of The S.E.1/4 Of Sec. 19-18-16. Said Parcel Contains 0.51 Acres
More Or Less, Except That Portion Used For Road Purposes.

(3)



Survey For Geo. Crowner:

Description For Parcel # 2
That Part Of The N.E.1/4 Of The S.E.1/4 Of Sec. 19-18-16, Town Of Algoma,
Winnebago County, Wis. Described As Follows: The South 90.0 ft. Of The
North 312.2 ft. Of The West 200.0 ft. Of The East 266.0 ft. Of The N.E.1/4
Of S.E.1/4 Of Sec. 19-18-16. Said Parcel Contains 0.41 Acres More Or Less
In The Clear.



Scale
1" = 100'

Iron Stakes Shown Thus - *

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
March 28, 1970
Rev. Oct. 5, 1972

(5)

Survey For Geo. Crowner:

Description For Parcel # 1

That Part Of The N.E.1/4 Of The S.E.1/4 Of Sec. 19-18-16, Town Of Algoma, Winnebago County, Wis. Described As Follows: The West 103.0 ft. Of The East 169.0 ft. Of The South 189.2 ft. Of The North 222.2 ft. Of The N.E.1/4 Of The S.E.1/4 Of Sec. 19-18-16. Said Parcel Contains 0.44 Acres More Or Less In The Clear.


CERTIFICATE

I Hereby Certify That I Have Surveyed The Above Described Property, A Copy Of Which Is Set Forth Hereon, That The Survey Accurately Locates The Building On The Property & That There Are No Encroachments On The Property Or From The Property Onto Another Property Except As May Be Reflected On The Survey. Also That The Seller Has Complied With All The State And County Regulations Pertaining To The Subdivision Of Property In Winnebago County.

Dated: Nov. 13, 1969



T.E. Stearns
E. Stearns - Reg. Surveyor #359




Iron Stakes Shown Thus - •

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
Nov. 13, 1969

Survey For Cliff Genz:

Description For Parcel # 1
That Part Of The S.W. 1/4 Of The N.W. 1/4 Of Sec. 19-18-16, Town Of Algoma,
Winnebago County, Wis. Described As Follows: The West 110.0 ft. Of The South
220.0 ft. Of The S.W. 1/4 Of The N.W. 1/4 Of Sec. 19-18-16, Said Parcel Contains
0.35 Acres More Or Less.




TOWN OF ALGOMA

S.W. 1/4 OF N.W. 1/4

SEC. 19-18-16

A. GENZ FARM.

C.T.H. "E" E. 1/2 W. 1/4 LINE




Scale
1" = 100'
Iron Stakes Shown Thus - •

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
May 25, 1968


Survey For Geo. Crowner:

Description For Parcel # 1
That Part Of The N.E.1/4 Of The N.E.1/4 Of Sec. 19-18-16, Town Of Algoma,
Winnebago County, Wis. Described As Follows: The North 222.2 ft. Of The
East 152.5 ft. Of The N.E.1/4 Of The N.E.1/4 Of Sec. 19-18-16, Except
That Portion Used For Road Purposes. Said Parcel Contains 0.78 Acres More
Or Less.



Survey For Garry Decker - Realtor

Description For Parcel # 1
That Part Of The S.W.1/4 Of The S.W.1/4 Of Sec. 19-18-16, Town Of Algoma,
Winnebago County, Wis. Bounded & Described As Follows:
The East 789.0 ft. Of The S.W.1/4 Of The S.W.1/4 Of Sec. 19-18-16. Said
Parcel Contains 24.0 Acres More Or Less, Except That Portion Used For Road
Purposes.



NORTH IS REFERENCED TO THE NORTH LINE
OF THE NW 1/4, SECTION 19, T18N, R16E,
WHICH BEARS N89°51'55"W.

LEGEND

- 3/4" REBAR SET 24" LONG, (1.502#/(LIN. FT.))
- EXISTING 3/4" REBAR
- UTILITY POLE & OVERHEAD LINE
- CENTERLINE OF ROAD RIGHT-OF-WAY

NW CORNER
SEC. 19, T18N, R16E
(EXIST. CO. MON.)

N89°51'56"W 2605.30' (TOTAL)
1302.65'

N 1/4 CORNER
SEC. 19, T18N, R16E
(EXIST. CO. MON.)

(NORTH LINE OF NW 1/4, SEC. 19)

WEST LINE LEADING
TO NW 1/4, SEC. 16

1022.98'

1022.98'

1022.98'

1022.98'

1022.98'

1022.98'

1022.98'

1022.98'

1022.98'

1022.98'

1022.98'

1022.98'

1022.98'

1022.98'

1022.98'

1022.98'

1022.98'

1022.98'

S 89°25'18"W 4199.5'

LOT "1"

3.00 ACRES ±
130,680 SQ. FT. ±

N 89°25'18"E 423.91'

VOL. 984, PAGE 389

SCALE: 1" = 100'

CERTIFIED SURVEY MAP

SURVEY FOR: VIRGINIA M. WEICH
4110 W. 4TH ST. ROAD
OSHKOSH, WI 54901
PREPARED BY: OMNI ENGINEERS
APPLETON, WI
PROJECT NO. P-657A
DATE: SEPTEMBER 28, 1989

SURVEYOR'S CERTIFICATE: J. LARRY J. MILLER, STATE OF

WISCONSIN REGISTERED LAND SURVEYOR NO. S-1474 DO
HEREBY CERTIFY THAT BY THE ORDER OF THE OWNER I
HAVE SURVEYED A PARCEL OF LAND LOCATED IN THE
WEST 1/4 OF THE EAST 1/4 OF THE NW 1/4 OF SECTION 19,
T18N, R16E, TOW. OF AFGONA, WINNEBAGO COUNTY,
WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS:
COMMENCING AT THE NORTH 1/4 CORNER OF SAID SECTION
19; THENCE N89°51'56"W ALONG THE NORTH LINE OF
THE NW 1/4 OF SECTION 19 A DISTANCE OF 1302.65 FEET
TO A 1/16TH CORNER; THENCE S0°11'38"W ALONG THE
WEST LINE OF THE EAST 1/4 OF THE NW 1/4 OF SECTION 19 A
DISTANCE OF 1022.98 FEET TO THE POINT OF BEGINNING; THENCE CONTINUING S0°11'38"W
309.68 FEET; THENCE N89°25'18"E 423.91 FEET TO THE WEST LINE OF HORSESHOE ROAD; THENCE
N0°12'42"W ALONG SAID WEST LINE 32.98 FEET; THENCE N0°34'42"W ALONG SAID WEST ROAD LINE
276.67 FEET; THENCE S89°25'18"W 419.95 FEET TO THE POINT OF BEGINNING CONTAINING 3.00 ACRES
OF LAND OR LESS AND BEING SUBJECT TO EASEMENTS, COVENANTS, AND RESTRICTIONS OF RECORD,
IF ANY. I DO FURTHER CERTIFY THAT THIS MAP IS A TRUE REPRESENTATION THEREOF AND THAT I HAVE
FULLY COMPLIED WITH THE REQUIREMENTS OF SECTION 236.34 OF THE WISCONSIN STATUTES AND THE
SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY IN SURVEYING AND MAPPING THE SAME.

LARRY J. MILLER, RL NO. S-1474 *Larry J. Miller* DATED 9-28-89

OWNER'S CERTIFICATE: AS OWNER I DO HEREBY CERTIFY THAT I HAVE CAUSED THE LANDS ON THIS
MAP TO BE SURVEYED AND MAPPED AS SHOWN.

VIRGINIA M. WEICH, OWNER DATED _____
DATED _____

STATE OF WISCONSIN)
WINNEBAGO COUNTY)

PERSONALLY CAME BEFORE ME THIS _____ DAY OF _____, 1989, THE ABOVE NAMED TO ME KNOWN
TO BE THE PERSON WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGE THE SAME.


NOTARY PUBLIC _____ COUNTY, WI MY COMMISSION EXPIRES _____

TREASURER'S CERTIFICATE: I DO HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES OR UNPAID
SPECIAL ASSESSMENTS ON ANY OF THE LANDS INCLUDED IN THIS CERTIFIED SURVEY MAP.

TOWN TREASURER _____ DATED _____ COUNTY TREASURER _____ DATED _____

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE APPROVAL: THIS CERTIFIED SURVEY MAP HAS BEEN
APPROVED BY THE WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE.

AUTHORIZED REPRESENTATIVE _____ DATED _____




NORTH IS REFERENCED TO THE
NORTH LINE OF THE NW 1/4
SECTION 19, T18N, R16E,
WHICH BEARS N89°51'56"W

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE APPROVAL:
THIS CERTIFIED SURVEY MAP HAS BEEN APPROVED BY THE
WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE.

CERTIFIED SURVEY MAP


SURVEY FOR: VIRGINIA M. WEICH
4110 W. 4TH ST. RD.
OSHKOSH, WI 54901
PREPARED BY: GMMI ENGINEERS
APPLETON, WI
PROJECT NO. P-657A
APRIL 11, 1989



SCALE: 1" = 100'

AUTHORIZED REPRESENTATIVE

DATED



SURVEYOR'S CERTIFICATE: I, LARRY J. MILLER, STATE OF

WISCONSIN REGISTERED LAND SURVEYOR NO. S-1474 DO HEREBY
CERTIFY THAT BY THE ORDER OF THE OWNER I HAVE SURVEYED
A PARCEL OF LAND LOCATED IN THE WEST 1/2 OF THE EAST 1/2 OF THE NW 1/4 OF SECTION 19, T18N, R16E,
TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING
AT THE NORTH 1/4 CORNER OF SAID SECTION 19; THENCE N89°51'56"W ALONG THE NORTH LINE OF THE NW 1/4
OF SECTION 19 A DISTANCE OF 1302.65 FEET TO A 1/16TH CORNER; THENCE S0°11'38"W ALONG THE
WEST LINE OF THE EAST 1/2 OF THE NW 1/4 OF SECTION 19 A DISTANCE OF 700.53 FEET TO THE POINT OF
BEGINNING; THENCE CONTINUING S0°11'38"W 322.45 FEET; THENCE N89°25'18"E 419.95 FEET TO THE
WEST LINE OF HORSESHOE ROAD; THENCE N0°34'42"W ALONG SAID WEST LINE 327.42 FEET TO THE
INTERSECTION OF THE WEST LINE OF HORSESHOE ROAD WITH A 65' RADIUS CUL-DE-SAC; THENCE
S89°25'18"W 415.60 FEET TO THE POINT OF BEGINNING CONTAINING 3.092 ACRES OF LAND MORE OR
LESS AND BEING SUBJECT TO EASEMENTS, COVENANTS, AND RESTRICTIONS OF RECORD, IF ANY. I DO
FURTHER CERTIFY THAT THIS MAP IS A TRUE REPRESENTATION THEREOF AND THAT I HAVE FULLY
COMPLIED WITH THE REQUIREMENTS OF SECTION 136.34 OF THE WISCONSIN STATUTES AND THE
SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY IN SURVEYING AND MAPPING THE SAME.

LARRY J. MILLER, RLS NO. S-1474

DATED 4-11-89

OWNER'S CERTIFICATE: AS OWNER I DO HEREBY CERTIFY THAT I HAVE CAUSED THE LANDS ON THIS
MAP TO BE SURVEYED AND MAPPED AS SHOWN.

VIRGINIA M. WEICH, OWNER


DATED

DATED

STATE OF WISCONSIN)
WINNEBAGO COUNTY)


PERSONALLY CAME BEFORE ME THIS _____ DAY OF _____, 1989, THE ABOVE NAMED TO ME KNOWN TO
BE THE PERSON WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGE THE SAME.

NOTARY PUBLIC _____ COUNTY, WI MY COMMISSION EXPIRES _____



CERTIFIED SURVEY MAP

SURVEY FOR: VIRGINIA M. WEICH
4110 WEST 4TH STREET ROAD
OSHKOSH, WI 54901
PREPARED BY: OMMI ENGINEERS
APPLETON, WI
PROJECT NO. P-657A
MARCH 20, 1989



SURVEYOR'S CERTIFICATE: I, LARRY J. MILLER, STATE OF WISCONSIN REGISTERED LAND SURVEYOR NO. S-1474 DO HEREBY CERTIFY THAT BY THE ORDER OF THE OWNER I HAVE SURVEYED A PARCEL OF LAND LOCATED IN THE WEST 1/2 OF THE EAST 1/2 OF THE NW 1/4 OF SECTION 19, T18N, R16E, TOWN OF ALGONA, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE NORTH 1/4 CORNER OF SAID SECTION 19, THENCE N 89° 51' 56" W ALONG THE NORTH LINE OF THE NW 1/4 OF SECTION 19 A DISTANCE OF 863.45 FEET TO THE POINT OF BEGINNING; THENCE CONTINUING N 89° 51' 56" W ALONG AFORESAID LINE 439.20 FEET TO A 1/16TH CORNER; THENCE S 0° 11' 38" W ALONG THE WEST LINE OF THE EAST 1/2 OF THE NW 1/4 OF SECTION 19 A DISTANCE OF 298.96 FEET; THENCE N 89° 25' 18" E 410.19 FEET; THENCE S 0° 34' 42" E 260.53 FEET; THENCE SOUTHEASTERLY 34.56 FEET ALONG THE ARC OF A 66 FOOT RADIUS CUL-DE-SAC, BEING THE NORTHERLY BOUNDARY OF HORSESHOE ROAD AND HAVING A CHORD WHICH BEARS S 75° 34' 42" E 34.56 FEET; THENCE N 0° 34' 42" W 571.84 FEET TO THE POINT OF BEGINNING CONTAINING 3.206 ACRES OF LAND MORE OR LESS AND BEING SUBJECT TO EASEMENTS, COVENANTS, AND RESTRICTIONS OF RECORD, IF ANY. I DO FURTHER CERTIFY THAT THIS MAP IS A TRUE REPRESENTATION THEREOF AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF SECTION 236.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY IN SURVEYING AND MAPPING THE SAME.

LARRY J. MILLER, RLS. NO. S-1474

Larry J. Miller

DATED 3-20-89

OWNER'S CERTIFICATE: AS OWNER I DO HEREBY CERTIFY THAT I HAVE CAUSED THE LANDS ON THIS MAP TO BE SURVEYED AND MAPPED AS SHOWN.

VIRGINIA M. WEICH, OWNER

DATED

DATED

STATE OF WISCONSIN
WINNEBAGO COUNTY

PERSONALLY CAME BEFORE ME THIS DAY OF 1989, THE PRESENTED TO ME KNOWN TO BE THE PERSON WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGE THE SAME.


NOTARY PUBLIC

COUNTY, WI

MY COMMISSION EXPIRES

NORTH IS REFERENCED TO THE
NORTH LINE OF THE 4th
SECTION 17, T33N, R12E, IN THE
05th MERIDIAN, 1956

STATE OF WISCONSIN REGISTERED LAND SUPERVISOR
COUNTY OF WAUKESHA
I HAVE SURVEYED THE LANDS DESCRIBED
IN THE OFFICIAL RECORDS OF WAUKESHA COUNTY, AND
AND ACCURATE REPRESENTATION THEREOF TO THE
OF WAUKESHA COUNTY.



O.S. 1474 *Waukesha* INTO 4-17-84


ED LANDS
IN THE WEST 1/2 OF THE EAST 1/2 OF THE NW 1/4 OF SECTION 19, T33N,
R12E, WAUKESHA COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS:
THENCE NORTH 89°51'55" W ALONG THE
OF SECTION 19 A DISTANCE OF 865.45 FEET TO THE POINT OF BEGINNING;
S3°50'20" E ALONG APPROXIMATE LINE 470.20 FEET TO A 1/16TH CORNER;
ALONG THE WEST LINE OF THE EAST 1/2 OF THE NW 1/4 OF SECTION 19 A DISTANCE
OF 1241.00 FEET; THENCE NORTHEASTERLY 1241.00 FEET ALONG
THE LINE OF SAID BEING THE WESTERN BOUNDARY OF WINDSHIRE ROAD
THENCE N 12°15'00" E 121.50 FEET; THENCE N 42°44'50" W 57.00 FEET TO
CONTAINING 5.055 ACRES OF LAND MORE OR LESS AND BEING SUBJECT TO
AND RESTRICTIONS OF RECORD, IF ANY.

ROAD SPREADER IN GRAVEL DRIVEWAY
BY CORNER MONUMENT
TWO TREE
IN DRIVEWAY
CENTERLINE OF RIGHT-OF-WAY

Plat of Survey

PART OF THE SW 1/4 OF THE NW 1/4 OF SEC. 19, T.18N., R.16E,
TOWN OF ALGOMA, WINNEBAGO CO., WI.

CLIENT: JOHN BUTTKE
3538 LEONARD PT. RD.
OMRO, WI 54963



Sheet 1 of 2 sheets

LEGEND

- ★ = Existing monuments
- ⊙ = 2" x 30" iron pipe set
- = 1" x 30" iron pipe set
- ✱ = reference caps or RR spikes
- ⊗ = Benlisen or Harrison monuments
- X — X = fence
- () = recorded as
- = state monument



SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. OCTOBER 16, 1969

OCTOBER 15 19 89

Robert H. Sawyer

Wisconsin Registered Land Surveyor 5-1894

Sayler

Survey, Inc.

138A WEST MAIN, BOX 282, WINNECONNE, WI 54986

SCALE 1 IN. = 100 FT.

PROJECT NO. S-002161

FIELD BOOK 54 PAGE 131

Plat of Survey

LEGAL DESCRIPTION

All that part of the SW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec. 19, T.18N., R.16E., Town of Algoma, Winnebago County, Wisconsin, described as follows: Beginning at an iron pipe on the West line of the NW $\frac{1}{4}$ of said Sec. 19 that is 220.00 ft., N.00°18'05"E. of the West $\frac{1}{4}$ corner of said Sec. 19. From that point running N.00°18'05"E., 300.00 ft., thence S.89°50'58"E., 550.00 ft., thence S.00°18'05"W., 475.00 ft. to the Northerly right of way line of C.T.H. "E", thence N.89°50'58"W. along said right of way line, 186.40 ft., thence N.86°59'15"W., 100.14 ft., thence N.89°50'58"W., 153.58 ft., thence N.00°18'05"E., 170.00 ft., thence N.89°50'58"W., 110.00 ft. to the said point of beginning. Being a parcel of land of 5.532 acres, more or less. Subject to an easement for ingress and egress over and across the following described parcel of land: Beginning at a point on the northerly right of way line of C.T.H. "E" that is 50.00 ft., N.00°18'05"E. and 263.58 ft., S.89°50'58"E. and 21.00 ft., S.86°59'15"E. of the West $\frac{1}{4}$ corner of said Sec. 19. From that point running N.03°00'45"E., 40.00 ft., thence S.86°59'15"E., 78.15 ft., thence S.89°50'58"E., 185.50 ft., thence S.00°18'05"W., 40.00 ft. to the Northerly right of way line of C.T.H. "E", thence N.89°50'58"W., 186.40 ft., thence N.86°59'15"W., 79.14 ft. to the said point of beginning.

Also subject to all restrictions and easements of record.

Client: John Buttke
5335 Leonard Pt. Rd.
Omro, WI. 54963

Sheet 2 of 2 sheets



LEGEND

- = Existing monuments
- = 2" x 2" iron pipe set
- = 1" x 1" iron pipe set
- ⊙ = reference caps or RR spikes
- ⊗ = Berritsen or Harrison monuments
- X-X = fence
- () = recorded as
- = stone monument

SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. October 13, 1989

Robert H. Saylor
Wisconsin Registered Land Surveyor S-1891

Saylor
Survey, Inc.


139A WEST MAIN, BOX 252, WINNECONNE, WI 54986

SCALE _____
PROJECT NO. 3-002161
FIELD BOOK 54 PAGE 111

NORTH IS REFERENCED TO THE NORTH LINE
OF THE NW $\frac{1}{4}$, SECTION 19, T18N, R16E,
WHICH BEARS N89°51'56"W.

LEGEND

- 3/4" REBAR SET (24" LONG, 1.502#/LIN. FT.)
- EXISTING 3/4" REBAR
- UTILITY POLE & OVERHEAD LINE
- - - CENTERLINE OF ROAD RIGHT-OF-WAY



CERTIFIED SURVEY MAP

SURVEY FOR: VIRGINIA M. WEICH
4110 W. 4TH ST. ROAD
OSHKOSH, WI 54901
PREPARED BY: CMNNI ENGINEERS
APPLETON, WI
PROJECT NO. P-657A
DATE: SEPTEMBER 28, 1989

SURVEYOR'S CERTIFICATE: I, LARRY J. MILLER, STATE OF

WISCONSIN-REGISTERED LAND SURVEYOR NO. S-1474 DO
HEREBY CERTIFY THAT BY THE ORDER OF THE OWNER I
HAVE SURVEYED A PARCEL OF LAND LOCATED IN THE
WEST $\frac{1}{2}$ OF THE EAST $\frac{1}{2}$ OF THE NW $\frac{1}{4}$ OF SECTION 19,
T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY,
WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS:
COMMENCING AT THE NORTH $\frac{1}{2}$ CORNER OF SAID SECTION
19; THENCE N89°51'56"W ALONG THE NORTH LINE OF
THE NW $\frac{1}{4}$ OF SECTION 19 A DISTANCE OF 1302.65 FEET
TO A 1/16TH CORNER; THENCE S0°11'38"W ALONG THE
WEST LINE OF THE EAST $\frac{1}{2}$ OF THE NW $\frac{1}{4}$ OF SECTION 19 A
DISTANCE OF 1022.92 FEET TO THE POINT OF BEGINNING; THENCE CONTINUING S0°11'38"W
309.68 FEET; THENCE N89°25'18"E 423.91 FEET TO THE WEST LINE OF HORSESHOE ROAD; THENCE
N0°12'42"W ALONG SAID WEST LINE 32.98 FEET; THENCE N0°34'42"W ALONG SAID WEST ROAD LINE
276.67 FEET; THENCE S89°25'18"W 419.95 FEET TO THE POINT OF BEGINNING CONTAINING 3.00 ACRES
OF LAND MORE OR LESS AND BEING SUBJECT TO EASEMENTS, COVENANTS, AND RESTRICTIONS OF RECORD,
IF ANY. I DO FURTHER CERTIFY THAT THIS MAP IS A TRUE REPRESENTATION THEREOF AND THAT I HAVE
FULLY COMPLIED WITH THE REQUIREMENTS OF SECTION 236.34 OF THE WISCONSIN STATUTES AND THE
SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY IN SURVEYING AND MAPPING THE SAME.

LARRY J. MILLER, RLS NO. S-1474 Larry J. Miller DATED 9-28-89

OWNER'S CERTIFICATE: AS OWNER I DO HEREBY CERTIFY THAT I HAVE CAUSED THE LANDS ON THIS
MAP TO BE SURVEYED AND MAPPED AS SHOWN.

VIRGINIA M. WEICH, OWNER Virginia M. Weich DATED 9-28-89
DATED

STATE OF WISCONSIN)
WINNEBAGO COUNTY)

PERSONALLY CAME BEFORE ME THIS 28 DAY OF September 1989. THE ABOVE NAMED TO ME KNOWN
TO BE THE PERSON WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGE THE SAME.

NOTARY PUBLIC Charles E. Williams WINNEBAGO COUNTY, WI MY COMMISSION EXPIRES 3 1990

TREASURER'S CERTIFICATE: I DO HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES OR UNPAID
SPECIAL ASSESSMENTS ON ANY OF THE LANDS INCLUDED IN THIS CERTIFIED SURVEY MAP.

Paul Brown 9/28/89 Paul J. Bradley 9/28/89
TOWN TREASURER DATED COUNTY TREASURER DATED

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE APPROVAL: THIS CERTIFIED SURVEY MAP HAS BEEN
APPROVED BY THE WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE.

AUTHORIZED REPRESENTATIVE Granette Diakoff DATED 9/28/89

730762

Register's Office
Winnebago County, Wis.
Received for record this 29th
day of Sept. A.D., 19 89
at 11:50 o'clock A. M. and
filed in Vol. 1 of P.S.M.
on page 2028

W. J. Williams
Register of Deeds

Od.
6.02

Atty. Charles Williams

SCALE: 1" = 100'

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE APPROVAL:
THIS CERTIFIED SURVEY MAP HAS BEEN APPROVED BY THE
WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE.

Seamette Diakoff 7/31/50
AUTHORIZED REPRESENTATIVE DATED

CERTIFIED SURVEY MAP

SURVEY FOR: VIRGINIA M. WEICH

WILD WEST 4TH STREET ROAD

OSAKOSH, NY 5+901

PREPARED BY: OMNI ENGINEERS

APPLETON, WI

PROJECT HQ. F-037A

JULY 7 1989

CURVE DATA

$$\Delta = 180^{\circ} 00' 00''$$

R - 66.00⁺

207.34

CHD - NO^C 34'42"W 132.00'

VOL. 84. PAGE 589

S89°25'18"W 4H.12'

LOT "I"
3.00 ACRES ±
130,686 SQ. FT. ±

LEGEND

- 3/4" REBAR SET (24" LONG, 1.502#/LIN.FT.)
- EXISTING 3/4" REBAR
- EXISTING RAILROAD SPIKE
- CENTERLINE OF ROAD RIGHT-OF-WAY
- EXISTING COUNTY MONUMENT
- EXISTING 10" DIAMETER OAK TREE

EXISTING 3/4" REBAR
N 89° 25' 18" E 1.4' FROM
LOT CORNER

TREASURER'S CERTIFICATE: I DO HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES OR UNPAID SPECIAL ASSESSMENTS ON ANY OF THE LANDS INCLUDED IN THIS CERTIFIED SURVEY MAP.

John S. Ream 7/31/89 Keith R. Bradley 7/31/89
OWN TREASURER DATED COUNTY TREASURER DATED

SURVEYOR'S CERTIFICATE: I, LARRY J. MILLER, STATE OF WISCONSIN REGISTERED LAND SURVEYOR NO. S-1474 DO HEREBY CERTIFY THAT BY THE ORDER OF THE OWNER I HAVE SURVEYED A PARCEL OF LAND LOCATED IN THE WEST $\frac{1}{2}$ OF THE EAST $\frac{1}{2}$ OF THE NW $\frac{1}{4}$ OF SECTION 19, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE NORTH $\frac{1}{2}$ CORNER OF SAID SECTION 19; THENCE N89°51'56"W ALONG THE NORTH LINE OF THE NW $\frac{1}{4}$ OF SECTION 19 A DISTANCE OF 1302.65 FEET TO A 1/16TH CORNER; THENCE S0°11'38"W ALONG THE WEST LINE OF THE EAST $\frac{1}{2}$ OF THE NW $\frac{1}{4}$ OF SECTION 19 A DISTANCE OF 367.79 FEET TO THE POINT OF BEGINNING; THENCE CONTINUING S0°11'38"W 332.74 FEET; THENCE N89°25'18"E 425.60 FEET TO THE WEST LINE OF HORSESHOE ROAD; THENCE NORTHEASTERLY 207.34 FEET ALONG THE ARC OF A 66 FOOT RADIUS CUL-DE-SAC, BEING THE NORTHERLY BOUNDARY OF HORSESHOE ROAD AND HAVING A CHORD WHICH BEARS N0°34'42"W 132.00 FEET; THENCE N0°34'42"W 200.71 FEET; THENCE S89°25'18"W 411.42 FEET TO THE POINT OF BEGINNING CONTAINING 3.00 ACRES OF LAND MORE OR LESS AND BEING SUBJECT TO EASEMENTS, COVENANTS, AND RESTRICTIONS THEREOF AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF SECTION 236.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY IN SURVEYING AND MAPPING THE SAME.

LARRY J. MILLER, RLS NO. S-1474 *Larry J. Miller* DATED 7-07-89

OWNER'S CERTIFICATE: AS OWNER I DO HEREBY CERTIFY THAT I HAVE CAUSED THE LANDS ON THIS MAP TO BE SURVEYED AND MAPPED AS SHOWN.

VIRGINIA M. WEIGH, OWNER Virginia M. Weigh DATED 7-13-87
DATED _____

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

PERSONALLY CAME BEFORE ME THIS DAY OF , 1969. THE ABOVE NAMED TO ME KNOWN
TO BE THE PERSON WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGE THE SAME.

NOTARY PUBLIC COUNTY, WI MY COMMISSION EXPIRES

SHEET 1 OF 2

726910

Register's Office

Winnebago County, Wis.

Received for record this 31st

day of July A.D. 1989

at 3:08 o'clock P.M. and

filed in Vol. 1 of CSM

on page 2044

Thompson & Schmal

Register of Deeds

Atty Gen. Williams

*P. H.
G.*

720936

11

Register's Office
Winnebago County, Wis.
Received for record this 25th
day of April A.D. 1989
at 9:30 o'clock A.M. and
filed in Vol. 1 of CSM
on page 1992
Marjorie Sakmal
Register of Deeds

Atty. Gen. William *Pd.*
6


NORTH IS REFERENCED TO THE
NORTH LINE OF THE NW 1/4,
SECTION 19, T18N, R16E,
WHICH BEARS N39°51'56"W

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE APPROVAL:
THIS CERTIFIED SURVEY MAP HAS BEEN APPROVED BY THE
WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE.


Janette Pinkoff
AUTHORIZED REPRESENTATIVE

4/19/89
DATE

CERTIFIED SURVEY MAP
SURVEY FOR: VIRGINIA M. WETCH
110 W. 4TH ST. RD.
OSHKOSH, WI 54901
PREPARED BY: OMNI ENGINEERS
APPLETON, WI
PROJECT NO. P-557A
APRIL 11, 1989



SCALE: 1" = 100'



SURVEYOR'S CERTIFICATE: I, LARRY J. MILLER, STATE OF

WISCONSIN REGISTERED LAND SURVEYOR NO. S-1474 DO HEREBY
CERTIFY THAT BY THE ORDER OF THE OWNER I HAVE SURVEYED
A PARCEL OF LAND LOCATED IN THE WEST 1/2 OF THE EAST 1/2 OF THE NW 1/4 OF SECTION 19, T18N, R16E,
TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING
AT THE NORTH 1/4 CORNER OF SAID SECTION 19; THENCE N89°51'56"W ALONG THE NORTH LINE OF THE NW 1/4
OF SECTION 19 A DISTANCE OF 1302.65 FEET TO A 1/16TH CORNER; THENCE S0°11'38"W ALONG THE
WEST LINE OF THE EAST 1/2 OF THE NW 1/4 OF SECTION 19 A DISTANCE OF 700.53 FEET TO THE POINT OF
BEGINNING; THENCE CONTINUING S0°11'38"W 322.45 FEET; THENCE N89°25'18"E 419.95 FEET TO THE
WEST LINE OF HORSESHOE ROAD; THENCE N0°34'42"W ALONG SAID WEST LINE 322.42 FEET TO THE
INTERSECTION OF THE WEST LINE OF HORSESHOE ROAD WITH A 66' RADIUS CUL-DE-SAC; THENCE
S89°25'18"W 415.60 FEET TO THE POINT OF BEGINNING CONTAINING 3.092 ACRES OF LAND MORE OR
LESS AND BEING SUBJECT TO EASEMENTS, COVENANTS, AND RESTRICTIONS OF RECORD, IF ANY. I DO
FURTHER CERTIFY THAT THIS MAP IS A TRUE REPRESENTATION THEREOF AND THAT I HAVE FULLY
COMPLIED WITH THE REQUIREMENTS OF SECTION 236.34 OF THE WISCONSIN STATUTES AND THE
SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY IN SURVEYING AND MAPPING THE SAME.

LARRY J. MILLER, RLS NO. S-1474

Larry J. Miller DATED 4-11-89

OWNER'S CERTIFICATE: AS OWNER I DO HEREBY CERTIFY THAT I HAVE CAUSED THE LANDS ON THIS
MAP TO BE SURVEYED AND MAPPED AS SHOWN.

VIRGINIA M. WETCH, OWNER

Virginia Wetch

DATED 4-14-89

Edna Wetch

DATED 4-14-89

STATE OF WISCONSIN)
WINNEBAGO COUNTY)

PERSONALLY CAME BEFORE ME THIS 14th DAY OF April, 1989, THE ABOVE NAMED TO ME KNOWN TO
BE THE PERSON WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGE THE SAME.

NOTARY PUBLIC *Charles E. Williams* WINNEBAGO COUNTY, WI

MY COMMISSION EXPIRES *is permanent*

720631

Register's Office

Winnebago County, Wis.

Received for record this 19th

day of April A.D. 1989

at 8:46 o'clock A.M. and

filed in Vol. 1 of CSM

on page 1988

W. J. [Signature]

Register of Deeds

Atty. Gen. Williams


Chy
900

SCALE: 1"=100'

NORTH IS REFERENCED TO THE NORTH
LINE OF THE NW $\frac{1}{4}$, SECTION 19, T18N,
R16E, WHICH BEARS N89°51'56"W.

LEGEND

- 3/4" REBAR SET
(24" LONG, 1.502#/LIN.FT.)
- ⊙ EXISTING 3/4" REBAR
- UTILITY POLE & OVERHEAD LINE
- CENTERLINE OF ROAD RIGHT-OF-WAY



CERTIFIED SURVEY MAP

SURVEY FOR: VIRGINIA M. WEICH
4110 W. 4TH ST. ROAD
OSHKOSH, WI 54901
PREPARED BY: OMNI ENGINEERS
APPLETON, WI 54914
PROJECT NO. P-857A
DATE: NOVEMBER 13, 1990

SURVEYOR'S CERTIFICATE: I, DAVID J. SCHROEDER, STATE
OF WISCONSIN REGISTERED LAND SURVEYOR NO. S-1912 DO
HEREBY CERTIFY THAT BY THE ORDER OF THE OWNER I
HAVE SURVEYED A PARCEL OF LAND LOCATED IN THE NW $\frac{1}{4}$
 $\frac{1}{2}$ OF THE EAST $\frac{1}{2}$ OF THE NW $\frac{1}{4}$ OF SECTION 19, T18N,
R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.
BOUNDED AND DESCRIBED AS FOLLOWS: (BEGINNING AT THE
NORTH $\frac{1}{2}$ CORNER OF SAID SECTION 19; THENCE N89°51'56"
ALONG THE NORTH LINE OF THE NW $\frac{1}{4}$ OF SECTION 19 A
DISTANCE OF 1302.65 FEET TO A 1/16 TH CORNER; THENCE
S0°11'38"W ALONG THE WEST LINE OF THE EAST $\frac{1}{2}$ OF THE NW $\frac{1}{4}$ OF SECTION 19 A
DISTANCE OF 1332.65 FEET TO THE POINT OF BEGINNING; THENCE N89°50'42"E
FEET TO THE WEST LINE OF HORSESHOE ROAD; THENCE S0°12'42"E ALONG SAID WEST LINE 125.67
FEET TO THE NE CORNER OF LOT 10 OF "HORSESHOE ACRES ASSESSOR'S PLAT"; THENCE N89°50'42"E
ALONG THE NORTH LINE OF SAID LOT 10 AND THE EXTENSION THEREOF A DISTANCE OF 424.76 FEET
TO THE WEST LINE OF THE EAST $\frac{1}{2}$ OF THE NW $\frac{1}{4}$ OF SECTION 19; THENCE N0°11'38"E ALONG SAID
WEST LINE A DISTANCE OF 120.24 FEET TO THE POINT OF BEGINNING CONTAINING 1.198 ACRES OF
LAND MORE OR LESS AND BEING SUBJECT TO EASEMENTS, COVENANTS, AND RESTRICTIONS OF RECORD
IF ANY. I DO FURTHER CERTIFY THAT THIS MAP IS A TRUE REPRESENTATION THEREOF AND THAT I
HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF SECTION 236.34 OF THE WISCONSIN STATUTES AND
THE SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY IN SURVEYING AND MAPPING THE SAME.

DAVID J. SCHROEDER, RLS NO. S-1912 *David J. Schroeder* DATED 11-13-90

OWNER'S CERTIFICATE: AS OWNER I DO HEREBY CERTIFY THAT I HAVE CAUSED THE LANDS ON THIS
MAP TO BE SURVEYED AND MAPPED AS SHOWN.

VIRGINIA M. WEICH, OWNER *Virginia M. Weich* DATED 11-26-90
DATED _____

STATE OF WISCONSIN)
WINNEBAGO COUNTY)

PERSONALLY CAME BEFORE ME THIS 26 DAY OF Nov, 1990. THE ABOVE NAMED VIRGINIA M. WEICH
TO BE THE PERSON WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGE THE SAME.

NOTARY PUBLIC *Charles E. Williams* WINNEBAGO COUNTY, WI MY COMMISSION *expires 12/31/91*

TREASURER'S CERTIFICATE: I DO HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES OR UNPAID
SPECIAL ASSESSMENTS ON ANY OF THE LANDS INCLUDED IN THIS CERTIFIED SURVEY MAP.

Paul Nelson 11/15/91 *Paul Nelson* 11/15/91
TOWN TREASURER DATED COUNTY TREASURER DATED

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE APPROVAL: THIS CERTIFIED SURVEY MAP HAS
BEEN APPROVED BY THE WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE.

AUTHORIZED REPRESENTATIVE *Granita Dwyer* DATED 12/12/90 SHEET 1 OF 1

760633

Register's Office

Winnebago County, Wis.

Received for record this 15th

day of Feb A.D., 1991

at 3:00 o'clock P.M. and

filed in Vol. 1 of CSM

on page 2297



Marjorie Alkam
Register of Deeds

Atty. Gen. Williams

pd
10⁰⁰ ca

2663

Robert T. Welch RLS 1690
10/2/92
Drafted by:
Joseph B. Schmelzle



ROBERT T. WELCH
Redgranite, Wisconsin 54970

WINNEBAGO

COUNTY CERTIFIED SURVEY MAP 2663


PART OF THE S.E. $\frac{1}{4}$ OF THE N.W. $\frac{1}{4}$ OF SECTION 19, T.18 N., R.16 E.,
TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

SURVEYORS CERTIFICATE:

I, Robert T. Welch, Registered Land Surveyor, hereby certify:
That under the direction of Virginia Welch, I have surveyed,
divided and mapped this Certified Survey Map located in part of the
S.E. $\frac{1}{4}$ of the N.W. $\frac{1}{4}$ of Section 19, T.18 N., R.16 E., Town of Algoma,
Winnebago County, Wisconsin described as follows:

Commencing at the N.W. Corner of Section 19; thence N.89°50'09"E.
1302.00'; thence S.00°08'23"E. 1460.54' to the Point of Beginning;
thence N.89°44'54"E. 312.80'; thence S.00°15'04"W. 145.00'; thence
S.89°53'04"E. 114.00'; thence S.00°28'56"E. 491.38'; thence
N.89°48'56"W. 428.75'; thence N.00°08'23"W. 633.38' to the Point of
Beginning. Subject to all Easements and Restrictions of record.

That said map is a correct representation of the exterior boundaries
of the land surveyed; that I have fully complied with the provisions
of Sections 236.34 of the Wisconsin Statutes and the Winnebago
County Subdivision Ordinance in surveying and mapping the same to
the best of my knowledge and beliefs.



Robert T. Welch RLS 1690

10/2/92

Drafted by:

Joseph B. Schmelzle

WELCH LAND SURVEYING

ROBERT T. WELCH

Redgranite, Wisconsin 54970

WINNEBAGO

COUNTY CERTIFIED SURVEY MAP 2663

PART OF THE S.E. $\frac{1}{4}$ OF THE N.W. $\frac{1}{4}$ OF SECTION 19, T.18 N., R.16 E.,
TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

TREASURER'S CERTIFICATE:

We hereby certify that there are no unpaid taxes or special assessments or any loans included in this minor subdivision.

Jill Paden 1/4/93
Town Treasurer

Luther H. Bradley 1/4/93
County Treasurer

WINNEBAGO COUNTY PLANNING CERTIFICATE:

This Certified Survey Map is part of the S.E. $\frac{1}{4}$ of the N.W. $\frac{1}{4}$ of Section 19, T.18 N., R.16 E., Town of Algoma, Winnebago County, Wisconsin, Virginia Welch owner, is hereby approved.

Jan. 5, 1993
Date

Jessie D. Dierks
Planning Committee Representative

OWNERS CERTIFICATE:

I, Virginia Welch owner
of said lands, hereby certify that I have caused the land described on this Certified Survey Map to be surveyed, divided and mapped as shown on this map.

Nov. 16, 1992


STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 16th day of November, 1992,
the above named Virginia Welch, to me known to be the person
who executed the foregoing instrument and acknowledge the same.

Charles E. Williams
Notary Public Charles E. Williams
Winnebago County, Wisconsin

Commission Expires is permanent

821840



Robert T. Welch
Robert T. Welch RLS 1690
10/2/92
Drafted by:
Joseph B. Schmelzle

Register's Office
Winnebago County, Wis.
Received for record this 7th
day of Jan A.D., 1993
at 8:10 o'clock AM and
filed in Vol. 1 of CSM
on page 2663

Majorie Adams
Pd 14
Register of Deeds

WELCH LAND SURVEYING
ROBERT T. WELCH
Redgranite, Wisconsin 54970

Stock No. 26273


NO. 2471

CERTIFIED SURVEY MAP NO. 3010SHEET 1 OF 4

BEING LOT 1 IN CERTIFIED SURVEY MAP NO. 1992 AND UNPLATTED LANDS, ALL IN THE N.E. 1/4 OF THE N.W. 1/4 OF SECTION 19, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

DISTANCES ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE NORTH LINE OF THE N.W. 1/4 OF SECTION 19, WHICH HAS AN ASSUMED BEARING OF NORTH 89°51'56" WEST.



ROEHLIG
LAND SURVEYING
&
CONSULTING LTD.

417 North Sawyer Street • Oshkosh WI • 54901
(414) 233-2884

NO. 2471



Stock No. 26273

NO. 2471

CERTIFIED SURVEY MAP NO. 3010SHEET 2 OF 4

BEING LOT 1 IN CERTIFIED SURVEY MAP NO. 1992 AND UNPLATTED LANDS,
ALL IN THE N.E. 1/4 OF THE N.W. 1/4 OF SECTION 19, T18N, R16E, TOWN
OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Registered Land Surveyor do hereby
certify;

THAT I have surveyed, divided and mapped All of the Lot 1 in
Certified Survey Map No. 1992, and unplatted lands in the N.E. 1/4
of the N.W. 1/4 of Section 19, T18N, R16E, in the Town of Algoma,
Winnebago County, Wisconsin which is bounded and described as
follows;

BEGINNING AT THE N.W. CORNER OF LOT 1 IN CERTIFIED SURVEY MAP NO.
1992, THENCE SOUTH 89°51'56" EAST ALONG THE NORTH LINE AND EXTENDED
NORTH LINE OF SAID LOT AND THE NORTH LINE OF THE N.W. 1/4 OF SAID
SECTION 622.53 FT., THENCE SOUTH 00°32'35" EAST 630.02 FT., THENCE
SOUTH 89°43'34" WEST ALONG THE NORTH LINE OF LOT 1 IN HORSESHOE
ACROSS ASSESSOR'S PLAT 149.98 FT., THENCE NORTHWESTERLY 103.68 FT.
ALONG THE ARC OF A CURVE WHOSE CENTER LIES TO THE SOUTHWEST WHOSE
RADIUS IS 66.00 FT. AND WHOSE CHORD BEARS NORTH 45°35'34" WEST
93.34 FT., THENCE NORTH 00°35'22" WEST 200.71 FT., THENCE SOUTH
89°25'54" WEST ALONG THE NORTH LINE OF CERTIFIED SURVEY MAP NO.
2044 AFORESAID 411.12 FT., THENCE NORTH 00°12'16" EAST ALONG THE
WEST LINE AND EXTENDED WEST LINE OF LOT 1 IN CERTIFIED SURVEY MAP
NO. 1992 AFORESAID 367.79 FT. TO THE POINT OF BEGINNING. SAID
PARCEL IS SUBJECT TO ALL EXISTING EASEMENTS AND RESTRICTIONS OF
RECORD.

THAT I have made this survey by the direction of Robert Promer,
owner of said land.


THAT such map is a correct representation of all the exterior
boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of
the Wisconsin Statutes and the Land Subdivision Ordinance of
Winnebago County.

Date

4-18-94

Reinhard Roehlig
Reinhard Roehlig, Registered
Wisconsin Land Surveyor S-1368





Stock No. 26273

NO. 2471

CERTIFIED SURVEY MAP NO. 3010SHEET 3 OF 4

BEING LOT 1 IN CERTIFIED SURVEY MAP NO. 1992 AND UNPLATTED LANDS,
ALL IN THE N.E. 1/4 OF THE N.W. 1/4 OF SECTION 19, T18N, R16E, TOWN
OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

OWNERS CERTIFICATE

AS OWNER, I hereby certify that I caused the land described on this
map to be surveyed, divided and mapped as represented on this map
in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hand and seal of said owner this 9th day
of April 20, 1994.

Robert Promer
Robert Promer

STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

PERSONALLY came before me this 20 day of April 1994 the
aforementioned Robert Promer, to me known to be the person who
executed the foregoing instrument and acknowledged the same.

Janet M. Litzmacher
Notary Public, Winnebago
County, State of Wisconsin

My Commission Expires Oct. 22, 1995

COUNTY TREASURER'S CERTIFICATE

I, LEITH H. BRADLEY, being the duly elected, qualified and
acting treasurer for Winnebago County, do hereby certify that in
accordance with the records in my office, there are no unpaid taxes
or delinquent special assessments as of May 12, 1994 on any
land included in this Certified Survey Map.

Date 5/12/94Treasurer Leith H. Bradley

TOWN TREASURER'S CERTIFICATE

I, JOEL C. EDSON, being the duly elected, qualified and
acting treasurer for the Town of Algoma, do hereby certify that in
accordance with the records in my office, there are no unpaid taxes
or delinquent special assessments as of May 12, 1994 on any
land included in this Certified Survey Map.

Date 5/12/94Treasurer Joel C. Edson



Stock No. 26273

NO. 2471

CERTIFIED SURVEY MAP NO. 3010SHEET 4 OF 4

BEING LOT 1 IN CERTIFIED SURVEY MAP NO. 1992 AND UNPLATTED LANDS,
ALL IN THE N.E. 1/4 OF THE N.W. 1/4 OF SECTION 19, T18N, R16E, TOWN
OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

WINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE
AND TOWN BOARD CERTIFICATE OF APPROVAL

This Certified Survey Map of Lot 1 in Certified Survey Map No. 1992, and unplatted lands, all in the N.E. 1/4 of the N.W. 1/4 of Section 19, T18N, R16E, in the Town of Algoma, Winnebago County, Wisconsin, is hereby approved.


8/30/94
Date

8/30/94
Date

Jeanette Diskoff
Planning Commission Representative

Jeanette Diskoff
Town Board Representative

THIS DOCUMENT WAS DRAFTED BY
REINHARD ROEHLIG.



885855

Register's Office
Winnebago County, Wis.
Received for record this 2nd
day of Sept A.D. 1994
at 2:48 o'clock P M. and
filed in Vol. 1 of CSM
on page 3010

Marjorie Nakonec
Register of Deeds

Roehlig

Chg
16



Stock No. 26273

NO 2471


CERTIFIED SURVEY MAP NO. _____

SHEET 1 OF 4

BEING LOT 1 IN CERTIFIED SURVEY MAP NO. 1992 AND UNPLATTED LANDS, ALL IN THE N.E. 1/4
OF THE N.W. 1/4 OF SECTION 19, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

DISTANCES ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE NORTH LINE OF THE N.W. 1/4 OF SECTION 19, WHICH HAS AN ASSUMED BEARING OF NORTH 89°51'56" WEST.





Stock No. 26273

NO. 2471

SHEET 2 OF 4

CERTIFIED SURVEY MAP NO. _____

BEING LOT 1 IN CERTIFIED SURVEY MAP NO. 1992 AND UNPLATTED LANDS,
ALL IN THE N.E. 1/4 OF THE N.W. 1/4 OF SECTION 19, T18N, R16E, TOWN
OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Registered Land Surveyor do hereby
certify;

THAT I have surveyed, divided and mapped a part of the Lot 1 in
Certified Survey Map No. 1992, and unplatted lands in the N.E. 1/4
of the N.W. 1/4 of Section 19, T18N, R16E, in the Town of Algoma,
Winnebago County, Wisconsin which is bounded and described as
follows;


BEGINNING AT THE N.W. CORNER OF LOT 1 IN CERTIFIED SURVEY MAP NO.
1992, THENCE SOUTH 89°51'56" EAST ALONG THE NORTH LINE AND EXTENDED
NORTH LINE OF SAID LOT AND THE NORTH LINE OF THE N.W. 1/4 OF SAID
SECTION 622.53 FT., THENCE SOUTH 00°32'35" EAST 630.02 FT., THENCE
NORTH 89°43'34" WEST ALONG THE NORTH LINE OF LOT 1 IN HORSESHOE
ACRES ASSESSOR'S PLAT 149.98 FT., THENCE NORTHWESTERLY 103.68 FT.
ALONG THE ARC OF A CURVE WHOSE CENTER LIES TO THE SOUTHWEST WHOSE
RADIUS IS 66.00 FT. AND WHOSE CHORD BEARS NORTH 45°35'34" WEST
93.34 FT., THENCE NORTH 00°35'22" WEST 200.71 FT., THENCE SOUTH
89°25'54" WEST ALONG THE NORTH LINE OF CERTIFIED SURVEY MAP NO.
2044 AFORESAID 411.12 FT., THENCE NORTH 00°12'16" EAST ALONG THE
WEST LINE AND EXTENDED WEST LINE OF LOT 1 IN CERTIFIED SURVEY MAP
NO. 1992 AFORESAID 367.79 FT. TO THE POINT OF BEGINNING. SAID
PARCEL IS SUBJECT TO ALL EXISTING EASEMENTS AND RESTRICTIONS OF
RECORD.


THAT I have made this survey by the direction of Robert Promer,
owner of said land.

THAT such map is a correct representation of all the exterior
boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of
the Wisconsin Statutes and the Land Subdivision Ordinance of
Winnebago County.

4-16-74
Date


Reinhard Roehlig, Registered
Wisconsin Land Surveyor S-1368





Stock No. 26273

NO. 2471

SHEET 3 OF 4

CERTIFIED SURVEY MAP NO. _____

BEING LOT 1 IN CERTIFIED SURVEY MAP NO. 1992 AND UNPLATTED LANDS,
ALL IN THE N.E. 1/4 OF THE N.W. 1/4 OF SECTION 19, T18N, R16E, TOWN
OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

OWNERS CERTIFICATE

AS OWNER, I hereby certify that I caused the land described on this
map to be surveyed, divided and mapped as represented on this map
in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hand and seal of said owner this ____ day
of _____, 1994.

Robert Promer

STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

PERSONALLY came before me this ____ day of _____ 1994 the
aforementioned Robert Promer, to me known to be the person who
executed the foregoing instrument and acknowledged the same.

My Commission Expires _____

Notary Public, Winnebago
County, State of Wisconsin

COUNTY TREASURER'S CERTIFICATE


I, _____, being the duly elected, qualified and
acting treasurer for Winnebago County, do hereby certify that in
accordance with the records in my office, there are no unpaid taxes
or delinquent special assessments as of _____ on any
land included in this Certified Survey Map.

Date _____ Treasurer _____

TOWN TREASURER'S CERTIFICATE

I, _____, being the duly elected, qualified and
acting treasurer for the Town of Algoma, do hereby certify that in
accordance with the records in my office, there are no unpaid taxes
or delinquent special assessments as of _____ on any
land included in this Certified Survey Map.

Date _____ Treasurer _____





Stock No. 26273

NO. 2471

SHEET 4 OF 4

CERTIFIED SURVEY MAP NO. _____


BEING LOT 1 IN CERTIFIED SURVEY MAP NO. 1992 AND UNPLATTED LANDS,
ALL IN THE N.E. 1/4 OF THE N.W. 1/4 OF SECTION 19, T18N, R16E, TOWN
OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

**WINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE
AND TOWN BOARD CERTIFICATE OF APPROVAL**

This Certified Survey Map of Lot 1 in Certified Survey Map No. 1992, and unplatted lands, all in the N.E. 1/4 of the N.W. 1/4 of Section 19, T18N, R16E, in the Town of Algoma, Winnebago County, Wisconsin, is hereby approved.

Date_____
Planning Commission Representative_____
Date_____
Town Board Representative

THIS DOCUMENT WAS DRAFTED BY
REINHARD ROEHLIG.



log# 1575

WINNEBAGO


COUNTY CERTIFIED SURVEY MAP 2840

PART OF THE SE $\frac{1}{4}$ NW $\frac{1}{4}$ SECTION 19, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

(see sheet 2 of 3)

Michael A. Moe

Michael A. Moe, RLS 2066
December 19, 1993
Drafted by M. Moe



sheet 1 of 3

WELCH LAND SURVEYING

ROBERT T. WELCH
Redgranite, Wisconsin 54970

WINNEBAGO

COUNTY CERTIFIED SURVEY MAP 2840

PART OF THE SE $\frac{1}{4}$ NW $\frac{1}{4}$ SECTION 19, T18N, R16E, TOWN OF ALGOMA,
WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE:

I, Michael A. Moe, Registered Land Surveyor, hereby certify:
That under the direction of Attorney Charles Williams, I have
surveyed, divided and mapped this certified Survey Map located in
part of the SE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 19, T18N, R16E, Town of Algoma,
~~Wauchara~~ Wauchara County, Wisconsin described as follows:

Commencing at the W $\frac{1}{4}$ Corner of Section 19; thence S89°50'48"E
1494.58'; thence N00°55'05"W 187.31' to the Point of Beginning;
thence N00°55'05"W 378.04'; thence S89°50'48"E 250.00'; thence
S00°55'05"E 270.00'; thence S89°50'48"E 153.12' to the West
line of Horseshoe Road; thence S00°48'48"E along said line
177.825'; thence S44°47'12"W 101.88' to the North line of C.T.H.
"EE"; thence N89°50'48"W 80.37'; thence N00°30'48"W 142.29';
thence N89°50'48"W 250.00' to the Point of Beginning. Subject
to all Easements and restrictions of record.


That said Map is a correct representation of the exterior
boundaries of the land surveyed; That I have fully complied with
the Provisions of Section 236.34 of the Wisconsin Statutes and
the Winnebago County Subdivision Ordinance in surveying and
mapping the same to the best of my knowledge and belief.

Michael A. Moe

Michael A. Moe, RLS 2066

December 19, 1993

Drafted by M. Moe



WINNEBAGO

COUNTY CERTIFIED SURVEY MAP

2840

PART OF THE SE $\frac{1}{4}$ NW $\frac{1}{4}$ SECTION 19, T18N, R16E, TOWN OF ALGOMA,
WINNEBAGO COUNTY, WISCONSIN.

Page 2 of 2

TREASURER'S CERTIFICATE:

We hereby certify that there are no unpaid taxes or special assessments on any loans included in this minor subdivision.

Bill Johnson
Town of Algoma Treasurer

Mike Kuller Deputy
Winnebago County Treasurer

WINNEBAGO COUNTY PLANNING CERTIFICATE:

This Certified Survey Map is Part of the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 19, T18N, R16E, Town of Algoma, Winnebago County, Wisconsin, Dennis K. Moe Virginia M. Welch, owner, is hereby approved.

December 28, 1993
Date

James M. Severt
Planning Committee Representative

OWNER'S CERTIFICATE:

XX (we), Dennis K. Moe and Virginia Welch owner(s) of said lands, hereby certify that I(we) have caused the land described on this Certified Survey Map to be surveyed, divided and mapped as shown on this map.

Dennis K. Moe Virginia M. Welch Dec 27, 1993
Dennis K. Moe Virginia M. Welch

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 27th day of December, 1993, the above named Dennis Moe and Virginia M. Welch, to me known to be the person who executed the foregoing instrument and acknowledge the same.

Carol J. Reife
Notary Public, State of Wisconsin

July 10, 1994
My Commission Expires

862675

Register's Office
Winnebago County, Wis.
Received for record this 3rd
day of Jan A.D., 19 94
at 8:20 o'clock A.M. and
filed in Vol. 1 of CSM
on page 2840

Virginia M. Welch
Page 3 of 3 Register of Deeds



Michael A. Moe
Michael A. Moe, RLS 2060
Dec. 19, 1993
drafted by M. Moe

WELCH LAND SURVEYING

ROBERT T. WELCH
Redgranite, Wisconsin 54970

74
14



WINNEBAGO COUNTY CERTIFIED SURVEY MAP # 3860 V 1 P 3860

LOT 2 OF CERTIFIED SURVEY MAP NO 2840 AND LOT 9 OF HORSESHOE ACRES, BEING PART OF THE SE $\frac{1}{4}$ NW $\frac{1}{4}$ SECTION 19, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.


(See Sheet 2 of 3)

Michael A. Moe

Michael A. Moe, RLS 2066
November 12, 1997
Drafted by M. Moe



Must meet ALL Winnebago County setback requirements.




- Existing County Monument
- Existing 1" IP
- Set 4"x24" rebar weighing 1.80 lbs./lin. ft.

Lot 1.....64,637.92 or 1.480 Ac.
Lot 2.....47,297.82 or 1.090 Ac.

Lots 1 and 2 cannot be sold separate from each other without full compliance with State Statutes and Winnebago County and Town of Algoma Subdivision Regulations.

Sheet 1 of 3



W $\frac{1}{4}$ COR.
19-18-16

C.T.H.

"E"

MOE LAND SURVEYING, INC.

MICHAEL A. MOE
PATRICK G. KRIER
REDGRANTIE, WISCONSIN 54970

JOB # 97303

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO 3860 1 P 3860

LOT 2 OF CERTIFIED SURVEY MAP NO 2840 AND LOT 9 OF HORSESHOE ACRES, BEING PART OF THE SE $\frac{1}{4}$ NW $\frac{1}{4}$ SECTION 19, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

(See Sheet 3 of 3)


SURVEYOR'S CERTIFICATE:

I, **Michael A. Moe**, Registered Land Surveyor, hereby certify:

That under the direction of **Dennis Moe**, I have surveyed, divided and mapped this Certified Survey Map of Lot 2 of Certified Survey Map No. 2840 and Lot 9 of Horseshoe Acres, being Part of the SE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 19, T18N, R16E, Town of Algoma, Winnebago County, Wisconsin described as follows:

Commencing at the W $\frac{1}{4}$ Corner of said Section 19; thence S89° 50'48"E along the South line of the NW $\frac{1}{4}$ 1744.58'; thence N00° 30'48"W 45.00' to the Point of Beginning; thence N00° 30'48"W 142.29'; thence N89° 50'48"W 93.94'; thence N00° 55'05"W 378.04'; thence S89° 50'48"E 202.81' to a point on a curve to the right having a central angle of 89° 02'00" and a radius of 45.00'; thence Southeasterly 69.93' along the arc of said curve whose chord bears S45° 19'48"E 63.10'; thence S00° 48'48"E 403.57'; thence S44° 47'12"W 101.88'; thence N89° 50'48"W 80.37' to the Point of Beginning. Subject to all easements and restrictions of record.

That said Map is a correct representation of the exterior boundaries of the land surveyed;
That I have fully complied with the Provisions of Section 236.34 of the Wisconsin Statutes and the Winnebago County Subdivision Regulation in surveying and mapping the same to the best of my knowledge and belief.



Michael A. Moe, RLS 2066
November 12, 1997
Drafted by M. Moe

Sheet 2 of 3



WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 3860V 1 P 3860

LOT 2 OF CERTIFIED SURVEY MAP NO 2840 AND LOT 9 OF HORSESHOE ACRES, BEING PART OF THE SE $\frac{1}{4}$ NW $\frac{1}{4}$ SECTION 19, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

TREASURER'S CERTIFICATE:

We hereby certify that there are no unpaid taxes or special assessments on any loans included in this minor subdivision.

[Signature] "12/27" Mary R. Bruogan Deputy 11-20-97
Town of Algoma Treasurer Winnebago County Treasurer

TOWN OF ALGOMA PLANNING CERTIFICATE:

This map is hereby approved by the Town of Algoma Planning Committee

[Signature]
Town Planning Representative

WINNEBAGO COUNTY PLANNING CERTIFICATE:

This Certified Survey Map is Lot 2 of Certified Survey Map No. 2840 and Lot 9 of Horseshoe Acres, being Part of the SE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 19, T18N, R16E, Town of Algoma, Winnebago County, Wisconsin, Dennis and Terry Moe, owners, is hereby approved

November 21, 1997 [Signature]
Date Planning Committee Representative

OWNER'S CERTIFICATE:

We, Dennis and Terry Moe, owners of said lands, hereby certify that we have caused the land described on this Certified Survey Map to be surveyed, divided and mapped as shown on this map.

[Signature] 11-18 1997
Dennis Moe

[Signature] 11-18 1997
Terry Moe

STATE OF WISCONSIN)
WINNEBAGO COUNTY) ss

Personally came before me this 18 day of NOV., 1997 the above named Dennis and Terry Moe, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

[Signature]
Notary Public, State of Wisconsin
11/26/00
My Commission expires

Sheet 3 of 3



990067

Register's Office
Winnebago County, Wis.
Received for record this 26th
day of Nov A.D., 19 97
at 9:47 o'clock AM. and
recorded in Vol. 1 of C.S.M.
on page 3860


Susan Whanghoff
Register of Deeds

Mac Land Surveying

P.1
16

PLAT OF SURVEY

LANDS DESCRIBED IN VOLUME 1159, PAGE 35, BEING PART OF THE SOUTHWEST $\frac{1}{4}$ OF THE NORTHEAST $\frac{1}{4}$ AND PART OF THE NORTHWEST $\frac{1}{4}$ OF THE NORTHEAST $\frac{1}{4}$, ALL IN SECTION 19, TOWNSHIP 18 NORTH, RANGE 16 EAST, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.



NORTH IS ASSUMED TO THE NORTH LINE OF THE NORTHEAST $\frac{1}{4}$ OF SECTION 19, TOWNSHIP 18 NORTH, RANGE 16 EAST, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN, WHICH IS ASSUMED TO BE 589°-43'-48"E.



CAROW LAND SURVEYING CO., INC.

1837 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
PHONE 920-731-4168 FAX 731-5673

SCALE
1"=200'

DRAWN BY
cp ac mb BFR

PROJECT NO
A984.3

PLAT OF SURVEY

LANDS DESCRIBED IN VOLUME 1159, PAGE 35, BEING PART OF THE SOUTHWEST $\frac{1}{4}$ OF THE NORTHEAST $\frac{1}{4}$ AND PART OF THE NORTHWEST $\frac{1}{4}$ OF THE NORTHEAST $\frac{1}{4}$, ALL IN SECTION 19, TOWNSHIP 18 NORTH, RANGE 16 EAST, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

S89°-43'-48"E 2606.52' 1629.03' NORTH LINE OF THE NORTHEAST $\frac{1}{4}$ OF SECTION 19

NORTH $\frac{1}{4}$ CORNER OF SECTION 19-18-16

CLIENT: ADASHUN JONES
ATTN: DAVE SCHMIDT
950 WITZEL AVE.
OSHKOSH, WI 54901

50' RADIUS
CUL-DE-SAC
CENTERLINE OF
INTERMITTENT
STREAM

LIMIT OF WETLANDS AS
DETERMINED BY GARY
KNAPTON OF THE
CORPS OF ENGINEERS

LEGEND

● = BEAUMONT MONUMENT FOUND

● = 3/4" x 24" SOLID ROUND IRON REBAR
SET, WEIGHING 1.502 lbs. per lin.
ft.

—x—x—x— = EXISTING FENCE LINE


LANDS DESCRIBED IN DOCUMENT
NO. 748185

14.2450
acres ±

LIMIT OF WETLANDS AS
DETERMINED BY GARY
KNAPTON OF THE
CORPS OF ENGINEERS

CENTERLINE OF
INTERMITTENT
STREAM

NORTH IS ASSUMED TO THE NORTH LINE OF THE NORTHEAST $\frac{1}{4}$ OF SECTION 19, TOWNSHIP 18 NORTH, RANGE 16 EAST, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN, WHICH IS ASSUMED TO BE S89°-43'-48"E.



I HEREBY CERTIFY THAT I HAVE SURVEYED THE ABOVE DESCRIBED PROPERTY AS SHOWN
ACCORDING TO THE OFFICIAL RECORDS AND THAT THIS PLAT OF SURVEY IS A CORRECT
REPRESENTATION OF SAID SURVEY

Robert F. Reider 4-10-98
ROBERT F. REIDER, S-1251 DATED

CAROW LAND SURVEYING CO., INC.

1837 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
PHONE 920-731-4168 FAX 731-5673



SCALE
1"=200'

DRAWN BY
cp ac mb EFR

PROJECT NO.
A984.3

HO 3836

CERTIFIED SURVEY MAP NO. 717

9001 1 of 4

PART OF THE SE 1/4 OF THE NE 1/4 OF SECTION 18, T18N, R18E, IN THE TOWN OF
PAGODA, WASHINGTON COUNTY, MINNESOTA

BEARINGS ARE REFERENCED TO THE SOUTH LINE OF THE NE 1/4 OF SECTION 18-18
WHICH HAS AN ASSIGNED BEARING OF NORTH 85°20' WEST

DISTANCES ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT




① DENOTES 3/4 INCH DIAMETER IRON ROD 30 INCHES LONG SET, BEARING 150 LBS PER LINEAL FOOT

② DENOTES METAL ROD OR WAT POST FOUND

③ DENOTES EXISTING UTILITY POLE

④ DENOTES 3/4 INCH DIAMETER IRON ROD FOUND (UNLESS OTHERWISE NOTED)

BY ORDER
OF THE
MINNESOTA
SURVEYOR GENERAL




ROEHLIG
LAND SURVEYING
&
CONSULTING LTD
A Division of R. A. Smith and Associates
1850 University Street • Oakbrook, IL • 60181
(708) 431-1181

SHEET 1 OF 4

DISTANCES ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

- DENOTES 3/4 INCH DIAMETER IRON ROD 24 INCHES LONG SET, WEIGHING 1.50 LBS PER LINEAL FOOT.
 • DENOTES METAL RIGHT OF WAY POST FOUND.
 ⊕ DENOTES EXISTING UTILITY POLE.
 ● DENOTES 3/4 INCH DIAMETER IRON ROD FOUND. (UNLESS OTHERWISE NOTED.)
- N.E. CORNER
 SECTION 18
 (BERNTSEN MONUMENT)

N.E. CORNER
SECTION 18
(BERNTSEN MONUMENT)



ROEHLIG

LAND SURVEYING
&
CONSULTING LTD.

A Division of R.A. Smith and Associates

2850 Universal Street * Oshkosh WI * 54904
(920) 233-2884

NO. 3836



NO. 3836

CERTIFIED SURVEY MAP NO. 4292




SHEET 1 OF 1

PART OF THE SE 1/4 OF THE NE 1/4 OF SECTION 18, TOWNSHIP 18N, RANGE 10E, IN THE COUNTY OF ALCONA, MINNEAPOLIS COUNTY, MINNESOTA

BEARINGS ARE REFERENCED TO THE SOUTH LINE OF THE NE 1/4 OF SECTION 18, TOWNSHIP 18N, RANGE 10E, WHICH HAS AN ASSIGNED BEARING OF NORTH 89° 58' 12" WEST
DISTANCES ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT

- DENOTES 3/4 INCH DIAMETER IRON ROD 36 INCHES LONG SET BEARING 150 LBS PER LINEAL FOOT
- DENOTES METAL POINT OR NAIL POST FOUND
- DENOTES EXISTING UTILITY POLE
- DENOTES 3/4 INCH DIAMETER IRON ROD FOUND (UNLESS OTHERWISE NOTED)

NE CORNER
SECTION 18
TOWNSHIP 18N, RANGE 10E



NE CORNER
SECTION 18
TOWNSHIP 18N, RANGE 10E

SECTION 18
TOWNSHIP 18N, RANGE 10E

CTH 10 (PART OF RAY LINE)

2020 20' BETWEEN SECTION CORNERS



OCTOBER 24, 1901

ROEHLIG
LAND SURVEYING
&
CONSULTING LTD.
A Division of R.A. Smith and Associates
1855 Universal Street • Golden, CO • 80401
(303) 233-2881

NOT A MAP

NO. 3836

CERTIFIED SURVEY MAP NO. 4892

SHEET 1 OF 4



PART OF THE S.E. 1/4 OF THE N.E. 1/4 OF SECTION 19, T18N, R16E, IN THE TOWN OF
ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

BEARINGS ARE REFERENCED TO THE SOUTH LINE OF THE N.E. 1/4 OF SECTION 19-18-16, WHICH HAS AN ASSUMED BEARING OF NORTH 89°51'06" WEST.

DISTANCES ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

- DENOTES 3/4 INCH DIAMETER IRON ROD 24 INCHES LONG SET, WEIGHING 1.50 LBS PER LINEAL FOOT.
 • DENOTES METAL RIGHT OF WAY POST FOUND.
 ○ DENOTES EXISTING UTILITY POLE.
 ● DENOTES 3/4 INCH DIAMETER IRON ROD FOUND. (UNLESS OTHERWISE NOTED.)
- N.E. CORNER
 SECTION 18
 (BERNTSEN MONUMENT)

N.E. CORNER
SECTION 18
(BERNTSEN MONUMENT)



OCTOBER 26, 2001

ROEHLIG

LAND SURVEYING
&
CONSULTING LTD.

A Division of R.A. Smith and Associates

2850 Universal Street * Oshkosh WI * 54904

(920) 233-2884

NO. 3836

NO. 3836

CERTIFIED SURVEY MAP NO. 4222

SHEET 2 of 4

PART OF THE S.E. 1/4 OF THE N.E. 1/4 OF SECTION 19, T18N, R14E, IN THE TOWN OF ALGONA, WINNEBAGO COUNTY, WISCONSIN.

**SURVYOR'S CERTIFICATE
STATE OF WISCONSIN)**

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Registered Land Surveyor do hereby certify:

THAT I have surveyed, divided and mapped part of the S.E. 1/4 of the N.E. 1/4 of Section 19, T18N, R14E, in the Town of Algona, Winnebago County, Wisconsin, which is located and described as follows:

COMMENCING AT THE EAST 1/4 CORNER OF SAID SECTION, THENCE NORTH 00°21'35" WEST 65.76 FT. ALONG THE EAST LINE OF SAID SECTION TO A POINT ON THE NORTH RIGHT OF WAY LINE OF COUNTY TRUNK HIGHWAY "1" AND THE POINT OF BEGINNING; THENCE NORTH 84°23'25" WEST ALONG SAID RIGHT OF WAY LINE 30.41 FT.; THENCE SOUTH 84°31'42" WEST ALONG SAID LINE 147.98 FT.; THENCE NORTH 89°50'18" WEST ALONG SAID LINE 1135.01 FT. TO A POINT ON THE WEST LINE OF THE SOUTHEAST 1/4 OF THE NORTHEAST 1/4 OF SAID SECTION; THENCE NORTH 00°02'10" WEST ALONG THE WEST LINE OF SAID 1/4-1/4 SECTION 1272.32 FT. TO THE NORTHWEST CORNER OF SAID 1/4-1/4 SECTION; THENCE SOUTH 84°42'40" EAST ALONG THE NORTH LINE OF THE SOUTHEAST 1/4 OF SAID 1/4 SECTION 1100.72 FT. TO THE NORTHEAST CORNER OF SAID 1/4-1/4 SECTION; THENCE SOUTH 00°21'35" EAST ALONG THE EAST LINE OF THE NORTHEAST 1/4 OF SAID SECTION 1164.06 FT. TO THE POINT OF BEGINNING. SAID PARCEL IS SUBJECT TO ALL EXISTING EASEMENTS AND RESTRICTIONS IN VOLUME 859, PAGE 507.

THAT this Certified Survey Map is contained wholly within the property described in the following recorded instrument: Document No. 1087642.

THAT I have made this survey by the direction of HARRY A. ZIEGENHAGEN, owner of said land.

THAT such map is a correct representation of all the existing boundaries of the land surveyed and the land divisions thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County, Town of Algona, and the City of Port of

Date

10.1.61

Reinhard Roehlig, Registered
Wisconsin Land Surveyor



NO. 3834

CERTIFIED SURVEY NO. 4892

SHEET 3 OF 11

PART OF THE S.E. 1/4 OF THE S.E. 1/4 OF SECTION 19, T18N. R16E. IN THE TOWN OF ALGONA, WINNEBAGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE

AS OWNER, I hereby certify that I caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County, City of Oshkosh and the Town of Algona Subdivision Ordinances.

WITNESS the hand and seal of said owner this 2nd day of October, 1901.

San Regenhagen
San Regenhagen

STATE OF WISCONSIN

WINNEBAGO COUNTY

PERSONALLY came before me this 2nd day of October, 1901, the aforementioned San Regenhagen, to me known to be the person who executed the foregoing instrument and acknowledged the same.

John A. [Signature]
Notary Public, Winnebago
County, State of Wisconsin

My Commission Expires 6/22/03

COUNTY TREASURER'S CERTIFICATE

Diana M. Hillman
I, Diana M. Hillman, being the duly elected, qualified and acting Treasurer for Winnebago County, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or unpaid special assessments as of 10-31-01 on any land included in this Certified Survey Map.

Date 10 31 01

Diana M. Hillman
County



Recd

OCT 02 2001

FILED