

20-18-16

NO.	S.W. / EYED FOR	SURVEYOR	DATE	PLAT NO.	CERTIFIED MAP NO.	SURVEYS		SURVEY	LOCATION
						VOL.	PAGE		
1	Ad. Vogt	Stearns	7-26-53						NE 1/4
2	Paul J. Pickett	Saunders	3-11-77						
3	E. STROSHANE	Hicksworth	12-8-78		527377	1	498		SE - NE
4	W. Stewart	Stearns	9-19-64						SE 1/4
5	John Smith	Chambers	4-10-78		513750	1	315		E - NE
6	John Smith	Chambers	1-18-78		510070	1	274		E - NE
7	Ad. Vogt	Chambers	6-18-75						NE - SE
8	Ad. Vogt	Chambers	10-18-75						NE - SE
9	John Smith	Chambers	3-3-78						E - NE
10	Charles Platt	Harrison	11-2-78						NE - NE
11	Ch. Minor	Chambers	1979						E - NE
12	H. Engler	Reider	8-22-80						NE

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1922
Part of the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 20, T.18N., R.16E., Town of Algoma,
Winnebago County, Wisconsin. A DIVISION OF LOT 2 OF C.S.M. NO. 498


Bearings are referenced to the East line of
of the NE $\frac{1}{4}$ of Sec. 20, assumed bear-
ing, N.00°00'00"E.

LEGEND

- () Recorded dimensions
- Existing iron pipe
- 1"x30" iron pipe weighing
1.13 lbs./lineal ft.
- Berntsen monument

AREA:

LOT 1	To R.O.W.	16,335.00	Sq. Ft.
	In R.O.W.	3,061.00	" "
	TOTAL	19,396.00	Sq. Ft.
LOT 2	To R.O.W.	16,335.00	Sq. Ft.
	In R.O.W.	3,061.00	Sq. Ft.
	TOTAL	19,396.00	Sq. Ft.
LOT 3	To R.O.W.	16,747.00	Sq. Ft.
	In R.O.W.	3,180.00	" "
	TOTAL	19,927.00	Sq. Ft.



SURVEYOR'S CERTIFICATE

I, Robert H. Saylor, registered land surveyor,
hereby certify:

That I have surveyed, divided and mapped the parcels
of land located in part of the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 20,
T.18N., R.16E., Town of Algoma, Winnebago County, Wisconsin,
described as follows: Beginning at a point on the East line
of the NE $\frac{1}{4}$ of said Sec. 20 that is 289.04 ft. (Rec. as
289.50 ft.), N.00°00'00"E. of a Berntsen
monument at the E $\frac{1}{4}$ corner of said Sec. 20. From
that point running N.89°33'20"W., 215.52 ft. (Rec.
as 214.50 ft.), thence N.00°00'00"E., 271.24 ft. (Rec. as 269.02 ft.),
thence N.89°47'37"E., 215.51 ft. (Rec. as 214.50 ft.), to the East line
of the NE $\frac{1}{4}$ of Sec. 20., thence S.00°00'00"W. along said East line,
273.69 ft. (Rec. as 271.46 ft.) to the said point of beginning.

Reserving therefrom that portion of above described parcel being used
for road purposes. Subject to all restrictions and easements of record.
That I have made such survey, land division and map by the direc-
tion of Gordon Altmann, 1723 Chestnut, Oshkosh, WI., 54901; that such
map is a true and correct representation of the exterior boundaries of
the land surveyed.

That I have fully complied with the provisions of Sec. 236.34 of
the Wisconsin Statutes and the Winnebago County Subdivision Ordinance
in surveying, dividing and mapping the same.

Robert H. Saylor
Robert H. Saylor
Wisconsin Registered Land Surveyor
October 4, 1988

Sheet 1 of 2 sheets



SAYLER SURVEY, INC.

LAND
SURVEYORS WINNECONNE, WI.

FB. 59
P. 17

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1722
Part of the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 20, T.18N., R.16E., Town of Algoma,
Winnebago County, Wisconsin. A DIVISION OF C.S.M. NO. 498, LOT 2.

OWNER'S CERTIFICATE

As owner(s), I(we) hereby certify that I(we) caused the land described on this certified survey map to be surveyed, divided and mapped as represented hereon.

Gordon Altmann
Gordon Altmann, owner
1723 Chestnut
Oshkosh, WI. 54901

Elaine Altmann
1723 Chestnut St
Oshkosh, WI. 54901

STATE OF WISCONSIN) SS
WINNEBAGO COUNTY)

Personally came before me this 5th day of October, 1988, the above named owner(s) to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.

Doreen F. Haert
Notary Public, Wisc WI.

My commission expires 10-16-88.



WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

This certified survey map of part of the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 20, T.18N., R.16E., Town of Algoma, Winnebago Co., WI. is hereby approved.

October 13 1988
Date

Jeanette Dickoff
Authorized signature

Robert H. Saylor
Robert H. Saylor S-1894
Wisconsin Registered Land Surveyor
October 4, 1988



Sheet 2 of 2 sheets

71.0560

Register's Office
Winnebago County, Wis.
Received for record this 13th
day of Oct. A.D., 1988
at 9:38 o'clock A.M. and
recorded in Vol. 1 of C.S.M.
on page 1722
Marjorie Adams
Register of Deeds

✓ SAYLER SURVEY, INC. WINNECONNE, WI.

62

BB-1284

SHEET 7 OF 3


CERTIFIED SURVEY MAP NO. 1886

BEING A PART OF THE N.W. 1/4 OF THE N.E. 1/4 OF SECTION 20, T18N, R16E,
IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.


- DENOTES 2 INCH DIAMETER IRON PIPE FOUND.
- DENOTES 3/4 INCH DIAMETER IRON ROD, 24" LONG, WEIGHING NOT LESS THAN 1.13 LBS PER LINEAL FOOT SET.

ALL DIMENSIONS SHOWN ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE NORTH LINE OF THE N.E. 1/4 OF SECTION 20, WHICH HAS AN ASSUMED BEARING OF SOUTH 89-21-34 EAST.



All Lot Dimensions Shown
on Curved Lines are
Arc Lengths.



SCHULER & ASSOCIATES

CONSULTING ENGINEERS & LAND SURVEYORS
320 W. HORTLAND AVE. APPLETON, WIS. 54911 (414) 734-5107
2530 W. 23RD AVE. OSHKOSH, WIS. 54904 (414) 426-2800

L-88-1234

Stock No. 26273

88-1284

SHEET 2 OF 3

CERTIFIED SURVEY MAP NO. 1886

BEING A PART OF THE N.W. 1/4 OF THE N.E. 1/4 OF SECTION 20, T10N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Land Surveyor do hereby certify;

THAT I have surveyed and mapped a part of the N.W. 1/4 of the N.E. 1/4 of Section 20, T10N, R16E, in the Town of Algoma, Winnebago County, Wisconsin which is bounded and described as follows:

Commencing at the N. 1/4 Corner of said Section, thence South 89-21-34 East along the North line of said N.E. 1/4 aforesaid 719.17 ft. to the point of beginning of the parcel to be described, thence continuing South 89-21-34 East 300.00 ft. to a point on the west line of the First Addition to Oak Manor Estates, thence South 00-06-04 East along said line 250.00 ft. to a point on the South line of Oak Manor Drive, thence South 89-21-34 East along said South line 144.82 ft., thence Southwesterly 58.32 ft. along the arc of a curve whose center lies to the west whose radius is 334.00 ft. and whose chord bears South 05-38-35 West 58.25 ft., thence Southwesterly 39.14 ft. along the arc of a curve whose center lies to the East whose radius is 400.00 ft. and whose chord bears South 07-50-31.5 West 39.13 ft., thence North 89-25-21 West 133.61 ft., thence North 00-06-04 West 97.00 ft., thence North 89-21-34 West 62.00 ft., thence Northwesterly 157.49 ft. along the arc of a curve whose center lies to the north whose radius is 616.00 ft. and whose chord bears North 82-02-07 West 157.06 ft., thence Northwesterly 83.70 ft. along the arc of a curve whose center lies to the South whose radius is 384.00 ft. and whose chord bears North 80-57-20.5 West 83.54 ft., thence Northwesterly 307.02 ft. along the arc of a curve whose center lies to the west whose radius is 60.00 ft. and whose chord bears North 00-06-04 West 66.07 ft., thence North 00-06-04 West 151.69 ft. to the point of beginning.

THAT I have made this survey and land division by the direction of James F. Purltell, Kevin G. Purltell and Jon R. Guiles, owners of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.


THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

7/5/08
Date

Reinhard Roehlig (SEAL)
Reinhard Roehlig, Registered
Land Surveyor S-1368

CURVE DATA

	A	ARC	RADIUS	CHORD
1-2	10-00-18	58.32	334.00	S05-38-26E 157.06
2-3	05-36-24	39.14	400.00	S07-50-31W 39.13
4-5	14-38-54	157.49	616.00	N89-02-07W 157.06
5-6	12-29-21	83.70	384.00	N80-57-20.5W 83.54
6-7	293-11-00	307.02	60.00	N00-06-04W 66.07
7-8	12-54-54	101.43	450.00	S81-10-07E 101.22
8-9	14-38-54	140.61	550.00	S82-02-07E 140.23
LOT				
2	10-35-43	101.71	550.00	S80-00-32E 101.56
LOT				
3	04-03-11	38.90	550.00	S87-19-59E 38.90



Stock No. 26273

88-1284

SHEET 3 OF 3CERTIFIED SURVEY MAP NO. 1886

BEING A PART OF THE N.W. 1/4 OF THE N.E. 1/4 OF SECTION 20, T18N, R16E,
IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE

AS OWNERS, we hereby certify that we caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hands and seals of said owners this 21st day of July 1988.

In The Presence Of:

JKJ Development, Inc.

James F. Purtell Vice President
James F. Purtell Vice President of JKT Development Inc.
Kevin G. Purtell President
Kevin G. Purtell President of JKT Development Inc.
Jon R. Guiles Secretary
Jon R. Guiles Secretary of JKT Development Inc.

STATE OF WISCONSIN)

1988

WINNEBAGO COUNTY)

PERSONALLY came before me this 21st day of July 1988 the above named James F. Purtell, Kevin G. Purtell and Jon R. Guiles, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Notary Public, Winnebago County,
State of Wisconsin

My Commission Expires 11-12-91

WINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE


THIS Certified Survey Map of a part of the N.W. 1/4 of the N.E. 1/4 of Section 20, T18N, R16E, Town of Algoma, James F. Purtell, Kevin G. Purtell and Jon R. Guiles owners, is hereby approved.

July 28, 1988
Date

Jeanette Diakoff
Planning Committee Representative

THIS INSTRUMENT WAS DRAFTED BY REINHARD ROEHLIG.
705878

Register's Office
Winnebago County, Wis.
Received for record this 28th
day of July A.D. 1988
at 2:08 o'clock P.M. and
recorded in Vol. 1 of CS 11
on page 1886
Reynolds Adams
8



Stock No. 26273

88-1204

SHEET 1 OF 3

CERTIFIED SURVEY MAP NO. 1848

BEING A DIVISION OF A PART OF THE S.E. 1/4 OF THE N.W. 1/4 OF SECTION 20, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

○ ——— DENOTES 3/4 INCH DIAMETER IRON ROD, 24" LONG,
WEIGHING NOT LESS THAN 1.13 LBS PER LINEAL
FOOT SET.

ALL DIMENSIONS SHOWN ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE SOUTH LINE OF THE N.W. 1/4 OF SECTION 20, T18N, R16E, WHICH HAS AN ASSUMED BEARING OF NORTH 89°40'46" WEST.

UNPLATTED LANDS

S89° 40'46"E
294.72

UNPLATTED LANDS


295.16
N00°16'57"W

LOT 1
87,120 SQ. FT.
2.000 ACRES

298.84
S00°16'57"E

UNPLATTED LANDS

SCALE 1"=60'



N89° 40'46"W

221.16

N86°49'01"W
73.69

55.0


4th STREET (HWY. "E")

51.32

C1/4 COR.
SEC. 20

S. LINE N.W. 1/4
SEC. 20

72.21

**SCHULER & ASSOCIATES**

CONSULTING ENGINEERS & LAND SURVEYORS
320 W. NORTHLAND AVE. APPLETON, WIS. 54911 (414) 734-8107
3530 W. 20th AVE. OSHKOSH, WIS. 54904 (414) 426-2800

Stock No. 26273

80-1204

SHEET 2 OF 3CERTIFIED SURVEY MAP NO. 1448

BEING A DIVISION OF A PART OF THE S.E. 1/4 OF THE N.W. 1/4 OF SECTION 20, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Land Surveyor do hereby certify;

THAT I have surveyed and mapped a part of the S.E. 1/4 of the N.W. 1/4 of Section 20, T18N, R16E, in the Town of Algoma, Winnebago County, Wisconsin, which is bounded and described as follows:

Commencing at the Center 1/4 Corner of said Section, thence North 89-40-46 West along the South line of said N.W. 1/4 aforesaid 72.21 ft., thence North 00-16-57 West 51.32 ft. to a point on the North line of 4th Street (County Hwy. "E") and the point of beginning of the parcel to be described, thence North 86-40-01 West along said North line 73.69 ft., thence North 89-40-46 West along said line 221.16 ft., thence North 00-16-57 West 295.16 ft., thence South 89-40-46 East 294.72 ft., thence South 00-16-57 East 298.84 ft. to the point of beginning.


THAT I have made this survey and land division by the direction of Joyce A. Moon, Town of Algoma, Winnebago County, owner of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

5/5/00
Date

Reinhard Roehlig (SEAL)
Reinhard Roehlig, Registered
Land Surveyor S-1368



Stock No. 26273

88-1284

SHEET 3 OF 3CERTIFIED SURVEY MAP NO. 1848


BEING A DIVISION OF A PART OF THE S.E. 1/4 OF THE N.W. 1/4 OF SECTION 20, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE

AS OWNER I hereby certify that I caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.



WITNESS the hand and seal of said owner this 12th day of May 1988.

In The Presence Of:



 Joyce A. Moon

STATE OF WISCONSIN)
 :SS
 WINNEBAGO COUNTY)

PERSONALLY came before me this 12th day of May 1988 the above named Joyce A. Moon, to me known to be the person who executed the foregoing instrument and acknowledged the same.




 Notary Public, Winnebago County,
 State of Wisconsin

My Commission Expires April 29, 1990

WINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE

THIS Certified Survey Map of a part of the S.E. 1/4 of the N.W. 1/4 of Section 20, T18N, R16E, Town of Algoma, Winnebago County, Wisconsin, Joyce A. Moon owner, is hereby approved.

May 19, 1988
 Date


 Planning Committee Representative

THIS INSTRUMENT WAS DRAFTED BY REINHARD ROEHLIG.

Register's Office
 Winnebago County, Wis.
 Received for record this 20th
 day of May A.D. 1988
 at 3:32 o'clock P.M. and
 recorded in Vol. 1 of C.S.M.
 on page 1848
Reynolds Starnes
 Register of Deeds



701522

CERTIFIED SURVEY MAP NO.....


BEING A PART OF THE S.E. 1/4 AND S.W. 1/4 OF THE S.E. 1/4 OF SECTION 20, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

- ——— DENOTES 3/4 INCH DIAMETER IRON ROD FOUND.
- ——— DENOTES 1 INCH DIAMETER IRON PIPE, 24 " LONG, WEIGHING NOT LESS THAN 1.13 LBS PER LINEAL FOOT SET.
- () ——— DENOTES RECORD DIMENSIONS WHERE DIFFERENT FROM FIELD MEASUREMENTS.


ALL DIMENSIONS SHOWN ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE SOUTH LINE OF THE S.E. 1/4 OF SECTION 20, WHICH IS ASSUMED TO BEAR NORTH 89-16-29 WEST.

UNPLATTED LANDS



 **national survey & engineering**
 2530 WEST 20TH AVENUE
 P.O. BOX 2963
 OSHKOSH, WISCONSIN 54903
 (414) 426-2800



1815-S

SHEET. 2. OF 3.

CERTIFIED SURVEY MAP NO.....

BEING A PART OF THE S.E. 1/4 AND S.W. 1/4 OF THE S.E. 1/4 OF SECTION 20, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin land surveyor do hereby certify;

THAT I have surveyed and mapped a part of the S.E. 1/4 and S.W. 1/4 of the S.E. 1/4 of Section 20, T18N, R16E, in the Town of Algoma, Winnebago County, Wisconsin, which is bounded and described as follows:

Commencing at the S.E. corner of said Section 20, thence North 89-16-29 West along the South line of said Section 670.10 ft. to the point of beginning of the land to be described, thence continuing North 89-16-29 West 687.31 ft., thence North 00-27-04 West 1329.22 ft., thence South 89-22-46 East 687.91 ft., thence South 00-25-28 East 1330.46 ft. to the point of beginning.


THAT I have made this survey, land division and map by the direction of CARL A. ARNDT and DOROTHY E. ARNDT, his wife, Town of Algoma, Winnebago County, Wisconsin, owners of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

1-7-07.....
Date

Reinhard Roehlig..... (SEAL)
Reinhard Roehlig, Registered
Land Surveyor S-1368



1815-S

SHEET. 3. OF. 3.

CERTIFIED SURVEY MAP NO.....

BEING A PART OF THE S.E. 1/4 AND S.W. 1/4 OF THE S.E. 1/4 OF SECTION 20, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE

AS OWNERS we hereby certify that we caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hands and seals of said owners this.....day of 1987.

In The Presence Of:

.....
CARL A. ARNDT

.....
DOROTHY E. ARNDT

STATE OF WISCONSIN)
:SS
WINNEBAGO COUNTY)

PERSONALLY came before me this.....day of.....1987 the above named Carl A. Arndt and Dorothy E. Arndt, his wife, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

.....
Notary Public, Winnebago
County, State of Wisconsin

My Commission Expires.....


WINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE


THIS Certified Survey Map of a part of the S.E. 1/4 and S.W. 1/4 of the S.E. 1/4 of Section 20, T18N, R16E, Town of Algoma, Carl A. Arndt and Dorothy E. Arndt owners, is hereby approved.

.....
Date

.....
Planning Committee
Representative


THIS INSTRUMENT WAS DRAFTED BY REINHARD ROEHLIG





20-18-16
 Lot Thirty-one (31), OAK MANOR ESTATES,
 Town of Algoma, Winnebago County, Wisconsin.

---BELL--- OAK CREST DRIVE
 NO BUILDING ENCROACHMENTS PRESENT
 NEW CONSTRUCTION



Robert F. Reider

I, ROBERT F. REIDER
 certify that this mortgage inspection was made by me or
 under my direction and control of the described property on,
 December 4, 1987, according to the official records
 and that this drawing is a true representation of the
 principal building lines thereon and is accurate to the
 best of my knowledge and belief. United Savings & Loan Assoc.
 in agreement with Carow Land Surveying Co., Inc. has
 waived parts of Administrative Code A-E 5.01 (3 through 7).
 THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE.
 THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF:
 UNITED SAVINGS & LOAN ASSOCIATION

REVISIONS	United Savings & Loan Assoc. 200 E. Washington Street Appleton, WI 54911		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297 1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
	DRAWN BY dw-mv	KO	SCALE 1"=50'
	APPD	X	DATE 12-4-87
			DRAWING NO. 8712.4


Sec. 20 T18N R16

Lot Forty-five (45), OAK MANOR ESTATES, Town of Argonne,
County, Wisconsin.

2 STORY HOUSE WITH ATTACHED GARAGE

NO BUILDING ENCROACHMENTS PRESENT


GELHAR: 417 OAK CREST DR.
OSHKOSH, WISCONSIN.



I, ROBERT F. REIDER

certify that this mortgage inspection was made by
under my direction and control of the described p
MARCH 22, 1987, according to the offici
and that this drawing is a true representation of
principal building lines thereon and is accurate
best of my knowledge and belief. Oshkosh Savings
in agreement with Carow Land Surveying Co., Inc.
waivered parts of Administrative Code A-E 5.01 (3)
THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE.
THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIV
Oshkosh Savings & Loan.

REVISIONS	Oshkosh Savings & Loan		
	P.O. Box 80, Oshkosh, Wisc. 54902		
	CAROW LAND SURVEYING CO., INC., P.		
	1837 W. WISCONSIN AVE. • APPLETON		
	DRAWN BY	SCALE	DRAWING NO.
	MY-dv MV	1"=40'	873.17
	APPRO	DATE	
		3-26-87	



673222

Register's Office
Winnebago County, Wis.
Received for record this *19th*
day of *February* A.D., 19*87*
at *10:50* o'clock *A.*M. and
recorded in Vol. *1...* of *CSM's*
on page *1660*.
Margaret A. Schmid
Register of Deeds

Carl A. Arndt
Bd.
8.00

CERTIFIED SURVEY MAP NO. 1660


BEING A PART OF THE S.E. 1/4 AND S.W. 1/4 OF THE S.E. 1/4 OF SECTION 20, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

- ——— DENOTES 3/4 INCH DIAMETER IRON ROD FOUND.
- ——— DENOTES 1 INCH DIAMETER IRON PIPE, 24 " LONG, WEIGHING NOT LESS THAN 1.13 LBS PER LINEAL FOOT SET.
- () ——— DENOTES RECORD DIMENSIONS WHERE DIFFERENT FROM FIELD MEASUREMENTS.

ALL DIMENSIONS SHOWN ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.


BEARINGS ARE REFERENCED TO THE SOUTH LINE OF THE S.E. 1/4 OF SECTION 20, WHICH IS ASSUMED TO BEAR NORTH 89-16-29 WEST.

UNPLATTED LANDS



national survey & engineering

2530 WEST 20TH AVENUE
P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 426-2800



CERTIFIED SURVEY MAP NO. 1660.

BEING A PART OF THE S.E. 1/4 AND S.W. 1/4 OF THE S.E. 1/4 OF SECTION 20, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)
:SS
WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin land surveyor do hereby certify:

THAT I have surveyed and mapped a part of the S.E. 1/4 and S.W. 1/4 of the S.E. 1/4 of Section 20, T18N, R16E, in the Town of Algoma, Winnebago County, Wisconsin, which is bounded and described as follows:

Commencing at the S.E. corner of said Section 20, thence North 89-16-29 West along the South line of said Section 670.10 ft. to the point of beginning of the land to be described, thence continuing North 89-16-29 West 687.31 ft., thence North 00-27-04 West 1329.22 ft., thence South 89-22-46 East 687.91 ft., thence South 00-25-28 East 1330.46 ft. to the point of beginning.


THAT I have made this survey, land division and map by the direction of CARL A. ARNDT and DOROTHY E. ARNDT, his wife, Town of Algoma, Winnebago County, Wisconsin, owners of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

1-7-87.....
Date

Reinhard Roehlig.....(SEAL)
Reinhard Roehlig, Registered
Land Surveyor S-1368



CERTIFIED SURVEY MAP NO. 1660

BEING A PART OF THE S.E. 1/4 AND S.W. 1/4 OF THE S.E. 1/4 OF SECTION 20, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE

AS OWNERS we hereby certify that we caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hands and seals of said owners this.....14th day of ..January....., 1987.

In The Presence Of:

.....
Carl A. Arndt
 CARL A. ARNDT

.....
Dorothy E. Arndt
 DOROTHY E. ARNDT

STATE OF WISCONSIN)
) SS
 WINNEBAGO COUNTY)

PERSONALLY came before me this.....14 day of.....January.....1987 the above named Carl A. Arndt and Dorothy E. Arndt, his wife, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

.....
W.C. Stenshulder
 Notary Public, Winnebago County, State of Wisconsin

My Commission Expires.....6-10-90.....


WINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE

THIS Certified Survey Map of a part of the S.E. 1/4 and S.W. 1/4 of the S.E. 1/4 of Section 20, T18N, R16E, Town of Algoma, Carl A. Arndt and Dorothy E. Arndt owners, is hereby approved.

February 18, 1987
 Date

.....
Carol Owens
 Planning Committee Representative

THIS INSTRUMENT WAS DRAFTED BY REINHARD ROEHLIG



Description: All of Lot 3 of Danbe Plat in the Northeast 1/4 of the Northeast 1/4 of Section 20, T. 18 N.-R. 16E., Town of Algoma, Winnebago County, Wisconsin.


Parcel Address: 2847 Danbe Road
Oshkosh, Wisconsin 54901

Owners: P. Douglas Boyko
Stephanie H. Boyko

I, Dennis J. Russell, Registered Land Surveyor of the State of Wisconsin, do hereby certify that this Mortgagee Inspection was made by me or under my direction and control this 21st day of November, 1986 according to the official records and that this drawing is a true representation of the existing building(s) thereon.

Dennis J. Russell

Dennis J. Russell, R.L.S. No. S-1397



MORTGAGEE INSPECTION MAP FOR FEDERATED FINANCIAL

This Mortgagee Inspection excludes portations of A-E 5 of the Wisconsin Administrative Code "Minimum Standards For Property Surveys" through an agreement made between the surveyor and the client/client's agent.


LEGEND

"●" = Rebar property stake located

"■" = Telephone ped.


"■" = Electric transformer

"---" = Concrete pavement



CERTIFIED SURVEY MAP NO. 1643


BEING PART OF THE SE $\frac{1}{4}$ OF THE NW $\frac{1}{4}$ OF SECTION 20, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.



NORTH IS REFERENCED TO THE SOUTH LINE OF THE NW $\frac{1}{4}$ OF SECTION 20, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN WHICH IS ASSUMED TO BEAR N89°-40'-58"W.

LEGEND

- ⊙ = BERNTSEN MONUMENT FOUND
- = 3/4"x24" SOLID ROUND IRON REBAR SET, 1.502 LBS. PER LIN. FOOT
- = RIGHT-OF-WAY STEEL PLATE
- ⊞ = TELEPHONE CAN AT CORNER YELLOW PAINT CROSS ON TOP, SET IRON REBAR 2.00' NORTH



Robert F. Reider 5-22-86

ROBERT F. REIDER, RLS-1251 DATED
CAROW LAND SURVEYING CO., INC.
1837 W. WISCONSIN AVE. P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
A865.261 (rr-kv KJV 5-22-86)

CERTIFIED SURVEY MAP NO. 1643

THAT I HAVE FULLY COMPLIED WITH THE PROVISIONS OF CHAPTER 236.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION ORDINANCES OF WINNEBAGO COUNTY.



Robert F. Reider 5-22-86

ROBERT F. REIDER, RLS-1251 DATED
CARON LAND SURVEYING CO., INC.
1837 W. WISCONSIN AVE. P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
A865,261

WITNESS THE HAND AND SEAL OF SAID OWNER THIS 19 DAY OF DEC, 1986.

ORDER
 STATE OF WISCONSIN
 COUNTY OF GREEN COUNTY
 ss

John A Moore
WITNESS

STATE OF WISCONSIN ss
COUNTY OF WINNEBAGO

PERSONALLY CAME BEFORE ME THIS 19 DAY OF DECEMBER, 1986, THE ABOVE NAMED PERSON TO ME KNOWN TO BE THE PERSON WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGED THE SAME.

Grace M. Schmidt
 NOTARY PUBLIC, WINNEBAGO COUNTY

Expires 5/8/88
MY COMMISSION

PURSUANT TO THE WINNEBAGO COUNTY SUBDIVISION ORDINANCES, ALL REQUIREMENTS FOR APPROVAL HAVE BEEN FULFILLED. THIS CERTIFIED SURVEY MAP WAS APPROVED ON THE 31st DAY OF December, 1986.

Carol Owens
CHAIRPERSON, WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE

chg. John Moore

669777

Register's Office
Winnebago County, Wis.
Received for record this 30th
day of Dec. A.D. 1986
at 3:30 o'clock P.M. and
recorded in Vol. 1 of C.S.M.
on page 1643
Margaret Nakonec
Register of Deeds

Chg. John Mone
628


PLAT OF SURVEY

KNOWN AS 2862 DANBE ROAD. BEING LOT 9 IN DANBE PLAT, IN THE N.E. 1/4 OF SECTION 20, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

FEBRUARY 14, 1986

SURVEY FOR NORTH SHORE
SAVINGS AND LOAN
APPLICANT: GOLEM
MONUMENT WAIVER ON FILE


SURVEY NO. 1696-M




I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.




national survey & engineering
417 NORTH SAWYER STREET / P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 428-2800



Lot Nine (9), OAK MANOR ESTATES, Town of Algoma, Winnebago County, Wisconsin.



CURTLESS - 408 OAK PARK DRIVE



SEPTEMBER 5, 1985, according to the official records and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief. Oshkosh Savings & Loan in agreement with Carow Land Surveying Co., Inc. has waived parts of Administrative Code A-E 5.01 (3 through 7). THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE. THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF: Oshkosh Savings & Loan.

James F. Halverson

9-6-85

REVISIONS	Oshkosh Savings & Loan P.O. Box 80, Oshkosh, Wis. 54902		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297 1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
	DRAWN BY rr-kv	TFH	SCALE 1"=40'
	APPD ✓	DATE 9-6-85	DRAWING NO. 859.35

PLAT OF SURVEY


KNOWN AS 2875 WYLDEWOOD ROAD, BEING THE EAST 10.0 FT. FRONT AND REAR OF LOT 31 AND ALL OF LOT 32 IN OAK MANOR ASSESSOR'S PLAT, IN SECTION 20, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

APRIL 15, 1985

SURVEY FOR ALL STAR
CENTURY 21 REALTY

SURVEY NO. 1611-S

() = RECORD DIMENSIONS WHERE DIFFERENT FROM FIELD MEASUREMENTS.




I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.



national survey & engineering

417 NORTH SAWYER STREET / P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 426-2800



The North Ninety-seven (97) feet of the South Six Hundred Forty-five and Seven-tenths (645.7) feet of the East Two Hundred Thirty-three and Eight-tenths (233.8) feet of the East 1/2 of the South East 1/4 of the SOUTH EAST 1/4 of Section Twenty (20) Township Eighteen (18) North of Range Sixteen (16) East, in the Town of Algona, Winnebago County, Wisconsin.


SOUTH OAKWOOD ROAD
97'

ADDRESS: 621 S. OAKWOOD ROAD

1 STORY WITH ATTACHED GARAGE

THERE ARE NO BUILDING ENCROACHMENTS

-CLARK




Robert F. Reider

I, ROBERT F. REIDER

certify that this mortgage inspection was made by me or under my direction and control of the described property on,

MARCH 15, 1985, according to the official records and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief. Knutson Mortgage Corp., in agreement with Carow Land Surveying Co., Inc. has waived parts of Administrative Code A-E 5.01 (3 through 7). THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE. THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF: Knutson Mortgage & Financial Corp.



REVISIONS	Knutson Mortgage & Financial Corp. P.O. Box 1893, Appleton, Wis. 54913-1893		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297 1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
	DRAWN BY dy mv EC	SCALE 1"=30'	DRAWING NO. 853.114
	APPRO X	DATE 3-19-85	

CERTIFIED SURVEY MAP NO. 1298.

BEING A RE-DIVISION OF CERTIFIED SURVEY MAP NO. 1286, RECORDED AS DOCUMENT NO. 615738, A PART OF LOTS 8 AND 9 IN OAK MANOR ASSESSOR'S PLAT, IN THE N.E. 1/4 OF SECTION 20, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.


○ ——— DENOTES 1 INCH DIAMETER IRON PIPE, 24" LONG, WEIGHING NOT LESS THAN 1.13 LBS PER LINEAL FOOT SET.

□ ——— DENOTES NAIL SET IN BASE OF TRUNK OF TWIN 14" OAK TREE.

ALL DIMENSIONS ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE SOUTH LINE OF MANOR ROAD, WHICH HAS AN ASSUMED BEARING OF NORTH 89°57'29" EAST.

() = RECORD DIMENSIONS WHERE DIFFERENT FROM FIELD MEASUREMENTS.




INTERIOR ANGLES

- A) 89-46-09
- B) 90-10-20
- C) 89-48-22
- D) 90-15-09

national survey & engineering

417 NORTH SAWYER STREET / P.O. BOX 2963
 OSHKOSH, WISCONSIN 54903
 (414) 426-2800



BEING A RE-DIVISION OF CERTIFIED SURVEY MAP NO. 1286, RECORDED AS DOCUMENT NO. 615738, A PART OF LOTS 8 AND 9 IN OAK MANOR ASSESSOR'S PLAT, IN THE N.E. 1/4 OF SECTION 20, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

I REINHARD ROEHLIG, Wisconsin Land Surveyor, do hereby certify;

THAT I have surveyed and mapped a part of lots 8 and 9 of Oak Manor Assessor's Plat, Town Of Algoma, Winnebago County, Wisconsin, which is bounded and described as follows:

Commencing at the N.W. Corner of said Lot 8, thence North 89-57-29 East along the south line of Manor road 199.05 ft. to a point, thence South 00-12-51 East 274.28 ft. to a point, thence South 89-58-47 West 198.77 ft. to a point on the West line of Oak Manor Assessor's Plat, thence North 00-16-22 West along the West line of said plat 274.20 ft. to the point of beginning.


THAT I have made this survey and land division and map by the direction of LEONARD RUECHEL and RUTH RUECHEL, his wife, Town of Algoma, Wisconsin, owners of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Subdivision Ordinance of Winnebago County.

8-13-84
Date

Reinhard Roehlig
Reinhard Roehlig, Registered
Land Surveyor



CERTIFIED SURVEY MAP NO. 1298

BEING A RE-DIVISION OF CERTIFIED SURVEY MAP NO. 1286, RECORDED AS DOCUMENT NO. 615738, A PART OF LOTS 8 AND 9 IN OAK MANOR ASSESSOR'S PLAT, IN THE N.E. 1/4 OF SECTION 20, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE:

AS OWNERS we hereby certify that we caused the land described on this map to be mapped and surveyed as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

Witness the hands and seals of said owners this
...16th...day of August...1984.

In The Presence Of:

Jodi A. Kniggs

Leonard S. Ruechel
Leonard Ruechel

Bonnie M. Verner

Ruth Ruechel
Ruth Ruechel

STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

PERSONALLY came before me this...16th... day of
August...1984 the above named Leonard Ruechel and Ruth
Ruechel, his wife, to me known to be the persons who executed the
foregoing instrument and acknowledged the same.

NOTARY PUBLIC
STATE OF WISCONSIN
CORREEN M. SCHRAA

Correen M. Schraa
Notary Public, Winnebago
County, Wisconsin

My Commission Expires...7-5-87..

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE:

This Certified Survey Map of a part of Lots 8 and
9 of Oak Manor Assessor's Plat, Town of Algoma, Leonard Ruechel and
Ruth Ruechel, his wife, owners is hereby approved.

8/17/84
DATE

Carol Kewen
CHAIRMAN

THIS INSTRUMENT WAS DRAFTED BY REINHARD ROEHLIG.

616916

Register's Office
Winnebago County, Wis.
Received for record this 17th
day of Aug. A.D., 1984
at 8:50 o'clock A.M. and
recorded in Vol. 1... of S.M.
on page 1298.

Register of Deeds

Leonard Ruechel



CERTIFIED SURVEY MAP NO. 1286

BEING A PART OF LOTS 8 AND 9 IN OAK MANOR ASSESSOR'S PLAT, IN THE N.E. 1/4 OF SECTION 20, T18N, R14E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.


○ ——— DENOTES 1 INCH DIAMETER IRON PIPE, 24" LONG, WEIGHING NOT LESS THAN 1.13 LBS PER LINEAL FOOT SET.

□ ——— DENOTES NAIL SET IN BASE OF TRUNK OF TWIN 14" OAK TREE.

ALL DIMENSIONS ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.


BEARINGS ARE REFERENCED TO THE SOUTH LINE OF MANOR ROAD, WHICH HAS AN ASSUMED BEARING OF NORTH 89°57'29" EAST.

() = RECORD DIMENSIONS WHERE DIFFERENT FROM FIELD MEASUREMENTS.



national survey & engineering

417 NORTH SAWYER STREET/P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 426-2800



CERTIFIED SURVEY MAP NO. 1.28.6.

BEING A PART OF LOTS 8 AND 9 IN OAK MANOR ASSESSOR'S PLAT, IN THE N.E. 1/4 OF SECTION 20, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

I REINHARD ROEHLIG, Wisconsin Land Surveyor, do hereby certify;

THAT I have surveyed and mapped a part of lots 8 and 9 of Oak Manor Assessor's Plat, Town Of Algoma, Winnebago County, Wisconsin, which is bounded and described as follows:

Commencing at the N.W. Corner of said Lot 8, thence North 89-57-29 East along the south line of Manor road 199.05 ft. to a point, thence South 00-12-51 East 274.28 ft. to a point, thence South 89-58-47 West 198.77 ft. to a point on the West line of Oak Manor Assessor's Plat, thence North 00-16-22 West along the West line of said plat 274.20 ft. to the point of beginning.

THAT I have made this survey and land division and map by the direction of LEONARD RUECHEL and RUTH RUECHEL, his wife, Town of Algoma, Wisconsin, owners of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Subdivision Ordinance of Winnebago County.

7-18-64
Date

Reinhard Roehlig
Reinhard Roehlig, Registered
Land Surveyor



CERTIFIED SURVEY MAP NO. 1286

BEING A PART OF LOTS 8 AND 9 IN OAK MANOR ASSESSOR'S PLAT, IN THE N.E. 1/4 OF SECTION 20, T18N, R16E, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE:

AS OWNERS we hereby certify that we caused the land described on this map to be mapped and surveyed as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

Witness the hands and seals of said owners this 26th day of July 1984.

In The Presence Of:

[Signature]
.....

Leonard Ruechel
Leonard Ruechel

Jodi A. Ruechel
.....

Ruth Ruechel
Ruth Ruechel

STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

PERSONALLY came before me this 26th day of July 1984 the above named Leonard Ruechel and Ruth Ruechel, his wife, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

[Signature]
Notary Public, Winnebago
County, Wisconsin

My Commission Expires 6/9/85

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE:

This Certified Survey Map of a part of Lots 8 and 9 of Oak Manor Assessor's Plat, Town of Algoma, Leonard Ruechel and Ruth Ruechel, his wife, owners is hereby approved.

7/27/84
DATE

Carol [Signature]
CHAIRMAN

THIS INSTRUMENT WAS DRAFTED BY REINHARD ROEHLIG.

615738

Register's Office

Winnebago County, Wis.

Received for record this 31st
day of July A.D. 1984
at 8:30 o'clock A.M. and
recorded in Vol. 1 of S.M.
on page 1286.

[Signature]
Register of Deeds



National Survey Rd
S.M.


PLAT OF SURVEY

KNOWN AS 484 OAK CREST DRIVE, BEING LOTS 33 AND 34 IN OAK MANOR ESTATES, A PART OF THE N.E. 1/4 OF SEC. 20, T18N, R16E, TOWN OF ALGOMA, WINNEPAGO COUNTY, WISCONSIN.

JUNE 14, 1934

SURVEY FOR OSHKOSH SAVINGS
APPLICANT: ARTHUR WEINERT
MONUMENT WAIVER ON FILE

SURVEY NO. 1464-M




I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.



national survey & engineering

417 NORTH SAWYER STREET / P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 426-2800



PLAT OF SURVEY


KNOWN AS 3437 WEST 4th STREET, BEING THE EAST 100.0 FT. OF THE WEST 266.0 FT. OF THE NORTH 200.0 FT. OF THE EAST 1/2 OF THE N.W. 1/4 OF THE S.W. 1/4 OF SECTION 20, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN, EXCEPTING THEREFROM THAT PORTION THEREOF INCLUDED WITHIN THE LIMITS OF COUNTY TRUNK HIGHWAY "E".

NOVEMBER 14, 1983

SURVEY FOR OSHKOSH SAVINGS
APPLICANT: DAVID SMOODY
MONUMENT WAIVER ON FILE
(NO CORNERS SET AT THIS TIME)

SURVEY NO. 1352-M

(WE RECOMMEND THAT ADJOINING PROPERTY OWNERS ARRANGE FOR THE NECESSARY CHANGES TO THEIR DEEDS TO REFLECT THEIR ACTUAL INTENDED OWNERSHIPS)




I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.



national survey & engineering


417 NORTH SAWYER STREET / P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 426-2800



SURVEY
FOR
DIANE DOUGHERTY

SHEET 1 OF 2


A part of the Northwest Quarter (NW $\frac{1}{4}$) of the Southeast Quarter (SE $\frac{1}{4}$) of Section Twenty (20), Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin containing 5.142 Acres of land and being described by: Commencing at the East Quarter (E $\frac{1}{4}$) corner of said Section 20; thence N. 89°-29'-10" W. 1836.00 feet, along the North line of the SE $\frac{1}{4}$ of said Section 20; thence S. 00°-30'-50" W. 50.22 feet, to a point on the South right-of-way line of C.T.H. "E" and being the true point of beginning; thence continue S. 00°-30'-50" W. 560.00 feet; thence N. 89°-29'-10" W. 400.00 feet; thence N. 00°-30'-50" E. 560.00 feet, to a point on the South right-of-way line of C.T.H. "E"; thence S. 89°-29'-10" E. 400.00 feet, along the South right-of-way line of C.T.H. "E" to the true point of beginning, subject to rights granted by instrument recorded in Winnebago County, Wisconsin, Registry in Volume 990 on Page 69, in the Town of Algoma, Winnebago County, Wisconsin.



I, RONALD A. DERCKS, WISCONSIN REGISTERED LAND SURVEYOR OF AERO-METRIC ENGINEERING, INC., CERTIFY THAT I HAVE SURVEYED THE ABOVE DESCRIBED PROPERTY AND THAT THE MAP SHOWN ABOVE IS A TRUE AND CORRECT REPRESENTATION THEREOF TO THE BEST OF MY KNOWLEDGE AND BELIEF.

AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
OSHKOSH, WISCONSIN

Ronald A. Dercks
WIS. REGISTERED LAND SURVEYOR S-1615
NOTEBOOK #6 PAGE 59, 60



L-1192

Dennis R. Fletcher and Diane K. Fletcher to the Dougherty's

The North three hundred three and five-tenths (303.5) feet of the West three hundred twenty (320) feet of the East eight hundred fifty-five (855) feet of the Northwest $\frac{1}{4}$ of the Southeast $\frac{1}{4}$ of Section Twenty (20), Township Eighteen (18) North, of Range Sixteen (16) East, subject to rights granted by instrument recorded in Winnebago County, Wisconsin, Registry in Volume 990 on Page 69, in the Town of Algoma, Winnebago County, Wisconsin.

EXCEPTING from the afore described those lands conveyed to Winnebago County for highway purposes as recorded in Document No. 431389.

Said parcel contains 1.860 Acres of land.

Gerrie J. Vogt, Jr. and Mary Grace Vogt, his wife, as joint tenants of a $\frac{1}{2}$ interest and Andrew Bean and Lucille B. Bean, his wife, as joint tenants of the other $\frac{1}{2}$ interest to the Dougherty's.

A part of the Northwest Quarter (NW $\frac{1}{4}$) of the Southeast Quarter (SE $\frac{1}{4}$) of Section Twenty (20), Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin containing 3.282 Acres of land and being described by: Commencing at the East $\frac{1}{4}$ corner of said Section 20; thence N. 89°-29'-10" W. 1836.00 feet, along the North line of the SE $\frac{1}{4}$ of said Section 20; thence S. 00°-30'-50" W. 50.22 feet, to a point on the South right-of-way line of C.T.H. "E" and being the true point of beginning; thence continue S. 00°-30'-50" W. 560.00 feet; thence N. 89°-29'-10" W. 400.00 feet; thence N. 00°-30'-50" E. 560.00 feet, to a point on the South right-of-way line of C.T.H. "E"; thence S. 89°-29'-10" E. 39.33 feet, along the South right-of-way line of C.T.H. "E" to a point on the West line of the Fletcher property recorded as Document No. 498325 in the Winnebago County Registry; thence S. 00°-27'-08" E. 253.28 feet, to the Southwest corner of said Fletcher property; thence S. 89°-29'-10" E. 320.00 feet, to the Southeast corner of said Fletcher property; thence N. 00°-27'-08" W. 253.28 feet, along the East line of said Fletcher property recorded as Document No. 498325 to a point on the South right-of-way line of C.T.H. "E"; thence S. 89°-29'-10" E. 40.67 feet, along the South right-of-way line of C.T.H. "E" to the true point of beginning.

Dougherty to Dougherty

A part of the Northwest Quarter (NW $\frac{1}{4}$) of the Southeast Quarter (SE $\frac{1}{4}$) of Section Twenty (20), Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin containing 5.142 Acres of land and being described by: Commencing at the East Quarter (E $\frac{1}{4}$) corner of said Section 20; thence N. 89°-29'-10" W. 1836.00 feet, along the North line of the SE $\frac{1}{4}$ of said Section 20; thence S. 00°-30'-50" W. 50.22 feet, to a point on the South right-of-way line of C.T.H. "E" and being the true point of beginning; thence continue S. 00°-30'-50" W. 560.00 feet; thence N. 89°-29'-10" W. 400.00 feet; thence N. 00°-30'-50" E. 560.00 feet, to a point on the South right-of-way line of C.T.H. "E"; thence S. 89°-29'-10" E. 400.00 feet, along the South right-of-way line of C.T.H. "E" to the true point of beginning, subject to rights granted by instrument recorded in Winnebago County, Wisconsin, Registry in Volume 990 on Page 69, in the Town of Algoma, Winnebago County, Wisconsin.


PLAT OF SURVEY *Sec 20 T18 N16*

KNOWN AS 2946 MANOR DRIVE, BEING LOT 23 IN OAK MANOR ASSESSOR'S PLAT, TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

SEPTEMBER 28, 1983

SURVEY FOR OSHKOSH SAVINGS
APPLICANT: JAMES BARRETT

SURVEY NO. 1315-S




I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.



national survey & engineering

417 NORTH SAWYER STREET / P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 426-2800




PLAT OF SURVEY

KNOWN AS 2834 WYLDWOOD ROAD, BEING THE WEST 128.7 FT. OF THE EAST 290.4 FT. OF THE NORTH 127.0 FT. OF THE SOUTH 1312.5 FT. OF THE EAST 1/2 OF THE N.E. 1/4 OF SECTION 20, T18N, R16E IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN AND: THE EAST 161.7 FT. OF THE NORTH 127.0 FT. OF THE SOUTH 1312.5 FT. OF THE EAST 1/2 OF THE N.E. 1/4 OF SECTION 20, T18N, R16E, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

SEPTEMBER 23, 1983

SURVEY FOR OSHKOSH SAVINGS
APPLICANT: HAWKINS AND LAUTENSCHLAGER

SURVEY NO. 1314-S




I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.



national survey & engineering

417 NORTH SAWYER STREET / P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 426-2800



T152 R162 S.20


DESCRIPTION: LOT FIFTY-SIX (56), OAK MANOR ESTATES, TOWN OF ALGOMA,
WINNEBAGO COUNTY, WISCONSIN.

BUYER: KAUFMAN

ADDRESS: 327 OAK PARK DRIVE

NO BUILDING ENCROACHMENTS PRESENT.

1-STORY HOUSE WITH ATTACHED GARAGE



I, ROBERT F. REIDER
certify that this mortgage inspection was made by me or
under my direction and control of the described property on,
FEBRUARY 21, 1984, according to the official records
and that this drawing is a true representation of the
principal building lines thereon and is accurate to the
best of my knowledge and belief. Fleet Mortgage Corp.,
in agreement with Carow Land Surveying Co., Inc. has
waivered parts of Administrative Code A-E 5.01 (3 through 7).
THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE.
THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF:
Fleet Mortgage Corp.

Robert F. Reider 2-21-84
LEC

REVISIONS	Fleet Mortgage Corp. 3127 W. Spencer St., Appleton, Wis. 54911		
	CAROW LAND SURVEYING CO., INC. P.O. BOX 1297 1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
	DRAWN BY th-pz KJV	SCALE 1"=30'	DRAWING NO. 842.91
	APP'D X	DATE 2-21-84	


PLAT OF SURVEY

KNOWN AS 2844 DANBE ROAD, BEING LOT 10 IN DANBE PLAT, SECTION 20, IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.

APRIL 24, 1984

SURVEY FOR OSHKOSH SAVINGS
APPLICANT: JOHN DUNN
MONUMENT WAIVER ON FILE

SURVEY NO. 1427-M



I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.




national survey & engineering
417 NORTH SAWYER STREET / P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 426-2800



SURVEY
FOR
RICHARD WAKENIGHT
OF

Lots 31 and 32 of Oak Manor Assessor's Plat, being a part of the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 20, T.18N., R.16E., Town of Algona, Winnebago County, Wisconsin.

A = Lot 31 of Oak Manor Assessor's Plat, except the East 10 feet thereof.
B = Lot 32 and the East 10 feet of Lot 31 of Oak Manor Assessor's Plat.




BEARING REFERENCE EAST LINE SE $\frac{1}{4}$ SECTION 20, T.18N., R.16E., ASSUMED NORTH.

LEGEND
○ = 1" IRON PIPE SET
● = 1" IRON PIPE FOUND
--- FENCE
--- ASSUMED UTILITY EASEMENT OF UNDEFINED WIDTH
SCALE: 1" = 40'
NB. 66 p. 35-37



AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
OSHKOSH, WISCONSIN


Lawrence C. Kriescher
WIS. REGISTERED LAND SURVEYOR S-1599
NOTEBOOK 66 PAGE 35-37



L-1121

SURVEY FOR
Mrs. Joe Vogt of the Gayle L. Davis and Janet Davis Property

"The South 100 feet of the North 403.50 feet of the West 200 feet of the East 382 feet of the NE 1/4 of the SE 1/4 of Section 20, T.18N., R.16E., Town of Algoma, Winnebago County, Wisconsin."





NOTE: The Southwest corner of this Lot was set to agree with the existing property irons, although different than the Deed.

— LEGEND —
 ○ = SET 1" IRON PIPE
 ● = FOUND 1" IRON PIPE
 SCALE: 1" = 50'
 DATE: JUNE 18, 1975

AERO-METRIC ENGINEERING, INC.
 PHOTOGRAMMETRIC ENGINEERS
 LAND SURVEYORS
 OSHKOSH, WISCONSIN

Steven T. Chronis
 LAND SURVEYOR
 WIS. REGISTERED LAND SURVEYOR S-913


NOTEBOOK-2 PAGE-5



L-48

SURVEY FOR
MRS. JOE VOGT OF THE MARION LIPPOLD PROPERTY

The West 200 Feet of the East 382 Feet of the Northeast 1/4 of the Southeast 1/4 in Section 20, Township 18 North, of Range 16 East, Except the North 1003.50 Feet and except the South 100 Feet, Town of Algoma, Winnebago County, Wisconsin.




LEGEND
O = SET 1" IRON PIPE
X = FOUND 1" IRON PIPE
SCALE: 1" = 50'
DATE: JUNE 18, 1975

NOTE: The Northeast and Southwest corners of this tract was set to agree with surrounding property irons, although different than the Deed.

AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
OSHKOSH, WISCONSIN

Steven T. Charnick
WIS. REGISTERED LAND SURVEYOR S-913
NOTEBOOK-2 PAGE-6



STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

CERTIFIED SURVEY MAP
for
John S. Smith



SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped a part of the East Half (E $\frac{1}{2}$) of the Northeast Quarter (NE $\frac{1}{4}$) of Section Twenty (20), Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin containing 0.450 Acres of land and being described by: Commencing at the East Quarter (E $\frac{1}{4}$) corner of said Section 20, thence N. 00°-29'-33" E. 1188.33 feet along the East line of the NE $\frac{1}{4}$ of said Section 20, thence N. 89°-17'-05" W. 731.08 feet along the North line of Wyldwood Road to the Southwest corner of lands owned by Norbert Salzsieder as recorded as Document No. 453931 and the true point of beginning, thence continue N. 89°-17'-

Continued on Sheet 2

Dated this 10th day of April, 1978

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS


05" W. 100.00 feet along the North line of Wyldwood Road, thence N. 00°-29'-33" E. 196.00 feet, thence S. 89°-17'-05" E. 100.00 feet to the Northwest corner of said Salzsieder property, thence S. 00°-29'-33" W. 196.00 feet along the West line of said Salzsieder property to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of the City of Oshkosh in surveying and mapping the same.

Dated this 10th day of April, 1978

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



OWNER'S CERTIFICATE:

As owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 17th day of April, 1978

In the presence of:

Robert F. Jansen
Robert F. Jansen
Betty J. Jansen
Betty J. Jansen

John S. Smith
John S. Smith

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 17th day of April, 1978, the above named John S. Smith to me known to be the person who executed the foregoing instrument and acknowledged the same.

Robert F. Jansen
Robert F. Jansen
Notary Public Oshkosh, Wisconsin
My commission expires is permanent

CERTIFICATION OF PLANNING & ZONING COMMITTEE:

This Certified Survey Map of a part of the East Half (E½) of the NE¼ of Section 20, T. 18 N., R. 16 E., Town of Algoma, John S. Smith, owner, is hereby approved.

Date April 17, 1978

by Robert M. Hunter, Jr.

Register's Office
Winnebago County, Wis.
Received for record this *18th*
day of *April* A.D., 1978
at *9:38* o'clock *AM* and
recorded in Vol. *1* of S. Map
on page *315*.

Lorraine C. Freyer,
deputy Register of Deeds

Jansen

Chg
200

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Sheet 1 of 2


CERTIFIED SURVEY MAP
for
John S. Smith

SURVEYOR'S CERTIFICATE:


I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped a part of the East Half (E $\frac{1}{2}$) of the Northeast Quarter (NE $\frac{1}{4}$) of Section Twenty (20), Township Eighteen (18) North, Range Sixteen (16) East, Town of Algoma, Winnebago County, Wisconsin containing 0.495 Acres of Land and being described by: Commencing at the East Quarter (E $\frac{1}{4}$) Corner of said Section 20, thence N. 00°-29'-33" E. 1188.33 feet along the East Line of the NE $\frac{1}{4}$ of said Section 20, thence N. 89°-17'-05" W. 1341.52 feet along the North Line of a proposed road in Oak Manor Assessor's Plat to the Northwest Corner of Oak Manor Assessor's Plat and the true point of beginning, running thence N. 00°-30'-57" E. 196.00 feet, thence S. 89°-17'-05" E. 110.00 feet, thence S. 00°-30'-57" W. 196.00 feet to a point on the North Line of said proposed road, thence N. 89°-17'-05" W. 110.00 feet along the North Line of said proposed road to the true point of beginning.
Continued on page 2 of 2.

Dated this 18th day of January, 1978

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



LEGEND
O = 1"x24" IRON PIPE WEIGHING
168 LBS. PER LINEAL FOOT SET
SCALE: 1" = 60'
DATE: JANUARY 17, 1977
NOTEBOOK: 2 PAGE: 59-64




ALL BEARINGS REFERENCED TO THE EAST LINE OF THE
SE 1/4 SECTION 20, T. 18N., R. 16E. ASSUMED TO BEAR NORTH.

AERO-METRIC ENGINEERING

5 OTTER AVENUE

OSHKOSH WISCONSIN 54901



STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS


Sheet 2 of 2

That such is a correct representation of all exterior boundaries of the land surveyed.

That I have fully complied with the provisions of chapter 236.34 of the Wisconsin Statutes and the Winnebago County Land Subdivision Ordinance in surveying and mapping the same.

Dated this 18th day of January, 1978

Steven T. Chronis
Wisconsin Registered Land Surveyor S-913
Steven T. Chronis



OWNER'S CERTIFICATE:

As owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 20th day of January, 1978

In the presence of:

Robert F. Jansen
Robert F. Jansen

John S. Smith
John S. Smith

Betty J. Jansen
Betty J. Jansen

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

Personally came before me this 20th day of January, 1978, the above named John S. Smith to me known to be the person who executed the foregoing instrument and acknowledged the same.

Robert F. Jansen
Robert F. Jansen
Notary Public Winnebago County, Wisconsin
My commission expires permanent

CERTIFICATE OF PLANNING & ZONING COMMITTEE:

This Certified Survey Map of a part of the East Half (E $\frac{1}{2}$) of the NE $\frac{1}{4}$ of Section 20, T. 18 N., R. 16 E., Town of Algoma, John S. Smith, owner, is hereby approved.

Date 1-20-78

by: Robert M. Hunter RB

Registered's Office
Winnebago County
Recorded for record this 30
day of January, 1978
at 11:30 o'clock P.M.
received in Vol. 1 of S. Reg.
no. 2274
Deanne C. Hunter
Deputy Register of Deeds

510070


20 18 16 5

PAUL A. PICKART

PART OF THE SW 1/4 OF THE SW 1/4 OF SEC. 20, T.18N., R.16E.
IN THE TOWN OF ALGOMA, WINNEBAGO COUNTY, WISCONSIN.



North is referenced to the
South line of Sec. 20, which
is assumed to bear due East.



- DENOTES EXISTING IRONS
- DENOTES CAPPED IRON RODS SET
- (SET CAPPED REBAR INSIDE EX. PIPE AT SEC. COR.)

R. K. Sayler
SURVEYOR S-417

S-000 689
Scale: 1 in. = 100 ft.
March 11, 1977
Bk. 36 P. 27

Zoning

FORM NO. 9837A

REVISION 1

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 498

Part of the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 20, T.18N., R.16E., Town of Algoma



Interior Angles:

- A. 89°33'20"
- B. 90°26'40"
- C. 270°12'23"
- D. 89°31'32"
- E. 90°28'28"
- F. 89°47'37"
- 720°00'00"

- () Recorded bearings & dimensions
- Existing iron pipe
- 1"x30" iron pipe weighing 1.13 lbs./lineal ft.


Bearings are referenced to the East line of the NE $\frac{1}{4}$ of Sec. 20, assumed bearing, N0°00'E.

I, Calvin W. Hawksworth, registered land surveyor, hereby certify:

That I have surveyed, divided and mapped the parcels of land located in part of the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 20, T.18N., R.16E. in the Town of Algoma, Winnebago County, Wisconsin, described as follows: Beginning at a point on the East line of the NE $\frac{1}{4}$ of said Sec. 20 that is 289.50 ft., N0°00'E of the SE corner of the NE $\frac{1}{4}$ of said Sec. 20. From that point running N89°33'20"W, 214.50 ft., thence N0°00'E, 274.47 ft., thence S89°47'37"W, 3.34 ft., thence N0°16'05"E, 87.55 ft., thence N89°47'37"E, 217.42 ft. to the East line of the NE $\frac{1}{4}$ of said Sec. 20, thence S0°00'W along said East line, 364.46 ft. to the said point of beginning. Reserving therefrom that portion of above described parcel being used for road purposes.


That I have made such survey, land division and map by the direction of Erwin W. Stroschine, 1711 Hickory St., Oshkosh, Wisconsin; 54901; that such map is a true and correct representation of the exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Sec. 236.34 of the Wisconsin Statutes and the Certified Survey Map Ordinance of Winnebago County in surveying and mapping the same.



Calvin W. Hawksworth
Calvin W. Hawksworth S-1290
Wisconsin Registered Land Surveyor
December 8, 1978.

Sheet 1 of 2 sheets



WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 498
 Part of the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 20, T.18N., R.16E., Town of
 Algoma.

OWNER'S CERTIFICATE

As owner(s) I(we) hereby certify that I(we) caused the land described on this Certified Survey Map to be surveyed and mapped as represented hereon.

WITNESS the hand and seal of said owner(s) this 11th day of December, 1978.

In presence of:

James J. Haedt
 Witness

Gertrude H. Strashine
Emm N. Strashine
 Owner(s)
1711 Nuboy St
 Address
Oshkosh, Wis 54901
 City-State Zip

STATE OF WISCONSIN) SS
 WINNEBAGO COUNTY)

Personally came before me this 11th day of December, 1978, the above named Emm N. Strashine & Gertrude H. Strashine to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.

Eva May Coats
 Notary Public Winnebago Co., Wisc.

My commission expires June 8, 1980.

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

This Certified Survey Map of part of the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 20, T.18N., R.16E., Town of Algoma, is hereby approved.

Dec 19, 1978
 Date

Norman R. Duncanson
 Authorized representative
 Winnebago Co. Planning Committee

Calvin W. Hawksworth
 Calvin W. Hawksworth S-1290
 Wisconsin Registered Land Surveyor
 December 8, 1978.




Sheet 2 of 2 sheets

Registered Office
 Winnebago County, Wis.
 Recorded for record Dec. 19, 1978
 day of December A.D. 1978
 at 8:34 o'clock P.M.
 recorded in Vol. 1 of Survey
 maps
 in page 498
Calvin W. Hawksworth
 Registered Land Surveyor

527377

T.L.O.

Aug 2.00



SURVEYED:
PARCELS A & B - AUG 23, 1972
T.E. STEARNS

T.E. STEARNS
COUNTY SURVEYOR

DRAWN
7/26/53
SCALE
1" = 200'

SURVEY FOR JOE VOGT
ADDED 15' TO S. END OF TOWN HALL PARCEL
SURVEY PARCEL W. OF TOWN HALL (H. TELLOCK)
PARCEL S. OF " (SCHNEIDER)
SURVEY PARCEL IV. OF TOWN HALL (JOE VOGT)

TOWN OF ALGOMA SEC. 20

Survey For E. Kroth - & L. Magnusen Atty.

Description Of Parcel:

That Part Of The S.E.1/4 Of The S.E.1/4 Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis. Described As Follows: The North 97.0 ft. Of The South 645.7 ft., Of The East 233.8 ft. Of The S.E.1/4 Of The S.E.1/4 Of Sec. 20-18-16.


CERTIFICATE

I, Theo. E. Stearns, Registered Surveyor In Wis. Do Hereby Certify That I Have Surveyed The Property & Location Of The House & Foundation On The Property As Described Above According To Official Records, And That The Plat Map Drawn Is A Correct Representation Of Said Survey.

Dated: July 9, 1966

Reg. Surveyor


No. B-359



Survey For Mrs. Joe Vogt:

Description For Parcel 'B'

That Part Of The N.E. 1/4 Of The S.E. 1/4 Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis., Bounded & Described As Follows:
Commencing At The South East Corner Of The N.E. 1/4 Of The S.E. 1/4 Of Sec. 20, Thence West Along The South Line Of Said Quarter, 446.3 ft. To The Centerline Of Kirkwood Road, Being The Place Of Beginning; Thence East Along The South Line Of Said Quarter, 264.3 ft., Thence North, Parallel With The East Line Of Sec. 20, 100.0 ft., Thence West, Parallel With The North & South 1/4 Line, 230.0 ft. To The Centerline Of Kirkwood Road, Thence Southwesterly To The Place Of Beginning. Said Parcel Contains 0.59 Acres More Or Less, Except That Portion Used For Road Purposes.



Iron Stakes Shown Thus - •

Note: - State Law
Only 4 Lots May Be Sold In 5 Years.

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
April 4, 1973

Survey For Marvin L. McCarthy:

Description For Parcel # 1


That Part Of The E.1/2 Of The N.E.1/4 Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis. Bounded & Described As Follows:
The East 161.7 ft. Of The North 127.0 ft. Of The South 1312.5 ft. Of The E.1/2 Of The N.E.1/4 Of Sec. 20-18-16, Together With An Easement For Right Of Way For Ingress And Egress To All Property Herein Conveyed. Said Parcel Contains 0.37 Acres More Or Less In The Clear.

Description For Parcel # 2

That Part Of The E.1/2 Of The N.E.1/4 Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis. Bounded & Described As Follows:
The North 127.0 ft. Of The South 1312.5 ft. Of The West 128.7 ft. Of The East 290.4 ft. Of The E.1/2 Of The N.E.1/4 Of Sec. 20-18-16, Together With An Easement For Right Of Way Ingress And Egress To All Property Herein Conveyed. Said Parcel Contains 0.37 Acres More Or Less In The Clear.

Road Warranty Deed In Winnebago County Court House: Vol. 1330, Page 544

TOWN OF ALGOMA
SEC. 20-18-16
N.E. 1/4



Scale: 1" = 100'

Iron Stakes Shown Thus - •



Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
Sept. 8, 1973

730.4 ft. Of The N.E.1/4 Of Sec. 20-18-16. Said Parcel Contains 0.4 Acres In The Clear.

Description For Parcel # 2

That Part Of The N.E.1/4 Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis., Bounded & Described As Follows:

The North 196.0 ft. Of The South 1381.5 ft. Of The West 88.0 ft. Of The East 642.4 ft. Of The N.E.1/4 Of Sec. 20-18-16. Said Parcel Contains 0.4 Acres In The Clear.

Description For Parcel # 3

That Part Of The N.E.1/4 Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis., Bounded & Described As Follows:

The North 196.0 ft. Of The South 1381.5 ft. Of The West 88.0 ft. Of The East 554.4 ft. Of The N.E.1/4 Of Sec. 20-18-16. Said Parcel Contains 0.4 Acres In The Clear.

Description For Parcel # 4

That Part Of The N.E.1/4 Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis., Bounded & Described As Follows:

The North 196.0 ft. Of The South 1381.5 ft. Of The West 88.0 ft. Of The East 466.4 ft. Of The N.E.1/4 Of Sec. 20-18-16. Said Parcel Contains 0.4 Acres In The Clear.

Description For Parcel # 5


That Part Of The N.E.1/4 Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis., Bounded & Described As Follows: The North 196.0 ft. Of The

South 1381.5 ft. Of The **TOWN OF ALGOMA** West 88.0 ft. Of The East 378.4 ft.

Of The N.E.1/4 Of Sec. 20-18-16. Said Parcel Contains 0.4 Acres In The Clear.

SEC. 20-18-16
N.E. 1/4


Road Warranty Deed : Vol. 1330, Page 544



Iron Stakes Shown Thus - •

State Law : Four Parcels Of Land May Be Sold In Five Years

Survey & Flapping Co
Oshkosh, Wis.
Stearns - Reg. Surveyor
May 19, 1973




That Part Of The E.1/2 Of The N.W.1/4 Of The S.W.1/4 Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis. Bounded And Described As Follows:
The East 66.0 ft. Of The West 166.0 ft. Of The E.1/2 Of The N.W.1/4 Of The S.W.1/4 Of Sec. 20-18-16

Description For Parcel 'A'

That Part Of The E.1/2 Of The N.W.1/4 Of The S.W.1/4 Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis. Bounded And Described As Follows:
The East 100.0 ft. Of The West 266.0 ft. Of The North 200.0 ft. Of The E.1/2 Of The N.W.1/4 Of The S.W.1/4 Of Sec. 20-18-16. Said Parcel Contains 0.46 Acres More Or Less Except That Portion Used For Road Purposes.

Description For Parcel 'B'

That Part Of The East 1/2 Of The N.W.1/4 Of The S.W.1/4 Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis. Bounded And Described As Follows:
The East 100.0 ft. Of The West 366.0 ft. Of The North 200.0 ft. Of The E.1/2 Of The N.W.1/4 Of The S.W.1/4 Of Sec. 20-18-16. Said Parcel Contains 0.46 Acres More Or Less Except That Portion Used For Road Purposes.



State Law: 4 Parcels Of Land May Be Sold In 5 Years.

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
Aug. 14, 1970



that part of the S.W.1/4 of the S.W.1/4 of Sec. 20-18-16, Town of Algoma, Minnebago County, Wis. Bounded & Described As Follows:
The West 130.0 ft. Of The East 694.0 ft. Of The South 200.0 ft. Of The S.W.1/4 Of The S.W.1/4 Of Sec. 20-18-16. Said Parcel Contains 0.83 Acres More Or Less Except That Portion Used For Road Purposes.

TOWN OF ALGOMA

SEC. 20-18-16

S.W.1/4 of S.W.1/4

PICKART PROP



Iron Stakes Shown Thus **




Survey & Platting Co.
Oshkosh, Wis.
Stearns - Reg. Surveyor
May 23, 1972

(5)

Description For Parcel # 1
That Part Of The N.W.1/4 Of The S.W.1/4 Of Sec. 20-18-16, Town Of Algoma,
Winnebago County, Wis. Described As Follows: The North 200.0 ft. Of The
East 100.0 ft. Of The N.W.1/4 Of The S.W.1/4 Of Sec. 20-18-16. Said Parcel
Contains 0.46 Acres More Or Less.

Description For Parcel # 2
That Part Of The N.W.1/4 Of The S.W.1/4 Of Sec. 20-18-16, Town Of Algoma,
Winnebago County, Wis. Described As Follows: The West 100.0 ft. Of The East
200.0 ft. Of The North 200.0 ft. Of The N.W.1/4 Of The S.W.1/4 Of Sec. 20-
18-16. Said Parcel Contains 0.46 Acres More Or Less.




Scale
1" = 100'
Iron Stakes Shown Thus - •



Survey & Platting Co.
Oshkosh, Wis.
T. E. Stearns - Reg. Surveyor
Oct. 18, 1967

(5)

That Part Of The N.W.1/4 Of The S.W.1/4 Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis. Described As Follows: The South 110.0 ft. Of The North 720.0 ft. Of The West 190.0 ft. Of The N.W.1/4 Of The S.W.1/4 Of Sec. 20-18-16. Said Parcel Contains 0.48 Acres More Or Less.



Scale
1" = 100'
Iron Stakes Shown Thus - *


Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
June 3, 1965

5

Description For Parcel # 1
That Part Of The S.W.1/4 Of The N.W.1/4 Of Sec. 20-18-16, Town Of Algoma,
Winnebago County, Wis. Described As Follows: The East 200.0 ft. Of The
West 650.5 ft. Of The South 324.8 ft. Of The S.W.1/4 Of The N.W.1/4 Of
Sec. 20-18-16. Said Parcel Contains 1.49 Acres More Or Less.


Survey For W. Carpenter:

Description For Parcel # 2
That Part Of The S.W.1/4 Of The N.W.1/4 Of Sec. 20-18-16, Town Of Algoma,
Winnebago County, Wis. Described As Follows: The West 134.2 ft. Of The South
324.8 ft. Of The S.W.1/4 Of The N.W.1/4 Of Sec. 20-18-16. Said Parcel
Contains 1.0 Acres More Or Less.



Description For Parcel # 4
That Part Of The N.E.1/4 Of The S.E.1/4 Of Sec. 20-18-16, Town Of Algoma,
Winnebago County, Wis. Bounded & Described As Follows:
The South 100.0 ft. Of The North 603.5 ft. Of The West 230.0 ft. Of The East
412.0 ft. Of The N.E.1/4 Of The S.E.1/4 Of Sec. 20-18-16. Said Parcel Contains
0.52 Acres More Or Less. Except That Portion Used For Road Purposes.

Description For Parcel # 5
That Part Of The N.E.1/4 Of The S.E.1/4 Of Sec. 20-18-16, Town Of Algoma,
Winnebago County, Wis. Bounded & Described As Follows:
The South 100.0 ft. Of The North 1003.5 ft. Of The West 230.0 ft. Of The East
412.0 ft. Of The N.E.1/4 Of The S.E.1/4 Of Sec. 20-18-16. Said Parcel Contains
0.52 Acres More Or Less, Except That Portion Used For Road Purposes.



Survey For Mr. John Smith - Mr. R. Jansen Atty.

Description For Parcel # 1

That Part Of The E.1/2 Of The N.E.1/4 Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis. Bounded & Described As Follows:
The North 655.0 ft. Of The South 1840.5 ft. Of The East 730.4 ft. Of The E.1/2 Of The N.E.1/4, Except The North 110.0 ft., Front & Rear, Of The South 1422.5 ft. Of The East 290.4 ft. Of The E.1/2 Of The N.E.1/4 Of Sec. 20-18-16. The Above Parcel Contains 10.26 Acres More Or Less Except That Portion Used For Highway Purposes.


TOWN OF ALGOMA

SEC. 20-18-16

E. 1/2 OF N.E. 1/4



Scale
1" = 2000'



Iron Stakes Shown Thus - •

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor

5

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor

July 5, 1969

Survey For Clair Barton - R. Jansen Atty. 1312.5

Description For Parcel # 1

That Part Of The E. 1/2 Of The N.E. 1/4 Of Sec. 20-18-16, Town Of Algoma,
Winnebago County, Wis. Described As Follows:

160' The North 157.0 ft. Of The South 1309.0 ft. Of The East 323.4 ft. Of The E. 1/2
Of The N.E. 1/4 Of Sec. 20-18-16. Said Parcel Contains 1.16 Acres More Or Less,
Except That Portion Used For Road Purposes.

Description For Parcel # 2 (Use Same Heading As Above)

As Follows: The West 102.0 ft. Of The East 525.4 ft. Of The North 272.0 ft.
Of The South 1424.5 ft. Of The E. 1/2 Of The N.E. 1/4 Of Sec. 20-18-16. Said
Parcel Contains 0.63 Acres More Or Less, Except That Portion Used For Road
Purposes.

#3 West 102.0 ft. of The East 130.4

Jack Wallace - James Bruckoff - Omro

610.
33
577

272

9-30-58

Survey For John Smith:

Description :

That Part Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis.
Described As Follows: That Part Of The S.E.1/4 Of The N.E.1/4 Of
Sec. 20-18-16 Described As Follows : The West 282.5 ft. Of The
South 330.0 ft. Of The S.E.1/4 Of The N.E.1/4 Of Sec. 20-18-16.
Said Parcel Contains 2.14 Ac.

231-1782
231-4350

170-5
282.5
330.0
2.14


Description: John Smith Parcel On C.T.H. "E".

The West 220.0 ft. of the East 1004.9 ft. of the South 290.4 ft. of the East $\frac{1}{2}$ of the N.E. $\frac{1}{4}$ of Sec. 20-18-16, in the Town of Algoma, Winnebago County, Wis.

Survey For Mrs. Joe Vogt:

Description For Parcel 'A'

That Part Of The N.E.1/4 Of The S.E.1/4 Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis., Bounded & Described As Follows:
Commencing At The South East Corner Of The N.E.1/4 Of The S.E.1/4 Of Sec. 20,
Thence West Along The South Line Of Said Quarter, 446.3 ft. To The Centerline
Of Kirkwood Road, Being The Place Of Beginning; Thence Continuing West Along
Said South Line, 195.7 ft., Thence North, Parallel With The East Line Of Sec. 20,
100.0 ft., Thence East, Parallel With The North & South 1/4 Line, 230.00 ft. To
The Centerline Of Kirkwood Road, Thence Southwesterly To The Place Of Beginning.
Said Parcel Contains 0.49 Acres More Or Less, Except That Portion Used For
Road Purposes.



TOWN OF ALGOMA

SEC. 20-18-16
N.E. 1/4 OF S.E. 1/4



SE COR - N.E. 1/4 OF SE 1/4

S. LINE - N.E. 1/4 OF S.E. 1/4 2
446.3 TO E. ROAD

E. LINE - SEC. 20-18-16-7 S. OAKWOOD ROAD

Iron Stakes Shown Thus •

Note: 4 Lots May Be Sold In Five Years.

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor
May 22, 1972

Survey For Joe Vogt:

Description For Parcel # 1

That Part Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis. Described As Follows: That Part Of The N.E. 1/4 Of The S.W. 1/4 Of Sec. 20-18-16 Described As Follows: The West 100.0 ft. Of The North 200.0 ft. Of The N.E. 1/4 Of The S.W. 1/4 Of Sec. 20-18-16. Said Parcel Contains 0.46 Acres More Or Less


Description For Parcel # 2

That Part Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis. Described As Follows: That Part Of The N.E. 1/4 Of The S.W. 1/4 Of Sec. 20-18-16 Described As Follows: The East 100.0 ft. Of The West 200.0 ft. Of The North 200.0 ft. Of The N.E. 1/4 Of The S.W. 1/4 Of Sec. 20-18-16, Said Parcel Contains 0.46 Acres More Or Less.

Description For Parcel # 5

That Part Of The N.E. 1/4 Of The S.W. 1/4 Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis. Bounded & Described As Follows: The East 100.0 ft. Of The West 500.0 ft. Of The North 200.0 ft. Of The N.E. 1/4 Of The S.W. 1/4 Of Sec. 20-18-16. Said Parcel Contains 0.46 Acres More Or Less Except That Portion Used For Road Purposes.

Note: North Is Ref. To The North & South 1/4 Line Of Sec. 20-18-16, Which Is Assumed To Bear Due North.



N.E. 1/4 OF S.W. 1/4
SEC. 20-18-16

TOWN OF ALGOMA
JOE VOGT FARM.


Scale

1" = 100'

Iron Stakes Shown Thus --

State Law:

Plots May Be Sold In 5 Years



SURVEY & PLATTING CO.
OSHKOSH, WIS.

T.E. STEARNS - COUNTY SURVEYOR
OCT. 7, 1961


Rev. June 27, 1966

Rev. Sept. 13, 1971

Survey For Wayne Carpenter

Description For Parcel # 1.


That Part Of Sec. 20-18-16, Town Of Algoma, Winnebago County, Wis.
Described As Follows: That Part Of The S.W. $\frac{1}{4}$ Of The N.W. $\frac{1}{4}$ Of Sec. 20-18-16 Described As Follows: The South 324.8 ft. Of The West 304.5 ft. Of The S.W. $\frac{1}{4}$ Of The N.W. $\frac{1}{4}$ Of Sec. 20-18-16. Said Parcel Contains 2.27 Acres More Or Less.



TOWN OF ALGOMA

S.W. $\frac{1}{4}$ OF N.W. $\frac{1}{4}$

SEC. 20-18-16



Scale
1" = 100'
Iron Stakes Shown Thus - •

Survey & Platting Co.
Oshkosh, Wis.
T.E. Stearns - Reg. Surveyor

Aug. 13, 1964

5