



7-18-17

4



LEGEND:

- = 3/4"x24" SOLID ROUND #6 IRON REBAR SET
- = NAIL SET
- = 1" IRON PIPE FOUND



Michael D. Vander Bloomen 10-18-88
I, MICHAEL D. VANDER BLOOMEN, CERTIFY THAT THIS PLAT OF SURVEY IS A CORRECT REPRESENTATION OF THE ABOVE DESCRIBED PROPERTY.

REVISIONS	ERA REALTY		
	219 COURT ST. OSHKOSH, WISCONSIN 54901		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297		
	1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
DRAWN BY	SCALE	DRAWING NO.	
MV dv MV	1"=40'	A8810.42	
APPD	DATE		
	10-18-88		



1837 West Wisconsin Ave.
P.O. Box 1297
Appleton, Wisconsin 54912-1297
Phone (414) 731-4168
10-18-88

DESCRIPTION OF LOT ONE:

A PARCEL OF LAND LOCATED IN GOVERNMENT LOT 3, SECTION 7, T18N, R17E, TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN, MORE FULLY DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEASTERLY CORNER OF LOT 67, DOEMELS PLAT; THENCE S21°-57'-27"E, 30.00 FEET ALONG THE SOUTHERLY EXTENSION OF THE EASTERLY LINE OF SAID LOT 67 TO THE SOUTHERLY LINE OF HICKORY LANE AND THE POINT OF BEGINNING; THENCE CONTINUING S21°-57'-27"E, 35.00 FEET TO THE STARTING POINT OF A MEANDER LINE OF THE SHORE OF LAKE WINNEBAGO, SAID POINT BEARS N21°-57'-27"W A DISTANCE OF 10 FEET MORE OR LESS FROM SAID SHORE; THENCE S68°-07'-43"W, 199.84 FEET ALONG SAID MEANDER LINE TO THE SOUTHERLY EXTENSION OF THE EASTERLY LINE OF LOT 70 DOEMELS PLAT AND THE TERMINATION OF SAID MEANDER LINE, SAID POINT BEARS N08°-26'-25"W A DISTANCE OF 16 FEET MORE OR LESS FROM THE SHORE OF LAKE WINNEBAGO; THENCE N08°-26'-25"W, 32.60 FEET ALONG THE SOUTHERLY EXTENSION OF THE EASTERLY LINE OF LOT 70 DOEMELS PLAT TO THE SOUTHERLY LINE OF HICKORY LANE; THENCE N67°-08'-56"E, 192.24 FEET ALONG SAID SOUTHERLY LINE TO THE POINT OF BEGINNING. SAID PARCEL CONTAINS 0.150 ACRES OF LAND MORE OR LESS. SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD. SAID DESCRIBED PARCEL INCLUDES THAT LAND LYING BETWEEN THE ABOVE DESCRIBED MEANDER LINE AND THE SHORE OF LAKE WINNEBAGO AS BOUNDED ON THE EAST BY THE EXTENSION OF THE EAST LINE OF THE ABOVE DESCRIBED PARCEL, EXTENDED SOUTHERLY TO THE SHORE OF LAKE WINNEBAGO, AND BOUNDED ON THE WEST BY THE EXTENSION OF THE WEST LINE OF THE ABOVE DESCRIBED PARCEL EXTENDED SOUTHERLY TO THE SHORE OF LAKE WINNEBAGO. SAID PARCEL BEING SOLD TO AN ADJACENT LAND OWNER.

DESCRIPTION OF LOT TWO:

A PARCEL OF LAND LOCATED IN GOVERNMENT LOT 3, SECTION 7, T18N, R17E, TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN, MORE FULLY DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEASTERLY CORNER OF LOT 67 DOEMELS PLAT; THENCE S21°-57'-27"E, 30.00 FEET ALONG THE SOUTHERLY EXTENSION OF THE EASTERLY LINE OF SAID LOT 67 TO THE SOUTHERLY LINE OF HICKORY LANE AND THE POINT OF BEGINNING; THENCE CONTINUING S21°-57'-27"E, 35.00 FEET TO THE STARTING POINT OF A MEANDER LINE OF THE SHORE OF LAKE WINNEBAGO, SAID POINT BEARS N21°-57'-27"W A DISTANCE OF 10 FEET MORE OR LESS FROM SAID SHORE; THENCE N67°-08'-56"E, 55.00 FEET ALONG SAID MEANDER LINE TO THE SOUTHERLY EXTENSION OF THE EASTERLY LINE OF LOT 66 DOEMELS PLAT AND THE TERMINATION OF SAID MEANDER LINE, SAID POINT BEARS N21°-57'-27"W A DISTANCE OF 10 FEET MORE OR LESS FROM SAID SHORE; THENCE N21°-57'-27"W, 35.00 FEET ALONG THE SOUTHERLY EXTENSION OF THE EASTERLY LINE OF LOT 66 DOEMELS PLAT TO THE SOUTHERLY LINE OF HICKORY LANE; THENCE S67°-08'-56"W, 55.00 FEET ALONG SAID SOUTHERLY LINE TO THE POINT OF BEGINNING. SAID PARCEL OF LAND CONTAINS 0.044 ACRES OF LAND MORE OR LESS. SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD. SAID DESCRIBED PARCEL INCLUDES THAT LAND LYING BETWEEN THE ABOVE DESCRIBED MEANDER LINE AND THE SHORE OF LAKE WINNEBAGO, AS BOUNDED ON THE EAST BY THE EXTENSION OF THE EAST LINE OF THE ABOVE DESCRIBED PARCEL EXTENDED SOUTHERLY TO THE SHORE OF LAKE WINNEBAGO, AND BOUNDED ON THE WEST BY THE EXTENSION OF THE WEST LINE OF THE ABOVE DESCRIBED PARCEL EXTENDED SOUTHERLY TO THE SHORE OF LAKE WINNEBAGO. SAID PARCEL BEING SOLD TO AN ADJACENT LAND OWNER.

Plat of Survey



PART OF FRAC. LOT 4 OF SEC. 7, T.18N., R.17E., TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN.

EXISTING PARCEL

CLIENT: JAMES S. & SHARON R. ROY
172 W. 24TH AVE.
OSHKOSH, WI. 54901

CURVE DATA

$\Delta = 15^{\circ}12'13''$
 $R = 310.04'$
 $L = 82.27'$
 $C = 82.03'$



LEGEND

- = Existing monuments
- = 2" x 30" iron pipe set
- = 1" x 30" iron pipe set
- ⊙ = reference caps or R.R. spikes
- ⊙ = Bernson or Harrison monuments
- X—X = fence
- () = recorded as
- = stone monument

SURVEYOR'S CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. JULY 14, 1989

Calvin W. Hawksworth

Wisconsin Registered Land Surveyor S-1290

Sayler
survey, inc.

130A WEST MAIN, BOX 282, WINNECONNE, WI 54986

SCALE 1 IN. = 30 FT.

PROJECT NO. S-001948



FIELD BOOK 35 PAGE 51

Plat of Survey

Located in part of Lot 136 in REPLAT OF OAKWOOD BEACH PLAT,
Winnebago County, Wisconsin

OWNER: HELEN BRIWA
2836 SHOREWOOD DR.
OSHKOSH, WI

7-18-17



LEGEND

- Existing monuments
- 2" x 30" iron pipe set
- 1" x 30" iron pipe set
- reference caps or R.R. spikes
- Bernlsen or Harrison monuments
- X-X fence
- () recorded as
- stone monument

SURVEYORS CERTIFICATE



I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey, FEB. 16, 1987

Robert H. Saylor
Wisconsin Registered Land Surveyor S-1894

SAYLER SURVEY, INC.
LAND SURVEYORS
WINNECONNE, WI 54986

SCALE 1" = 100'
PROJECT NO. S-001746
FIELD BOOK 42 PAGE 161

HICKORY LANE



Robert F. Reider

That part of Lot One (1) in DOEMEL PLAT of Part of Sec. 7, T. 18 N. of R. 17 E., Town of Oshkosh, Wisconsin and now in the Fifteenth Ward, City of Oshkosh, Winnebago County, Wisconsin, described as follows, viz: Commencing on the South line of said Section, at a point that is 2510.5 feet east of the Southwest corner of said Section (said point being the intersection of the Center line of Murdock Avenue with the East line of Hickory Lane) thence north 2 degrees 15 minutes west, along the East line of said Hickory Lane, 300.5 feet, the place of beginning, thence continuing north 2 degrees 15 minutes west, along the East line of said Hickory Lane, 92.1 feet, thence north 87 degrees 45 minutes east, 264.2 feet to a point on the approved Bulkhead line as established by Instrument filed in Winnebago County, Wisconsin, Registry on February 28, 1968 as Document No. 368541, thence south 7 degrees 24 minutes west, along said approved Bulkhead line, 72.06 feet, to the point of tangency of a 40 foot radius curve with a main chord bearing south 47 degrees 24 minutes east, 70.7 feet, thence southeasterly, along said curve to a point that is north 87 degrees 45 minutes east of the place of beginning, thence south 87 degrees 45 minutes west, to the place of beginning.

BI-LEVEL HOUSE WITH ATTACHED GARAGE

NO BUILDING ENCROACHMENTS PRESENT

SIMONS: 1830 HICKORY LANE
OSHKOSH, WISCONSIN.

I, ROBERT F. REIDER

certify that this mortgage inspection was made by me or under my direction and control of the described property on, NOVEMBER 17, 1986, according to the official records and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief. FIRST WIS. REAL ESTATE SER. in agreement with Carow Land Surveying Co., Inc. has waived parts of Administrative Code A-E 5.01 (3 through ?). THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE. THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF: First Wisconsin Real Estate Service

REVISIONS	FIRST WISCONSIN REAL ESTATE SERVICE 3019 W. SPENCER ST. APPLETON, WIS. 54914		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297 1837 W. WISCONSIN AVE. - APPLETON, WI 54912		
	DRAWN BY mv-dy MV	SCALE 1"=40'	DRAWING NO. 8611-89
	APPROD X	DATE 11-17-86	

7-18-17



Lot Fourteen (14) in DOEMEL PLAT, in the Town of Oshkosh, Winnebago County, Wisconsin.

HICKORY LANE

1 STORY HOUSE

NO BUILDING ENCROACHMENTS PRESENT

LINDO: 2132 HICKORY LN.
OSHKOSH, WISCONSIN.



Robert F. Reider

I, ROBERT F. REIDER

certify that this mortgage inspection was made by me or under my direction and control of the described property on,


AUGUST 30, 1985, according to the official records and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief. Oshkosh Savings & Loan in agreement with Carow Land Surveying Co., Inc. has waived parts of Administrative Code A-E 5.01 (3 through 7).

THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE.

THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF:

Oshkosh Savings & Loan.


REVISIONS	Oshkosh Savings & Loan		
	P.O. Box 80, Oshkosh, Wis. 54902		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297		
	1837 W. WISCONSIN AVE. - APPLETON, WI 54912		
DRAWN BY	DV	SCALE	DRAWING NO.
kv dv		1"=30'	
APPRO	X	DATE	858-339
		8-30-85	



CITY OF OBNKOSH
ENGINEERING DEPARTMENT

DRAWN
8-14-76
SCALE
1" = 200'

BEING A PART OF THE SE 1/4 OF THE SW 1/4 & A PART OF GOV'T LOT 5 OF FRACTIONAL SECTION
7, T8N, R17E, 15th WARD, CITY OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN



Cutter No.	Lat. N.	Longitude	Time Data			Avg. Length	Tongue (Inches)
			Chrom. Emerging	Chrom. Length	Emergence Cycle		
257	75° 25'	156° 54' 30" W.	107.25	112-118-120	125.50		
258	75° 30'	157-127-130 E.	117.75	122-127-130	126.50		
259	75° 39'	157-124-125 E.	108.50	121-126-126	121.75		
13-16	75° 46'	156-117-120 E.	114.00	118-121-121	117.75		
	75° 53'	156-108-125 W.	107.50	120-124-126	121.00		
	76° 01'	157-119-125 W.	106.00	120-121-123	119.00	32° 45' 15" W.	
	76° 08'	156-122-124 W.	107.00	117-121-125	120.00	30° 45' 15" W.	
	76° 15'	156-120-125 W.	107.00	117-121-125	120.00	30° 45' 15" W.	
	76° 22'	156-117-125 W.	106.00	117-121-125	120.00	30° 45' 15" W.	

Latitude Angles		Latitude Angles			
Latitude boundary	Latitude 25.0 - 26.5 / Longitude 1.00	Latitude 25.0 - 26.5 / Longitude 1.00	Latitude 25.0 - 26.5 / Longitude 1.00		
1	25.0 - 26.5 - 1.00	16	25.0 - 26.5 - 1.00	1	25.0 - 26.5 - 1.00
2	25.0 - 26.5 - 1.00	17	25.0 - 26.5 - 1.00	2	25.0 - 26.5 - 1.00
3	25.0 - 26.5 - 1.00	18	25.0 - 26.5 - 1.00	3	25.0 - 26.5 - 1.00
4	25.0 - 26.5 - 1.00	19	25.0 - 26.5 - 1.00	4	25.0 - 26.5 - 1.00
5	25.0 - 26.5 - 1.00	20	25.0 - 26.5 - 1.00	5	25.0 - 26.5 - 1.00
6	25.0 - 26.5 - 1.00	21	25.0 - 26.5 - 1.00	6	25.0 - 26.5 - 1.00
7	25.0 - 26.5 - 1.00	22	25.0 - 26.5 - 1.00	7	25.0 - 26.5 - 1.00
8	25.0 - 26.5 - 1.00	23	25.0 - 26.5 - 1.00	8	25.0 - 26.5 - 1.00
9	25.0 - 26.5 - 1.00	24	25.0 - 26.5 - 1.00	9	25.0 - 26.5 - 1.00
10	25.0 - 26.5 - 1.00	25	25.0 - 26.5 - 1.00	10	25.0 - 26.5 - 1.00
11	25.0 - 26.5 - 1.00	26	25.0 - 26.5 - 1.00	11	25.0 - 26.5 - 1.00
12	25.0 - 26.5 - 1.00	27	25.0 - 26.5 - 1.00	12	25.0 - 26.5 - 1.00
13	25.0 - 26.5 - 1.00	28	25.0 - 26.5 - 1.00	13	25.0 - 26.5 - 1.00
14	25.0 - 26.5 - 1.00	29	25.0 - 26.5 - 1.00	14	25.0 - 26.5 - 1.00
15	25.0 - 26.5 - 1.00	30	25.0 - 26.5 - 1.00	15	25.0 - 26.5 - 1.00
16	25.0 - 26.5 - 1.00	31	25.0 - 26.5 - 1.00	16	25.0 - 26.5 - 1.00
17	25.0 - 26.5 - 1.00	32	25.0 - 26.5 - 1.00	17	25.0 - 26.5 - 1.00
18	25.0 - 26.5 - 1.00	33	25.0 - 26.5 - 1.00	18	25.0 - 26.5 - 1.00
19	25.0 - 26.5 - 1.00	34	25.0 - 26.5 - 1.00	19	25.0 - 26.5 - 1.00
20	25.0 - 26.5 - 1.00	35	25.0 - 26.5 - 1.00	20	25.0 - 26.5 - 1.00
21	25.0 - 26.5 - 1.00	36	25.0 - 26.5 - 1.00	21	25.0 - 26.5 - 1.00
22	25.0 - 26.5 - 1.00	37	25.0 - 26.5 - 1.00	22	25.0 - 26.5 - 1.00
23	25.0 - 26.5 - 1.00	38	25.0 - 26.5 - 1.00	23	25.0 - 26.5 - 1.00
24	25.0 - 26.5 - 1.00	39	25.0 - 26.5 - 1.00	24	25.0 - 26.5 - 1.00
25	25.0 - 26.5 - 1.00	40	25.0 - 26.5 - 1.00	25	25.0 - 26.5 - 1.00
26	25.0 - 26.5 - 1.00	41	25.0 - 26.5 - 1.00	26	25.0 - 26.5 - 1.00
27	25.0 - 26.5 - 1.00	42	25.0 - 26.5 - 1.00	27	25.0 - 26.5 - 1.00
28	25.0 - 26.5 - 1.00	43	25.0 - 26.5 - 1.00	28	25.0 - 26.5 - 1.00
29	25.0 - 26.5 - 1.00	44	25.0 - 26.5 - 1.00	29	25.0 - 26.5 - 1.00
30	25.0 - 26.5 - 1.00	45	25.0 - 26.5 - 1.00	30	25.0 - 26.5 - 1.00
31	25.0 - 26.5 - 1.00	46	25.0 - 26.5 - 1.00	31	25.0 - 26.5 - 1.00
32	25.0 - 26.5 - 1.00	47	25.0 - 26.5 - 1.00	32	25.0 - 26.5 - 1.00
33	25.0 - 26.5 - 1.00	48	25.0 - 26.5 - 1.00	33	25.0 - 26.5 - 1.00
34	25.0 - 26.5 - 1.00	49	25.0 - 26.5 - 1.00	34	25.0 - 26.5 - 1.00
35	25.0 - 26.5 - 1.00	50	25.0 - 26.5 - 1.00	35	25.0 - 26.5 - 1.00
36	25.0 - 26.5 - 1.00	51	25.0 - 26.5 - 1.00	36	25.0 - 26.5 - 1.00
37	25.0 - 26.5 - 1.00	52	25.0 - 26.5 - 1.00	37	25.0 - 26.5 - 1.00
38	25.0 - 26.5 - 1.00	53	25.0 - 26.5 - 1.00	38	25.0 - 26.5 - 1.00
39	25.0 - 26.5 - 1.00	54	25.0 - 26.5 - 1.00	39	25.0 - 26.5 - 1.00
40	25.0 - 26.5 - 1.00	55	25.0 - 26.5 - 1.00	40	25.0 - 26.5 - 1.00
41	25.0 - 26.5 - 1.00	56	25.0 - 26.5 - 1.00	41	25.0 - 26.5 - 1.00


[illegible]

Journal of Management Education 30(6)p.789-804

WISCONSIN REGISTERED LAND SURVEYOR - 604
STEWART L. CHENOWETH

[illegible]

LOCATION	SKETCH
NEAR HIGHWAY 1, KM 2.5	



DRIVER'S CERTIFICATE OF REGISTRATION

I am sure, I believe, cordially that I cannot find any objection to this plan to be surveyed, divided, mapped and dedicated or represented on the map. I also cordially that this plan is required by a. 24.10 or a. 24.12 to be submitted to the following for approval or objection. Department of Local Affairs and Development, City of Orlando, and Wiregrass Family Planning and Young Counselor.

In the presence of

In the presence of

1. *Journal of the American Medical Association*, 1997; 278: 1025-1030.

1. *Journal of the American Medical Association*, 1997; 278: 1025-1030.

STATE OF WISCONSIN
WINNEBAGO COUNTY.

Regrettably even before we have
active national Military Channel for an hour. Let us be the group who provided the necessary
preparation and acknowledged the same.

THE COMMISSIONER ADVISED

Tissue adhesion

INHERENT CONTRADICTIONS
 In human affairs that is in accordance with the records in all offices, there are on the one hand the glorified individualism of the old time included in the plot of Lighth American to North Point Place.

INDEXED DATE _____ OF _____

Form Approved (GSA) FPMR 101-11.6

From Laramie, (cont.) Transcribed

Richard J. Lamm, Director of Finance

Richard J. Lamm, Director of Finance

APPENDIX 2: RESOLUTION

Received, from: [redacted] of [redacted] Addition to North Point Plot on the east of [redacted], [redacted] County, [redacted] AG hereby acknowledged by [redacted] [redacted]

D-1

100-443887-100

I hereby certify that the foregoing is a copy of a resolution adopted in the common council of the City of Hartford.

... ..

CERTIFICATE OF WINSTON CHURCHILL PLANNING A WINNING STRATEGY

CERTIFICATE OF WITNESSED CONSENT PLANNING A WITTING ABANDON
The Plot of Eastern Addition to North Forest Park, City and County of Denver,
As Previously Abandoned.

Case 1042 May 17 39


THE JOURNAL OF THE AMERICAN MEDICAL ASSOCIATION
PUBLISHED WEEKLY
535 N. Dearborn Ave., Chicago, Ill. 60610
Subscription price: \$5.00 per year in advance.
Single copies: 15¢.
Acceptance for mailing at special rate of postage provided for in Section 1103, Act of October 3, 1917. Authorized by Act of October 3, 1917.
Postage paid at Chicago, Ill.
Second-class postage paid at New York, N.Y.
Copyright, 1968, by American Medical Association
All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without permission in writing from the American Medical Association.

CLINTON COMPRESSION CERTIFICATE

FILE IN AN APPROPRIATE FOLDER
The Flat of Layton, Addressed to North Street, Glasgow, Scotland,
has been approved.

Revised this July 12 1979

TOTAL



7-18-17

Winnebago

Plat of Survey

Lot 59 of REPLAT OF OAKWOOD BEACH subdivision in Fractional Lot 4 of Sec. 7, T.18N., R.17E., Town of Oshkosh, Winnebago County, Wisconsin.

CLIENT: Jerrold R. Ziebell
3044 Shorewood Dr.
Oshkosh, Wisconsin
54901

DRAFTED BY
Joseph B. Schnitzler

SCALE: 1"=100'

INDICATES 5 I.P. SET
INDICATES 3 EXIST.
IRON MONUMENTS


LAKE WINNEBAGO

DETAIL 3

IRON PIS'S SET BY
FENCE COMPANY

LEGEND


- Existing monuments
- 2" x 30" iron pipe set
- 1" x 30" iron pipe set
- reference caps or RR spikes
- Bernisen or Harrison monuments
- X--X = fence
- () = recorded as
- = stone monument



SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. AUGUST 11, 1920

Calvin W. Hawksworth
Wisconsin Registered Land Surveyor



R. K. SAYLER, INC.
LAND SURVEYORS
WINNECONNE, WI 54986

SCALE 1"=100'
PROJECT NO. S-001127
FIELD BOOK 22 PAGE 155 of 156

LAKE WINNEBAGO

SURVEY FOR
LEO MUZA
OF
LOT 204 5th ADD.
TO
NORTH POINT PLAT

42' ±

61' ±

S.57° 56' 33" E.

99.29'

(RECORDED AS S.57° 59' E. 99.25')

N.32° 01' 35" E.

(RECORDED AS N.32° 01' E. 137.00')

179' ±

137.07'

S.32° 04' 47" W.

(RECORDED AS S.32° 01' W.)

198' ±

137.00'

203

LOT 204


205

AREA=17,949 Sq.Ft. ±

ALL BEARINGS REFERENCE TO THE NORTHERLY LINE
OF WHITE SWAN DRIVE RECORDED AS N.57° 59' W.

LEGEND

- = 1" IRON PIPE FOUND
 - = 5/8" ROD SET IN CENTER OF 1" IRON PIPE FOUND 1' BELOW GRADE.
- SCALE: 1" = 20'
DATE = NOV. 12, 1975



AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
OSHKOSH, WISCONSIN


(RECORDED AS 99.25')
N 57° 59' W. 99.16'
PROPOSED SIDEWALK
EXISTING SIDEWALK
EXISTING CURB
EXISTING SIDEWALK

WHITE SWAN DRIVE

60'


60'

Steven T. Chronis
WIS. REGISTERED LAND SURVEYOR S-913





Survey
for
Al Hoffman
Doc. #99813

That part of Lot 1 Doemel Plat located in Frac. Lot 4, Sec. 7, T. 18 N. / R. 17 E. Commencing at a point on the South line of said section located 2510.5 feet East of the Southwest corner of said section, thence N. 20°-15' W. 392.6 feet to the point of beginning, thence continuing N. 20°-15' W. 95.94 feet (92.1 feet per original description), thence N. 87°-45' E. 272 feet along a line reported to be the original property line as indicated by an iron pipe found on said line to the Northerly end of a bulkhead line approved in 1968, thence S. 20°-24' W. 95.94 feet along said bulkhead line, thence S. 87°-45' W. 264.2 feet to the point of beginning.



T. 18 N. R. 17 E.

ALL BEARINGS REFERENCED TO THE S. LINE OF THE SW 1/4 OF SEC. 7 T. 18 N., R. 17 E. ASSUMED TO BE EAST



AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
OSHKOSH, WISCONSIN



Steven T. Chronis
WIS. REGISTERED LAND SURVEYOR S-913

Winnepago Land Surveying

511 Baldwin Avenue, Oshkosh, Wisconsin 54901
Phone (414) 426-4951

MAP OF SURVEY

LOT 62, DOEMEL PLAT, LOCATED IN SECTION 7, T18N, R17E,
TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN



ALAN K. SHUTE S-1518
DATED THIS 19th DAY OF SEPTEMBER, 1983

Corrective Description

for

Erbin Harenburg

A part of Lot 19 in Doemel's Plat, Town of Oshkosh, Winnebago County, Wisconsin containing 1342 square feet of land more or less and being described by: Commencing at the most Northerly corner of said Lot 19, thence S. $50^{\circ}-23'-21''$ E. 218.79 feet along the Northeasterly line of said Lot 19 to a point N. $50^{\circ}-23'-21''$ W. 22 feet more or less from the waters edge of Lake Winnebago, thence S. $16^{\circ}-55'-07''$ W. 11.00 feet along a meander line to a point that is N. $47^{\circ}-47'-02''$ W. 22 feet more or less from the waters edge of Lake Winnebago and the termination of said meander line, thence N. $47^{\circ}-47'-02''$ W. 223.26 feet along an existing fence line to the point of commencement, including all the land lying between the meander line and the waters edge of Lake Winnebago.

STC:mpd
4/16/79

PLAT OF SURVEY


KNOWN AS 2470 HICKORY LANE, BEING LOT 61 IN DOEMEL PLAT, A PART OF SECTION 7, T18N, R17E, IN THE TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN.

JUNE 5, 1985

SURVEY FOR BONNIE WENZEL

SURVEY NO. 1626-A

() = RECORD DIMENSIONS WHERE DIFFERENT FROM FIELD MEASUREMENTS.




I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.



national survey & engineering

417 NORTH SAWYER STREET / P.O. BOX 2963
 OSHKOSH, WISCONSIN 54903
 (414) 426-2800



PLAT OF SURVEY

KNOWN AS 2172 HICKORY LANE, BEING LOT 21 IN DOEMEL PLAT, A PART OF SECTION 7, T18N, R17E, IN THE TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN.


MAY 20, 1985

SURVEY FOR CHARLES DE. MUNCH

SURVEY NO. 1619-S

● ----- DENOTES 1 INCH DIAMETER IRON PIPE FOUND.

○ ----- DENOTES 1 INCH DIAMETER IRON PIPE SET.




I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title therein, within one (1) year from date hereof.



national survey & engineering

417 NORTH SAWYER STREET / P.O. BOX 2963
OSHKOSH, WISCONSIN 54903

(414) 426-2800



PLAT OF SURVEY


BEING LOT 60 IN DOEMEL PLAT, A PART OF SECTION 7, T18N, R17E, IN THE TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN.

JUNE 5, 1985

SURVEY FOR BONNIE WENZEL

SURVEY NO. 1626-B

() * RECORD DIMENSIONS WHERE DIFFERENT FROM FIELD MEASUREMENTS.



I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.



national survey & engineering
417 NORTH SAWYER STREET / P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 426-2800



Stock No. 26273


CERTIFIED SURVEY MAP NO. 2011

ALL OF LOTS 45, 46, AND 47, IN REPLAT OF OAKWOOD BEACH PLAT, BEING IN
 FRACTIONAL LOT ONE (1) OF SECTION 7, TOWN 18 NORTH, RANGE 17 EAST, TOWN
 OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN.



NORTHWEST CORNER OF LOT 52
 REPLAT OF OAKWOOD BEACH PLAT

LEGEND:

- 3/4" x 24" SOLID ROUND #6 IRON
 REBAR SET, WEIGHING 1.502 LBS.
 PER LIN. FOOT
- 1" IRON PIPE FOUND
- 3/4" IRON PIPE FOUND
- EXISTING FENCE LINE
- EXISTING CULVERT

**NORTH REFERENCE:**

NORTH IS REFERENCED TO THE EAST LINE OF
 SHOREWOOD DRIVE, TOWN OF OSHKOSH, WINNEBAGO
 COUNTY, WISCONSIN, WHICH IS ASSUMED TO
 BEAR S18°-10'-00"W.

SCALE: 1"=50'

Michael D. Vander Bloom 9-7-89
 MICHAEL D. VANDER BLOOMEN S-1828 DATED
 CAROW LAND SURVEYING CO., INC.
 1837 W. WISCONSIN AVENUE P.O. BOX 1297
 APPLETON, WISCONSIN 54912-1297
 A899.11 (mv-cv KJO) 9-6-89

Stock No. 26273

CERTIFIED SURVEY MAP NO. 2627

SURVEYOR'S CERTIFICATE:

I, MICHAEL D. VANDER BLOOMEN, REGISTERED WISCONSIN LAND SURVEYOR, CERTIFY THAT I HAVE SURVEYED, DIVIDED, AND MAPPED ALL OF LOTS FORTY-FIVE (45), FORTY-SIX (46), AND FORTY-SEVEN (47) IN REPLAT OF OAKWOOD BEACH PLAT, BEING PART OF FRACTIONAL LOT ONE (1) OF SECTION 7, TOWN 18 NORTH, RANGE 17 EAST, TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: BEGINNING AT THE SOUTHWEST CORNER OF LOT 45, REPLAT OF OAKWOOD BEACH PLAT; THENCE S71°-50'-00"E, 165.62 FEET TO THE START OF A MEANDER LINE OF THE WEST SHORE OF LAKE WINNEBAGO; SAID POINT BEARS N71°-50'-00"W AND 13.38 FEET MORE OR LESS FROM SAID SHORE; THENCE N18°-10'-00"E, 150.00 FEET ALONG SAID MEANDER LINE TO THE TERMINATION OF SAID MEANDER LINE; SAID POINT BEARS N71°-50'-00"W AND IS 73 FEET MORE OR LESS FROM SAID SHORE; THENCE N71°-50'-00"W, 165.62 FEET; THENCE S18°-10'-00"W, 150.00 FEET TO THE POINT OF BEGINNING. SAID PARCEL INCLUDES THOSE LANDS LYING BETWEEN THE ABOVE DESCRIBED MEANDER LINE AND THE WEST SHORE OF LAKE WINNEBAGO, BOUNDED ON THE NORTH BY THE NORTH LINE OF THE ABOVE DESCRIBED PARCEL AND ITS EXTENSION TO THE EAST, AND BOUNDED ON THE SOUTH BY THE SOUTH LINE OF THE ABOVE DESCRIBED PARCEL AND ITS EXTENSION TO THE EAST. SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD.

THAT I HAVE MADE SUCH SURVEY UNDER THE DIRECTION OF PAUL SCHMIDT c/o CENTURY 21-PAUL SCHMIDT REALTY, 321 N. SAWYER STREET, OSHKOSH, WISCONSIN 54901.

THAT THIS MAP IS A CORRECT REPRESENTATION OF THE EXTERIOR BOUNDARY LINES OF THE LAND SURVEYED.

THAT I HAVE FULLY COMPLIED WITH THE PROVISIONS OF CHAPTER 236.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION ORDINANCES OF WINNEBAGO COUNTY.



Michael D. Vander Bloomen 9-7-89
MICHAEL D. VANDER BLOOMEN RLS-1828 DATED
CAROM LAND SURVEYING CO., INC.
1837 W. WISCONSIN AVENUE P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
A899.11

OWNER'S CERTIFICATE:

AS OWNERS WE HEREBY CERTIFY THAT WE CAUSED THE LAND DESCRIBED ON THIS CERTIFIED SURVEY MAP TO BE SURVEYED, DIVIDED AND MAPPED AS REPRESENTED. WE ALSO CERTIFY THAT THIS MAP IS REQUIRED BY S. 236.10 OR S. 236.12 OF THE WISCONSIN STATUTES TO BE SUBMITTED TO THE FOLLOWING FOR APPROVAL: WINNEBAGO COUNTY ZONING AND PLANNING COMMITTEE.

WITNESS THE HAND AND SEAL OF SAID OWNERS THIS 19 DAY OF Sept, 1989.

Helen Brinn
OWNER Conservator of
Sylvia Alwin
STATE OF WISCONSIN
COUNTY OF WINNEBAGO ss.

OWNER

WITNESS

PERSONALLY CAME BEFORE ME THIS 19 DAY OF September, 1989. THE ABOVE NAMED PERSONS TO ME KNOWN TO BE THE PERSONS WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGED THE SAME.

John A. D. M. D.
NOTARY PUBLIC, WINNEBAGO COUNTY
MY COMMISSION EXPIRES 10/31/90

COUNTY ZONING AND PLANNING APPROVAL:

PURSUANT TO THE WINNEBAGO COUNTY SUBDIVISION ORDINANCE, ALL REQUIREMENTS FOR APPROVAL HAVE BEEN FULFILLED. THIS CERTIFIED SURVEY MAP WAS APPROVED THIS 24 DAY OF September, 1989.

Janette Daskoff
V CHAIRPERSON, WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE

Sheet No. 26273

CERTIFIED SURVEY MAP NO. 2077

TOWN TREASURER'S CERTIFICATE:

I HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES OR UNPAID SPECIAL ASSESSMENTS NOW DUE ON ANY OF THE LANDS INCLUDED IN THIS CERTIFIED SURVEY MAP.

Martha H. Talbot 9/28/89
TOWN TREASURER DATED

COUNTY TREASURER'S CERTIFICATE:

I HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES OR UNPAID SPECIAL ASSESSMENTS NOW DUE ON ANY OF THE LANDS INCLUDED IN THIS CERTIFIED SURVEY MAP.

Richard Bradley 9/22/89
COUNTY TREASURER DATED



Michael D. Vander Bloomen 9-7-89
MICHAEL D. VANDER BLOOMEN RLS-1828 DATED
CARON LAND SURVEYING CO., INC.
1837 W. WISCONSIN AVENUE P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
A899.11

730696

Register's Office
Winnebago County, Wis.
Received for record this 28th
day of Sept A.D., 1989
at 2:20 o'clock P.M. and
filed in Vol. 1 of CSM
on page 2077

Wm. J. Adams
Register of Deeds

Chy
gda

John Moore

Stock No. 26273

89-1421

SHEET 1 OF 3



CERTIFIED SURVEY MAP NO. 2027

BEING A REDIVISION OF LOTS 49 AND 50 IN DOEMEL PLAT, IN FRACTIONAL SECTION 7, T18N, R17E, TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN;

- ——— DENOTES 1 INCH DIAMETER IRON PIPE FOUND.
- ——— DENOTES 3/4 INCH DIAMETER IRON ROD FOUND.
- ——— DENOTES 3/4 INCH DIAMETER IRON ROD, 24" LONG, WEIGHING NOT LESS THAN 1.50 LBS PER LINEAL FOOT SET.

ALL DIMENSIONS SHOWN ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE EASTERLY LINE OF LOT 49 WHICH HAS AN ASSUMED BEARING OF NORTH 28°-10'-19" WEST.



SCHULER & ASSOCIATES

CONSULTING ENGINEERS & LAND SURVEYORS
 320 W. NORTHLAND AVE. APPLETON, WIS. 54911 (414) 731-9107
 417 NORTH SAWYER STREET OSHKOSH, WIS. 54901 (414) 428-2800

89-1421

Stock No. 26273

89-1421

SHEET 2 OF 3CERTIFIED SURVEY MAP NO. 2027

BEING A REDIVISION OF LOTS 49 AND 50 IN DOEMEL PLAT, IN FRACTIONAL SECTION 7, T18N, R17E, TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)

SS
WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Land Surveyor do hereby certify;

THAT I have surveyed and mapped Lots 49 and 50 in Doemel Plat, Fractional Section 7, T18N, R17E, Town of Oshkosh, Winnebago County, Wisconsin, which is bounded and described as follows:

Commencing at the S.E. corner of Lot 49, thence North 28-10-19 West along the East line of said Lot 261.63 ft. to the beginning of a meander line, thence South 32-34-01 West along said meander line 126.47 ft. to the end of said meander line and a point on the Westerly line of said Lot 50, thence South 26-16-00 East along said Westerly line 200.00 ft. to the S.W. corner of said Lot 50, thence North 61-41-00 East along the Southerly line of said lots 49 and 50 aforesaid 110.00 ft. to the point of beginning. Also including all lands lying between said meander line and the shoreline of Lake Winnebago and the Northerly extensions of the Westerly line of said Lot 50 and the Easterly line of said Lot 49.


THAT I have made this survey and land division by the direction of Mariam Knaggs, Town of Oshkosh, Winnebago County, owner of said land.

THAT such map is a correct representation of all the exterior boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County.

5/18/89
Date

Reinhard Roehlig (SEAL)
Reinhard Roehlig, Registered
Land Surveyor S-1368



Stock No. 26273

89-1421

SHEET 3 OF 3

CERTIFIED SURVEY MAP NO. 2027

BEING A REDIVISION OF LOTS 49 AND 50 IN DOEMEL PLAT, IN FRACTIONAL SECTION 7, T18N, R17E, TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN.

OWNER'S CERTIFICATE

AS OWNER I hereby certify that I caused the land described on this map to be surveyed, divided and mapped as represented on this map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hand and seal of said owner this 22 day of May, 1989.

In The Presence Of:

Margaret A. Becker

Miriam Knaggs
Miriam Knaggs

STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

PERSONALLY came before me this 22 day of May, 1989 the above named Miriam Knaggs, to me known to be the person who executed the foregoing instrument and acknowledged the same.

Margaret A. Becker
Notary Public, Winnebago County,
State of Wisconsin

My Commission Expires 12-1-89

WINNEBAGO COUNTY PLANNING COMMISSION CERTIFICATE

THIS Certified Survey Map of Lots 49 and 50 in Doemel Plat, Fractional Section 7, T18N, R17E, Town of Oshkosh, Miriam Knaggs owner, is hereby approved.

June 15, 1989
Date

Jeanette Diskoff
Planning Committee Representative


THIS INSTRUMENT WAS DRAFTED BY
REINHARD ROEHLIG.

724379

Register's Office
Winnebago County, Wis.
Received for record this 16th
day of June A.D., 19 89
at 3:38 o'clock P.M. and
filed in Vol. L of C.S.M.
on page 2027

Margaret A. Becker
Register of Deeds

Schuler & Gason



8.00

PLAT OF SURVEY


SITUATED ON HICKORY LANE, BEING LOTS 49 AND 50 IN DOEMEL PLAT,
FRACTIONAL SECTION 7, T18N, R17E, TOWN OF OSHKOSH, WINNEBAGO COUNTY,
WISCONSIN.

SURVEY FOR JIM KNAGOS

SURVEY NO. 89-1421

- ——— DENOTES 1 INCH DIAMETER IRON PIPE FOUND.
■ ——— DENOTES 3/4 INCH DIAMETER IRON ROD FOUND.
○ ——— DENOTES 3/4 INCH DIAMETER IRON ROD, 24" LONG,
WEIGHING NOT LESS THAN 1.13 LBS. PER LINEAL
FOOT SET.

ELEVATIONS SHOWN ARE TO U.S.G.S. DATUM.
100 YEAR FLOOD ELEVATION FOR THIS PARCEL IS 746.4 U.S.G.S.



SURVEYOR'S CERTIFICATE PAY. PL. 750-1

PAGE 7511

I, REINHARD H. W. ROHLIG, Registered Land Surveyor No. 8-1368, hereby certify: That I have surveyed the property described hereon and that the above map is a true representation thereof and shows the size and location of the property, its exterior boundaries, the location and dimensions of all visible structures thereon, fences, apparent easements, roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the property, and also those who purchase, mortgage, or guarantee the title thereto within one (1) year from the date hereof, and as to them I certify the accuracy of said survey and map.

SCHULER & ASSOCIATES

CONSULTING ENGINEERS & LAND SURVEYORS
320 W. NORTHLAND AVE. APPLETON, WIS. 54911 (414) 734-8107
417 NORTH SAWYER STREET GSHKOSH, WIS. 54901 (414) 426-2800

REGISTERED LAND SURVEYOR

DATE _____

REINHARD
H. ROEHLIG
S-1368
~~OSHKOSH~~
WIS.


Stock No. 26273

CERTIFIED SURVEY MAP NO. 2986
 BEING A REDIVISION OF LOTS 44, 45, 46, 47, 48 AND A OF THE DOEMEL PLAT
 LOCATED IN SECTION 7, T18N, R17E, TOWN OF OSHKOSH, WINNEBAGO COUNTY,
 WISCONSIN


SURVEY FOR
 GEORGE R. SCHAEFER
 2384 HICKORY LANE
 OSHKOSH, WI., 59401

SURVEYED BY
 OMNI ASSOCIATES
 303 S. BLUEMOUND DR.
 APPLETON, WI., 54914
 PROJECT NO. S2927A
 DATE: JANUARY 13, 1994


LEGEND
 ○ 1" IRON PIPE FOUND
 ● 3/4" STEEL REBAR SET
 (24" LONG, 1.502 LB./LIN. FT.)
 - - - - - ORIGINAL PLATTED LOT LINE
 47 ORIGINAL PLATTED LOT NO.



NORTH IS REFERENCED
 TO THE SOUTHWESTERLY
 LINE OF LOTS 45, 46, 47
 AND 48, DOEMEL PLAT,
 WHICH IS ASSUMED AS
 BEARING N 28° 16' 00" W



WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE APPROVAL:
 THIS CERTIFIED SURVEY MAP HAS BEEN REVIEWED AND APPROVED BY THE
 WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE.
 AUTHORIZED REPRESENTATIVE: *Jeanette Dierckx*
 DATED 6/23/94



Charles Offerman
 CHARLES OFFERMAN S-926
 DATE 11/14/94
 REVISED 4/11/94
 SHEET 1 OF 2

Stock No. 26273

CERTIFIED SURVEY MAP NO. 2986

BEING A REDIVISION OF LOTS 44, 45, 46, 47, 48 AND "A" OF THE DOEMEL PLAT,
LOCATED IN SECTION 7, T18N, R17E, TOWN OF OSHKOSH, WINNEBAGO COUNTY,
WISCONSIN.

SURVEYOR'S CERTIFICATE:

I, CHARLES OFFERMAN, STATE OF WISCONSIN REGISTERED LAND SURVEYOR NO. S-926 DO HEREBY CERTIFY THAT I HAVE MADE A REDIVISION OF LOTS 44, 45, 46, 47, 48 AND "A" OF THE DOEMEL PLAT, LOCATED IN SECTION 7, T18N, R17E, TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN BEING BOUNDED AND DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWESTERLY CORNER OF SAID LOT 44; THENCE N28°16'00"W, ALONG THE SOUTHWESTERLY LINE OF SAID LOTS 44 AND 45, 110.00 FEET; THENCE S61°44'00"W, ALONG THE SOUTHEASTERLY LINE OF SAID LOT "A", 30.00 FEET; THENCE N28°16'00"W, ALONG THE SOUTHWESTERLY LINE OF SAID LOT "A", 146.52 FEET TO A MEANDER POINT ON THE SHORE OF LAKE WINNEBAGO; THENCE CONTINUING N28°16'00"W, 22 FEET, MORE OR LESS, TO THE SHORE LINE OF LAKE WINNEBAGO; THENCE EASTERLY, NORTHERLY AND SOUTHERLY, 593 FEET, MORE OR LESS, ALONG THE SHORE LINE OF LAKE WINNEBAGO; THENCE S61°44'00"W, ALONG THE SOUTHEASTERLY LINE OF SAID LOT 44, 23 FEET, MORE OR LESS, TO A MEANDER POINT OF THE SHORE OF LAKE WINNEBAGO; THE LAST SAID MEANDER POINT IS FURTHER DESCRIBED AS BEING N60°35'30"E, 238.22 FEET TO A MEANDER POINT; THENCE S10°03'14"E, 100.00 FEET TO A MEANDER POINT; THENCE S15°14'42"E, 136.85 FEET TO A MEANDER POINT; THENCE S14°42'24"E, 19.98 FEET TO A MEANDER POINT; THENCE S21°53'36"E, 55.32 FEET FROM THE FIRST MEANDER POINT; THENCE CONTINUING S61°44'00"W, ALONG THE SOUTHEASTERLY LINE OF SAID LOT 44, 130.86 FEET TO THE SAID POINT OF COMMENCEMENT, CONTAINING 1.663 ACRES, MORE OR LESS WHILE BEING SUBJECT TO EASEMENTS, COVENANTS OR RESTRICTIONS OF RECORD. I DO FURTHER CERTIFY THAT THIS MAP IS A TRUE REPRESENTATION OF THE SURVEYED LANDS AND THAT I HAVE FULLY COMPLIED WITH THE REQUIREMENTS OF SECTION 236.34 OF WISCONSIN STATUTES AND THE SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY IN SURVEYING, DIVIDING, AND MAPPING THE SAME.

Charles Offerman
CHARLES OFFERMAN, RLS NO. S-926 DATED 1/14/94
REVISED 4-11-94

**OWNER'S CERTIFICATE:**

AS OWNERS, WE DO HEREBY CERTIFY THAT WE HAVE CAUSED THE LAND ON THIS MAP TO BE SURVEYED, MAPPED, AND DIVIDED AS REPRESENTED.

GEORGE P. SCHAEFER *George P. Schaefer* DATED 4/19/94
PATRICIA A. SCHAEFER *Patricia A. Schaefer* DATED 4-19-94
GREGORY A. SCHAEFER *Gregory A. Schaefer* DATED 4-19-94
ANGELA E. SCHAEFER *Angela E. Schaefer* DATED 4-19-94

STATE OF WISCONSIN
OUTAGAMIE COUNTY

PERSONALLY CAME BEFORE ME THIS 19th DAY OF APRIL, 1994, THE ABOVE NAMED, TO ME KNOWN TO BE THE PERSON WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGED THE SAME.

NOTARY PUBLIC *Wade R. Knudsen* WINNEBAGO COUNTY, WISCONSIN.

MY COMMISSION EXPIRES: 6/30/96

TREASURER'S CERTIFICATE:

I DO HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES OR UNPAID SPECIAL ASSESSMENTS ON ANY OF THE LANDS INCLUDED IN THIS CERTIFIED SURVEY MAP.

TOWN TREASURER *Marilyn H. Halket* DATED 6-13-94
COUNTY TREASURER *Mary E. Krueger* Deputy DATED 8-17-94

OSHKOSH TOWN BOARD APPROVAL:

THIS CERTIFIED SURVEY MAP HAS BEEN REVIEWED AND ACCEPTED BY THE TOWN OF OSHKOSH.

TOWN CHAIRMAN *James R. Fry* DATED 6/13/94
TOWN CLERK *James R. Fry* DATED 6-13-94

Register's Office
Winnebago County, Wis.
Received for record this 18th
day of Aug. A.D., 1994
at 9:08 o'clock A.M. and
filed in Vol. 1 of CSM
on page 2986

Pd 12
Deborah A. Adams
Register of Deeds

PLAT OF SURVEY


KNOWN AS 2496 HICKORY LANE. BEING LOT 70 IN DOEMEL PLAT, IN PART OF FRACTIONAL LOT 3, SECTION 7, T18N, R17E, TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN.

OCTOBER 18, 1995

SURVEY FOR VERA CUNNINGHAM

NO. 2773

- DENOTES 1" DIAMETER IRON PIPE FOUND UNLESS OTHERWISE DESCRIBED.
- DENOTES 3/4" DIAMETER IRON ROD, 24" LONG SET.
- () DENOTES RECORDED DIMENSION WHERE DIFFERENT FROM ACTUAL MEASUREMENT.



Surveyor's Certificate

I, Reinhard Roehlig, Wisconsin Registered Land Surveyor, certify that I have surveyed the above described property and that the above map is a correct representation thereof and shows the size and location of the property, its exterior boundaries, the locations and dimensions of all visible structures thereon, boundary fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the property and also those who purchase, mortgage or guarantee title thereto, within one (1) year from the date hereof.

10-18-95
Date

Reinhard Roehlig
Reinhard Roehlig, Registered
Wisconsin Land Surveyor S-1368

NO. 2773

OCTOBER 18, 1995

ROEHLIG

**LAND SURVEYING
&
CONSULTING LTD.**

417 North Sawyer Street • Oshkosh WI • 54901
(414) 233-2884

PLAT OF SURVEY

KNOWN AS 2452 HICKORY LANE, BEING LOT 58 OF DOEMEL PLAT
LOCATED IN SECTION 7, T18N, R17E, TOWN OF OSHKOSH,
WINNEBAGO COUNTY, WISCONSIN

NO. 2872


SURVEY FOR: JANET GRITZMACHER

APRIL 10, 1996

- DENOTES 3/4 INCH DIAMETER IRON ROD, 24 INCHES LONG, WEIGHING NOT LESS THAN 1.5 LBS PER LINEAL FOOT, SET (UNLESS OTHERWISE DESCRIBED),
- DENOTES 1 INCH DIAMETER IRON ROD FOUND.
- DENOTES 1 INCH DIAMETER IRON PIPE FOUND.
- () DENOTES RECORD MEASUREMENTS WHERE DIFFERENT FROM ACTUAL MEASUREMENTS.

ALL DISTANCES ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.

BEARINGS ARE REFERENCED TO THE NORTH RIGHT-OF-WAY LINE OF HICKORY LANE, WHICH IS ASSUMED TO BEAR NORTH 62°21'47" EAST



SURVEYOR'S CERTIFICATE

I, Reinhard Roehlig, Wisconsin Registered Land Surveyor, certify that I have surveyed that above described property and that the above map is a correct representation thereof and shows the size and location of the property, its exterior boundaries, the locations and dimensions of all visible structures thereon, boundary fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the property and also those who purchase, mortgage or guarantee title thereto, within one (1) year from the date hereof.

4-19-96
Date

Reinhard Roehlig
Reinhard Roehlig, Registered
Wisconsin Land Surveyor S-1368


JOB NO. 2872

APRIL 19, 1996

ROEHLIG
LAND SURVEYING
&
CONSULTING LTD.
417 North Sawyer Street • Oshkosh WI • 54901
(414) 233-2884



CERTIFIED SURVEY MAP NO. _____
LOTS 20, 21 AND 22 IN THE REPLAT OF OAKWOOD BEACH PLAT LOCATED
IN THE N.W. 1/4 OF SECTION THE 7, T18N, R17E, TOWN OF OSHKOSH,
WINNEBAGO COUNTY, WISCONSIN

BENCHMARK: TOP OPERATING NUT
OF HYDRANT AT HOUSE # 2719
ELEVATION - 752.95 U.S.G.S.



100 YEAR FLOOD
ELEVATION IS
749.00 U.S.G.S.

750.0
DENOTES 3/4 INCH DIAMETER IRON ROD, 24 INCHES LONG, WEIGHING
NOT LESS THAN 1.5 LBS PER LINEAL FOOT SET.
DENOTES RECORD MEASUREMENTS.
DENOTES 1 INCH DIAMETER IRON PIPE FOUND.
DENOTES ELEVATIONS AT U.S.G.S. DATUM
FROM ACTUAL MEASUREMENT TO THE NEAREST HUNDREDTH OF A FOOT.
ALL DISTANCES ARE REFERENCED TO THE WEST RIGHT-OF-WAY LINE OF
SHOREWOOD DRIVE WHICH IS RECORDED AS NORTH 17°04'17" EAST



JULY 8, 1996

ROEHLIG
LAND SURVEYING
&
CONSULTING LTD.
417 North Sawyer Street • Oshkosh WI • 54901
(414) 233-2884

Stock No. 26273


NO. 2934

SHEET 1 OF 3

CERTIFIED SURVEY MAP NO. _____

BEING LOTS 20, 21 AND 22 IN THE REPLAT OF OAKWOOD BEACH PLAT LOCATED
IN THE N.W. 1/4 OF SECTION THE 7, T18N, R17E, TOWN OF GSHKOSH,
WINNEBAGO COUNTY, WISCONSIN



BENCHMARK: TOP OPERATING NUT
OF HYDRANT AT HOUSE # 2719
ELEVATION - 752.95 U.S.G.S.



100 YEAR FLOOD
ELEVATION IS
749.00 U.S.G.S.

- DENOTES 3/4 INCH DIAMETER IRON ROD, 24 INCHES LONG, WEIGHING NOT LESS THAN 1.5 LBS PER LINEAL FOOT SET.
- () DENOTES RECORD MEASUREMENTS WHERE DIFFERENT FROM ACTUAL MEASUREMENTS.
- ① DENOTES 1 INCH DIAMETER IRON PIPE FOUND.
- 750.0 DENOTES ELEVATIONS AT U.S.G.S. DATUM

ALL DISTANCES ARE MEASURED TO THE NEAREST HUNDREDTH OF A FOOT.
BEARINGS ARE REFERENCED TO THE WEST RIGHT-OF-WAY LINE OF SHOREWOOD DRIVE WHICH IS RECORDED AS NORTH 17°04'17" EAST



JULY 8, 1996

ROEHLIG

LAND SURVEYING
&
CONSULTING LTD.

417 North Sawyer Street * Oshkosh WI * 54901

(414) 233-2884

NO. 2934

Stock No. 26273

NO. 2934

CERTIFIED SURVEY MAP NO. _____

SHEET 2 OF 3

BEING LOTS 20, 21 AND 22 IN THE REPLAT OF OAKWOOD BEACH PLAT,
LOCATED IN THE N.W. 1/4 OF SECTION 7, T18N, R17E, TOWN OF OSHKOSH,
WINNEBAGO COUNTY, WISCONSIN.

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

I, REINHARD ROEHLIG, Wisconsin Registered Land Surveyor do hereby
certify;

THAT I have surveyed, divided and mapped lots 20, 21 and 22 in the
Replat of Oakwood Beach Plat, in the N.W. 1/4 of Section 7, T18N,
R17E, Town of Oshkosh, Winnebago County, Wisconsin, which is
bounded and described as follows;

BEGINNING AT THE N.W. CORNER OF SAID LOT 22, THENCE SOUTH 17°04'17"
WEST ALONG THE EASTERLY LINE OF SHOREWOOD DRIVE 149.88 FT., THENCE
SOUTH 72°37'02" EAST ALONG THE SOUTH LINE OF SAID LOT 20 AFORESAID
25.00 FT. TO THE BEGINNING OF A MEANDER LINE RUNNING ALONG THE
SHORELINE OF LAKE WINNEBAGO, THENCE NORTH 62°08'19" EAST ALONG SAID
LINE 70.35 FT., THENCE SOUTH 72°37'02" EAST ALONG SAID LINE 261.20
FT., THENCE NORTH 01°08'15" EAST ALONG SAID LINE 104.07 FT. TO A
POINT ON THE NORTH LINE OF SAID LOT 22 AND THE END OF SAID MEANDER
LINE, THENCE NORTH 72°37'02" WEST ALONG THE NORTH LINE OF SAID LOT
22 AFORESAID 307.44 FT. TO THE POINT OF BEGINNING. SAID PARCEL
INCLUDES ALL LANDS BETWEEN THE DESCRIBED MEANDER LINE AND THE
SHORELINE OF LAKE WINNEBAGO. SAID PARCEL IS SUBJECT TO ALL EXISTING
EASEMENTS AND RESTRICTIONS OF RECORD.

THAT I have made this survey by the direction of Daniel L. Wagner
and Constance L. Wagner, owners of said land.

THAT such map is a correct representation of all the exterior
boundaries of the land surveyed and the land division thereof made.

THAT I have fully complied with the provisions of Chapter 236 of
the Wisconsin Statutes and the Land Subdivision Ordinance of
Winnebago County.

7-27-96
Date

Reinhard Roehlig
Reinhard Roehlig, Registered
Wisconsin Land Surveyor S-1368


OWNER'S CERTIFICATE

AS OWNERS, we hereby certify that we caused the land described on
this map to be surveyed, divided and mapped as represented on this
map in accordance with the Winnebago County Subdivision Ordinance.

WITNESS the hands and seals of said owners this ___ day
of _____, 1996.

Daniel L. Wagner

Constance L. Wagner



Stock No. 26273

NO. 2934

SHEET 3 OF 3

CERTIFIED SURVEY MAP NO. _____

BEING LOTS 20, 21 AND 22 IN THE REPLAT OF OAKWOOD BEACH PLAT,
LOCATED IN THE N.W. 1/4 OF SECTION 7, T18N, R17E, TOWN OF OSHKOSH,
WINNEBAGO COUNTY, WISCONSIN.

STATE OF WISCONSIN)

:SS

WINNEBAGO COUNTY)

PERSONALLY came before me this _____ day of _____ 1996 the
aforementioned Daniel L. Wagner and Constance L. Wagner, to me
known to be the persons who executed the foregoing instrument and
acknowledged the same.

My Commission Expires _____

Notary Public, Winnebago
County, State of Wisconsin

COUNTY TREASURER'S CERTIFICATE

I, _____, being the duly elected, qualified and
acting treasurer for Winnebago County, do hereby certify that in
accordance with the records in my office, there are no unpaid taxes
or unpaid special assessments as of _____ on any land
included in this Certified Survey Map.

Date _____ Treasurer _____

TOWN TREASURER'S CERTIFICATE

I, _____, being the duly elected, qualified and
acting treasurer for the Town of Oshkosh, do hereby certify that in
accordance with the records in my office, there are no unpaid taxes
or unpaid special assessments as of _____ on any land
included in this Certified Survey Map.


Date _____ Treasurer _____

WINNEBAGO COUNTY PLANNING COMMISSION AND
TOWN BOARD CERTIFICATES OF APPROVAL

This Certified Survey Map of lots 20, 21 and 22 in the Replat of
Oakwood Beach Plat, in the N.W. 1/4 of Section 7, T18N, R17E, Town
of Oshkosh, Winnebago County, is hereby approved.

Date _____ County Planning Commission
Representative

THIS DOCUMENT WAS DRAFTED BY
REINHARD ROEHLIG.



Plat of Survey

SHEET 1 OF 1

Being, Lots 2 and 3 of Doemel Plat, in Section 7, T.18N., R.17E., Town of Oshkosh, Winnebago County, Wisconsin. Tax Parcels 018-1748 and 018-1749.

Surveyor's Certificate

I, Thomas M. Kromm, Wisconsin Registered Land Surveyor of Kromm Land Surveying, certify that I have surveyed the above described property and that the map shown below is a true and accurate representation thereof to the best of my knowledge and belief. Kromm Land Surveying has made no investigation or independent search for easements of record, encumbrances, restrictive covenants, ownership title evidence, or any other facts that an accurate and current title search may disclose. This Survey is valid only if print has original seal and signature.


Dated this 25th day of August, 1997

James M. Kromm

Wisconsin Registered Land Surveyor

Thomas M. Kromm

Survey for: Walter Doemel



Brq. ref. Southerly line Hickory Lane, Rec. N.73°-56'-14" E



LEGEND

- o = 1" X 24" Iron pipe weighing 1.68 lbs. per lineal foot set
- = 1" Iron pipe found.
- ⊕ = Winnebago County Berntsen Monument
- = PK nail set
- () = Recorded measurements
- ⌗ = 1" x 36" Iron pipe set
- X = Chisel mark set

SCALE 1" = 40'

KROMM LAND SURVEYING
1224 Grand Street
Oshkosh, WI 54901
414-426-3643



L-068


PLAT OF SURVEY

KNOWN AS 2915 SHOREWOOD DRIVE. BEING THAT PART OF LOT 136 IN REPLAT OF OAKWOOD BEACH PLAT IN SECTION 7, T18N, R17E, TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN, WHICH IS BOUNDED AND DESCRIBED AS FOLLOWS; COMMENCING AT A POINT ON THE WEST LINE OF SHOREWOOD DRIVE (FORMERLY OAKWOOD DRIVE) THAT IS 321.5 FT. SOUTHWESTERLY FROM A POINT WHERE SAID WESTERLY LINE INTERSECTS THE NORTH LINE OF SECTION 7, T18N, R17E, THE PLACE OF BEGINNING, THENCE WEST PARALLEL WITH THE NORTH LINE OF SECTION 7 AFORESAID 150 FT., THENCE SOUTHWESTERLY PARALLEL WITH THE WEST LINE OF SHOREWOOD DRIVE 85 FEET, THENCE EAST PARALLEL WITH THE NORTH LINE OF SAID SECTION 7 AFORESAID 150 FEET, THENCE ALONG THE WEST LINE OF SHOREWOOD DRIVE 85 FEET TO THE PLACE OF BEGINNING.

NO. 3124

SURVEY FOR: RALPH WHITTY

JUNE 10, 1997



SURVEYOR'S CERTIFICATE

I, Reinhard Roehlig, Wisconsin Registered Land Surveyor, certify that I have surveyed the above described property and that the above map is a correct representation thereof and shows the size and location of the property, its exterior boundaries, the locations and dimensions of all visible structures thereon, boundary fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the property and also those who purchase, mortgage or guarantee title thereto, within one (1) year from the date hereof.

6-19-97

Date

Reinhard Roehlig
Reinhard Roehlig, Registered
Wisconsin Land Surveyor S-1368

JOB NO. 3124

JUNE 10, 1997

ROEHLIG
LAND SURVEYING
&
CONSULTING LTD.
417 North Sawyer Street • Oshkosh WI • 54901
(414) 293-2884


PLAT OF SURVEY

KNOWN AS 2915 SHOREWOOD DRIVE BEING THAT PART OF LOT 136 IN REPLAT OF OAKWOOD BEACH PLAT IN SECTION 7, T18N, R17E, TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN, WHICH IS BOUNDED AND DESCRIBED AS FOLLOWS; COMMENCING AT A POINT ON THE WEST LINE OF SHOREWOOD DRIVE (FORMERLY OAKWOOD DRIVE) THAT IS 321.5 FT. SOUTHWESTERLY FROM A POINT WHERE SAID WESTERLY LINE INTERSECTS THE NORTH LINE OF SECTION 7, T18N, R17E, THE PLACE OF BEGINNING, THENCE WEST PARALLEL WITH THE NORTH LINE OF SECTION 7 AFORESAID 150 FT., THENCE SOUTHWESTERLY PARALLEL WITH THE WEST LINE OF SHOREWOOD DRIVE 85 FEET, THENCE EAST PARALLEL WITH THE NORTH LINE OF SAID SECTION 7 AFORESAID 150 FEET, THENCE ALONG THE WEST LINE OF SHOREWOOD DRIVE 85 FEET TO THE PLACE OF BEGINNING.

NO. 3124

SURVEY FOR: RALPH WHITTY

JUNE 10, 1997



SURVEYOR'S CERTIFICATE

I, Reinhard Roehlig, Wisconsin Registered Land Surveyor, certify that I have surveyed the above described property and that the above map is a correct representation thereof and shows the size and location of the property, its exterior boundaries, the locations and dimensions of all visible structures thereon, boundary fences, apparent easements and roadways and visible encroachments, if any.

This survey is made for the exclusive use of the present owners of the property and also those who purchase, mortgage or guarantee title thereto, within one (1) year from the date hereof.

6-19-97

Date _____

**Reinhard Roehlig, Registered
Wisconsin Land Surveyor S-1368**

JOB NO. 3124

MEANDER CORNER
TO THE NORTH 1/4 CORNER
OF SECTION 7-13-17
(BERNTSEN MONUMENT)

JUNE 10, 1997

ROEHLIG


**LAND SURVEYING
&
CONSULTING LTD.**

417 North Sawyer Street • Oshkosh WI • 54901
(414) 233-2884

SKETCH OF SURVEY

GOOD PLAIN ELEVATION STUDY FOR LOT 66, FIRST ADDITION TO DOEMEL'S PLAT, PART OF THE SOUTH 1/2 OF SECTION 7, T 18 N, R 17 E, TOWN OF OSHKOSH, WINNEBAGO COUNTY, WISCONSIN
ADDRESS: 2488 HICKORY LANE, OSHKOSH, WISCONSIN.

ELEVATIONS WERE MEASURED FOR 12 POINTS ON THE SUBJECT PROPERTY, AND FOR 3 LOCAL BENCH MARKS. PROPERTY ELEVATION POINTS ARE NUMBERED, AND LOCAL BENCH MARKS ARE IDENTIFIED BY LETTERS ON SKETCH. THE PRIMARY BENCHMARK IS A HYDRANT AT THE SOUTHEAST QUADRANT OF INTERSECTION OF HAZEL STREET AND MURDOCK AVENUE. TOP-MOST NUT, ELEV. 756.27' NAVD. THE 100-YEAR FLOOD ELEVATION FOR THIS PROPERTY IS 749.00' NAVD, FROM FEMA COMMUNITY PANEL NUMBER 5505370100C, DATED JULY 23, 1982. (SEE TABLE FOR ELEVATIONS)




LEGEND

- $\times$ ELEVATION POINT
- FH FIRE HYDRANT
- MH MANHOLE
- PP POWER POLE

POINT #	POINT DESCRIPTION	ELEVATION NAVD
A	LOCAL BENCHMARK - CENTER OF MANHOLE	748.95'
B	LOCAL BENCHMARK - TOP-NUT, HYDRANT	752.13'
C	LOCAL BENCHMARK - SPIKE IN POWER POLE	750.32'
1	ELEVATION POINT - CENTER OF PAVEMENT	748.91'
2	ELEVATION POINT - CENTER OF PAVEMENT	749.01'
3	ELEVATION POINT - GROUND SHOT	749.12'
4	ELEVATION POINT - GROUND SHOT	749.16'
5	ELEVATION POINT - CENTER OF GARAGE FLOOR	749.25'
6	ELEVATION POINT - FIRST FLOOR, JUST INSIDE DOOR	750.53'
7	ELEVATION POINT - GROUND SHOT IN CRAWL SPACE	748.89'
8	ELEVATION POINT - GROUND SHOT	749.27'
9	ELEVATION POINT - GROUND SHOT	749.06'
10	ELEVATION POINT - GROUND SHOT	749.04'
11	ELEVATION POINT - GROUND SHOT	749.44'
12	ELEVATION POINT - GROUND SHOT	748.94'

I, ALAN C. DRUM, REGISTERED LAND SURVEYOR, S-1456. HEREBY CERTIFY THAT I MEASURED THE ELEVATIONS LISTED ABOVE AS REQUESTED BY JIM ERDMAN, AND THAT THE ELEVATIONS ARE ACCURATE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



Alan C. Drum 6/26/01
ALAN C. DRUM, S-1456

ERDMAN - OSHKOSH
OSHKOSH, WISCONSIN
SKETCH OF SURVEY

12-14007

DRAWN BY: JEP
DATE: 11/19/01
REVIEWED BY:
APPROVED BY:

MIDWEST ENGINEERING SERVICES
104 W. JACKSON ST., RIPON, WI.
TEL: (920) 745-2200
FAX: (920) 745-2222

MES