

9 - 19 - 15

[illegible]

PLAT OF SURVEY


KNOWN AS 6543 LASLEY SHORE ROAD. BEING LOT 14 IN LASLEY'S POINT LAKE WINNECONNE FARM PLAT, IN SECTION 9, T19N, R15E, TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN.

JUNE 17, 1988

SURVEY FOR KENNETH KANNENBERG

SURVEY NO. 88-1265

- DENOTES 3/4 INCH DIAMETER IRON ROD, 24" LONG, WEIGHING NOT LESS THAN 1.13 LBS. PER LINEAL FOOT SET.
- + DENOTES NOTCH CHISELED IN CONCRETE.
- () DENOTES RECORD MEASUREMENTS WHERE DIFFERENT FROM ACTUAL FIELD MEASUREMENTS.



SURVEYOR'S CERTIFICATE

1, REINHARD H. W. ROEHLIG, Registered Land Surveyor No. S-1368, hereby certify: That I have surveyed the property described hereon and that the above map is a true representation thereof and shows the size and location of the property, its exterior boundaries, the location and dimensions of all visible structures thereon, fences, apparent easements, roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the property, and also those who purchase, mortgage, or guarantee the title thereto within one (1) year from the date hereon, and as to them I certify the accuracy of said survey and map.

SCHULER & ASSOCIATES

320 W. Northland Ave.
Appleton, WI. 54912
(414) 734-9107

2530 W. 20th Ave.
Oshkosh, WI. 54904
(414) 426-2800

Philip Roach
REGISTERED LAND SURVEYOR

DATE 6/7/88

88-1265

LAKE WINNECONNE


9-19-15

DESCRIPTION: LOT 46, LASLEY'S POINT LAKE
WINNECONNE FARM PLAT, TOWN OF WINNECONNE, WINNEBAGO
COUNTY, WISCONSIN.

1 STORY HOUSE


NO BUILDING ENCROACHMENTS PRESENT

OSTENDORF: 6665 LASLEY SHORE DR.



Robert F. Reider

I, ROBERT F. REIDER
certify that this mortgage inspection was made by me or
under my direction and control of the described property on,
NOVEMBER 12, 1985, according to the official records
and that this drawing is a true representation of the
principal building lines thereon and is accurate to the
best of my knowledge and belief. Oshkosh Savings & Loan
in agreement with Carow Land Surveying Co., Inc. has
waivered parts of Administrative Code A-E 5.01 (3 through 7).
THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE.
THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF:
Oshkosh Savings & Loan.



REVISIONS	Oshkosh Savings & Loan P.O. Box 80, Oshkosh, Wis. 54902		
	CAROW LAND SURVEYING CO., INC. P.O. BOX 1267 1837 W WISCONSIN AVE. APPLETON, WISCONSIN 54912		
DRAWN BY DV DV DV	SCALE 1"=40'	DRAWING NO. 8611.57	
APPRO ✓	DATE 11-12-86		

Chapter A-E 8

MINIMUM STANDARDS FOR PROPERTY SURVEYS

A-E 8.01 Minimum standards for prop- A-E 8.02 U.S. public land survey mon-
erty surveys. ument record

A-E 8.01 Minimum standards for property surveys. (1) Scope. The minimum standards of this section apply to every property survey performed in this state except that,

(a) Where other standards for property surveys are prescribed by statute, administrative rule or ordinance, then such standards shall govern; and

(b) The land surveyor and his or her client or employer may agree in a signed statement to exclude any land surveying work from the requirements of this section except the preparation of a U.S. Public Land Survey Monument Record, providing any map prepared by the land surveyor for the client or employer includes a note which states that an agreement to exclude work from the requirements of this section has been made, the names of the parties making the agreement and a description in plain language of the requirements not complied with.

(2) PROPERTY SURVEY, DEFINITION. In this section, "property survey" means any land surveying which includes as one of its principal purposes describing, monumenting, locating the boundary lines of or mapping one or more parcels of land. The term includes the restoration, perpetuation or reestablishment of a U.S. public survey corner.

(3) BOUNDARY LOCATION. Every property survey should be made in accordance with the records of the register of deeds as nearly as is practicable. The surveyor shall acquire data necessary to retrace record title boundaries such as deeds, maps, certificates of title, and center line and other boundary line locations. The surveyor shall analyze the data and make a careful determination of the position of the boundaries of the parcel being surveyed. The surveyor shall make a field survey, traversing and connecting monuments necessary for location of the parcel and coordinate the facts of such survey with the analysis. The surveyor shall set monuments marking the corners of such parcel unless monuments already exist at such corners.

(4) DESCRIPTIONS. Descriptions defining land boundaries written for conveyance or other purposes shall be complete, providing definite and unequivocal identification of lines or boundaries. The description must contain necessary ties to adjoining together with data of dimensions sufficient to enable the description to be mapped and retraced and shall describe the land surveyed by government lot, recorded private claim, quarter-quarter section, section, township, range and county, and by metes and bounds commencing with some corner marked and established by the U.S. public land survey; or if such land is located in a recorded subdivision or recorded addition thereto, then by the number or other description of the lot, block or subdivision thereof which has been previously tied to a corner marked and established by the U.S. public land survey.

Register, August, 1882, No. 320

Note: Items not underlined have been waived.

WISCONSIN ADMINISTRATIVE CODE

A-E 1

(5) Maps. A map shall be drawn for every property survey showing information developed by the survey and including the following elements:

(a) The map shall be drawn to a convenient scale;

(b) The map shall be referenced as provided in s. 59.61, Stats.;

(c) The map shall show the exact length and bearing of the boundaries of the parcels surveyed. Where the boundary lines show bearings, lengths or locations which vary from those recorded in deeds, abutting plats, or other instruments there shall be the following note placed along such lines, "recorded as (show recorded bearing, length or location)";

(d) The map shall show and describe all monuments necessary for the location of the parcel and shall indicate whether such monuments were found or placed;

(e) The map shall identify the person for whom the survey was made, the date of the survey, and shall describe the parcel as provided in (4), above;

(f) The map shall bear the stamp or seal and signature of the land surveyor under whose direction and control the survey was made with a statement certifying that the survey is correct to the best of his knowledge and belief.

(6) MEASUREMENTS. (a) Measurements shall be made with instruments and methods capable of attaining the required accuracy for the particular problem involved.

(b) The minimum accuracy of linear measurements between points shall be 1 part in 3,000 on all property lines of boundary or interior survey.

(c) In a closed traverse the sum of the measured angles shall agree with the theoretical sum by a difference not greater than 30 seconds per angle, or the sum of the total angles shall not differ from the theoretical sum by more than 120 seconds, whichever is smaller.

(d) Any closed traverse depicted on a property survey map shall have a latitude and departure closure ratio of less than 1 in 10,000.

(e) Bearings or angles on any property survey map shall be allowed to the nearest minute; distances shall be shown to the nearest 1/100th foot.

(7) MONUMENTS. The type and position of monuments to be set on any survey shall be determined by the nature of the survey, the precision required, the nature of the terrain, the cadastre fees involved, and the availability of material.

History: Cr. Register, June, 1914, No. 322, eff. 7-1-14; am. (5) (c) and (d) (e), Register, June, 1915, No. 324, eff. 7-1-15; am. (1) (1), Register, January, 1902, No. 313, eff. 2-1-02; am. (1) (b) and c. and reg. (2), Register, August, 1902, No. 320, eff. 9-1-02.

A-E 8.02 U.S. public land survey monument record. (1) When MONUMENT RECORD REQUIRED. A U.S. public land survey monument record shall be prepared as part of any land survey which includes or requires the perpetuation, restoration or reestablishment of a U.S. public land survey corner, and, either,

Register, August, 1902, No. 320

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1306
 Located in the S.E. $\frac{1}{4}$ of the S.E. $\frac{1}{4}$ of Sec. 9, T.19N., R.15E., Town
 of Winneconne, Winnebago County, Wisconsin.


SURVEYOR'S CERTIFICATE

I, Calvin W. Hawksworth, registered land surveyor, hereby certify:
 That I have surveyed, divided and mapped the parcel of land
 located in the S.E. $\frac{1}{4}$ of the S.E. $\frac{1}{4}$ of Sec. 9, T.19N., R.15E., in the
 Town of Winneconne, Winnebago County, Wisconsin, described as follows:
 Beginning at an iron pipe on the West R.O.W. line of Woodview Road
 that is 372.12 ft., S.89°18'00"W. and 216.73 ft., N.00°42'00"W. of
 the SE corner of said Sec. 9. From that point running S.89°18'00"W.,
 148.51 ft., thence N.28°18'00"E., 329.63 ft., thence S.61°42'00"E.,
 252.41 ft. to the westerly R.O.W. line of Woodview Road, thence
 S.53°45'00"W. along said R.O.W. line, 285.16 ft. to the said point of
 beginning. Being a parcel of land of 1.24 acres, more or less.

That I have made such survey, land division and map by the
 direction of Joe Roehrick, 5772 Ontario St., Butte Des Morts, Wi.,
 and James R. Roehrick, Woodview Road, Winneconne, Wi.; that such
 map is a true and correct representation of the exterior boundaries
 of the land surveyed.

That I have fully complied with the provisions of Sec. 236.34
 of the Wisconsin Statutes and the Winnebago Co. Subdivision Ordinance
 in surveying, dividing, and mapping the same.

Calvin W. Hawksworth
 Calvin W. Hawksworth S-1290
 Wisconsin Registered Land Surveyor
 June 21, 1984



SAYLER SURVEY, INC. LAND SURVEYORS

WINNECONNE
 WISC.

F.B. 47
 R. 105

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1306
 Located in the S.E. $\frac{1}{4}$ of the S.E. $\frac{1}{4}$ of Sec. 9, T.19N., R.15E.,
 Town of Winneconne, Winnebago County, Wisconsin.

OWNER'S CERTIFICATE

As owners, we hereby certify that we caused the land described on this certified survey map to be surveyed, divided and mapped as represented hereon.

WITNESS the hand and seal of said owners this 5 day of SEPTEMBER, 1984.

In presence of:

Kathleen M. Roehrick
 Witness

Joe Roehrick
 Joe Roehrick
 5772 Ontario St.
 Butte Des Morts, WI. 54927

Julia M. Roehrick
 Witness

James R. Roehrick
 James R. Roehrick
 Woodview Road
 Winneconne, WI. 54986

STATE OF WISCONSIN) SS
 WINNEBAGO COUNTY)

Personally came before me this 5th day of Sept., 1984, the above named owners to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Larry N. Bell
 Notary Public

My commission expires 10/6/85

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

This Certified Survey Map of part of the S.E. $\frac{1}{4}$ of the S.E. $\frac{1}{4}$ of Sec. 9, T.19N., R.15E., Town of Winneconne is hereby approved.

Date 9/14/84

Carol Owens
 Authorized Signature

Calvin W. Hawksworth
 Calvin W. Hawksworth S-1290
 June 21, 1984

618534

Register's Office
 Winnebago County, Wis.
 Received for record this 22th
 day of Sept. A.D., 1984
 at 8:00 o'clock A.M. and
 recorded in Vol. 1 of C.S.M.
 on page 1306

Wendy J. Adams
 Register of Deeds



Sheet 2 of 2 sheets

Chg.
 Sayler Survey 6.00


PLAT OF SURVEY Sec 9 T19 R18

KNOWN AS 6603 LASLEY SHORE ROAD, BEING LOTS 29 AND 30 IN LASLEY'S POINT SUBDIVISION,
TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN.

OCTOBER 21, 1983

SURVEY FOR ALFRED EHMKE

SURVEY NO. 1337-S



SCALE
1" = 30'


() = As Platted

I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.



national survey & engineering

417 NORTH SAWYER STREET / P.O. BOX 2963
OSHKOSH, WISCONSIN 54903
(414) 426-2800



Stock No. 26273

9-19-15

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 976
 Located in the S.E. 1/4 of the S.E. 1/4 of Section 9, T.19N., R.15E.,
 Town of Winneconne, Winnebago County, Wisconsin


SURVEYORS CERTIFICATE

I, Calvin W. Hawksworth, registered land surveyor, hereby certify:

That I have surveyed, divided and mapped the parcel of land located in the S.E. 1/4 of the S.E. 1/4 of Section 9, T.19N. R.15E., Town of Winneconne, Winnebago County, Wisconsin, described as follows: Beginning at an iron pipe on the west Right-of-Way line of a town road that is S.89°18'00" ... 372.12 feet, N.00°42'00"W., 216.73 feet and N.53°45'00"E., 285.16 feet from the Southeast corner of said Section 9. From that point running N.61°42'00"E., 252.41 feet, thence N.28°18'00"E., 260.00 feet, thence S.61°42'00"E., 252.41 feet, thence S.28°18'00"W., 260.00 feet to the point of beginning. Being a parcel of land containing 1.506 acres, more or less.

Calvin W. Hawksworth

Calvin W. Hawksworth S-1290
 Wisconsin Registered Land Surveyor
 September 30, 1981



• INDICATES EXISTING IRON MONUMENTS
 ○ 1" X 30" IRON PIPE SET, WEIGHING 1.13 LBS./LIN. FT.

LASLEY POINT RD 372.12'

Sheet 1 of 2 Sheets

R.K. SAYLER INC. LAND SURVEYORS WINNECONNE WI. 9/15/81

Zoning

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 976
Located in the S.E. $\frac{1}{4}$ of the S.E. $\frac{1}{4}$ of Section 9, T.19N., R.15E.,
Town of Winneconne, Winnebago County, Wisconsin

SURVEYORS CERTIFICATE cont.

That I have made such survey, land division and map by the direction of Dale Peterson, 6559 Lasley Shore Road, Winneconne, Wisconsin 54986; that such map is a true and correct representation of the exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Sec. 236.34 of the Wisconsin Statutes and the Winnebago County Certified Survey Map Ordinance in surveying and mapping the same.



Calvin W. Hawksworth

Calvin W. Hawksworth S-1290
Wisconsin Registered Land Surveyor
September 30, 1981

OWNER'S CERTIFICATE

As owner(s), I(we) hereby certify that I(we) caused the land described on this Certified Survey Map to be surveyed and mapped as represented hereon.

WITNESS the hand and seal of said owner(s) this 13
day of November, 1981.

In presence of:

Bathune J. Caughlin
Witness

Dale E. Peterson
Dale E. Peterson
Owner(s)

6559 Lasley Shore Drive
Address

Winneconne, WI 54986
City, State Zip

STATE OF WISCONSIN SS
WINNEBAGO COUNTY

Personally came before me this 13 day of November, 1981, the above named DALE PETERSON to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.

Bathune J. Caughlin
Notary Public WI

My commission expires 2-21-82

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

This Certified Survey Map of part of the S.E. $\frac{1}{4}$ of the S.E. $\frac{1}{4}$ of Section 9, T.19N., R.15E., Town of Winneconne, Winnebago County, Wisconsin, is hereby approved.

November 20, 1981
Date Robert M. Hunter - Pres
Authorized Representative
Winnebago County Planning Committee

571705

Registrar's Office
Winnebago County, Wis.
Received for record this 30th
day of December A.D. 1981
at 11:00 o'clock A.M. and
recorded in Vol. 1 of C.S.M.
on page 976

W. J. J. J. J. J.
Registrar of Deeds

Sally Peterson


6559 Lakeshore Dr. #2
Winnetka 2.00

PLAT OF SURVEY

ALL OF LOT 13, IN LASLEY'S POINT LAKE WINNECONNE FARM PLAT,
LOCATED IN THE SOUTHEAST 1/4, OF SECTION 9, TOWN 19 NORTH, RANGE 15 EAST,
TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN



SURVEY FOR:
WILMER & SALLY TIEDT

LAKE WINNECONNE



SCALE 1" = 30'

BEARINGS ARE REFERENCED
TO THE NORTHWESTERLY
LINE OF LASLEY SHORE
ROAD, WHICH IS RECORDED
TO BEAR S 28°18'00" W



LEGEND

- 3/4" x 24" STEEL REBAR SET
- 1" x 24" IRON PIPE SET
- △ 1-1/4" x 30" STEEL REBAR SET
- x CHISELED "X" SET
- 3/4" REBAR FOUND
- ▲ 1" IRON PIPE FOUND
- △ 1-1/4" REBAR FOUND
- 2" IRON PIPE FOUND
- ⊗ CHISELED "X" FOUND
- ◆ GOVERNMENT CORNER

FENCE
() RECORDED AS

SURVEYOR'S CERTIFICATE:

I hereby certify that I have surveyed this property and this map is a true representation thereof and shows the size and location of the property, its exterior boundaries, the location of all visible structures thereon, fences, apparent easements and roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owner of the property, and also those who purchase, mortgage or guarantee the title thereto within one (1) year from date hereof; and as to them I hereby certify that said survey and map were made in accordance with acceptable Professional Standards and that the information contained thereon is, to the best of my knowledge, information and belief a true and accurate representation thereof.

9/20/91
DATE

Daniel W. Hoel
REGISTERED LAND SURVEYOR


 Martenson & Eisele, Inc.
CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WIS. 54956
PHONE (914)-731-0381

PROJECT NO. 148-316
FIELD BOOK GR10 PAGE _____
DISK _____ FILE _____

THIS INSTRUMENT WAS DRAFTED BY: B.R. DULEY


ALL OF LOT 2 OF CERTIFIED SURVEY MAP 976 AND THE NORTHEASTERLY
35 FEET, FRONT AND REAR, OF LOT 1 OF CERTIFIED SURVEY MAP 130G,
BEING PART OF THE SOUTHEAST 1/4 OF THE SOUTHEAST 1/4 OF SECTION 9,
TOWNSHIP 19 NORTH, RANGE 15 EAST, TOWN OF WINNECONNE,
WINNEBAGO COUNTY, WISCONSIN.

NORA PETERSON
6545 WOODVIEW RD.
WINNECONNE, WI 54986



SCALE: 1" = 60'

BEARINGS ARE ORIENTATED TO
MATCH CSM 976 BEARINGS



- 1" x 24" Iron Pipe Set
- 1" Iron Pipe Found
- 3/4" Rebar Found
- ▲ 1 1/4" Rebar Found
- ⊕ Government Corner
- () Recorded As

I hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. May 29, 1998

Wisconsin Registered Land Surveyor

PROJECT NO. 0-0399-001

FIELD BOOK SDR PAGE FILE

COMPUTER FILE wn-19-15-09-0-0399-001.S70

Savler Surveying




Division of Martenson & Fiske, Inc.
Engineering, Surveying, Planning

28 North 1st Street, Box 252 • Winneconne, WI 54986
Phone 920-582-4234 • FAX 920-582-8656

Phone 920-582-4234 • FAX 920-582-8656


FLCOD PLAIN SURVEY

THE NORTHWESTERLY 1/3 OF LOT 32 AND THE SOUTHWESTERLY 1/3 OF LOT 33
OF LASLEY'S POINT PLAT, SECTION 9, TOWNSHIP 19 NORTH, RANGE 15 EAST,
TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN.



LEGEND

- 1" x 24" Iron Pipe Set
- 1" Iron Pipe Found
- 3/4" Rebar Found
- ▲ 1 1/4" Rebar Found
- ⊕ Government Corner
- () Recorded As





Martenson & Eisele, Inc.
Land Surveying, Engineering & Planning
109 West Main Street
Omro, WI 54963 Ph. 920-685-6240

PROJECT NO. 0-0473-001
FIELD BOOK SDR/BK 6 PAGE 38
COMPUTER FILE wn-19-15-09-0-0473-001.S70

PLAT OF SURVEY

OF
LOT 8 IN LASLEY'S POINT LAKE WINECOURSE FARM PLAT
IN SECTION 9, T 19N, R 15E, TOWN OF WINECOURSE
WINNEBAGO COUNTY, WISCONSIN

SURVEY FOR KATHRYN KELLY




[ALL ELEVATIONS REFERENCED TO LOCAL DATUM]

SURVEYOR'S CERTIFICATE

I, LARRY C. KRIESCHER, Surveyor, do hereby certify that I have personally surveyed the above described property and that the map shown hereon is a true and accurate representation of the same.

DATED this 10th day of September, 2003

Larry C. Kriescher
LARRY C. KRIESCHER, Surveyor
WINNEBAGO COUNTY, WISCONSIN



NOTEBOOK 7 PAGE 88

L.C. KRIESCHER AND ASSOCIATES LLC.

8281 GRANDVIEW ROAD
LARSEN, WI. 54947

920-836-3576

OWNER'S COPY

DATE: 10/1/03

PROJECT NO. 735706


FILE NO. 735706

DATE: 10/1/03

PLAT OF SURVEY OF

LOT 8 IN LASLEY'S POINT LAKE WINNECONNE FARM PLAT
IN SECTION 9, T.19N., R.15E. TOWN OF WINNECONNE,
WINNEBAGO COUNTY, WISCONSIN.

SURVEY FOR: KATHRYN KELLY



ALL ELEVATIONS REFERENCED TO THE WESTERLY
LINE OF LASLEY SHORES ROAD RECORDED N 28°18'E.

SURVEYOR'S CERTIFICATE:

I, LAWRENCE C. KRIESCHER, WISCONSIN REGISTERED LAND SURVEYOR, HEREBY CERTIFY
THAT I HAVE SURVEYED THE ABOVE DESCRIBED PROPERTY AND THAT THE MAP SHOWN
IS A TRUE AND ACCURATE REPRESENTATION THEREOF TO THE BEST OF MY KNOWLEDGE
AND BELIEF.

DATED THIS 10TH DAY OF SEPTEMBER 2003

Lawrence C. Kriescher
WISCONSIN REGISTERED LAND SURVEYOR S-1599
LAWRENCE C. KRIESCHER



NOTEBOOK: 7 PAGE: 66

L.C. KRIESCHER AND ASSOCIATES LLC.
5251 GRANDVIEW ROAD
LARSEN, WI. 54947
920-836-3576

BOUNDARY SURVEY
&
LAND DESIGN


PROJECT NO. 230708
FILE NO. KELLY.DWG
DWG. NO. 181

PLAT OF SURVEY

OF

LOT 8 IN LASLEY'S POINT LAKE WINNECONNE FARM PLAT
IN SECTION 9, T.19N., R.15E. TOWN OF WINNECONNE,
WINNEBAGO COUNTY, WISCONSIN.

SURVEY FOR: KATHRYN KELLY



L.C. KRIESCHER AND ASSOCIATES LLC.
5251 GRANDVIEW ROAD
LARSEN, WI. 54947
920-836-3576

BOUNDARY SURVEY
&
LAND DESIGN

PROJECT NO. 230708
FILE NO. KELLY.DWG
DWG. NO. 181

PLAT OF SURVEY


LEGAL DESCRIPTION:

LOT 7 OF LASLEY'S POINT PLAT IN THE SOUTHEAST 1/4 OF SECTION 9, TOWNSHIP 19 NORTH, RANGE 15 EAST, IN THE TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN AND

THAT PART OF THE SOUTH EAST 1/4 OF SECTION 9 OF TOWNSHIP 19 NORTH OF RANGE 15 EAST, IN THE TOWN OF WINNECONNE, DESCRIBED AS FOLLOWS:

COMMENCING AT A POINT THAT IS 80 FEET SOUTH 81 DEGREES 42 MINUTES EAST OF THE SOUTHEAST CORNER OF LOT 7 IN THE PLAT OF LASLEY'S POINT, THENCE CONTAINING SOUTH 81 DEGREES 42 MINUTES EAST ALONG THE EXTENDED SOUTHWESTERLY LINE OF SAID LOT 7 A DISTANCE OF 130 FEET, THENCE NORTH 28 DEGREES 18 MINUTES EAST 50 FEET PARALLEL WITH THE SOUTHEASTERLY LINE OF LOT 7 OF SAID PLAT, THENCE NORTH 81 DEGREES 42 MINUTES WEST 130 FEET ALONG THE EXTENDED NORTHEASTERLY LINE OF SAID LOT 7 TO A POINT 50 FEET SOUTH 81 DEGREES 42 MINUTES EAST OF THE NORTHEASTERLY CORNER OF LOT 7, THENCE SOUTH 28 DEGREES 18 MINUTES WEST 50 FEET TO THE POINT OF BEGINNING.

NORTH IS REFERENCED TO THOSE BEARINGS SHOWN ON THE RECORDED PLAT OF LASLEY'S POINT, LOCATED IN THE SOUTHEAST 1/4 OF SECTION 9, TOWNSHIP 19 NORTH, RANGE 15 EAST, TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN.



CLIENT:
TRESH SAULT
W358 N5190 LAKESHORE DR.
JCONOMOWOC, WI 53068

LEGEND:

- = 1" x 24" IRON PIPE SET, WEIGHING 1.13 LBS. PER LIN. FT.
- = 1" IRON PIPE FOUND
- ⊕ = 1 1/4" IRON PIPE FOUND
- = 1/2" IRON PIPE FOUND
- = 3/4" IRON REBAR WITH CAP FOUND
- = POWER POLE

NOTE: THE ORDINARY HIGH WATER MARK SETBACK IS NOT BASED ON AN OFFICIAL DETERMINATION AND PRIOR TO ANY BUILDING, AN OFFICIAL DETERMINATION OF THE ORDINARY HIGH WATER MUST BE MADE BY THE WINNEBAGO COUNTY ZONING DEPARTMENT OR OTHER AUTHORIZED PERSON. ALSO ALL BUILDING SETBACKS AND OTHER LAND USE REQUIREMENTS SHOULD BE VERIFIED BY THE WINNEBAGO COUNTY ZONING OFFICE PRIOR TO ANY CONSTRUCTION OR OTHER LAND USE ACTIVITY.



APPROVED FOR RECORD: 11-15-02
RECEIVED: 11-15-02

Robert E. Reck 11-15-02
ROBERT E. RECK, A.S. 1231



CAROW LAND SURVEYING CO., INC.

1001 W. WISCONSIN AVE., P.O. BOX 1281
APPLETON, WISCONSIN 54912-1281
PHONE: 920.731.4148 FAX: 920.731.4673

1" = 30'
ep-10 ASD
40211.7

PLAT OF SURVEY


LEGAL DESCRIPTION:

LOT 7 OF LASLEY'S POINT PLAT IN THE SOUTHEAST 1/4 OF SECTION 9, TOWNSHIP 19 NORTH, RANGE 15 EAST, IN THE TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN.

AND

THAT PART OF THE SOUTH EAST 1/4 OF SECTION 9 OF TOWNSHIP 19 NORTH OF RANGE 15 EAST, IN THE TOWN OF WINNECONNE, DESCRIBED AS FOLLOWS:

COMMENCING AT A POINT THAT IS 50 FEET SOUTH 61 DEGREES 42 MINUTES EAST OF THE SOUTHEAST CORNER OF LOT 7 IN THE PLAT OF LASLEY'S POINT, THE PLACE OF BEGINNING; THENCE CONTINUING SOUTH 61 DEGREES 42 MINUTES EAST ALONG THE EXTENDED SOUTHWESTERLY LINE OF SAID LOT 7 A DISTANCE OF 130 FEET, THENCE NORTH 28 DEGREES 18 MINUTES EAST 50 FEET PARALLEL WITH THE SOUTHEASTERLY LINE OF LOT 7 OF SAID PLAT; THENCE NORTH 61 DEGREES 42 MINUTES WEST 130 FEET ALONG THE EXTENDED NORTHEASTERLY LINE OF SAID LOT 7 TO A POINT 50 FEET SOUTH 61 DEGREES 42 MINUTES EAST OF THE NORTHEASTERLY CORNER OF LOT 7, THENCE SOUTH 28 DEGREES 18 MINUTES WEST 50 FEET TO THE POINT OF BEGINNING.



CLIENT:
TRISH SHULT
W356 N5190 LAKESHORE DR.
OCONOMOWOC, WI 53066

LEGEND:

- = 1" X 24" IRON PIPE SET, WEIGHING 1.13 LBS. PER LIN. FT.
- = 1" IRON PIPE FOUND
- ⊙ = 1 1/4" IRON PIPE FOUND
- ⊙ = 1/2" IRON PIPE FOUND
- ⊙ = 3/4" IRON REBAR WITH CAP FOUND
- ⊙ = POWER POLE

NOTE: THE ORDINARY HIGH WATER MARK SETBACK IS NOT BASED ON AN OFFICIAL DETERMINATION AND PRIOR TO ANY BUILDING, AN OFFICIAL DETERMINATION OF THE ORDINARY HIGH WATER MUST BE MADE BY THE WINNEBAGO COUNTY ZONING DEPARTMENT OR OTHER AUTHORIZED PERSON. ALSO ALL BUILDING SETBACKS AND OTHER LAND USE REQUIREMENTS SHOULD BE VERIFIED BY THE WINNEBAGO COUNTY ZONING OFFICE PRIOR TO ANY CONSTRUCTION OR OTHER LAND USE ACTIVITY.

I HEREBY CERTIFY THAT I HAVE SURVEYED THE ABOVE DESCRIBED PROPERTY AS SHOWN ACCORDING TO THE OFFICIAL RECORDS AND THAT THIS PLAT OF SURVEY IS A CORRECT REPRESENTATION OF SAID SURVEY

Robert F. Reider 11-15-02
ROBERT F. REIDER, SLS -1251 DATED



CAROW LAND SURVEYING CO., INC.

1837 W. WISCONSIN AVE, P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
PHONE 920-731-4168 FAX 731-5673

SCALE
1" = 50'

DRAWN BY
cp-tm ADD

PROJECT NO.
A0211.7