

10 - 19 - 15

NO.	SURVEYED FOR	SURVEYOR	DATE	PLAT NO.	CERTIFIED MAP NO.	SURVEYS		SURVEY LOCATION
						VOL.	PAGE	
	Asakus Point	W. Smith	5-14-51					10-T19N-R15E 10/12
	W. Smith	W. Smith	8-7-80					10-T19N-R15E
	A. Brahm	Saunders	7-14-76					10-T19N-R15E DE 14
	C. W. Widner	Saunders	10-21-71					10-T19N-R15E 10/14
	L. Decker	Saunders	10-22-76	INDIAN	541150	1	491	10-T19N-R15E 10/15, 16
	W. Mankie	Reider	7-20-79		518327	1	345	10-T19N-R15E 10/14
	C. Kibben	Hauksworth	5-30-78		562275	1	856	10-T19N-R15E
	P. Jost	Hauksworth	7-2-81		559582	1	850	10-T19N-R15E 10/14
	L. H. Hennessey	Eiseler	11-14-80					10-T19N-R15E 10/14
	A. Anderson	Shutte	9-4-81					Indian Shores Lot 11
	E. Kawalko	Hauksworth	9-1-81					W-NW
	E. Olson	Cheney	10-29-81					Indian Shores Lot 13

Plat of Survey

PART OF THE NE1/4 OF THE NW1/4 SEC. 10, T.19N., R.15E., IN THE TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN

CLIENT: ATTORNEY T.A. WOODROW
301 NICOLET BLVD.
NEENAH, WI 54958

DESCRIPTION

Part of the NE1/4 of the NW1/4 of Sec. 10, T.19N., R.15E., in the Town of Winneconne, Winnebago County WI, described as follows:
Beginning at the NE meander corner of Lot 3, of C.S.M., recorded in Vol. 1, Page 850, Doc. No. 559582, Winnebago Co. Register of Deeds. From that point running S.01°28'45"E. 100.00 ft., thence N.89°50'42"E. 80.00 ft., thence N.01°28'45"W. 100.00 ft. to a meander line of the Arrowhead River, thence S.89°50'42"W. along said meander line 80.00 ft. to the said point of beginning.
Including all the lands lying between the north line of described parcel, on the South and the thread of the Arrowhead River on the North. Subject to all easements and restrictions of record.

LEGEND

- = Existing monuments
- = 2" x 30" iron pipe set
- = 1" x 30" iron pipe set
- = reference caps or R.R. spikes
- = Bernsten or Harrison monuments
- X-X = fence
- () = recorded as
- = stone monument

INDIAN SHORE RD.

1/4 SEC. LINE

LOT 3
VOL. 1 PG. 850
DOC. NO. 559582

NOTE: Parcel is and addition to Lot 3, Vol. 1 Pg. 850, Doc. No. 559582 and may not be sold separately, only in conjunction with adjoining parcel.

Bearings are referenced to the East Line of INDIAN SHORES PLAT which is recorded as S.08°53'00"W.

SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey.

JULY 12, 1988

Calvin W. Hawksworth

Wisconsin Registered Land Surveyor S-1290


Sayler
Survey, Inc.

139A WEST MAIN, BOX 282, WINNECONNE, WI 54986

SCALE 1" = 100'


PROJECT NO. S-001948

FIELD BOOK PLAT PAGE



10-19-19

BENCHMARK:
CHIEFED SQUARE IN THE TOP OF THE
NORTHEAST WINOWALL OF A
BRIDGE OVER THE CHANNEL
100'± NORTH OF THE INTERSECTION
SUNSET TRAIL & INDIAN SHORES DR.
EL=752.03



DESCRIPTION: LOT 1 AND LOT 2 EXCEPT THE NORTH 20 FEET THEREOF,
BLOCK 3, INDIAN SHORES, ALSO COMMENCING AT THE SOUTHWEST CORNER
OF LOT 1; THENCE WEST 70.88 FEET; THENCE NORTHERLY 35 FEET;
THENCE EASTERLY 70.92 FEET; THENCE SOUTHERLY TO THE POINT OF
BEGINNING. TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN.

Michael D. Vander Bloomen 3-30-88
MICHAEL D. VANDER BLOOMEN, RLS-1828 DATED

TRI-LEVEL HOUSE WITH ATTACHED GARAGE

BUYER: JOHN VANHUIS
ADDRESS: 6703 OLEN TRAIL
WINNECONNE, WIS. 54986


REVISIONS	FILED AT WISCONSIN NATIONAL BANK OF OSHKOSH 111 N. MAIN ST. OSHKOSH, WISCONSIN 54905 CAROW LAND SURVEYING CO., INC., P.O. BOX 1287 1837 W. WISCONSIN AVE. APPLETON, WI 54912		
DRAWN BY mv-di	SCALE 1"=30'	DRAWING NO. A88-109	
APP'D	DATE 3-30-88	A88-109	

Plat of Survey

ADDITION TO DOC. NO. 504586

DESCRIPTION:

Part of Lot 15, Block 3, of the PLAT OF INDIAN SHORES, in part of the $\frac{1}{2}$ of the NW $\frac{1}{4}$ of Sec. 10, T.19N., R.15E., in the Town of Winneconne, Winnebago County, Wisconsin described as follows: Beginning at the NE Corner of said Lot 15. From that point running N.81°07'00"W. 128.00 ft to a meander line of Indian Harbor, thence S.08°53'00"W. 25.00 ft., thence S.81°07'00"E. 128.00 ft., thence N.08°53'00"E. 25.00 ft. to the said point of beginning. Including all the land lying between the meander line and the water's edge of Indian Harbor. Being a parcel of land 3,550.00 sq. ft. more or less. Subject to all easements and restrictions of record.



NOTE: Parcel is an addition to Doc. No. 504586 and may not be sold separately, only in conjunction with adjoining parcel.

CLIENT: PAT DOCTER
6777 OLEN TRAIL
WINNECONNE, WI

LEGEND

- = Existing monuments
- = 2" x 30' iron pipe set
- = 1" x 30' iron pipe set
- ⊙ = reference cups or RR spikes
- ⊙ = Bernier's or Harrison monuments
- X—X = fence
- () = recorded as
- = stone monument



SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. NOVEMBER 16, 1987

Calvin W. Hawksworth

Wisconsin Registered Land Surveyor S-1290

Sayler
Survey, Inc.

139A WEST MAIN, BOX 252, WINNECONNE, WI 54986


SCALE 1" = 50'

PROJECT NO. S-001865

FIELD BOOK 52 PAGE 126

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 176.2
 Part of Gov't Lot 1, Sec. 10, T.19N., R.15E., in the Town of Winneconne,
 Winnebago County, Wisconsin



SCALE: 1" = 100'

AREA:

LOT 1 = 23,710.675 SQ. FT.

LOT 2 = 24,351.995 SQ. FT.


LEGEND:

- 2" Existing Iron Pipe
- 1" x 30" iron pipe weighing 1.13 lbs. lin./ft.

Bearings are referenced to the North Line of Blk. 3 In The Plat of INDIAN SHORES, assumed bearing N.89°08'00"W.

Robert H. Saylor

Robert H. Saylor S-1894
 Wisconsin Registered Land Surveyor
 April 28, 1987



Sheet 1 of 3 sheets

FB. 52 PG. III

SAYLER SURVEY, INC. LAND SURVEYORS WINNECONNE, WI

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1762
 Part of Gov't Lot 1, Sec. 10, T.19N., R.15E., in the Town of Winneconne,
 Winnebago County, Wisconsin


SURVEYOR'S CERTIFICATE

I, Robert H. Saylor, registered land surveyor, hereby certify:

That I have surveyed divided and mapped the parcel of land located in part of Gov't Lot 1, Sec. 10, T.19N., R.15E., in the Town of Winneconne, Winnebago County, Wisconsin described as follows: Beginning at an iron pipe that is 202.00 ft. N.89°08'00"W. and 240.62 ft. N.81°07'00"W. and 202.09 ft. N.00°38'00"E. and 269.79 ft. N.08°53'00"E. of the NE corner of the recorded plat of INDIAN SHORES. From that point running N.08°53'00"E. 30.21 ft., thence N.11°03'00"E. 169.91 ft., thence N.81°07'00"W. 215.00 ft. to a meander line of Lake Winneconne, thence S.11°03'00"W. 100.07 ft., thence S.10°23'45"W. 100.03 ft. and the end of said meander line, thence S.81°07'00"E. 215.00 ft. to the said point of beginning. Including all the land lying between the meander line and the water's edge of Lake Winneconne. Subject to all easements and restrictions of record.

That I have made such survey, land division and map by the direction of Gemini Marine Corporation, 331 E. Main, Omro, WI 54963; that such map is a true and correct representation of the exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Sec. 236.34 of the Wisconsin Statutes and the Winnebago County Subdivision Ordinance in surveying dividing and mapping the same.



Robert H. Saylor
 Robert H. Saylor S-1894
 Wisconsin Registered Land Surveyor
 April 28, 1987

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

This certified survey map of part of Gov't Lot 1, Sec. 10, T.19N., R.15E., in the Town of Winneconne, is hereby approved.

September 31, 1987
 Date

Carol Owen
 Authorized signature

Sheet 2 of 3 sheets

SAYLER SURVEY, INC.

139A W. Main

Winneconne, WI

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1762Part of Gov't Lot 1, Sec. 10, T.19N., R.15E., in the Town of Winneconne,
Winnebago County, Wisconsin

OWNER'S CERTIFICATE

As owner(s), I (we) hereby certify that I (we) caused the land described on this certified survey map to be surveyed, divided and mapped as represented hereon.

WITNESS the hand and seal of said owner (s) this 21st day of September, 1987
In presence of:Calvin M. Hawksworth
WitnessKenneth L. Booker
OwnerMarilyn S. Booker
Owner
990 Babcock St.
Neenah, WI 54956STATE OF WISCONSIN)
WINNEBAGO COUNTY)SSPersonally came before me this 21st day of September, 1987,
the above named owners to me known to be the person(s) who executed
the foregoing instrument and acknowledged the same.Dorothy L. Proehl
Notary Public
My commission expires June 24, 1990DOROTHY L. PROEHL
NOTARY PUBLIC
STATE OF WISCONSINRobert H. Sayler
Robert H. Sayler S-1894
Wisconsin Registered Land Surveyor
April 28, 1987
Revised Sept. 21, 1987

Sheet 3 of 3 sheets

SAYLER SURVEY, INC.
688920

139A W. Main

Winneconne, WI

Winnebago County, Wis.
Received for record this 23rd
day of Sept, A.D., 1987
at 9:10 o'clock A.M. and
recorded in Vol. 1 of CSM
on page 1762
W. H. Saylor
Register of Deeds

Pd 8



MORTGAGE SURVEY

Lot 20 except the south 10 feet, also including the south 10 feet of Lot 21, Block 1, INDIAN SHORES PLAT, located in the Northwest 1/4 of Section 10, Town 19 North, Range 15 East, Town of Winneconne, Winnebago County, Wisconsin

SCALE 1" = 40'

Survey for: Mr. Paul Stevenson

Bearings are oriented the same as INDIAN SHORES PLAT bearings



LEGEND

- 1" IRON PIPE SET
- 3/4" x 24" STEEL REBAR SET
- ◇ SECTION MONUMENT
- 1/2" IRON PIPE FOUND
- 1" IRON PIPE FOUND
- 2" IRON PIPE FOUND
- 3/4" REBAR FOUND
- ▽ 1-1/4" REBAR FOUND
- FENCE
- X CHISELED "X"
- ▽ RAILROAD SPIKE
- || RECORDED AS

SURVEYOR'S CERTIFICATE:

I, hereby certify that I have surveyed this property and this map is a true representation thereof and shows the size and location of the property, its exterior boundaries, the location and dimensions of all visible structures thereon, fences, apparent easements and roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owner of the property, and also those who purchase, mortgage or guarantee the title thereto within one (1) year from date hereof, and as to them I hereby certify that said survey and map were made in accordance with acceptable Professional Standards and that the information contained thereon is, to the best of my knowledge, information and belief a true and accurate representation thereof.

DATE

REGISTERED LAND SURVEYOR

Martenson & Eisele, Inc.


CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH WIS. 54955
PHONE - 731-0361

FIELD BOOK 68 PROJECT NO. 148-263
PAGE 31
DISK JOB
THIS INSTRUMENT WAS DRAFTED BY: POP

Plat of Survey

PART OF GOV'T LOT 1, SEC. 10, T. 19N., R. 15E., IN THE TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN

BENCH MARK EL. 750.01 - R.R. Spike in W. face of power pole at ground level. pole is on the E. R.O.W. of Sunset Trail in Indian Trails, opposite House #6896 (2nd to last house on the right) 1900 ft. N¹/₂ L. W. of N¹/₂ Cor. of Sec. 10, T. 19N., R. 15E.



LEGEND

- = Existing monuments
- = 2" x 30" iron pipe set
- = 1" x 30" iron pipe set
- = reference caps or R.R. spikes
- = Bernitsen or Harrison monuments
- X-X = fence
- () = recorded as
- = stone monument



SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. APRIL 29, 1987

Robert H. Saylor
Wisconsin Registered Land Surveyor S-1394

SAYLER SURVEY, INC.
LAND SURVEYORS
WINNECONNE, WI 54986

SCALE 1" = 100'
PROJECT NO. S-001773
FIELD BOOK 62 PAGE 111

10-19-86

The East 1/2 of Lot Thirty-four (34) in HIAWATHA HEIGHTS,
in the Town of Winneconne, Winnebago County, Wisconsin.

HIAWATHA

DRIVE

1 STORY HOUSE WITH ATTACHED GARAGE

NO BUILDING ENCROACHMENTS PRESENT


KRUEGER, 6025 HIAWATHA DR.



Robert F. Reider

I, ROBERT F. REIDER
certify that this mortgage inspection was made by me or
under my direction and control of the described property on
AUGUST 13, 1986, according to the official records
and that this drawing is a true representation of the
principal building lines thereon and is accurate to the
best of my knowledge and belief. FIRST GIBRALTAR MORT. CO.
in agreement with Carow Land Surveying Co., Inc. has
waivered parts of Administrative Code A-E 3.01 (3 through 7).
THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE.
THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF:
First Gibraltar Mortgage Co.

REVISIONS		FIRST GIBRALTAR MORTGAGE CO.		
		54 PARK PLACE, APPLETON, WISCONSIN 54915		
		CAROW LAND SURVEYING CO., INC., P.O. BOX 1297		
		1837 W. WISCONSIN AVE. - APPLETON, WI 54912		
DRAWN BY KV dv		SCALE	1"=30'	DRAWING NO.
APPRO		DATE	9-25-86	869.160



Chapter A-E 5

MINIMUM STANDARDS FOR PROPERTY SURVEYS

A-E 5.01 Minimum standards for property surveys. A-E 5.02 U.S. public land survey monument record.

A-E 5.01 Minimum standards for property surveys. (1) SCORS. The minimum standards of this section apply to every property survey performed in this state except that,

(a) Where other standards for property surveys are prescribed by statute, administrative rule or ordinance, then such standards shall govern; and

(b) The land surveyor and his or her client or employer may agree in a signed statement to exclude any land surveying work from the requirements of this section except the preparation of a U.S. Public Land Survey Monument Record, providing any map prepared by the land surveyor for the client or employer includes a note which states that an agreement to exclude work from the requirements of this section has been made, the names of the parties making the agreement and a description in plain language of the requirements not complied with.

(2) PROPERTY SURVEY, DEFINITION. In this section, "property survey" means any land surveying which includes as one of its principal purposes describing, monumenting, locating the boundary lines of or mapping one or more parcels of land. The term includes the restoration, perpetuation or reestablishment of a U.S. public survey corner.

(3) BOUNDARY LOCATION. Every property survey should be made in accordance with the records of the register of deeds as nearly as is practicable. The surveyor shall acquire data necessary to retrace record title boundaries such as deeds, maps, certificates of title, and center line and other boundary line locations. The surveyor shall analyze the data and make a careful determination of the position of the boundaries of the parcel being surveyed. The surveyor shall make a field survey, traversing and connecting monuments necessary for location of the parcel and coordinate the facts of such survey with the analysis. The surveyor shall set monuments marking the corners of such parcel unless monuments already exist at such corners.

(4) DESCRIPTIONS. Descriptions defining land boundaries written for conveyance or other purposes shall be complete, providing definite and unequivocal identification of lines or boundaries. The description must contain necessary ties to adjoining together with data of dimensions sufficient to enable the description to be mapped and retraced and shall describe the land surveyed by government lot, recorded private claim, quarter-quarter section, section, township, range and county, and by metes and bounds commencing with some corner marked and established by the U.S. public land survey; or if such land is located in a recorded subdivision or recorded addition thereto, then by the number or other description of the lot, block or subdivision thereof which has been previously tied to a corner marked and established by the U.S. public land survey.

Register, August, 1962, No. 320

Note: Items not underlined have been waived.

WISCONSIN ADMINISTRATIVE CODE

A-E 5

(5) MAPS. A map shall be drawn for every property survey showing information developed by the survey and including the following elements:

(a) The map shall be drawn to a convenient scale;

(b) The map shall be referenced as provided in s. 59.51, Stats.;

(c) The map shall show the exact length and bearing of the boundaries of the parcels surveyed. Where the boundary lines show bearings, lengths or locations which vary from those recorded in deeds, abutting plats, or other instruments there shall be the following note placed along such lines, "recorded as (how recorded bearing, length or location)";

(d) The map shall show and describe all monuments necessary for the location of the parcel and shall indicate whether such monuments were found or placed;

(e) The map shall identify the person for whom the survey was made, the date of the survey, and shall describe the parcel as provided in (1), above;

(f) The map shall bear the stamp or seal and signature of the land surveyor under whose direction and control the survey was made with a statement certifying that the survey is correct to the best of his knowledge and belief.

(6) MEASUREMENTS. (a) Measurements shall be made with instruments and methods capable of attaining the required accuracy for the particular problem involved.

(b) The minimum accuracy of linear measurements between points shall be 1 part in 3,000 on all property lines of boundary or interior survey.

(c) In a closed traverse the sum of the measured angles shall agree with the theoretical sum by a difference not greater than 30 seconds per angle, or the sum of the total angles shall not differ from the theoretical sum by more than 120 seconds, whichever is smaller.

(d) Any closed traverse depicted on a property survey map shall have a latitude and departure closure ratio of less than 1 in 3,000.

(e) Bearings or angles on any property survey map shall be shown to the nearest minute; distances shall be shown to the nearest 1/100th foot.

(7) MONUMENTS. The type and position of monuments to be set on any survey shall be determined by the nature of the survey, the permanency required, the nature of the terrain, the cadastral features involved, and the availability of material.


History: Cr. Register, June, 1914, No. 321, eff. 1-1-14; am. (5) (d) and (e) (e), Register, June, 1915, No. 314, eff. 1-1-15; am. (1) (b), Register, January, 1962, No. 314, eff. 1-1-62; am. (1) (b) and f. and later (2), Register, August, 1962, No. 320, eff. 8-1-62.

A-E 5.02 U.S. public land survey monument record. (1) WHEN MONUMENT RECORD REQUIRED. A U.S. public land survey monument record shall be prepared as part of any land survey which includes or requires the perpetuation, restoration or reestablishment of a U.S. public land survey corner, and, either,

Register, August, 1962, No. 320

SHEET ONE OF TWO SHEETS

DESCRIPTION: SEE SHEET TWO



LEGEND

- = 3/4"x24" SOLID ROUND IRON REBAR SET
- = 3/4" SOLID ROUND IRON REBAR FOUND
- = PK NAIL FOUND

REVISIONS		HARRY GAROW 5928 LASLEY POINT ROAD, WINNECONNE, WI	
		GAROW LAND SURVEYING CO., INC., P.O. BOX 1207 1837 W. WISCONSIN AVE. • APPLETON, WI 54912	
DRAWN BY FT-KV	KJV	SCALE 1"=100'	DRAWN BY A 7636-86
APP'D	/	DATE 10-31-86	

SHEET TWO OF TWO




1837 West Wisconsin Ave.
P.O. Box 1297
Appleton, Wisconsin 54912-1297
Phone (414) 731-4168

10-18-86

DESCRIPTION(60 FOOT STRIP) A PARCEL OF LAND LOCATED IN THE SE $\frac{1}{4}$ OF THE SW $\frac{1}{4}$ OF SECTION 10, T19N, R15E, TOWN OF WINNECONIE, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: BEGINNING AT THE SOUTHWEST CORNER OF LOT 1 OF CERTIFIED SURVEY MAP NO. 691 AS RECORDED IN VOLUME 1 OF CERTIFIED SURVEY MAPS ON PAGES 691-692; THENCE N1°-39'-15"W, 350.00 FEET ALONG THE WEST LINE OF SAID CERTIFIED SURVEY MAP TO THE NORTHWEST CORNER OF SAID CERTIFIED SURVEY MAP; THENCE N89°-35'-41"W, 60.00 FEET PARALLEL WITH THE SOUTH LINE OF THE SW $\frac{1}{4}$ OF SECTION 10; THENCE S1°-39'-15"E, 350.00 FEET PARALLEL WITH SAID WEST LINE TO SAID SOUTH LINE; THENCE S89°-35'-41"E, 60.00 FEET ALONG SAID SOUTH LINE TO THE POINT OF BEGINNING. SAID PARCEL OF LAND CONTAINING 0.48 ACRES MORE OR LESS. SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD. RESERVING THAT PART PRESENTLY USED FOR ROAD PURPOSES.

10-19-15



DESCRIPTION: LOT 20 AND THE SOUTH 10 FEET OF LOT 21, BLOCK 2, INDIAN SHORES, TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN, EXCEPTING THE SOUTH 10 FEET THEREFROM OF SAID LOT 20.

NO BUILDING ENCROACHMENTS PRESENT

2 STORY HOUSE


CHARLEBOIS, 6821 B. SUNSET TRAIL
WINNECONNE, WISCONSIN.



I, ROBERT F. BEIDER

certify that this mortgage inspection was made by me, or under my direction and control of the described property on JULY 28, 1986, according to the official records, and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief. Knutson Mortgage Corp. in agreement with Carow Land Surveying Co., Inc. has waived parts of Administrative Code A-S 5.01 (3) through (5). THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE. THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF Knutson Mortgage & Financial Corp.

REVISIONS		Knutson Mortgage & Financial Corp. P.O. Box 1893, Appleton, Wis. 54911-1893	
		CAROW LAND SURVEYING CO., INC. P.O. Box 1893 1897 W. WISCONSIN AVE. • APPLETON, WISCONSIN	
DATE BY	BY	DATE	DATE
7-30-86	NY	7-30-86	7-30-86
APP	X	7-28-86	7-28-86



DESCRIPTION:

LOT 8, BLOCK 1, INDIAN SHORES, IN THE TOWN OF WINGACOMBE, WINNEBAGO COUNTY, WISCONSIN.

ADDRESS: 6743 SUNSET TRAIL

1 STORY WITH ATTACHED GARAGE

THERE ARE NO BUILDING ENCROACHMENTS

KLW/TF



I, ROBERT F. REIDER

certify that this mortgage inspection was made by me or under my direction and control of the described property on,

SEPTEMBER 17, 1984, according to the official records and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief. Anchor Savings & Loan, in agreement with Carow Land Surveying Co., Inc., has waived parts of Administrative Code A-S 5.01 (3) through (5). THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE. THIS MORTGAGE INSPECTION IS MADE FOR THE ENCLOSURE HERETO. Anchor Savings & Loan Assoc.

Robert F. Reider 9/19/84

REVISIONS	Anchor Savings & Loan Assoc. 220 W. Kimberly Ave., Kimberly, Wis. 53141		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 287 1837 W. WISCONSIN AVE., APPLETON, WISCONSIN 54912		
DRAWN BY	EC	SCALE	1"=20'
BY	EC	DATE	9-19-84
APP'D	✓		849-100


Plat of Survey

Lot 1 of C.S.M., Vol. 1, Page 856,
Dec. 1, 1907--part of the NW 1/4
of the NW 1/4 of Sec. 10, T.17N., R.15E.
Town of Winneconne, Winnebago Co.,
Wisconsin.

Parcels being attached to
adjoining owners property.

CLIENT: Paul Yost
6928 C.T.H. "M"
Winneconne, WI.
54986

(NOTE: E. & CORNER MOVED BY
REMONUMENTATION IN
1982)





SAYLER SURVEY, INC.
LAND SURVEYORS
WINNECONNE, WI 54986

Winnebago Co

Plat of Survey

WEST 1/2 OF LOT 33 HIAMATHA HEIGHTS SUBDIVISION PART OF THE
SW 1/4 OF SEC. 10, T. 19 N., R. 15 E. TOWN OF WINNECONNE, WINNEBAGO
COUNTY, WISCONSIN

CLIENT: JERRY KUIPER
HERITAGE REALTY
40 WEST 6TH AVE.
OSHKOSH, WI.



LEGEND

- = Existing monuments
- = 2" x 30" iron pipe set
- = 1" x 30" iron pipe set
- = reference caps or R.R. spikes
- ⊙ = Bernitsen or Harrison monuments
- X-X = fence
- () = recorded as
- = stone monument
- = existing 1 1/2" iron with 2" iron over top

SURVEYORS CERTIFICATE

I, hereby certify, that I have surveyed the property
as shown, according to official records and that the plat
above drawn is an accurate and correct representation of
said survey. OCTOBER 31, 1980

Calvin W. Hawksworth
Wisconsin Registered Land Surveyor 9-1290

SAYLER SURVEY, INC.
LAND SURVEYORS
WINNECONNE, WI 54986

SCALE 1" = 100'
PROJECT NO. 9-001583
FIELD BOOK 80 PAGE 51


Zoning

SURVEYOR'S CERTIFICATE:

I, Steven T. Chronis, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed, divided and mapped under the direction of Mary K. Broehm a part of the Southwest Quarter (SW $\frac{1}{4}$) of the Northeast Quarter (NE $\frac{1}{4}$) of Section Ten (10), Township Nineteen (19) North, Range Fifteen (15) East, Town of Winneconne, Winnebago County, Wisconsin containing 1.201 Acres of land and being described by: Commencing at the center of said Section 10; thence East 671.81 feet, along the South line of the NE $\frac{1}{4}$ of said Section 10 to the true point of beginning; thence continue East 240.00 feet, along the South line of the NE $\frac{1}{4}$ of said Section 10; thence N. 00°-05'-41" E. 218.00 feet; thence West 240.00 feet; thence S. 00°-05'-41" W. 218.00 feet, to the true point of beginning.

That such is a correct representation of all exterior boundaries of the land surveyed.


That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Land Subdivision Ordinance of Winnebago County in surveying and mapping the same.



- LEGEND**
- 0" 11/16" IRON PIPE HEAVING 100 LBS. PER LINEAL FOOT SET
 - 0" 11/16" IRON PIPE FOUND
 - WINNEBAGO COUNTY BRIGHTEN MONUMENT
- SCALE: 1" = 80'
NO. 64 P.B. 90

DATED THIS 24th DAY OF August, 1984.

Steven T. Chronis
WISCONSIN REGISTERED LAND SURVEYOR, S-0913
STEVEN T. CHRONIS



STATE OF WISCONSIN }
WINNEBAGO COUNTY } SS

Sheet 2 of 2

OWNER'S CERTIFICATE:

As owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented on this map.

Dated this 29th day of Aug., 1984.

In the Presence of:

Susan K. Halden
Dawn M. Wentzel

Mary K. Broehm
Mary K. Broehm

STATE OF WISCONSIN }
WINNEBAGO COUNTY } SS

Personally came before me this 29th day of Aug., 1984, the above named Mary K. Broehm to me known to be the person who executed the foregoing instrument and acknowledged the same.

Michael J. Frank
Notary Public, Winnebago County, Wisconsin
My Commission Expires Aug. 2, 1987

WINNEBAGO COUNTY PLANNING & ZONING COMMITTEE:


This Certified Survey Map of a part of the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$, Section 10, T.19N., R.15E., Mary K. Broehm, owner, is hereby approved.

Date 9/6/84

By: Carol Decker

Dated this 24th day of August, 1984

Steven T. Chronis
Wisconsin Registered Land Surveyor, S-0913
Steven T. Chronis



618104

Register's Office
Winnebago County, Wis.
Received for record this 6th
day of Sept. A.D., 19 84
at 2:52 o'clock A.M. and
recorded in Vol. 1 of S.M.
on page 1302

Margaret Dahmed
Register of Deeds

der-mitini

clg
6

L-1320

DESCRIPTION: LOT 47, LASLEY POINT, TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN.

1 STORY HOUSE WITH ATTACHED GARAGE

NO BUILDING ENCROACHMENTS PRESENT

REINERT: 6671 LASLEY SHORE RD.
WINNECONNE, WISCONSIN.



Robert F. Reider

I, ROBERT F. REIDER


certify that this mortgage inspection was made by me or under my direction and control of the described property on JUNE 25, 1985, according to the official records

and that this drawing is a true representation of the principal building lines thereon and is accurate to the best of my knowledge and belief.

in agreement with Carow Land Surveying Co., Inc. has waived parts of Administrative Code A-E 5.01 (3 through 7).

THIS IS NOT A BOUNDARY SURVEY NOR INTENDED TO BE.

THIS MORTGAGE INSPECTION IS MADE FOR THE EXCLUSIVE USE OF: First Gibraltar Mortgage Co.




REVISIONS	FIRST GIBRALTAR MORTGAGE CO. 54 PARK PLACE, APPLETON, WISCONSIN 54911		
	CAROW LAND SURVEYING CO., INC. P.O. BOX 1807 1837 W. WISCONSIN AVE. / APPLETON, WISCONSIN 54911		
	DRAWN BY mv-dd DD MV	SCALE 1"=40'	DRAWN BY 856.208
	APP'D	DATE 6-25-85	

19-15-10

Zoning

856




WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 856
 Part of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec. 10, T.19N., R.15E., Town of
 Winneconne.

I, Calvin W. Hawksworth, registered land surveyor, hereby certify:

That I have surveyed, divided and mapped the parcel of land located in part of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec. 10, T.19N., R.15E. in the Town of Winneconne, Winnebago County, Wisconsin, described as follows: Beginning at an iron pipe that is 2636.25 ft., S90°00'00"W and 1316.42 ft., N01°33'45"W of the East $\frac{1}{4}$ corner of said Sec. 10. From that point running due West, 1173.43 ft., thence N01°37'31"W, 733.56 ft., thence due East 259.46 ft., thence N01°23'33"W, 524.87 ft. to a meander line of Arrowhead River, thence N78°36'46"E, along said meander line, 240.56 ft., thence S01°23'33"E, 375.52 ft., thence S90°00'00"W, 203.97 ft., thence S01°23'33"E, 229.87 ft., thence due West, 259.33 ft., thence S01°37'31"E, 667.54 ft., thence due East, 1140.46 ft., thence S01°33'45"E, 33.01 ft. to the said point of beginning. Including all of the land lying between the meander line and the water's edge of Arrowhead River. Being a parcel of land of 3.947 acres, more or less.

That I have made such survey, land division and map by the direction of Paul F. Yost, 6915 C.T.H. "M", Winneconne, Wisconsin; 54986; that such map is a correct representation of the exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Sec. 236.34 of the Wisconsin Statutes and the Winnebago County Subdivision Ordinance in surveying and mapping the same.



Calvin W. Hawksworth
 Calvin W. Hawksworth S-1290
 Wisconsin Registered Land Surveyor
 January 27, 1981.

OWNER'S CERTIFICATE

As owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented hereon.

WITNESS the hand and seal of said owner this 2nd day of February, 1981
 In presence of:

Witness


Paul Yost
 Paul Yost
 6915 Hwy. "M"
 Winneconne, Wisconsin 54986

STATE OF WISCONSIN) SS
 WINNEBAGO COUNTY)

Personally came before me this 2nd day of Feb., 1981, the above named Paul Yost to me known to be the person who executed the foregoing instrument and acknowledged the same.

Jerry E. Abbold
 Notary Public, Winneconne Wisc.

My commission expires: Aug 26, 1984



Sheet 2 of 3 sheets

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 856
 Part of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Sec. 10, T.19N., R.15E., Town of
 Winneconne.

TOWN OF WINNECONNE CERTIFICATE

This Certified Survey Map of part of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of
 Sec. 10, T.19N., R.15E., Town of Winneconne is hereby approved.

1-30-81
 Date

Kenneth Karpis
 Town Chairman

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

This Certified Survey Map of part of the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of
 Sec. 10, T.19N., R.15E., Town of Winneconne is hereby approved.

Feb. 5, 1981
 Date

Robert M. Hunter
 Authorized representative of
 Winnebago Co. Planning Committee

Calvin W. Hawksworth
 Calvin W. Hawksworth S-1290
 Wisconsin Registered Land Surveyor
 January 27, 1981



560275

Sheet 3 of 3 sheets

Register's Office
 Winnebago County, Wis. W
 Received for record this 5
 day of Feb. A.D. 1981
 at 4:00 o'clock P. M. gr.
 recorded in Vol. 1 of Survey
maps
 in page 856
Margaret Dahmed
 Register of Deeds

Paul Yost

Pd
 200

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1256
 Part of the Northwest $\frac{1}{4}$ of Section 10, Town 19 North, Range 15
 East, Town of Winneconne, Winnebago County, Wisconsin

Calvin W. Hawksworth

Calvin W. Hawksworth S-1290
 Wisconsin Registered Land Surveyor
 April 27, 1984




Bearings are referenced to the East line
 of the NW $\frac{1}{4}$ of Section 10, T.19N., R.15E.,
 Town of Winneconne, Winnebago County,
 Wisconsin. Assumed bearing S.01°28'45"E.

LEGEND

- 1"x30" iron pipe set, weighing 1.13 lbs./lin. ft.
- Existing iron pipe
- Berntsen Monument

N. 1/4
 CORNER
 SEC. 10,
 T. 19 N.,
 R. 15 E.



Sheet 1 of 4 Sheets

SAYLER SURVEY, INC. LAND SURVEYORS WINNECONNE, WI 2K. 48 PG. 32 CS-001398

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1256
 Located in part of the Northwest $\frac{1}{4}$ of Section 10, Town 19 North,
 Range 15 East, Town of Winneconne, Winnebago County, Wisconsin

SURVEYOR'S CERTIFICATE:

I, Calvin W. Hawksworth, registered land surveyor, hereby certify:

That I have surveyed, divided and mapped the parcel of land located in part of the NW $\frac{1}{4}$ of Sec. 10, T.19N., R.15E., Town of Winneconne, Winnebago County, Wisconsin, described as follows: Beginning at a point at the S.E. corner of Lot 1 of C.S.M. No. 850 that is 2632.70 ft. S.01°28'45"E., 1185.36 ft. S.89°50'42"W., and 33.01 ft. N.01°28'45"W. of the N. $\frac{1}{4}$ corner of said Sec. 10. From that point running N.01°28'45"W., along the East line of said Lot 1, 500.00 ft.; thence S.89°17'29"W., 628.75 ft. to the Easterly R.O.W. line of Olen Trail; thence S.08°53'00"W., along the Easterly R.O.W. line of Olen Trail 500.00 ft. to the SW corner of said Lot 1; thence N.89°50'42"E. along the South line of said Lot 1, 718.82 ft. to the SE corner of said Lot 1 and the point of beginning.

That I have made such survey, land division and map by the direction of Richard Jones, 10 Olen Trail, Winneconne, WI 54986; that such map is a true and correct representation of the exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Sec. 236.34 of the Wisconsin Statutes and the Winnebago County Subdivision Ordinance in surveying, dividing and mapping the same.



Calvin W. Hawksworth
 Calvin W. Hawksworth S-1290
 Wisconsin Registered Land Surveyor
 April 27, 1984

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

This Certified Survey Map located in part of the Northwest $\frac{1}{4}$ of Section 10, T.19N., R.15E., Town of Winneconne, Winnebago County, Wisconsin, is hereby approved.

May 31, 1984
 Date Approved

Carol Avera
 Authorized Signature

Sheet 2 of 4 Sheets

SAYLER SURVEY, INC. 330 Birch St., Box 252, Winneconne, WI 54986
 414-582-4234

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1256

Located in part of the Northwest $\frac{1}{4}$ of Section 10, T.19N., R.15E.,
Town of Winneconne, Winnebago County, Wisconsin

OWNER'S CERTIFICATE

As owners, we hereby certify that we caused the land described on this certified survey map to be surveyed, divided and mapped as represented hereon.

WITNESS the hand and seal of said owners this 17th day of May, 1984.

In presence of:

Ellen M. Rusch
Witness

Richard E. Jones
Richard E. Jones, owner

Susanne J. Jones
Susanne J. Jones, owner

10 Oak Trail
Street Address

Winneconne WI 54986
City State Zip

STATE OF WISCONSIN } ss
WINNEBAGO COUNTY }

Personally came before me this 17 day of May, 1984, the above named Richard E. Jones and Susanne J. Jones, owners, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Sharon A. Waters
Notary Public

My commission expires June 1, 1985

Calvin W. Hawksworth
Calvin W. Hawksworth S-1290
WI Registered Land Surveyor
April 27, 1984



Sheet 3 of 4 Sheets

SAYLER SURVEY, INC. 330 Birch St., Box 252, Winneconne, WI 54986
414-582-4234

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 1256
 Located in part of the Northwest $\frac{1}{4}$ of Section 10, T.19N., R.15E.,
 Town of Winneconne, Winnebago County, Wisconsin

OWNER'S CERTIFICATE

As owner, I hereby certify that I caused the land described on this certified survey map to be surveyed, divided and mapped as represented hereon.

WITNESS the hand and seal of said owner this 18 day of May, 1984.

In presence of:

Lou A. Jacobs
 Witness

Leo B. Muehlenberg
 Leo B. Muehlenberg - owner

Mary S. Muehlenberg
 Mary S. Muehlenberg - owner

2604 Shady Dr.
 Street Address

Winneconne, Wis. 54986
 City State Zip

STATE OF WISCONSIN } ss
 WINNEBAGO COUNTY

Personally came before me this 18 day of May, 1984, the above named Leo B. Muehlenberg and Mary S. Muehlenberg, owners, to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Lou A. Jacobs
 Notary Public
 My Commission Expires March 14, 1986
 My commission expires March 14, 1986

611813

Register's Office
 Winnebago County, Wis.
 Received for record this 31st
 day of May, A.D., 1984
 at 1:24 o'clock P.M. and
 recorded in Vol. 1 of S.M.
 on page 1256

Margaret A. Adams
 Register of Deeds

Calvin W. Hawksworth
 Calvin W. Hawksworth S-1290
 WI Registered Land Surveyor
 April 27, 1984



Sayer Survey Pl 10

Sheet 4 of 4 Sheets


SAYLER SURVEY, INC. 330 Birch St., Box 252, Winneconne, WI 54986
 414-582-4234

Plat of Survey

PART OF LOT 1, CSM 850, VOL. 1, PG. 850, DOC. NO. 559582
IN FRAC. LOT 1 OF SEC. 10, T.19N., R.15E., TOWN OF
WINNECONNE, WINNEBAGO COUNTY

CLIENT:

RICHARD JONES
10 OLEN TR.
WINNECONNE, WI 54988



LEGEND

- = Existing monuments
- = 2" x 30" iron pipe set
- = 1" x 30" iron pipe set
- ⊙ = reference caps or RR spikes
- ⊙ = Bernsten or Harrison monuments
- X—X = fence
- () = recorded as
- = stone monument



SURVEYOR'S CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. AUGUST 18, 1963

Calvin W. Hawksworth
Wisconsin Registered Land Surveyor S-1290

SAYLER SURVEY, INC.
LAND SURVEYORS
WINNECONNE, WI 54986

SCALE 1" = 200'
PROJECT NO. S-001364
FIELD BOOK 48 PAGE 32


PLAT OF SURVEY

KNOWN AS 5929 HIAWATHA HEIGHTS DRIVE, BEING THE EAST 120.0 FT. FRONT
AND REAR OF LOT 28 IN HIAWATHA HEIGHTS, PART OF THE S.W. 1/4 OF SECTION
10-19-15, IN THE TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN.

SEPTEMBER 21, 1983

SURVEY FOR OSHKOSH SAVINGS
APPLICANT: JAMES WELLENS
MONUMENT WAIVER ON FILE


SURVEY NO. 1304-M



I Certify that I have surveyed the above described property (Property), and the above map is a true representation thereof and shows the size and location of the Property, its exterior boundaries, the location and dimensions of all visible structures thereon, boundary, fences, apparent easements and roadways and visible encroachments. This survey is made for the exclusive use of the present owners of the Property, and also those who purchase, mortgage, or guarantee the title thereto, within one (1) year from date hereof.



national survey & engineering
417 NORTH SAWYER STREET / PO BOX 2063
OSHKOSH, WISCONSIN 54903
(414) 426-2800





Plat of Survey

Lot 1 of C.S.M., Vol. 1, Page 856,
Doc. No. 560275---part of the NW¹
of the NW¹ of Sec. 10, T.19N., R.15E.
Town of Winneconne, Winnebago Co.,
Wisconsin.

Parcels being attached to adjoining owners property.

CLIENT: Paul Yost
6928 C.T.H. "M"
Winneconne, WI.
54986

(NOTE: E. $\frac{1}{4}$ CORNER MOVED BY
REMONUMENTATION IN
1982)



LEGEND

- 1 - forming monomers
- 2 - 2 x 35' non prod set
- 3 - 1 x 35' non prod set
- 4 - reference copy of RR spikes
- 5 - Berthlen or Harrison monomer
- 6 - fence
- 7 - recorded on
- 12 - stone monomer



SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. OCTOBER 29, 1984

Gloria N. Hawken
Wisconsin Registered Land Surveyor 5-1290

SAYLER SURVEY, INC.
LAND SURVEYORS
WINNECONNE, WI 54986

SCALE 1 in. = 100 ft.

PROJECT NO. S.00-1438

FIELD BOOK C. S. N. PAGE

25-9103

SAYLER SURVEY, INC. LAND SURVEYORS WINNECONNE, WI 05-001312
FB 46 P 20

95-001312
FB 46 P 20

Stock No. 26273

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO.
 Located in part of the Northeast $\frac{1}{4}$ of Section 10, T.19N., R.15E.,
 Town of Winneconne, Winnebago County, Wisconsin

SURVEYOR'S CERTIFICATE

I, Calvin W. Hawksworth, registered land surveyor, hereby certify:

That I have surveyed, divided and mapped the parcel of land located in part of the Northeast $\frac{1}{4}$ of Section 10, T.19N., R.15E., Town of Winneconne, Winnebago County, Wisconsin, described as follows:

Beginning at a point that is 975.97 ft. N.90°00'00"W. and 33.00 ft. N.00°00'00"E. from the East $\frac{1}{4}$ corner of said Section 10, T.19N., R.15E. From that point running N.90°00'00"W. 662.96 ft., thence N.00°00'00"E. 714.88 ft., thence S.76°22'40"E. 579.21 ft., thence S.00°00'00"W. 573.47 ft. to the point of beginning. Being a parcel of land of 8.4 acres, more or less.

That I have made such survey, land division and map by the direction of Alfred and Mary Broehm, 111 Lincoln Street, Winneconne, WI 54986; that such map is a true and correct representation of the exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Sec. 236.31 of the Wisconsin Statutes and the Winnebago County Certified Survey Map Ordinance in surveying, dividing and mapping the same.



Calvin W. Hawksworth
 Calvin W. Hawksworth S-1290
 Wisconsin Registered Land Surveyor
 October 5, 1982

OWNER'S CERTIFICATE

As owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented hereon.

WITNESS the hand and seal of said owner this 5th day of October, 1982.

Witness

Owner

Street Address

Mary K. Broehm
111 Lincoln
Winneconne, Wis 54986
 City State

STATE OF WISCONSIN } SS
 WINNEBAGO COUNTY }

Personally came before me this 5th day of October, 1982, the above named owner to me known to be the person who executed the foregoing instrument and acknowledged the same.

Notary Public

My commission expires



SHEET 2 of 2 SHEETS


SAYLER SURVEY, INC., 330 Birch St., Winneconne, WI 54986

Winnebago Land Surveying

511 Baldwin Avenue, Oshkosh, Wisconsin 54901
Phone (414) 426-4937

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO.

LOT 20 AND PART OF LOT 19, HIAWATHA HEIGHTS, LOCATED
IN T19N, R15E, TOWN OF WINNECONNE, WINNEBAGO COUNTY,
WISCONSIN




NOTE: THESE PARCELS CREATED IN COMPLIANCE WITH R-2 ZONING
PER VARIANCE GRANTED SEPTEMBER 3, 1982 BY THE WINNEBAGO
COUNTY BOARD OF ADJUSTMENTS.

LEGEND

- ⊙ --- 1" x 30" REBAR SET
- ▲ --- 1" REBAR FOUND
- --- 1" IRON PIPE FOUND
- ⊙ --- WELL
- ⊙ --- SEPTIC VENT
- --- CONCRETE
- () --- RECORDED AS

SCALE: 1" = 40'



ANGLES


RECORD ANGLES

1 = 89° 55' 48"	90° 00' 00"
2 = 90° 05' 44"	90° 00' 00"
3 = 90° 02' 17"	90° 00' 00"
4 = 89° 56' 11"	90° 20' 00"

Alan K. Shute

ALAN K. SHUTE S-1518

DATED THIS 5TH DAY OF NOVEMBER, 1982



JOB NO. 19-1028-82

FIELDBOOK 101, PAGES 57 - 59

SALVATORE COSTA
202 HIAWATHA DRIVE
WINNECONNE, WISCONSIN 54986

PAGE 1 OF 2

DRAWN BY ALAN K. SHUTE

Winnebago Land Surveying
511 Baldwin Avenue, Oshkosh, Wisconsin 54901
Phone (414) 426-4951

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. _____

SURVEYOR'S CERTIFICATE

I, ALAN K. SHUTE, WISCONSIN REGISTERED LAND SURVEYOR, HEREBY CERTIFY:

THAT I HAVE SURVEYED, DIVIDED AND MAPPED LOT 20 AND PART OF LOT 19, HIAWATHA HEIGHTS LOCATED IN SECTION 10, T19N, R15E, TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN, DESCRIBED AS FOLLOWS: COMMENCING AT THE NW CORNER OF LOT 19, BEING A 1" IRON PIPE FOUND; THENCE S 89°20'17" E, 157.38', ALONG THE NORTH LINE OF LOT 19 TO THE POINT OF BEGINNING, BEING A 1"x30" REBAR;


THENCE S 89°20'17" E, 226.00'; THENCE S 00°33'59" W, 166.90';
THENCE N 89°28'18" W, 226.07'; THENCE N 00°35'31" E, 167.43';

TO THE POINT OF BEGINNING, BEING .87 ACRES.

THAT I HAVE MADE SUCH SURVEY, LAND DIVISION AND MAP UNDER THE DIRECTION OF SALVATORE COSTA, 202 HIAWATHA DRIVE, WINNECONNE, WISCONSIN, 54986, OWNER OF SAID LAND.

THAT THIS MAP IS A CORRECT REPRESENTATION OF THE EXTERIOR BOUNDARIES OF THE LAND SURVEYED AND MAP MADE THEREOF.

THAT I HAVE COMPLIED WITH THE PROVISIONS OF CHAPTER 236.34 OF THE WISCONSIN STATUTES AND THE WINNEBAGO COUNTY SUBDIVISION ORDINANCE IN SURVEYING, DIVIDING AND MAPPING THE SAME.



Alan K. Shute 11/5/82
ALAN K. SHUTE S-1518

PLANNING COMMITTEE CERTIFICATE

PURSUANT TO THE WINNEBAGO COUNTY SUBDIVISION ORDINANCE, ALL REQUIREMENTS FOR APPROVAL HAVE BEEN FULFILLED FOR THE ABOVE DESCRIBED LAND. THIS CERTIFIED SURVEY MAP IS HEREBY APPROVED AND ACCEPTED ON THE 24 DAY OF Nov., 1982

Mary Ann Warming
CHAIRMAN

OWNER'S CERTIFICATE

AS OWNERS, SALVATORE C. COSTA AND DOROTHY M. COSTA (HUSBAND AND WIFE), HEREBY CERTIFY THAT WE HAVE CAUSED THE PROPERTY ABOVE DESCRIBED TO BE SURVEYED, DIVIDED AND MAPPED AS REPRESENTED ON THIS MAP.

DATED THIS 18th DAY OF November, 1982

Salvatore C. Costa
SALVATORE C. COSTA

Dorothy M. Costa
DOROTHY M. COSTA

STATE OF WISCONSIN)
COUNTY OF WINNEBAGO) SS

PERSONALLY CAME BEFORE ME THIS 18th DAY OF November, 1982, THE ABOVE NAMED OWNERS TO ME KNOWN TO BE THE PERSONS WHO EXECUTED THE FOREGOING INSTRUMENT, ACKNOWLEDGE THE SAME.

Billy E. O'Brien
NOTARY PUBLIC


My Commission Expires Feb. 24, 1985

COMMISSION EXPIRES


CERTIFIED SURVEY MAP NO. 850

Part of the Northwest 1/4 of Section 10, Town 19 North, Range 15 East,
Town of Winneconne, Winnebago County, Wisconsin.

For: Dr. Thomas Hennes



Nov. 14, 1958



Proj. No. 219
Sheet 1 of 2

CERTIFIED SURVEY MAP NO. 850

Surveyor's Certificate:

I, David D. Eisele, Land Surveyor, hereby certify that I have at the direction of Dr. Thomas Hennes, surveyed Part of the Northwest 1/4 of Section 10, Township 19 North, Range 15 East, Town of Winneconne, Winnebago County, Wisconsin, more fully described as follows:

Commencing at the North 1/4 corner of Section 10; thence S 1°-28'-45" E, 2532.70 feet to the center of Section; thence S 89°-50'-42" W along the South line of the Northwest 1/4, 1185.36 feet to the point of beginning; thence N 1°-28'-45" W 2042.00 feet; thence N 89°-50'-42" E parallel to the South line of the Northwest 1/4 275.00 feet; thence N 1°-28'-45" W parallel to the East line of the Northwest 1/4 538.93 feet to a point on a meander line of the Arrowhead River; thence the following calls along said Meander line S 84°-06'-12" W, 275.75 feet; thence N 86°-23'-50" W, 160.53 feet; thence N 89°-29'-57" W, 134.34 feet which is the final call along said Meander line; thence S 7°-28'-38" E, 169.89 feet; thence S 1°-30'-38" E, 100.00 feet; thence S 15°-55'-22" W, 103.39 feet; thence S 15°-23'-22" W, 206.27 feet; thence S 7°-04'-22" W, 200.93 feet to the Northeast corner of Indian Shores Plat; thence S 8°-53'-00" W, along the East line of said Plat 1821.42 feet to the South line of the Northwest 1/4; thence N 89°-50'-42" E, 724.85 feet to the point of beginning. Also including those Lands that lie between the meander line and the thread of the Arrowhead River and the North-South property lines extended to the thread of said River; excepting therefrom the South 33 feet for Roadway purposes; Said parcel is subject to all easements and restrictions of record, and that I have fully complied with Chapter 236.34 of the Wisconsin Statutes in surveying, dividing, and mapping the same, and with Winnebago County Subdivision Ordinance.

Given under my hand this 12th day of December, 1980

David D. Eisele
David D. Eisele, Reg. Land Surveyor S-974


Certificate of Owners:

As owners we, the undersigned, hereby certify that we caused the land above described to be surveyed, divided, and mapped all as shown on this map.

Date: 9th day of January, 1981.

Thomas E. Hennes
Owner Thomas E. Hennes

Rosalie M. Hennes
Owner Rosalie M. Hennes



State of Wisconsin)
Winnebago County)

Personally came before me on the 9th day of January, 1981 the above named owners to me known to be the person (s) who executed the foregoing instrument and acknowledge the same.


Donnis L. Simon Donnis L. Simon
Notary Public - State of Wisconsin

My Commission Expires is permanent

Certificate of Planning Committee:

Pursuant to the Land Subdivision Regulations of Winnebago County, Wisconsin, all the requirements for approval have been fulfilled. This Minor Subdivision was approved by the Winnebago County Planning and Zoning Committee on 15th day of January, 1981.

Robert M. Hunter
Chairman, Planning and Zoning Committee



559582

Register's Office
Winnebago County, Wis.
Received for record this 15th day of January, A.D., 1981
at 9:15 o'clock A.M.
recorded in Vol. 1 of Survey
on page 50
Gregoria Sakmal
Register of Deeds

Sheet 2 of 2

Dr. Hennes Chg
200

WINNEBAGO

COUNTY

RECORD OF U.S. PUBLIC LAND SURVEY CORNER


TYPE OF MONUMENT RECOVERED REMAINS OF WOOD STAKETYPE OF MONUMENT SET 1-1/4"x30" REBAR

STATE PLANE COORDINATES

NORTH _____


EAST _____

ELEVATION OF CORNER _____

SECTION 10TOWN 19RANGE 15CORNER CENTER OF SECTIONFAST SHORE OF
LAKE WINNECONNE (INDICATED BY X)
LOCATION

CORNER TIE SKETCH

SHOW AT LEAST FOUR TIES

3/4" REBAR SET 2 FEET SOUTH OF
HIAWATHA DRIVE SIGNPK. NAIL IN NE. FACE OF
ANCHOR POLE NUMBER 1915-10W6

HIAWATHA

DRIVE

PK. NAIL IN EAST FACE OF
POWER POLE NUMBER 1915-10L1PK. NAIL IN EAST FACE OF
POWER POLE NUMBER 1915-10W4

INDIAN

LEGEND

- ⊗ POWER POLE
- 3/4"x24" REBAR
- ⊙ 1-1/4"x30"

SCALE

NONE

RECOVERY PROCEDURE

WITNESSED BY
DR. TOM HENNES
RICHARD WINKERS
DAVID D. EISELE

DAN A. BLOEDORN
AL BROEHM

DRAWN BY

DAN B. BLOEDORN

We made attempts to re-establish this corner from ties on record at the Winnebago County Court House. One point was reset from retracement of Hiawatha Heights Plat, another point was obtained from retracement of Indian Shores Plat, and the third from traversing and splitting section by straight line intersection. I excavated for the corner and this is a list of the materials and evidence of the corner that I found, 6" asphalt, 2" gravel, 5" Macadam, and 4 1/2" gravel at this point I found a 1" x 2" wood stake, continuing down through 7" larger gravel (Apparent old road bed), 18" top soil (Black), and 5" sandy clay loam (Goldish Red). (over)

EXCAVATION PERFORMED BY HALBROOK BUILDER (RICHARD WINKERS OPERATOR)

FIELD NOTES FILED AT MARTENSON & EISELE, INC.

BOOK 10PAGE 75DATE OF SURVEY 7/20/80REG. LAND SURVEYOR DAVID D. EISELES- 974

APPROVED BY _____ COUNTY SURVEYOR _____

, 19 _____

at this point I observed a dark brown spot in the loam after scraping 5" $\pm$ with a trowel. I observed a very pronounced 4" diameter decomposed wood post marking the center of section and falling almost directly beneath the 1" x 2" wood stake.
(Photo was taken by Dr. Tom Hennes)

ELEVATION SURVEY


LOT 11, BLOCK 2, INDIAN SHORES, PART OF NW 1/4 OF SECTION 10,
T19N, R15E, TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN

CHINNEL


746.90 WATER ELEVATION
DEC. 3, 1981

SURVEY FOR:
ARTHUR AND HELEN ANDERSON
520 W. WEATHERFIELD WAY
SCHAUMBURG, ILLINOIS
60193

THIS SURVEY IS FOR THE
PURPOSE OF SHOWING ELEVATIONS
ONLY. ALL OTHER INFORMATION
IS APPROXIMATE. ALL DISTANCES
PER INDIAN SHORES PLAT.



NOTE:
ALL ELEVATIONS
SHOWN ARE REFERENCED
TO MEAN SEA LEVEL
DATUM.



INTERMEDIATE REGIONAL FLOOD = 750.40 M.S.L.

FLOOD INSURANCE STUDY NO. 550537

AUGUST 4, 1980



Alan K. Shute
ALAN K. SHUTE S-1518

DATED THIS 5TH DAY OF DECEMBER, 1981

SEC 10 T19N R15E

MAP OF SURVEY


LOT 19, HIAWATHA HEIGHTS, TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN



SURVEYOR'S CERTIFICATE

I, ALAN K. SHUTE, WISCONSIN REGISTERED LAND SURVEYOR, HAVE SURVEYED THE ABOVE DESCRIBED PROPERTY. THIS SURVEY AND MAP SHOW THE SIZE AND LOCATION OF THE PROPERTY, ITS EXTERIOR BOUNDARIES, THE LOCATION AND DIMENSIONS OF ALL STRUCTURES THEREON, FENCES, APPARENT EASEMENTS, ROADWAYS AND VISIBLE ENCROACHMENTS IF ANY. THIS SURVEY IS MADE FOR THE EXCLUSIVE USE OF:

GENE KUHN
52 SUNSET TAIL
WINNECONNE, WI 54986





Alan K. Shute 6/7/82
ALAN K. SHUTE S-1518

AND TO THOSE WHO PURCHASE, MORTGAGE OR GUARANTEE THE TITLE THERETO WITHIN ONE (1) YEAR FROM THE DATE HEREOF. TO THEM I CERTIFY THAT THIS SURVEY AND MAP WERE MADE IN ACCORDANCE WITH ACCEPTABLE PROFESSIONAL STANDARDS AND IN MY PROFESSIONAL OPINION THE ACCOMPANYING MAP IS A TRUE AND ACCURATE REPRESENTATION OF THIS SITE TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF.

10 19 15 3

AL BROEHM


PART OF THE SE 1/4 OF THE NE 1/4 OF SEC. 10, T.19N., R.15E. IN
THE TOWN OF WINNECONA, WINNEBAGO COUNTY, WISCONSIN.



○ BEHOTES IRON PIPE SET


R. K. Saylor
Surveyor S-417

S- 000 596
Scale: 1 in. = 100 ft.
July 14, 1976
Sh. 34 P. 1



OSCAR RHODE
TO
ROBERT & BETTY DOCTER

ALL OF LOT 6 AND THE NORTH 20 FT. OF LOT 5, BLK. 2, INDIAN
SHORES PLAT, SEC. 10, T. 19N., R. 15E. IN THE TOWN OF WINNECONNE,
WINNEBAGO COUNTY, WISCONSIN.



S-000 546

Scale


April 22, 1975

BLK 30 P 76


10 19 15 1

C.H. WIEDNER

PART OF THE NW 1/4 OF THE NW 1/4
OF SEC. 10 AND PART OF THE S.W. 1/4 OF
THE S.W. 1/4 OF SEC. 3, T.19N., R.15E. IN
THE TOWN OF WINNECONNE, WINNEBAGO
COUNTY, WISCONSIN.



SEC. 3



SCALE: 1 in. = 100 ft.

SURVEYOR: R. K. Saylor S-917

October 21, 1971

bk. 24 p. 24

(C) Cedar Trees

1/4 SEC. LINE

CO.

TRK.

1935.20'

S 90°00' W.

HWY.

S.E. COR
OF NW 1/4
OF SEC. 10


"6"

Stock No. 26273

10-19-15

WINNEGAGO COUNTY CERTIFIED SURVEY MAP NO.
 Located in part of the W. 1/2 of the NW 1/4 of Section 10, T.19N., R.15E.,
 Town of Winneconne, Winnebago County, Wisconsin.

Calvin W. Hawksworth
 Calvin W. Hawksworth S-1290
 Wisconsin Registered Land Surveyor
 September 1, 1981




ALL POINTS REFERENCED
 TO THE E. LINE OF
 BLOCK 1 INDIAN
 SHORES PLAT

SCALE: 1" = 60'

- INDICATES 1" X 30" IRON
 PINS SET, WEIGHING 1.1 LBS.
 EACH.
- INDICATES EXISTING IRON
 MONUMENTS
- () INDICATES RECORDED AS

LAKE WINNECONNE



R.K. SAYLER, INC.

LAND SURVEYORS

WINNECONNE, WISCONSIN

Sheet 1 of 2 Sheets

10-12
 1981

Stock No. 26273


WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO.
 Located in part of the W. 1/2 of the N.W. 1/4 of Section 10, T.19N., R.15E.,
 Town of Winneconne, Winnebago County, Wisconsin.

SURVEYOR'S CERTIFICATE

I, Calvin W. Hawksworth, registered land surveyor, hereby certify:
 That I have surveyed and mapped Lot 13, Block 1, INDIAN SHORES
 SUBDIVISION, located in part of the W. 1/2 of the N.W. 1/4 of Section 10,
 T.19N., R.15E., Town of Winneconne, Winnebago County, Wisconsin,
 described as follows: Beginning at the Northeast corner of Lot 12,
 Block 1 of said subdivision, thence N.13°27'E., 75.24 ft. to a point
 that is the Northeast corner of Lot 13, Block 1 of said plat, thence
 N.81°07'W., 120.00 ft. to a meander pipe, said pipe is S.81°07'E.,
 35.00 ft. from the waters edge, thence S.13°27'W. on a meander line
 75.24 ft. to an iron pipe, said pipe is S.81°07'E., 38.00 ft. from
 the waters edge, thence S.81°07'E., 120.00 ft. to the point of beginning.
 Lot 13 containing 0.27 of an acre, more or less. Subject to all ease-
 ments and restrictions on record.

That I have made such survey and map by the direction of Roland
 Kowalke, Sunset Trail, Winneconne, Wisconsin 54986; that such map
 is a true and correct representation of Lot 13, Block 1 of said
 subdivision.

That I have fully complied with the provisions of Sec. 236.34 of
 the Wisconsin Statutes and the Winnebago County Certified Survey Map
 Ordinance in surveying and mapping the same.



Calvin W. Hawksworth
 Calvin W. Hawksworth S-1290
 Wisconsin Registered Land Surveyor
 September 1, 1981.

OWNER'S CERTIFICATE

As owner, I hereby certify that I caused the land described on
 this Certified Survey Map to be surveyed and mapped as represented
 hereon.

WITNESS the hand and seal of said owner this _____ day of
 _____, 1981.

In presence of:

Witness _____

Owner _____

Street Address _____

STATE OF WISCONSIN ss
 WINNEBAGO COUNTY

Personally came before me this _____ day of _____, 1981
 the above named person who executed the foregoing instrument and
 acknowledged the same.

My commission expires _____

Notary Public _____ WI

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

This Certified Survey Map of the W. 1/2 of the N.W. 1/4 of Section 10,
 T.19N., R.15E., Lot 13, Block 1, INDIAN SHORES SUBDIVISION, Town of
 Winneconne, Winnebago County, Wisconsin, is hereby approved.

Date _____

Authorized Representative
 Winnebago Co. Planning Committee

10-19-15

² ELEVATION SURVEY LOT 11, BLOCK 13, INDIAN SHORES, PART OF NW 1/4 OF SECTION 10, T19N, R15E, TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN

CHANNEL

746.90 WATER ELEVATION
DEC. 3, 1981

SURVEY FOR:
ARTHUR AND HELEN ANDERSON
320 W. WEATHERFIELD WAY
SCHLAUMBURG, ILLINOIS
60193

THIS SURVEY IS FOR THE
PURPOSE OF SHOWING ELEVATIONS
ONLY. ALL OTHER INFORMATION
IS APPROXIMATE. ALL DISTANCES
PER INDIAN SHORES PLAT.

Rogers

LOT 12

ASSUMED

LOT 10

ADJACENT
DWELLING

ADJACENT
DWELLING

TOP OF FOUNDATION
749.77
GRADE - 749.52


TOP OF FOUNDATION
752.21
GRADE - 751.41

750.23
APX. HOLDING TANK

BENCH MARK - RAILROAD
SPIKE IN POWER POLE
NORTH LINE LOT 12
750.79 M.S.L.

NOTE:
ALL ELEVATIONS
SHOWN ARE REFERENCED
TO MEAN SEA LEVEL
DATUM.

SUNSET TRAIL



INTERMEDIATE REGIONAL FLOOD = 750.40 M. S. L.
FLOOD INSURANCE STUDY NO. 550537 AUGUST 4, 1981

Alan K. Shute
ALAN K. SHUTE S-1518

DATED THIS 5TH DAY OF DECEMBER, 1981

10-19-15


FLOOD PLAIN SURVEY
FOR
KAREN OLSON
OF
LOT 13, BLOCK 1, INDIAN SHORES - PART OF THE W1/2 NW1/4
SECTION 10, T19N, R15E, TOWN OF WINNECONNE, WINNEBAGO
COUNTY, WISCONSIN.

I.R.S. (100 YEAR FLOOD) = 750.40

FLOOD INSURANCE STUDY, WINNEBAGO COUNTY, ADJUST 2-1-11
 COUNTY NUMBER - 550357


LEGEND
 ○ = 1" IRON PIPE FOUND
 * = WOOD STAKE FOUND
 SCALE = 1" = 20'

B.M. ○ BEACH MARK; EL. = 750.79, RAILROAD SPIKE
 IN POWER POLE
 INTERMEDIATE REGIONAL FLOOD ELEVATION = 750.40
 (MEAN SEA LEVEL 1929 ADJUSTMENT)
 OCTOBER 29, 1981



AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
OSHKOSH, WISCONSIN

Steven T. Chronis
WIS. REGISTERED LAND SURVEYOR 6-913



414-
562-2507

02-
11-1978


WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 365

Part of the unrecorded addition to LASLEY'S POINT PLAT in part of the SW $\frac{1}{4}$ of Sec. 10, T.19N., R.15E., Town of Winneconne.

EXISTING LOT: Volume 1302 Page 214

Interior angles


- a. 84°12'00"
- b. 95°18'00"
- c. 84°12'00"
- d. 95°18'00"
- 360°00'00"



Bearings are referenced to LASLEY'S POINT PLAT, per description.

- Trees
- Existing iron pipe
- Existing pipe over pipe
- 1"x30" iron pipe weighing 1.13 lbs. per lineal ft.

I, Calvin W. Hawksworth, registered land surveyor, hereby certify:
That I have surveyed and mapped, per description, that part of the unrecorded addition to LASLEY'S POINT PLAT in part of the SW $\frac{1}{4}$ of Sec. 10, T.19N., R.15E. in the Town of Winneconne, Winnebago County, Wisconsin, described as follows: Beginning at an iron pipe on the Easterly R.O. W. line of Lasley Shore Drive that is 50.21 ft., S69°07'E of the SE corner of Lot 51 of LASLEY'S POINT PLAT. From that point running N26°11'E, along said Easterly R.O.W. line, 150.00 ft., thence S69°07'E, 130.00 ft., thence S26°11'W, 150.00 ft., thence N69°07'W, 130.00 ft. to the point of beginning. Said parcel being same as described in Vol. 1302, Page 214 of Winnebago County Records. Being a parcel of land of 19,500.00 sq. ft. in area, more or less.
That I have made such survey and map by the direction of Cecilia Rehbein, 1932 W. Hampton Ave., Milwaukee, Wisconsin, 53209; that such map is a true and correct representation of the exterior boundaries of the land surveyed.
That I have fully complied with the provisions of Sec. 236.34 of the Wisconsin Statutes in surveying and mapping the same.



Calvin W. Hawksworth
Calvin W. Hawksworth 5-12-78
Wisconsin Registered Land Surveyor
May 30, 1978.

Sheet 1 of 2 sheets

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 365

Part of the unrecorded addition to LASLEY'S POINT PLAT in part of the SW $\frac{1}{4}$ of Sec. 10, T.19N., R.15E., Town of Winneconne.

EXISTING LOT: Volume 1302 Page 214

OWNER'S CERTIFICATE

As owner, I hereby certify that I caused the land described on this Certified Survey Map to be surveyed and mapped as represented hereon.

WITNESS the hand and seal of said owner this 23 day of June, 1978.

In presence of:

Jane F. Hardt
Witness

Cecilia Rehbein
Cecilia Rehbein
1932 W. Hampton Ave.
Milwaukee, Wisconsin 53209

STATE OF WISCONSIN) SS
WINNEBAGO COUNTY)

Personally came before me this 23 day of June, 1978, the above named Cecilia Rehbein to me known to be the person who executed the foregoing instrument and acknowledged the same.

Eva May Contis
Notary Public, Winnebago Co., Wisc.

My commission expires June 8, 1980


WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

This Certified Survey Map of part of the unrecorded addition to LASLEY'S POINT PLAT in part of the SW $\frac{1}{4}$ of Sec. 10, T.19N., R.15E., Town of Winneconne, is hereby approved.

6/27/78
Date

Robert M. Hurler, DEC
Authorized Representative
Winnebago Co. Planning Committee

Calvin W. Hawksworth
Calvin W. Hawksworth S-1290
Wisconsin Registered Land Surveyor
May 30, 1978.



Registered Office
Winnebago County, Wis.
Recorded for record this 3rd day of July, A.D. 1978
at 2:02 o'clock P.M.
recorded in Vol. 1, d. 3, m. 4.
on page 365.
Deborah C. Pfeiffer
Reg. Register & Deed.

Sheet 2 of 2 sheets


518327

Cecilia Rehbein
Milwaukee, Wis.
2:02

BEING PART OF THE SE ¼ OF THE SW ¼ OF SECTION 10, T19N, R15E, TOWN OF
WINNECONNE, WINNEBAGO COUNTY, WISCONSIN.

UNPLATED
LANDS


NOTE:
IRONS ARE
SET AT
43.00'
BECAUSE 33.00
FALLS IN
DITCH.



UNPLATTED LANDS

GRAPHIC SCALE

111 100




ANGLES:

a = 92°-03'-34"
b = 87°-56'-26"

NORTH IS REFERENCED TO THE
EAST LINE OF THE SW ¼ OF
SECTION 10, T19N, R15E,
TOWN OF WINNECONNE,
WINNEBAGO COUNTY, WISCONSIN
WHICH IS ASSUMED TO BEAR
N1°-39'-15"W.

LEGEND:

- ▲ = RAILROAD SPIKE SET
- = PK NAIL SET
- = 0.75" X 24" SOLID ROUND #6 REBAR SET, 1,502 LBS. PER LIN. FT.



Robert F. Reider 2-20-79
 ROBERT F. REIDER, RLS-1251 DATED
 (9-19-79 rr-bf-bd BF)
 CAROW LAND SURVEY 1.3 CO., INC.
 604 N. RICHMOND ST.
 APPLETON, WISCONSIN 54911
 A-7636-79

CERTIFIED SURVEY MAP NO. 691

SURVEYOR'S CERTIFICATE:

I, ROBERT F. REIDER, REGISTERED WISCONSIN LAND SURVEYOR, CERTIFY THAT I HAVE SURVEYED, DIVIDED AND MAPPED PART OF THE SE ¼ OF THE SW ¼ OF SECTION 10, T19N, R15E, TOWN OF WINNECONNE, WINNEBAGO COUNTY, WISCONSIN. BOUNDED AND DESCRIBED AS FOLLOWS; COMMENCING AT THE SOUTH ¼ CORNER OF SECTION 10, THENCE N89°-35'-41"W, 30.00 FEET ALONG THE SOUTH LINE OF THE SW ¼ OF SECTION 10 TO THE POINT OF BEGINNING, THENCE CONTINUING N89°-35'-41"W, 414.00 FEET ALONG SAID SOUTH LINE, THENCE N1°-39'-15"W, 350.00 FEET PARALLEL TO THE EAST LINE OF THE SW ¼ OF SECTION 10, THENCE S89°-35'-41"E, 414.00 FEET, THENCE S1°-39'-15"E, 350.00 FEET PARALLEL TO THE EAST LINE OF THE SW ¼ OF SECTION 10 TO THE POINT OF BEGINNING. SAID PARCEL OF LAND CONTAINING 3.32 ACRES OF LAND MORE OR LESS. SUBJECT TO ALL EASEMENT AND RESTRICTIONS OF RECORD. RESERVING THAT PART PRESENTLY USED FOR ROAD PURPOSES.

THAT I HAVE MADE SUCH SURVEY UNDER THE DIRECTION OF ATTORNEY WILLIAM MANSKE, 300 DIVISION ST. OSHKOSH, WISCONSIN. 54901

THAT THIS MAP IS A CORRECT REPRESENTATION OF THE EXTERIOR BOUNDARY LINES OF THE LAND SURVEYED.

THAT I HAVE FULLY COMPLIED WITH THE PROVISIONS OF CHAPTER 236.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY.

Robert F. Reider 2-20-79
 ROBERT F. REIDER, RLS-1251 DATED
 (9-19-79 rr-b(-bd HF)
 CAROW LAND SURVEYING CO., INC.
 604 N. RICHMOND ST.
 APPLETON, WISCONSIN 54911
 A-7636-79

OWNER'S CERTIFICATE:

AS OWNER, I HEREBY CERTIFY THAT I CAUSED THE LAND DESCRIBED ON THIS CERTIFIED SURVEY MAP TO BE SURVEYED, DIVIDED AND MAPPED AS REPRESENTED. I ALSO CERTIFY THAT THIS MAP IS REQUIRED BY S. 236.10 OR 236.12 OF THE WISCONSIN STATUTES TO BE SUBMITTED TO THE FOLLOWING FOR APPROVAL: WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE.

WITNESS THE HAND AND SEAL OF SAID OWNER THIS 3rd DAY OF October 1979.

Randal M. Carow
 OWNER Randal M. Carow

Subscribed and sworn to before me this 3rd day of October, 1979.

Marcia Marks
 MARCIA MARKS, Notary Public, Winnebago County, Wis. My commission expires 2/3/1980.
 PURSUANT TO THE WINNEBAGO COUNTY SUBDIVISION ORDINANCE, ALL REQUIREMENTS FOR APPROVAL
 HAVE BEEN FULFILLED. THIS CERTIFIED SURVEY MAP WAS APPROVED ON THE 9 DAY OF
NOVEMBER 1979.

Robert M. Hunkler
 CHAIRMAN, WINNEBAGO COUNTY
 PLANNING AND ZONING COMMITTEE

543150

Register's Office

Winnebago County, Wis.

Received for record this

day of November A.D. 1979

at 2:02 o'clock P.M. and


recorded in Vol. of Survey Maps

in page 691

Fellen M. Payne
 Register of Deeds

SHEET 2 OF 2 SHEETS

Manske 2:00



10-19-15



PLAT OF SURVEY

FOR: Fox Valley Land Title Corp.
230 N. Morrison St.
Appleton, Wis. 54911

Wilbur E. Smith
5958 Hiawatha Heights
Winneconne, Wis 54986

PROPERTY DESCRIPTION:

The East One Hundred (100) feet of the West One Hundred Thirty-two (132) feet of Lot Twenty-five (25) in Hiawatha Heights, Town of Winneconne, Winnebago County, Wisconsin.



STATE OF WISCONSIN
COUNTY OF OUTAGAMIE

I do hereby certify that I have surveyed the property described above according to official records, and that the plat above drawn is a correct representation of said survey.


Appleton, Wis. ... August 7 ... 1980 ...

Theodore J. Harris
REGISTERED LAND SURVEYOR

HARRIS AND ASSOCIATES, INC.

APPLETON, WISCONSIN

DWG. AS- 3816



1/4
9-14-15
E CONNE

LASLEY'S POINT PLAT

SW 1/4
SEC. 10-19-15



WOLVERTON
S. 14-51

SEC. 9

SEC. 10

Winneshaw County

WINNEBAGO COUNTY CERTIFIED SURVEY MAP No. 3114

Part of the SW1/4 of the SW1/4 of Sec. 10, T.19N., R.15E., Town of Winneconne, Winnebago County, Wisconsin
TAX No. 002203

SURVEYOR'S CERTIFICATE

I, Calvin W. Hawksworth, Wisconsin Registered Land Surveyor, hereby certify:

That I have surveyed, divided and mapped the parcel of land located in part of the SW1/4 of the SW1/4 of Sec. 10, T.19N., R.15E., Town of Winneconne, Winnebago County, Wisconsin, described as follows:
Beginning at a point on the south line of said Sec. 10 that is 460.71 ft., S.88°25'18"E. of a Beintzen Monument at the Southwest corner of said Sec. 10. From that point running N.01°34'42"E., 187.50 ft., thence S.88°25'18"E., 281.79 ft., thence S.01°34'42"W., 187.50 ft., thence N.88°25'18"W., 281.79 ft. along the south line of said Sec. 10 to the said point of beginning. Being a parcel of land of 1.213 acres. Reserving therefrom that portion lying within the right of way of Lasley Point Road presently used for road purposes. Subject to all easements and restrictions of record.

That I have made such survey, land division and map by the direction of Ted Hleinsky, Jr., Lasley Point Road, Winneconne, Wisconsin 54986; that such map is a true and correct representation of the exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Sec. 236.34 of the Wisconsin Statutes and Winnebago County Subdivision Ordinance in surveying, dividing and mapping the same.


WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

This Certified Survey Map of part of the SW1/4 of the SW1/4 of Sec. 10, T.19N., R.15E., Town of Winneconne, Winnebago County, Wisconsin is hereby approved.

Calvin W. Hawksworth
Calvin W. Hawksworth S-1290
Wisconsin Registered Land Surveyor
December 27, 1994

Date

Authorized Signature




LEGEND

- ⊙ Beintzen Monument
- 1" x 30" iron pipe weighing 1.13lbs./lin. ft.
- Bristling iron pipe

PROP. SETBACK LINES

- 25' From R.O.W.
- 50' From Back Line
- 11' Total From Side Lines w/ neither side being less than 7'
- 3' From Garage

Bearings are referenced to the South Line of Sec. 10
Assumed Bearing S.88°25'18"E.



WINNEBAGO COUNTY CERTIFIED SURVEY MAP No. 3114
Part of the SW1/4 of the SW1/4 of Sec. 19, T.19N., R.15E., Town of Winneconne, Winnebago County, Wisconsin.
TAX No. 007-208

CERTIFICATE OF COUNTY TREASURER
STATE OF WISCONSIN
WINNEBAGO COUNTY) SS

I, BURTON SCHMIDT being the duly elected, qualified and acting Treasurer of the County of Winnebago, do hereby certify that the records in my office show no unredeemed tax sales and no unpaid taxes or special assessments as of JANUARY 3, 1995 affecting the lands included in this Certified Survey Map.

1/3/95
Date

Burton Schmidt
Authorized Signature

TOWN TREASURER'S CERTIFICATE
STATE OF WISCONSIN
WINNEBAGO COUNTY) SS

I, Joy Meinen, being the duly elected, qualified and acting Treasurer of the Town of Winneconne, do hereby certify that in accordance with the records in my office, there are no unpaid taxes or unpaid special assessments as of December 28, 1994 on any of the land included in this Certified Survey Map.

December 28, 1994
Date

Joy Meinen
Town Treasurer

OWNER'S CERTIFICATE

As owner(s), I (we) hereby certify that I (we) caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented hereon.

Ted Wicinsky, Jr.
Ted Wicinsky, Jr.
Lasley Point Road
Winneconne, Wisconsin 54986

Beverly M. Wicinsky
Beverly M. Wicinsky
Lasley Point Rd.
Winneconne, WI. 54986


STATE OF WISCONSIN
WINNEBAGO COUNTY) SS

Personally came before me this 28th day of December, 1994 the above named person(s) to me known to be the person(s) who executed the foregoing instrument and acknowledge the same.

Dorcas J. Haedt
Notary Public Omro, WI.

My commission expires 10-5-1996

Calvin W. Hawksworth
Calvin W. Hawksworth S-1290
Wisconsin Registered Land Surveyor
December 27, 1994



Doc # 898475

Register's Office

Winnebago County, Wis.

Received for record this 27th

day of Feb. A.D., 1995

at 8:26 o'clock A.M. and

filed in Vol. 1 of CSM

on page 3114

Register of Deeds