


23-19-110



PLAT OF SURVEY

PROPERTY, DESCRIPTION

THAT PART OF THE S.E. 1/4 OF SECTION 23. T19N, P16E, IN THE TOWN OF VINLAND, WINNEBAGO COUNTY, WISCONSIN WHICH IS BOUNDED AND DESCRIBED AS FOLLOWS; COMMENCING AT THE S. 174 CORNER OF SAID SECTION, THENCE NORTH 88-52-41 EAST ALONG THE SOUTH FLINE OF SAID S.E. 174 AFORESAID 1652.30 FT., THENCE NORTH 00-57-01 WEST 33.00 FT. TO THE POINT OF REGINNING OF LINE OF "BROOKS CEMETERY" 495.00 FT., THENCE SOUTH 88-52-41 ALONG THE NORTH LINE OF "BROOKS CEMETERY" 330.00 FT., THENCE POINT ON THE WEST R.O.W. LINE OF U.S. HWY "45", THENCE SOUTH 00-32-09 EAST ALONG SAID R.O.W. LINE 107.78 FT., THENCE SOUTH 39-22-23 WEST 81.34 FT., THENCE SOUTHWESTERLY 405.87 FT. ALONG WHOSE CENTER LIES TO THE SOUTHEAST WHOSE RADIUS AND WHOSE CHORD BEARS SOUTH 41-53-35 WEST 377.33 FT., THENCE SOUTH 04-16-40 WEST 200.26 FT., THENCE SOUTHWESTERLY 258.39 FT. ALONG THE CHORD BEARS SOUTH 08-58-18 WEST WEST 362.62 FT., THENCE NORTH 88-49-53 WEST THENCE SOUTH 88-52-41 WEST 86.56 FT. TO THE POINT OF BEGINNING. SAID FARCEL CONTAINS 16,990 ACRES.

APRIL 17, 1986

Post

SURVEY FOR ROBERT ALBRIGHT

SURVEY NO. 1705-S


O ---- DENOTES 1" DIAMETER, 24" LONG IRON PIPE SET.

CURVE DATA


RADIUS = 309.11ARC = 405.87CHORD = 377.33S41-53-35W 1 = 75-13-49

(B)

RADIUS = 1577.02ARC = 258.39CHORD = 258.10SØ8-58-18W T = 09 - 23 - 15



Sec 23 T19 12/6



Sec 23 T19 R/G.

NO. 1954F

ACSM LAND TITLE SURVEY LEGAL DESCRIPTION GREEN VALLEY COURT **LEGEND** CITY OF OSHKOSH IRON PIN FOUND Parcel 1 BERNTSEN MONUMENT FOUND DIGHT POLE That part of the North East 1/4 of the SOUTH EAST 1/4 OF Section Twenty-Three (23), Township O POWER POLE WINNEBAGO COUNTY, WISCONSIN ☑ 2'X2' CONC. PAD Nineteen (19) North, of Range Sixteen (16) East, in the Town of Vinland, Winnebago County, Wisconsin, described as Follows, viz:-TELEPHONE PEDESTAL **⊗** CHISEL ARROW FOUND ELECTRIC METER O 9" CONC. FILLED PIPE 5' HIGH FENCE GUARDRAIL Commencing at the East Quarter corner of said Section; thence South 88 degrees 59 minutes 44 LOAD LOADING DOCK ALL FIELD MEASUREMENTS MATCHED RECORD seconds West, along the North line of the South East 1/4 of said Section, 64.04 feet, to a point on the West line U.S. Highway No. 45 and the place of beginning; Thence continuing South 88 degrees 59 minutes 44 seconds West, 1255.94 feet, to the Northwest corner of the North East CMP CORRUGATED METAL PIPE DIMENSIONS WITHIN THE PRECISION REQUIREMENTS OF ALTA/ACSM SPECIFICATIONS. 1/4 of the South East 1/4 of said Section; thence South 0 degrees 56 minutes 42 seconds East, 381.16 feet, along the West line of the North East 1/4 of the South East 1/4 of said Section; thence North 88 degrees 59 minutes 44 seconds East, 1258.28 feet, to a point on the West line of said Highway; thence North 1 degree 17 minutes 48 seconds West, along said West line, 381.17 feet, to the place of beginning. STATEMENT OF ENCROACHMENTS ZONING DATA: Together with an easement for the benefit of Parcel 1 for a 15 foot wide drainage easement over and across that part of the North East 1/4 of the SOUTH EAST 1/4 of Section Twenty-three (23), SOUTHWEST CORNER OF GRAVEL PARKING LOT ENCROACHES 1.7 FEET MORE OR LESS ONTO ADJOINING PROPERTY TO ZONING CLASSIFICATION: THE SUBJECT PROPERTY IS ZONED M-2 Township Nineteen (19) North, of Range Sixteen (16) East, in the Town of Vinland, Winnebago County, Wisconsin, described as follows, viz:— HEAVY INDUSTRIAL DISTRICT. THE SOUTH OWNED BY ROBERT ALBRIGHT, (ITEM 10) HEIGHT: THERE ARE NO HEIGHT RESTRICTIONS AS PER ZONING CODE. NORTH IS REFERENCED TO THE EAST LINE OF THE SOUTHEAST 1/4 OF SECTION 23, SOUTH DIRT PILE ENCROACHES 9'± FEET MORE OR LESS ONTO ADJOINING PROPERTY TO THE SOUTH OWNED BY SETBACKS: THE ZONING CODE REQUIRES A 30 FOOT FRONT YARD SETBACK, Commencing at the East Quarter Corner of said Section; thence South 88 degrees 59 minutes 44 Commencing at the East Quarter Corner of said Section; thence South 88 degrees 59 minutes 44 seconds West, along the North line of the South East 1/4 of said Section, 64.04 feet, to a point on the West line of U.S. Highway No. 45; thence South 1 degree 17 minutes 46 seconds East, along the West line of said Highway, 381.17 feet; thence South 88 degrees 59 minutes 44 seconds West, 66.00 feet, to the place of beginning; thence continuing South 88 degrees 59 minutes 44 seconds West, 464.01 feet; thence South 1 degree 17 minutes 46 seconds East, 15.00 feet; thence North 88 degrees 59 minutes 44 seconds East, 464.01 feet; thence North 1 degree 17 minutes 46 seconds West, 15.00 feet, to the place of beginning. A 25 FOOT REAR YARD SETBACK AND A 7 FOOT MINIMUM SIDE YARD TOWNSHIP 19 NORTH, RANGE 16 EAST, TOWN ROBERT ALBRIGHT, (ITEM 11) SETBACK ON ONE SIDE AND AN AGGREGATE 17 FOOT MINIMUM SIDE OF VINLAND, WINNEBAGO COUNTY, WISCONSIN, YARD SETBACK, STATE OF WISCONSIN HIGHWAY DEPARTMENT WHICH IS ASSUMED TO BEAR NOO'59'33"W. REQUIRES A 50 FOOT SETBACK FROM THE HIGHWAY RIGHT-OF-WAY LINE. SEE ZONING CODE FOR THE TOWN OF VINLAND FOR DETAILS . 0 BULK RESTRICTIONS: THE ZONING CODE REQUIRES ONE PARKING STALL FOR EACH 2 EMPLOYEES DURING ANY 12 HOUR PERIOD. NOTES CORRESPONDING TO SCHEDULE B DRIVEWAYS SHALL BE AT LEAST TEN (10) FEET WIDE FOR ONE The above described parcel contains 479,157 square feet (11.00 acres) of land more or less. Subject to all legal easements and restrictions of record according to a survey performed by Keith J. Valentyne, Registered Wisconsin Land Surveyor no. 2198, on June 5, 2000. AND TWO FAMILY DWELLINGS AND A MINIMUM OF TWENTY-FOUR (24) 6 HOLDING TANK AGREEMENT AS RECORDED IN DOCUMENT NUMBER FEET FOR ALL OTHER USES. EACH PARKING SPACE SHALL NOT BE LESS THAN NINE (9) FEET IN Note: The above legal description describes the same property as Schedule A of the Title Commitment No. 996046 of The Commonwealth Land Title Insurance Company bearing an effective SURVEYIN WIDTH AND NOT LESS THAN ONE HUNDRED EIGHTY (180) SQUARE (7) 15' DRAINAGE EASEMENT FOR THE BENEFIT OF PARCEL TO THE NORTH AS PER DOCUMENT NUMBER 840357 IS SHOWN HEREON. FEET IN AREA EXCLUSIVE OF THE SPACE REQUIRED FOR INGRESS date of May 30, 2000. (8) DRAINAGE RIGHTS AND RIGHTS OF WAY BY REASON OF ANY DRAINAGE DITCHES, LATERALS AND UNDERGROUND DRAIN TILE IN PIPES THAT THERE IS NO PARKING LOT STRIPING ON SUBJECT PROPERTY. Tax Parcel No. 028-0502-0 MAY BE LOCATED ON SUBJECT PROPERTY IS SHOWN HEREON THERE ARE NO BULK ZONING RESTRICTIONS PERTAINING TO THE MAXIMUM LAND COVERAGE OF BUILDINGS AND/OR IMPERVIOUS AREAS. (9) SETBACKS AND RESTRICTIONS AS SHOWN ON ALTA/ACSM LAND TITLE SURVEY FOR NORTH AMERICAN TERMINALS PROJECT SITE NO. 8, NETWORK SOURCE: THE ABOVE INFORMATION WAS OBTAINED BY PHONE ON OCTOBER 7. PROJECT NO. 990594-B IS SHOWN HEREON. 1999 FROM JEANNE LUEBKE WHO IS THE ZONING ADMINISTRATOR FOR THE TOWN OF VINLAND. (920-233-3035). ALTA/ACSM LAND TITLE SURVEY (2) UTILITY OUTLETS, CORRUGATED METAL PIPES, OVERHEAD POWER AND DRAINAGE EASEMENT AS SHOWN ON ALTA/ACSM LAND TITLE SURVEY FOR NORTH AMERICAN TERMINALS PROJECT SITE NO. 8. NETWORK NorthAmerican Terminals PROJECT NO. 990594-8 IS SHOWN HEREON. 5827 Green Valley Court Oshkosh, Wi. P.O. #2520 POINT OF COMMENCEMENT -EAST 1/4 CORNER OWNERS: DONALD BASLER & KENNETH SCHROEDER "SECTION 23-19-16 Based Upon Title Commitment No. 996046 DOCUMENT NO. 880776 POINT OF BEGINNING -Of Commonwealth Land Title Ins. Co. Bearing an effective date of 5-30-2000 - NORTH LINE OF THE SOUTHEAST 1/4 OF SECTION 23-19-16 M CENTER OF SECTION Surveyor's Certification ARO state of Wisconsin, hereby certifies as follows to (a) NAT Central I, LLC; it's partners, 1255.94 S88°59'44"W subsidiaries, and affiliates, and their respective successors and assigns, and its or their lenders; (b) Commonwealth Land Title Insurance Company; (c) Bank One, Texas, N.A., and 1319.97' (d) Assurance Title & Abstract Services, Inc., each of whom may rely on this certification; (1) this survey was prepared by the undersigned and actually made on the ground on June, 2000 and is correct according to the record description of the land which is the same as described in that certain title insurance commitment from Assurance Title & Abstract services, Inc., dated May 30, 2000; NOTE: METAL EXTENDS OUT FROM BUILDING 0.20' ON ALL SIDES FROM CONCRETE FOUNDATION GRAVEL AT GROUND LEVEL. (2) this survey correctly and accurately shows (i) the type, grass square footage, dimensions, bulk and location of all buildings, structures and other improvements; the number, size, kind and layout of all loading docks, if any; the number, size and kind of parking spaces required under applicable law; the number, size kind and layout of all parking spaces at the property; and the distances of all of the foregoing from the applicable property lines, none of which violate any applicable building or zoning 6 유 -16 381 requirements, (ii) all set back, height and other building restriction lines disclosed by recorded subdivision plans and documents or set forth in any applicable zoning or building 204.1'± code and the buildings, structures and other improvements lie within the boundary lines of TERMINAL. GODEY STREET 21401 the subject property and within such set back, height and other building restriction lines, GRAVEL CULTIVATED STORY METAL BUILDING (iii) the location of all utilities servicing the subject property and such utility services required for the operation of the property either enter the subject property through CONCRETE 479,157 SQ. FT.± 11.00 ACRES± **GRAVEL** adjoining public streets or the survey shows the point of entry and location of any utilities HANDICAPPED 204.3'± that pass through or are located on adjoining private land, (iv) the location of all water courses, water bodies, lot lines and monuments; (v) all storm drainage systems for the GREN AREA CONC. WALK WITH collection and disposal of roof and surface drainage; (vi) all easements, rights—of—way, STEEL STEPS servitudes and covenants and restrictions referenced in the title commitment have been FIELD CENTRAL AIR plotted hereon or otherwise noted as to their effect on the property; and (vii) any applicable zoning districts in which the property is located and the boundaries thereof; (3) the property is contiguous along its entire common boundaries and is enclosed within the perimeters thereof; all component parcels of the property are contiguous and there are MAIL BOX NORTHAMERICAN ATTENTION: JIM 111 CATHEDRAL SANNAPOLIS, MD BUILDING IS 20.4' HIGH TO PEAK ON WEST SIDE OF BLDG. (4) except as shown hereon, there are no (i) easements or uses benefiting or burdening the property; (ii) rights of way across the land (iii) any other easement or right of way of which the undersigned has been advised, (iv) no party walls, (v) no encroachments upon adjoining property, streets, alleys, by any of the buildings, structures, or other improvements 4' HIGH CYCLONE FENCE \ _S01'17'46"E _15.00' on the property, (vi) no encroachment on the land by building, structures or improvements situated on adjoining property; and (vii) buildings, structures or improvements situated on the property that are located over or on any easements or utility lines; (viii) cemeteries or family burial grounds; or (ix) railroad tracks and siding; (5) unless specifically noted hereon, the property does not lie within any area designated under any federal, state or municipal regulations as a flood plain, wetland or aquifer district or any other special district such as, but not limited to, any historical, parking or 15' DRAINAGE EASEMENT FOR THE BENEFIT OF PARCEL conservancy district or any area subject to a moratorium or rationing of water, sewer or ENTER\EXIT N88°59'44"E AS FIR DOCUMENT NUMBER 840357. (ITEM 7) other utility services: (5) the property is located within an area having a flood zone designation "C" by the N88'59'44"E N01'17'46"W Secretary of Housing and Urban Development (which is not a special flood hazardous great LOT 2 15.00 inundated by 100 year flood) on Flood Insurance Rate Map no.5505370100C with a date of identification of 7-23-1982 for Winnebago County, which is the current Flood Insurance Rate Map for the community in which the property is situated; <u>C.S.M.</u> LOT 1 <u>C.S.M.</u> (7) all access to and egrees from the property is shown and (i) the property has direct access to and from Green Valley Court, which is a duly dedicated and accepted paved public street or highway with right—of—way lines that are completely contiguous to the perimeter lines of the property along the entire right—of—way as shown, (ii) are in OWNER: ROBERT J. ALBRIGHT DOCUMENT NO. 981502 OWNER: ROBERT J. ALBRIGHT DOCUMENT NO. 981502 accordance with applicable governmental requirements, and (iii) all necessary approvals therefor have been obtained: (8) drainage of surface or other water; municipal water service, sanitary sewer, storm sewer, and telephone, electric and gas services are available to the property at the lot lines and in the locations indicated hereon and are adequate to serve the current and proposed use of the improvements without the need for easements across the land of others; SOUTHEAST CORNER SECTION 23-19-16 (9) the boundary line dimensions as shown hereon form a mathematically closed figure (10) the property does not constitute an illegal subdivision of land under applicable laws; (11) the property does not serve any adjoining property for drainage, utilities or egress or GREEN HILL COURT (66') (12) the street address of the subject property is: 5827 Green Valley Court; and (13) this survey was made in accordance with (i) the minimum standard detail requirements (PUBLIC ROADWAY) for ALTA/ASCM land title surveys satablished by ALTA, ASCM and NSPS in 1997 and (ii) the SHEET NO. HAMISCONS accuracy standards of ALTA and ASCM for an Urban Survey and includes items 2, 3, 4, 6, 7(a), 7(b) (1), 7(c), 8, 9, 10, 11, 13, and 14 in Table A of such standards By graphic plotting only, this property is in Zone(s) FLOOD NOTE: " Keith J. "C" of the Flood Insurance Rate Map, Community Panel Na. 550537 0100 C , which bears an effective date of 7-23-1982 and is not in a Special Flood Hazard Area. By telephone coll dated 6-12-00 to the National Flood Insurance Program (800-638-(Name of Sulveyor) Registration No. 2138 VALENTYNE S-2190 APPLETON WI SURVEYOR'S NAME AND ADDRESS: KEITH J. VALENTYNE CAROW LAND SURVEYING CO., INC. 1837 W. WISCONSIN AVE., P.O. BOX 1297 6620) we have learned this community does currently participate in In the State Of WIL the program. No field surveying was performed to determine this zone and Drite of Survey: 6-14-00 Drite of Last Revision: an elevation certificate may be needed to verify this determination or apply APPLETON, WISCONSIN 54912-1297 C9910.8-00 (kv tm DGV) 6-12-00 for a variance from the Federal Ernergency Management Agency.