

3 - 20 - 16

NO.	SURVEYED FOR	SURVEYOR	DATE	PLAT NO.	CERTIFIED MAP NO.	SURVEYS		SURVEY LOCATION
						VOL.	PAGE	
	A. Weyland	Hebert	12-15-1978		522449	1	499	3, T20N, R16E SE1/4
	C. Warner	Fiske	6-28-1974					3, T20N, R16E SE1/4
	Winnegama, Inc.	Hebert	5-3-1978					3, T20N, R16E W1/4
	S. Warner	Hebert	10-6-81					SESE




1837 West Wisconsin Ave.
P.O. Box 1297
Appleton, Wisconsin 54912-1297
Phone (414) 731-4168
APRIL 20, 1988

WEDGE PARCEL: A PARCEL OF LAND LOCATED IN GOVERNMENT LOT 6, SECTION 3, T20N, R17E, TOWN OF MENASHA, WINNEBAGO COUNTY, WISCONSIN, BEING A PART OF LOT 1 OF THE PLAT OF CRANE HARBOUR CONDOMINIUM AS RECORDED IN FILE 1 OF PLATS ON PAGE 188 WITH THE WINNEBAGO COUNTY REGISTER OF DEEDS, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE MOST WESTERLY CORNER OF SAID LOT 1; THENCE N43-52-21E, 163.00 FEET ALONG THE NORTHWESTERLY LINE OF SAID LOT 1 TO THE POINT OF BEGINNING; THENCE S57-17-56E, 379.03 FEET ALONG THE SOUTHERLY LINE OF CRANE HARBOUR CONDOMINIUM AS RECORDED IN VOLUME 1 OF CONDOMINIUM PLATS ON PAGES 57-57J; THENCE N65-26-20W, 103.38 FEET; THENCE N60-10-15W, 73.68 FEET; THENCE N52-08-29W, 203.93 FEET TO THE POINT OF BEGINNING. SAID PARCEL CONTAINS 3,824 SQUARE FEET OF LAND MORE OR LESS. SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD.

FIRETRUCK ROADBED: A PARCEL OF LAND LOCATED IN GOVERNMENT LOT 8, SECTION 3, T20N, R17E, TOWN OF MENASHA, WINNEBAGO COUNTY, WISCONSIN, BEING A PART OF LOT 1 OF THE PLAT OF CRANE HARBOUR CONDOMINIUM AS RECORDED IN FILE 1 OF PLATS ON PAGE 188 WITH THE WINNEBAGO COUNTY REGISTER OF DEEDS, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE MOST WESTERLY CORNER OF SAID LOT 1; THENCE N43-52-21E, 163.00 FEET ALONG THE NORTHWESTERLY LINE OF SAID LOT 1; THENCE S52-08-29E, 137.11 FEET TO THE POINT OF BEGINNING; THENCE CONTINUING S52-08-29E, 66.82 FEET; THENCE S60-10-15E, 73.68 FEET; THENCE N29-49-45E, 20.00 FEET; THENCE N60-10-15W, 72.28 FEET; THENCE N52-08-29W, 28.00 FEET; THENCE N80-16-06W, 42.43 FEET TO THE POINT OF BEGINNING. SAID PARCEL CONTAINS 2,408 SQUARE FEET OF LAND MORE OR LESS. SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD.


PLAT OF SURVEY

The West 1/2 of the West 1/2 of the Southwest 1/4 of Section 3, Township 20 North, Range 16 East, Town of Clayton, Winnebago County, Wisconsin



North is referenced to the West line of the Southwest 1/4 of Section 3, assumed to bear N 0°-05'-00" E

Survey Of: Zachow property
For: Mr. Allen Adams



LEGEND

- 3/4" REBAR, SET
- 1-1/4" STEEL REBAR SET
- ◆ SECTION MONUMENT
- ✕ P K NAIL
- 1" IRON PIPE FOUND
- 2" IRON PIPE FOUND
- 3/4" REBAR FOUND
- 1-1/4" REBAR FOUND
- FENCE
- CHISELED "X"
- RAIL ROAD SPIKE
- 1. RECORDS AS


SURVEYOR'S CERTIFICATE

I, hereby certify that I have surveyed the property as shown and described, according to official records and that the plat above drawn is an accurate and correct representation of said survey, to the best of my knowledge and belief.

5/28/1987

DATE

Charles F. Cooper
REGISTERED LAND SURVEYOR



Martenson & Eisele, Inc.

CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH WIS. 54956
PHONE - 731-0381

FIELD BOOK 65 PROJECT NO. 267-46
PAGE 45 D-14
J-19

THIS INSTRUMENT WAS DRAFTED BY: UPC

DESCRIPTION OF ZACHOW PROPERTY SPLIT FOR ALLEN ADAMS

South Parcel:



All that part of the West 1/2 of the West 1/2 of the Southwest 1/4 of Section 3, Town 20 North, Range 16 East, Town of Clayton, Winnebago County, Wisconsin, more fully described as follows: Beginning at the Southwest Corner of said Section 3; thence North 00 degrees 05 minutes 00 seconds East along the West line of said Southwest 1/4, also being the centerline of North Clayton Center Avenue, 1573.25 feet; thence South 87 degrees 58 minutes 15 seconds East, 212.06 feet; thence South 78 degrees 11 minutes 31 seconds East, 154.31 feet; thence North 86 degrees 53 minutes 54 seconds East, 304.29 feet to the East line of said West 1/2 of the West 1/2 of the Southwest 1/4; thence South 00 degrees 11 minutes 47 seconds West along said East line, 1550.23 feet to the South line of said Southwest 1/4; thence South 89 degrees 57 minutes 56 seconds West along said South line, also being the centerline of East Shady Lane, 663.78 feet to the point of beginning, excepting and reserving therefrom the West 33 feet and South 33 feet for roadway purposes, subject to all easements and restrictions of record. Parcel contains 23.712 acres total (22.043 acres excluding road right-of-way).

North Parcel:

All that part of the West 1/2 of the West 1/2 of the Southwest 1/4 of Section 3, Town 20 North, Range 16 East, Town of Clayton, Winnebago County, Wisconsin, more fully described as follows: Beginning at the Northwest Corner of said Southwest 1/4 of Section 3; thence South 89 degrees 59 minutes 07 seconds East along the North line of said Southwest 1/4, 669.01 feet to the East line of said West 1/2 of the West 1/2 of the Southwest 1/4; thence South 00 degrees 11 minutes 47 seconds West along said East line, 1098.91 feet; thence South 86 degrees 53 minutes 54 seconds West, 304.29 feet; thence North 78 degrees 11 minutes 31 seconds West, 154.31 feet; thence North 87 degrees 58 minutes 15 seconds West, 212.06 feet to the West line of said Southwest 1/4; thence North 00 degrees 05 minutes 00 seconds East along said West line, also being the centerline of North Clayton Center Avenue, 1076.45 feet to the point of beginning, excepting and reserving therefrom the West 33 feet for roadway purposes, subject to all easements and restrictions of record. Parcel contains 16.819 acres total (16.003 acres excluding road right-of-way).


PLAT OF SURVEY

All that part of the West 1/2 of the West 1/2 of the Southwest 1/4 of Section 3,
Town 20 North, Range 16 East, Town of Clayton, Winnebago County, Wisconsin.



NORTH IS REFERENCED
TO THE WEST LINE OF
THE SOUTHWEST 1/4 OF
SECTION 3, ASSUMED TO
BEAR N 00° 05' 00" E.

SURVEY FOR:
WRASE REALTY



LEGEND

- O 3/4" REBAR, SET
 O 1-1/4" STEEL REBAR SET
 O SECTION MONUMENT
 O PK NAIL
 O 3" INCH PIPE FOUND
 O 2" IRON PIPE FOUND
 O 3/4" REBAR FOUND
 O 1-1/4" REBAR FOUND
 + - - - FENCE
 X CHISELED "X"
 V NAIL ROAD SPIKE
 () RECORDED AS

SURVEYOR'S CERTIFICATE

I, hereby certify that I have surveyed the property as shown and described, according to official records; and that the plat above drawn is an accurate and correct representation of said survey, to the best of my knowledge and belief.

4/1/87
DATE

Charles F. Casperson
REGISTERED LAND SURVEYOR

Martenson & Eisele, Inc.

CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH WIS. 54956
PHONE - 731-0381

FIELD BOOK _____ PROJECT NO. 267-47
PAGE _____

THIS INSTRUMENT WAS DRAFTED BY J. WEIL



Martenson & Eisele, Inc.

- Civil Engineering
- Municipal Engineering
- Construction Supervision
- Construction Inspection
- Consulting Engineering
- Land Subdividing
- Land Planning
- Property Surveys
- Topographical Surveys
- Certified Soil Testing

1919 American Court
Neenah, Wisconsin 54956
Telephone 414-731-0381

Stanley C. Martenson, P.E.
David D. Eisele, P.L.S.

Charles F. Coopman, P.L.S.
John R. Davel, E.I.T.
James E. Smith, P.L.S.

DESCRIPTION OF NORTH 10 ACRES OF ZACHOW PROPERTY


All that part of the West 1/2 of the West 1/2 of the Southwest 1/4 of Section 3, Town 20 North, Range 16 East, Town of Clayton, Winnebago County, Wisconsin, more fully described as follows: Beginning at the Northwest Corner of said Southwest 1/4 of Section 3; thence South 89 degrees 59 minutes 07 seconds East along the North line of said Southwest 1/4, 669.01 feet to the East line of said West 1/2 of the West 1/2 of the Southwest 1/4; thence South 00 degrees 11 minutes 47 seconds West along said East line, 651.74 feet; thence thence North 89 degrees 59 minutes 07 seconds West, 667.72 feet to the West line of said Southwest 1/4; thence North 00 degrees 05 minutes 00 seconds East along said West line, also being the centerline of North Clayton Center Avenue, 651.74 feet to the point of beginning, excepting and reserving therefrom the West 33 feet for roadway purposes, subject to all easements and restrictions of record. Parcel contains 10.000 acres total (9.506 acres excluding road right-of-way).

CFC/q56
Project No. 267-47
6/01/87

Plat of Survey

PART OF SOUTHEAST 1/4 OF THE NORTHEAST 1/4
OF SECTION 3, TOWN 20 NORTH, RANGE 16 EAST,
TOWN OF CLAYTON, WINNEBAGO CO., WISCONSIN

PREPARED FOR: WINNEBAGO GOLF COURSE
3501 WINNEBAGO DR.
NEENAH, WI.



REFERENCE MERIDIAN: THE SOUTH LINE
OF THE NE 1/4, SEC. 3, WINN. CO. BEARING
SYSTEM. N 89° 59' 07" W


LEGEND

- - 1" X 24" IRON PIPES SET,
WEIGHING 1.13 LBS. / FT.
- ⊙ - EXISTING BERRYSEN MONUMENTS
- X—X—X— - POST. BARR-WIRE FENCE
- ⊙ - EXIST. TREES

SURVEYOR'S CERTIFICATE

I hereby certify that I have surveyed the above
described property and that the above map is a true
representation thereof and shows the size and loca-
tion of the property, its exterior boundaries, the
location of all structures, boundary fences, apper-
ent easements, roadways and visible encroachments,
if any.

This survey is made for the use of the present
owners of the property, and also those who purchase,
mortgage, or guarantee the title thereto within one
(1) year from date hereof.



James G. Mayer
Nov. 8, 1985



McMAHON ASSOCIATES INC.
MUNICIPAL ENGINEERS — LAND SURVEYORS
MENASHA and WAUTOMA, WISCONSIN

DRAWN SSM SCALE 1" = 100'
PROJECT NO. 213-R213
FIELD BOOK PAGE

FILE NO.

Zoning


FORM NO. 985-A

WISCONSIN

Stock No. 26273

CERTIFIED SURVEY MAP NO. 1237

BEING PART OF THE NE 1/4 OF THE SE 1/4 OF SECTION 3, T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN.





NORTH IS REFERENCED TO THE EAST LINE OF THE SE 1/4 OF SECTION 3, T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN WHICH IS NO°-18'-52"E OF NORTH AND IS ASSUMED TO BEAR NO°-18'-52"E.

LEGEND

- = 3/4" x 24" SOLID ROUND #6 IRON REBAR SET, 1.502 LBS. PER LIN. FOOT
- ⊕ = PK NAIL SET
- ⊙ = BERNTSEN MONUMENT FOUND

ANGLES:

- a = 89°-40'-48"
- b = 90°-19'-12"



Robert F. Reider 3-30-84

ROBERT F. REIDER, RLS-1251,
CAROW LAND SURVEYING CO., INC.
1837 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
(A-8311.59-1 rr-mv-kv KJV)
3-29-84

DATED

SHEET ONE OF TWO SHEETS

Stock No. 26273

CERTIFIED SURVEY MAP NO. 1237

SURVEYOR'S CERTIFICATE:

I, ROBERT F. REDIER, REGISTERED WISCONSIN LAND SURVEYOR, CERTIFY THAT I HAVE SURVEYED, DIVIDED AND MAPPED PART OF THE NE ¼ OF THE SE ¼ OF SECTION 3, T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF SECTION 3; THENCE N0°-18'-52"E, 1326.76 FEET ALONG THE EAST LINE OF THE SE ¼ OF SECTION 3 TO THE POINT OF BEGINNING; THENCE CONTINUING N0°-18'-52"E, 676.00 FEET ALONG SAID EAST LINE; THENCE S89°-59'-40"W, 275.00 FEET; THENCE S0°-18'-52"W, 676.00 FEET; THENCE N89°-59'-40"E, 275.00 FEET TO THE POINT OF BEGINNING. SAID PARCEL OF LAND CONTAINING 4.26 ACRES OF LAND MORE OR LESS. SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD. RESEPPING THAT PART PRESENTLY USED FOR ROAD PURPOSES.

THAT I HAVE MADE SUCH SURVEY UNDER THE DIRECTION OF MARIE FEIEREISEN, 177 MAIN ST. MENASHA, WISCONSIN.

THAT THIS MAP IS A CORRECT REPRESENTATION OF THE EXTERIOR BOUNDARY LINES OF THE LAND SURVEYED AND THE DIVISION MADE THEREOF.

THAT I HAVE FULLY COMPLIED WITH THE PROVISIONS OF CHAPTER 236.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION ORDINANCES OF THE TOWN OF CLAYTON AND WINNEBAGO COUNTY.



Robert F. Redier 3-30-84
 ROBERT F. REDIER, ILS-1251 DATED
 CAROL LAND SURVEYING CO., INC.
 1837 W. WISCONSIN AVE.
 P. O. BOX 1297
 APPLETON, WISCONSIN 54912-1297
 A8311.59-1

OWNER'S CERTIFICATE:

AS OWNER, I HEREBY CERTIFY THAT I CAUSED THE LAND DESCRIBED ON THIS CERTIFIED SURVEY MAP TO BE SURVEYED, DIVIDED AND MAPPED AS REPRESENTED. I ALSO CERTIFY THAT THIS MAP REQUIRES THE APPROVAL OF WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE AND THE TOWN OF CLAYTON.

WITNESS THE HAND AND SEAL OF SAID OWNER THIS 16th DAY OF April, 1984
 IN THE PRESENCE OF:

Marie Feiereisen
 MARIE FEIEREISEN

Sam J. E. Bay
 WITNESS

STATE OF WISCONSIN
 COUNTY OF WINNEBAGO ss

PERSONALLY CAME BEFORE ME THIS 16th DAY OF April, 1984, THE ABOVE NAMED PERSON TO ME KNOWN TO BE THE PERSON WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGED THE SAME.

Robert F. Redier
 NOTARY PUBLIC, WINNEBAGO COUNTY
 MY COMMISSION EXPIRES: 12/31/84

PURSUANT TO THE WINNEBAGO COUNTY SUBDIVISION ORDINANCES, ALL REQUIREMENTS FOR APPROVAL HAVE BEEN FULFILLED. THIS CERTIFIED SURVEY MAP WAS APPROVED ON THE 2nd DAY OF May, 1984.

Carol Owens
 CHAIRMAN, WINNEBAGO COUNTY
 PLANNING AND ZONING COMMITTEE

TOWN BOARD APPROVAL:


PURSUANT TO THE TOWN OF CLAYTON SUBDIVISION ORDINANCES, ALL REQUIREMENTS FOR APPROVAL HAVE BEEN FULFILLED. THIS CERTIFIED SURVEY MAP WAS APPROVED ON THE 23 DAY OF April, 1984.

Robert F. Redier 4/23/84
 TOWN CHAIRMAN DATED

Walter Lubbe 4/23/84
 ZONING CHAIRMAN, DATED

LEGEND

- ⊙ = BERNTSEN MONUMENT FOUND
- = 3/4" SOLID ROUND #6 REBAR SET
- = P.K. NAIL SET



I, ROBERT F. REIDER, CERTIFY THAT THIS PLAT OF SURVEY IS A CORRECT REPRESENTATION OF THE PROPERTIES DESCRIBED.

Robert F. Reider 11-14-83

SOUTHEAST CORNER OF SECTION 3-20-16


REVISIONS	ROGER SEELOW 3476 SHADY LANE, NEENAH, WISCONSIN 54956		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297 1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
DRAWN BY	PT MV KV RFR	SCALE	1"=200'
APPRO	LEC	DATE	11-14-83
		DRAWING NO.	48311.59




1837 West Wisconsin Ave.
P.O. Box 1297
Appleton, Wisconsin 54912-1297
Phone (414) 731-4188
NOVEMBER 14, 1983

DESCRIPTION :

A PARCEL OF LAND LOCATED IN THE NORTH $\frac{1}{2}$ OF THE SE $\frac{1}{4}$ OF SECTION 3, T20N, R16E, TOWN OF GLAYTON, WINNEBAGO COUNTY, WISCONSIN. BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF SECTION 3; THENCE N0°-18'-52"E, 1322.76 FEET ALONG THE EAST LINE OF THE SE $\frac{1}{4}$ OF SECTION 3 TO THE SOUTH LINE OF THE NORTH $\frac{1}{2}$ OF THE SE $\frac{1}{4}$ OF SECTION 3; THENCE S89°-59'-40"W, 275.00 FEET ALONG SAID SOUTH LINE TO THE POINT OF BEGINNING; THENCE CONTINUING S89°-59'-40"W, 1785.93 FEET ALONG SAID SOUTH LINE; THENCE N3°-06'-03"E, 347.22 FEET; THENCE N88°-59'-35"E, 553.39 FEET; THENCE N44°-43'-49"E, 367.69 FEET; THENCE N73°-46'-39"E, 313.52 FEET; THENCE N38°-35'-53"E, 146.56 FEET; THENCE N89°-13'-59"E, 567.22 FEET; THENCE S0°-18'-52"W, 827.05 FEET TO THE POINT OF BEGINNING. SAID PARCEL CONTAINS 24.28 ACRES OF LAND MORE OR LESS. SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD. NOTE: THIS PARCEL IS TO BE SOLD TO AN ADJOINING PROPERTY OWNER WITH ROAD ACCESS SO THAT IT IS NOT LANDLOCKED.



DESCRIPTION: PART OF THE NE1/4 OF THE SE1/4, OF SECTION 3, T20N, R16E, IN THE TOWN OF CLAYTON, AS DESCRIBED IN WARRANTY DEED RECORDED AT THE REGISTER'S OFFICE FOR WINNEBAGO COUNTY, WISCONSIN AS DOCUMENT NUMBER 552265.



I, ROBERT F. REIDER, CERTIFY THAT THIS PLAT OF SURVEY IS A CORRECT REPRESENTATION OF THE ABOVE DESCRIBED PROPERTY.

Robert F. Reider

8-5-83

LEGEND

- = 3/4" x 24" SOLID ROUND IRON ROD SET
- = 1" IRON PIPE FOUND
- = 2" IRON PIPE FOUND
- = 1/2" SQUARE IRON ROD FOUND
- ⊙ = BERNTSEN MONUMENT FOUND


REVISIONS	KEN KEHLENBRINK c/o RICK WITTMANN CENTURY 21		
	3003 W. COLLEGE AVE., APPLETON, WISCONSIN 54914		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297		
	1907 W. WISCONSIN AVE. • APPLETON, WI 54912		
DRAWN BY	mm-kv KJV	SCALE	1"=30'
APPD		DATE	8-5-83
		DRAWING NO.	A-5957-83

ZONING OFFICE
RECEIVED
AUG 12 1983
RECEIVED

zoning


3-20-16

*02
PRB
12-14-18*



CERTIFIED SURVEY MAP

A SURVEY OF PART OF THE SW 1/4 OF THE SE 1/4 OF THE SE 1/4, SECTION 3,
T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN




SURVEYORS CERTIFICATE

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

LEGEND

● = 3/4" IRON ROD SET

I, JAMES A. HEBERT, REGISTERED WISCONSIN LAND SURVEYOR, DO HEREBY CERTIFY THAT I HAVE SURVEYED, DIVIDED AND MAPPED PART OF THE SE 1/4 OF THE SE 1/4 OF SECTION 3, T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN WHICH IS MORE FULLY DESCRIBED AS FOLLOWS:
COMMENCING AT THE SOUTHEAST CORNER OF SAID SECTION 3; THENCE DUE WEST, 700.67 FEET ALONG THE SOUTH LINE OF SAID SE 1/4 OF THE SE 1/4 TO THE POINT OF BEGINNING; THENCE CONTINUING DUE WEST, 118.00 FEET; THENCE DUE NORTH, 185.00 FEET; THENCE DUE EAST, 118.00 FEET; THENCE DUE SOUTH, 185.00 FEET TO THE POINT OF BEGINNING.
THAT I HAVE MADE SUCH DIVISION BY ORDER OF THE OWNER OF SAID LANDS, AND THAT I HAVE COMPLIED WITH THE CODE OR ORDINANCES OF WINNEBAGO COUNTY, WISCONSIN AND WITH CHAPTER 236.4 OF THE WISCONSIN STATUTES IN SURVEYING, DIVIDING AND MAPPING THE SAME.



James A. Hebert
JAMES A. HEBERT R.L.S.

COUNTY PLANNING AND ZONING COMMITTEE CERTIFICATE

PURSUANT TO THE LAND SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY, WISCONSIN, ALL THE REQUIREMENTS FOR APPROVAL HAVE BEEN FULFILLED.
THIS CERTIFIED SURVEY WAS APPROVED BY THE WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE ON *December 15*, 1978

CHAIRMAN
Robert M. Hunter
1981

FILE NO. 7831CSM

CERTIFIED SURVEY MAP

OWNERS CERTIFICATE

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

AS OWNERS, WE HEREBY CERTIFY THAT WE CAUSED THE LAND DESCRIBED ON THE CERTIFIED SURVEY MAP TO BE SURVEYED, DIVIDED AND MAPPED AND DEDICATED AS REPRESENTED ON THE CERTIFIED SURVEY MAP. WE ALSO CERTIFY THAT THIS CERTIFIED SURVEY IS REQUIRED BY S. 236.34 AND THE WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE FOR APPROVAL OR OBJECTION.

<u>James Weyland</u>	<u>1234 Main St</u>	<u>David Weyland</u>
OWNER	ADDRESS	WITNESS
<u>Bobbie Weyland</u>	<u>1234 Main St</u>	<u>Bobbie Weyland</u>
OWNER	ADDRESS	WITNESS


CERTIFICATE OF COUNTY REGISTER OF DEEDS

RECEIVED FOR RECORD THIS 21st DAY OF December, 1978
AT 8:56 O'CLOCK A M., AND RECORDED IN VOLUME 1 OF
CERTIFIED SURVEY MAPS OF WINNEBAGO COUNTY, ON PAGE 499.

Allen M. Payne
REGISTER OF DEEDS

FILE NO. 7831 CSM


SHEET 2 of 2



527449

Chas. J. Co.
William & Daries

LEGEND
 ● = 1X30" IRON PIPE SET
 ○ = EXISTING IRON FOUND



CERTIFICATE of SURVEY
 I, David D. Eisele, hereby certify that the property shown hereon was surveyed under my supervision and that this is a true and correct representation thereof.

David D. Eisele
 David D. Eisele, Surveyor

Date: July 1, 1974



SURVEY FOR CHUCK WISMER PART OF N 1/2, SE 1/4 OF THE SE 1/4 OF SEC. 3, T20N, R16E, TOWN OF CLAYTON WINNEBAGO CO. WIS.

1-50 27/74
 D.E.B. (CHECKED)
 K.H. MAY 1974

3 20 16 1

6/28/74


3-20-16

E. LINE, SE $\frac{1}{4}$ N 0°-00'E 0.8' SE COR. SEC. 3, T20N, R16E

227.8'


885.51'
(893.00' REC.)

DOCUMENT # 479582



DESCRIPTION

A PARCEL OF LAND LOCATED IN THE SE $\frac{1}{4}$ OF THE SE $\frac{1}{4}$ OF SECTION 3, T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN WHICH IS MORE FULLY DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF SAID SECTION 3; THENCE N 0°-00'E, 885.51 FEET ALONG THE EAST LINE OF THE SOUTHEAST CORNER (REC. AS 893.00 FEET); THENCE N90°-00'W, 190.12 FEET (REC 191.22) TO PT. OF BEG; THENCE CONTINUING N90°-00'W, 95.61 FEET; THENCE N0°-00'W, 227.80 FEET; THENCE S90°-00'E, 95.61 FEET; THENCE S0°-00'E, 227.80 FEET TO THE POINT OF BEGINNING. SAID PARCEL CONTAINS 0.50 ACRES OF LAND MORE OR LESS AND IS SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD. SAID PARCEL IS TO BE PART OF AN EXISTING PARCEL AND IS NOT INTENDED TO CREATE A NEW PARCEL.



I, JAMES A. HERBERT R.L.S., DO HEREBY CERTIFY THAT THE ABOVE PLAT OF SURVEY IS A CORRECT REPRESENTATION OF THE DESCRIBED PROPERTY.


LEGEND

- = 3/4" IRON ROD SET (WT. 1.502 LBS/LF)
- = 1" IRON PIPE FOUND
- △ = P.E. NAIL FOUND
- ▲ = MASONRY NAIL SET

TOLERANCES (PERCENT AS NOTED)	REVISIONS			SURVEY FOR SHARON WISMER 9385 N. Oakwood Ave., Neenah, Wisconsin 54956		
	NO.	DATE	BY			
DECIMAL	1			OUTGAMIE LAND SURVEYING, ph 414-734-8373 2924 Peachtree Ln., Appleton, Wisconsin 54911		
FRACTIONAL	2					
+	3			DRAWN BY jah	SCALE 1" = 60'	MATERIAL
ANGULAR	4			CHK'D	DATE 10-6-81	DRAWING NO.
-	5			TRACED	APP'D	610/82

CERTIFIED SURVEY MAP NO. 2101

NORTH IS REFERENCED TO THE
EAST LINE OF THE SOUTHEAST 1/4
OF SECTION 3, T20N, R16E, TOWN
OF CLAYTON, WINNEBAGO COUNTY,
WISCONSIN, WHICH IS ASSUMED
TO BEAR N00°-18'-52"E



Michael D. Vander B. Bloomen 10-2-89
MICHAEL D. VANDER BLOOMEN RIS-1828 DATED
CAROW LAND SURVEYING CO., INC.
1837 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
A8311.59-89 (my dv DEW)

SCALE:
1"=100'

LEGEND:

- = 3/4" x 24" SOLID ROUND #6
IRON REBAR SET WEIGHING
1.502 LBS. PER LIN. FT.
- = 3/4" SOLID ROUND IRON REBAR
FOUND
- = P.K. NAIL SET
- = P.K. NAIL FOUND
- ⊙ = BERNTSEN MONUMENT FOUND

Stock No. 26273

NOV 5 1989


CERTIFIED SURVEY MAP NO. 2101

I, MICHAEL D. VANDER BLOOMEN, REGISTERED WISCONSIN LAND SURVEYOR, CERTIFY THAT I HAVE SURVEYED, DIVIDED AND MAPPED PART OF THE NORTHEAST ¼ OF THE SOUTHEAST ¼ OF SECTION 3, T2N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN, MORE FULLY DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF SECTION 3; THENCE N00°-18'-52"E, 2002.76 FEET ALONG THE EAST LINE OF THE SOUTHEAST ¼ OF SECTION 3 TO THE NORTH LINE OF CERTIFIED SURVEY MAP NUMBER 1237, RECORDED IN VOLUME 1 ON PAGE 1237 AND BEING THE POINT OF BEGINNING; THENCE CONTINUING N00°-18'-52"E, 328.00 FEET ALONG SAID EAST LINE; THENCE S89°-59'-40"W, 275.00 FEET; THENCE S00°-18'-52"W, 328.00 FEET TO THE NORTH LINE OF CERTIFIED SURVEY MAP NUMBER 1237; THENCE N89°-59'-40"E, 275.00 FEET ALONG SAID NORTH LINE TO THE POINT OF BEGINNING. SAID PARCEL OF LAND CONTAINS 2.071 ACRES OF LAND MORE OR LESS, SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD. RESERVING THAT PART PRESENTLY USED FOR ROAD PURPOSES.

THAT I HAVE MADE SUCH SURVEY UNDER THE DIRECTION OF MARIE FEIEREISEN c/o ROGER SEELOW, 3476 SHADY LANE, NEENAH, IL 54956.

THAT THIS MAP IS A CORRECT REPRESENTATION OF THE EXTERIOR BOUNDARY LINES OF THE LAND SURVEYED.

THAT I HAVE FULLY COMPLIED WITH THE PROVISIONS OF CHAPTER 236.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION ORDINANCES OF THE TOWN OF CLAYTON AND WINNEBAGO COUNTY.



Michael D. Vander Bloomen 10-7-89
MICHAEL D. VANDER BLOOMEN RLS-1828 DATED
CAROW LAND SURVEYING CO., INC.
1837 W. WISCONSIN AVE. P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
A8311.59-89

OWNER'S CERTIFICATE:

AS OWNER, I HEREBY CERTIFY THAT I CAUSED THE LAND DESCRIBED ON THIS CERTIFIED SURVEY MAP TO BE SURVEYED, DIVIDED AND MAPPED AS REPRESENTED. I ALSO CERTIFY THAT THIS MAP IS REQUIRED BY S. 236.10 OR S. 236.12 OF THE WISCONSIN STATUTES TO BE SUBMITTED TO THE FOLLOWING FOR APPROVAL: TOWN OF CLAYTON, WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE.

WITNESS THE HAND AND SEAL OF SAID OWNER THIS 17 DAY OF October, 1989.

OWNER

WITNESS

STATE OF WISCONSIN
COUNTY OF WINNEBAGO ss

PERSONALLY CAME BEFORE ME THIS 17 DAY OF October, 1989. THE ABOVE NAMED PERSON TO ME KNOWN TO BE THE PERSON WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGED THE SAME.

NOTARY PUBLIC

MY COMMISSION: 10 permanent

PURSUANT TO THE WINNEBAGO COUNTY SUBDIVISION ORDINANCE, ALL REQUIREMENTS FOR APPROVAL HAVE BEEN FULFILLED. THIS CERTIFIED SURVEY MAP WAS APPROVED ON THE 1st DAY OF November, 1989.

Jeanette Dinkoff
V. CHAIRPERSON, WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE.

TREASURER'S CERTIFICATE:

I HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES OR UNPAID SPECIAL ASSESSMENTS ON ANY OF THE LANDS INCLUDED ON THIS CERTIFIED SURVEY MAP.

Marjorie L. Rainder 10/30/89
TREASURER TOWN OF CLAYTON DATED

Arthur J. Bradley 11/1/89
TREASURER WINNEBAGO COUNTY DATED


733349

Register's Office
Winnebago County, Wis.
Received for record this 9th
day of Nov. A.D. 1989
at 3:04 o'clock P.M. and
filed in Vol. 1 of CS M
on page 2101

Marjorie Johnson
Register of Deeds

Pa.
8

PLAT OF SURVEY




LEGEND

● = Government monument found

NOTES

North is referenced to the South line of the SE 1/4 of Section 3, T20N, R16E, and is assumed to Bear S89°09'12\"W.

Property owner waived the placing of the property corner irons.



James A. Hebert P.L.S. S-980 1-21-92

I, JAMES A. HEBERT R.L.S., DO HEREBY CERTIFY THAT THE ABOVE PLAT OF SURVEY IS A CORRECT REPRESENTATION OF THE DESCRIBED PROPERTY.

TOLERANCES (EXCEPT AS NOTED)	REVISIONS			Surveyed for Joe Dorn 1556 E. Moon Beam Trail, Appleton, Wi. 54915		
	NO.	DATE	BY			
DECIMAL	1			HEBERT & ASSOIATES ph 414-734-8373 1110 W. Wisconsin Ave., Appleton, Wi. 54914		
±	2					
FRACTIONAL	3			DRAWN BY	SCALE	MATERIAL
±				jah	1"=100'	
ANGULAR	4			CHK'D	DATE	DRAWING NO.
					1-21-92	
±	5			TRACED	APP'D	08108A



Hebert & Associates

1110 West Wisconsin Avenue
P.O. Box 1594
Appleton, Wisconsin 54913
414/734-8373

LAND SURVEYING
SOIL TESTING
CONSULTING

January 21, 1992

Joe Dorn
1556 E. Moon Beam Trail
Appleton, Wi. 54915

DESCRIPTION


A PARCEL OF LAND LOCATED IN THE SW $\frac{1}{4}$ OF THE SE $\frac{1}{4}$, SECTION 3, T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN WHICH IS MORE FULLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHEAST CORNER OF SAID SECTION 3; THENCE S89°09'12"W, 1357.68 FEET ALONG THE SOUTH LINE OF SAID SE $\frac{1}{4}$ TO THE SOUTHEAST CORNER OF THE SW $\frac{1}{4}$ OF THE SE $\frac{1}{4}$ AND TO THE POINT OF BEGINNING; THENCE CONTINUING S89°09'12"W, 375.00 FEET ALONG SAID SOUTH LINE; THENCE N0°22'37"W, 670.00 FEET; THENCE N89°09'12"E, 375.00 FEET TO THE EAST LINE OF THE SW $\frac{1}{4}$ OF THE SE $\frac{1}{4}$; THENCE S0°22'37"E, 670.00 FEET ALONG SAID EAST LINE TO THE POINT OF BEGINNING.

SAID PARCEL OF LAND CONTAINS 5.76 ACRES MORE OR LESS (5.48 ACRES MORE OR LESS WITHOUT ROAD) AND IS SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD, RESERVING THAT PART PRESENTLY USED FOR ROAD PURPOSES.

James A. Hebert PLS
JAMES A. HEBERT PLS S-980

1-21-92
DATED



File # 88108

COPY


CERTIFIED SURVEY MAP NO. _____

Part of the Northwest 1/4 of the Southwest 1/4 of Section 3,
Township 20 North, Range 16 East, Town of Clayton, Winnebago
County, Wisconsin.

Survey for:
Marvin Zachow
9416 Center Road
Neenah, WI 54956

UNPLATTED LANDS

EAST LINE OF THE W 1/2 OF THE W 1/2 OF THE SW 1/4
S 00°11'47" W 447.17'



UNPLATTED LANDS

UNPLATTED LANDS

LOT 1

LOT 133,250 SQ. FT.
R/W 6,930 SQ. FT.
TOTAL 140,180 SQ. FT.

LOT 2

LOT 149,764 SQ. FT.
R/W 7,105 SQ. FT.
TOTAL 156,869 SQ. FT.


West 1/4 corner
Section 3
T.20 N. R.16 E.
Aluminum County Mon. Found

Southwest corner
Section 3
T.20 N. R.16 E.
Aluminum County Mon. Found


LEGEND

- 3/4" STEEL REINFORCING BAR SET, 24" LONG, WEIGHING 1.502 LBS. PER LIN. FOOT
- 1" IRON PIPE SET, 24" LONG, WEIGHING 1.130 LBS. PER LIN. FOOT
- △ 1-1/4" STEEL REINFORCING BAR SET, 30" LONG, WEIGHING 4.303 LBS. PER LIN. FOOT
- × CHISELED "X" SET
- 3/4" REBAR FOUND
- 1" IRON PIPE FOUND
- ▲ 1-1/4" REBAR FOUND
- ◻ 2" IRON PIPE FOUND
- ⊗ CHISELED "X" FOUND
- ⊙ GOVERNMENT CORNER

North is referenced to
the West line of the
Southwest 1/4 of Section
3, assumed to bear
N 00°05'00" E



--- FENCE LINE
() RECORDED AS



Martenson & Eisele, Inc.

CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WIS. 54956
PHONE (414) 731-0381



Gary A. Zahringer
Oct. 11, 1993

PROJECT NO. 148-321A

FIELD BOOK _____ PAGE _____
DISK UNIX/KAZ FILE S148321
SHEET 1 OF 3

THIS INSTRUMENT WAS DRAFTED BY: MJK

CERTIFIED SURVEY MAP NO. _____

Certificate of Planning Committee:

Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This Minor Subdivision was approved by the Winnebago County Planning and Zoning Committee on _____ day of _____, 19____.

Chairman, Planning and Zoning Committee

Treasurer's Certificate:

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

Town Treasurer

County Treasurer

Date:

Date:

Town Board Approval:

We hereby certify that the Town of Clayton has reviewed and approved this certified survey map.


Town Chairman

Date

Town Clerk

Date

This CSM is a portion of Tax Parcel Number 006-0055



Gary A. Zahring
Oct. 11, 1993

PROJECT NO. 148-321A

SHEET 2 OF 3

CERTIFIED SURVEY MAP NO. _____

SURVEYOR'S CERTIFICATE:

I, Gary A. Zahringer, Registered Land Surveyor, do hereby certify:

That I have surveyed, divided and mapped, at the direction of Marvin Zachow, part of the Northwest 1/4 of the Southwest 1/4 of Section 3, Township 20 north, Range 16 East, Town of Clayton, Winnebago County, Wisconsin, described as follows:


Commencing at the Southwest corner of said Section 3; thence N 00° 05' 00" E, along the West line of said Southwest 1/4, a distance of 1573.25 feet to the point of beginning; thence continuing N 00° 05' 00" E, along said West line, 424.71 feet; thence S 89° 59' 07" E, 667.72 feet; thence S 00° 11' 47" W along the East line of the West 1/2 of the West 1/2 of the said southwest 1/4, a distance of 447.17 feet; thence S 86° 53' 54" W, 304.29 feet; thence N 78° 11' 31" W, 154.31 feet; thence N 87° 58' 15" W, 212.06 feet to the point of beginning, reserving the West 33.00 feet for roadway purposes.

That I have fully complied with Chapter 236.34 of the Wisconsin Statutes in surveying, dividing, and mapping the same and the Town of Clayton, and Winnebago County Subdivision Ordinances.

This map is a correct representation of all of the exterior boundaries of land surveyed and the division thereof.

Given under my hand this 11th day of October, 1993

Gary A. Zahring
Gary A. Zahring, Reg. Wfs. Land Surveyor, S-2098



OWNERS CERTIFICATE:

As owner I, the undersigned, hereby certify that we caused the land above described to be surveyed, divided and mapped and dedicated to the public all as shown and represented on this map.

Owner: Marvin Zachow

Date:

State of Wisconsin)
Winnebago County) SS

Personally came before me on the _____ day of _____, 19____,
the above owners to me known to be the persons who executed the foregoing
instrument and acknowledge the same.

Notary Notary My Commission Expires


Notary Notary

PROJECT NO. 148-321A
SHEET 3 OF 3

PLAT OF SURVEY

PART OF THE SOUTHWEST 1/4 OF SECTION 3, TOWNSHIP 20 NORTH, RANGE 16 EAST,
1/4 IN. OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN.

WEST 1/4 CORNER SECTION 3
TOWNSHIP 20 NORTH, RANGE 16 EAST
ALLUMONA COUNTY MONUMENT




Scale 1" = 200'

BEARINGS ARE REFERENCED TO THE
NORTH LINE OF THE SOUTHWEST 1/4
OF SECTION 3, T20N, R16E
ASSUMED TO BEAR: S 89°59'07" E

SURVEY FOR:


ROGER SEELOW
3176 W. SHADY LANE
KEENAH, WI. 54956



LEGEND

- 1/4" REBAR SET
- 1" IRON PIPE SET
- △ 1-1/4" REBAR SET
- X CHISELED "X" SET
- 3/4" REBAR FOUND
- 1" IRON PIPE FOUND
- ▲ 1-1/4" REBAR FOUND
- ▣ 2" IRON PIPE FOUND
- ⊙ CHISELED "X" FOUND
- ⊕ GOVERNMENT CORNER

() FENCE
RECORDED AS



SURVEYOR'S CERTIFICATE:

I, hereby certify that I have surveyed this property and this map is a true representation thereof and shows the size and location of the property its exterior boundaries, the location of all apparent easements and roadways and visible encroachments. This survey is made for the exclusive use of the present owner of the property, and also those who purchase, mortgage or guarantee the title thereto within one (1) year from date hereof: and as to them I hereby certify that said survey and map were made in accordance with acceptable Professional Standards and that the information contained thereon is, to the best of my knowledge, information and belief a true and accurate representation thereof.

Date FEB 17 1995 James E. Smith
Wisconsin Registered Land Surveyor



Martenson & Eisele, Inc.

CONSULTING ENGINEERING & LAND SURVEYING
1519 AMERICAN COURT
KEENAH, WI 54956
PHONE (414)-731-0381

PROJECT NO. 267-111

FIELD BOOK 123

PAGE 21

DISK UNIX


FILE pos267111

This instrument was drafted by: DWG

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 4043

PART OF THE SOUTHEAST 1/4 OF THE SOUTHEAST 1/4, SECTION 3,
T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN.

Prepared for: James Weyenberg
9313 N. Oakwood Ave.
Neenah, WI 54956




Bearings are referenced to
the East line of the SE 1/4,
Section 3-20-16, assumed
to bear N00°18'25"E.

NOTES:

1. This CSM is all of tax parcel
No. 006-0065.
2. This CSM is contained wholly
within the property described
in Document No. 580499.
3. Property owners of record are:
James H. & Ethel H. Weyenberg.

SOUTH 1/4 CORNER
SECTION 3-20-16
(COUNTY MONUMENT)



LEGEND

- = 3/4" x 24" IRON ROD, SET
WEIGHING 150 LBS. AIN. FT.
- ▲ = MASONRY NAIL, SET

BUILDING SETBACKS

FRONT = 30', REAR = 25'
SIDE = 7' ONE SIDE, 10' OTHER

SOUTHEAST CORNER
SECTION 3-20-16
(COUNTY MONUMENT)

SURVEYOR'S CERTIFICATE


I, Thomas M. Wood, Registered Wisconsin Land Surveyor, do hereby
certify that I have surveyed, divided and mapped all that part of the
Southeast 1/4 of the Southeast 1/4, Section 3, T20N, R16E, Town of
Clayton, Winnebago County, Wisconsin, described as follows: Beginning
at the Southeast Corner of said Section 3; thence S89°58'26"W,
678.85 feet; thence N00°21'54"E, 661.50 feet; thence N89°59'03"E,
678.19 feet; thence S00°18'29"W, 661.38 feet to the point of
beginning.

That I have such survey, map and land division as shown hereon, under
the direction of James Weyenberg, owner of said lands.

That this map is a correct representation of the exterior boundary
lines of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of
the Wisconsin Statutes and the Subdivision Ordinances of Winnebago
County, Wisconsin, in surveying, dividing and mapping the same.

Thomas M. Wood July 27, 1998
Thomas M. Wood Date





**HARRIS
& ASSOCIATES, INC.**
CONSULTING ENGINEERS
AND LAND SURVEYORS


2116 NORTH HEDGE ST.
APPLETON, WI 54911
TEL: (426) 793-8977
FAX: (426) 793-4131

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 4043

PART OF THE SOUTHEAST 1/4 OF THE SOUTHEAST 1/4, SECTION 3,
T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN.

Prepared for: James Weyenberg
4313 N. Oakwood Ave.
Neenah, WI 54956

EAST 1/4 CORNER
SECTION 3-20-16
(COUNTY MONUMENT)




Bearings are referenced to
the East line of the SE 1/4,
Section 3-20-16, assumed
to bear $N00^{\circ}18'24"E$.

NOTES:

1. This GSN is all of tax parcel
No. 006-0065.
2. This GSN is contained wholly
within the property described
in Document No. 580499.
3. Property owners of record are:
James W. & Ethel M. Weyenberg.

SOUTH 1/4 CORNER
SECTION 3-20-16
(COUNTY MONUMENT)



LEGEND

- = 3/4" X 24" IRON ROD SET
WEIGHING 1.50 LBS/LIN. FT.
- ▲ = MASONRY NAIL, SET

SOUTHEAST CORNER
SECTION 3-20-16
(COUNTY MONUMENT)

BUILDING SETBACKS

FRONT = 30'; REAR = 25'
SIDE = 7' ONE SIDE, 10' OTHER

SURVEYOR'S CERTIFICATE

I, Thomas M. Wood, Registered Wisconsin Land Surveyor, do hereby
certify that I have surveyed, divided and mapped all that part of the
Southeast 1/4 of the Southeast 1/4, Section 3, T20N, R16E, Town of
Clayton, Winnebago County, Wisconsin, described as follows: Beginning
at the Southeast Corner of said Section 3; thence $S89^{\circ}58'26"W$,
678.85 feet; thence $N00^{\circ}21'54"E$, 661.50 feet; thence $N89^{\circ}59'03"E$,
678.19 feet; thence $S00^{\circ}18'29"W$, 661.33 feet to the point of
beginning.

That I have such survey, map and land division as shown hereon, under
the direction of James Weyenberg, owner of said lands.

That this map is a correct representation of the exterior boundary
lines of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of
the Wisconsin Statutes and the Subdivision Ordinances of Winnebago
County, Wisconsin, in surveying, dividing and mapping the same.



Thomas M. Wood July 27, 1998
Thomas M. Wood Date



**HARRIS
& ASSOCIATES, INC.**
CONSULTING ENGINEERS
AND LAND SURVEYORS

2710 NORTH MEADE ST.
APPLETON, WI 54911
TEL: (920) 753-8577
FAX: (920) 753-4731

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 4043

OWNERS CERTIFICATE

As Owner, I hereby certify that I caused the land described to be surveyed, divided, mapped as shown and represented on this map.

Dated this 4th day of August, 1998.

James W. Weyenberg
James W. Weyenberg


Ethel M. Weyenberg
Ethel M. Weyenberg

State of Wisconsin)
Outagamie County) ss

Personally came before me this 4th day of August, 1998, the above named person to me known to be the person who executed the foregoing instrument and acknowledged the same.

Carol Shebesta
Notary Public

My commission expires 8-26-02



PLANNING COMMITTEE CERTIFICATE

This Certified Survey Map was approved by the Winnebago County Planning and Zoning Committee on this 4th day of August, 1998.

Joanne M. Sievert
Signed

TREASURER'S CERTIFICATE

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands included in this Certified Survey Map.

Margaret L. Reinders 8-3-98
Town Treasurer Date

Mary L. Krueger Deputy 8/4/98
County Treasurer Date


TOWN BOARD CERTIFICATE

We hereby certify that the Town of Clayton Board of Supervisors approved this Certified Survey Map with/without conditions at their regular meeting on this 3rd day of August, 1998.

Robert E. Schneider 8/3/98
Town Chairperson Date

Joanne M. Sievert 8/4/98
Town Clerk Date

1020500



Thomas M. Wood 7-27-98
Thomas M. Wood Date


Register's Office
Winnebago County, Wis.
Received for record this 4th
day of August A.D., 1998
at 5:31:25 o'clock M. and
recorded in Vol. 1 of CSM
on page 4043

Susan W. Weyenberg
Register of Deeds

pd 12.0

Plat of Survey



All of Lot 1 of Certified Survey
Map #499, being part of the SW 1/4 of the SE 1/4,
Section 3, T20N, R16E, Town of Clayton,
Winnebago County, Wisconsin



David Hebert
David Hebert, RLS

5-15-98
Date

SCALE: 1"=50'



LEGEND

- = Government corner
- = Set 3/4" x 24" iron rebar
Wt. = 1.502 lbs/lf

Southeast corner
Section 3-20-16
Berntsen monument

HAI Hebert Associates, Inc.
Land Surveying • Soil Testing • Engineering
2003 N. Meade Street
Appleton, WI 54911
920-734-8373
Fax: 920-734-3988

A SURVEY FOR:
DAVE WEAST
Shorewest Realtors
1486 Kenwood Dr.
Menasha, WI 54952

DATE: 5-14-98
DRAFTED BY: kms
SCALE: 1" = 50'
DRAWING NUMBER:
78031A02

Plat of Survey


All of Lot 1 of Certified Survey
Map #499, being part of the SW 1/4 of the SE 1/4,
Section 3, T20N, R16E, Town of Clayton,
Winnebago County, Wisconsin



David Hebert
David Hebert, RLS

5-15-98
Date

SCALE: 1"=50'
0 25 50 100



LEGEND

- ⊕ = Government corner
- = Set 3/4" x 24" iron rebar
Wt. = 1.502 lbs/lf

Southeast corner
Section 3-20-16
Berntsen monument



Hebert Associates, Inc.

Land Surveying • Soil Testing • Engineering

2003 N. Meade Street
Appleton, WI 54911

920-734-8373
Fax 920-734-3988

A SURVEY FOR:

DAVE WEAST
Shorewest Realtors
1486 Kenwood Dr.
Menasha, WI 54952

DATE: 5-14-98

DRAFTED BY: km3

SCALE: 1" = 50'

DRAWING NUMBER:

78C31A02




CERTIFIED SURVEY MAP NO. 4005
PART OF THE NORTHEAST 1/4 OF THE SOUTHEAST 1/4,
SECTION 3, TOWN 20 NORTH, RANGE 16 EAST,
TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN



BEARINGS ARE REFERENCED TO THE EAST
LINE OF THE SOUTHEAST 1/4, SECTION 3,
RECORDED TO BEAR S 00°19'52" W

1" = 200'
0 200
SCALE IN FEET

SURVEY FOR: ROGER SEELOW



NOTE:
LOT 1 MAY NOT BE SPLIT UNLESS
COMPLIES WITH FRONTAGE AND
WIDTH REQUIREMENTS.

LEGEND

- 3/4" STEEL REINFORCING BAR SET, 24" LONG,
WEIGHING 1.502 LBS. PER LIN. FOOT
- 1" IRON PIPE SET, 24" LONG,
WEIGHING 1.130 LBS. PER LIN. FOOT
- ▲ 1-1/4" STEEL REINFORCING BAR SET, 30" LONG,
WEIGHING 4.303 LBS. PER LIN. FOOT
- CHISELED "X" SET
- 3/2" REBAR FOUND
- 1" IRON PIPE FOUND
- 1-1/4" REBAR FOUND
- 2" IRON PIPE FOUND
- CHISELED "X" FOUND
- GOVERNMENT CORNER

() FENCE
RECORDED AS



Martenson & Eisele, Inc.
CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)-751-0381



Daniel W. Hoel
JUNE 4, 1998

PROJECT NO. 267-131
FIELD BOOK _____ PAGE _____
FILE _____ DISK csm267131
SHEET 1 OF 3
This instrument was drafted by: pae



CERTIFIED SURVEY MAP NO. 4005


PART OF THE NORTHEAST 1/4 OF THE SOUTHEAST 1/4,
SECTION 3, TOWN 20 NORTH, RANGE 16 EAST,
TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN



BEARINGS ARE REFERENCED TO THE EAST
LINE OF THE SOUTHEAST 1/4, SECTION 3,
RECORDED TO BEAR S 00°18'52" W

1" = 200'
0 200
SCALE IN FEET

SURVEY FOR: ROGER SEELOW



LEGEND

- 3/4" STEEL REINFORCING BAR SET, 24" LONG,
WEIGHING 1.502 LBS. PER LIN. FOOT
- 1" IRON PIPE SET, 24" LONG,
WEIGHING 1.130 LBS. PER LIN. FOOT
- ▲ 1-1/4" STEEL REINFORCING BAR SET, 30" LONG,
WEIGHING 4.303 LBS. PER LIN. FOOT
- X CHISELED "X" SET
- 3/4" REBAR FOUND
- 1" IRON PIPE FOUND
- △ 1-1/4" REBAR FOUND
- 2" IRON PIPE FOUND
- ⊗ CHISELED "X" FOUND
- ⊙ GOVERNMENT CORNER

() FENCE
RECORDED AS



Martenson & Eisele, Inc.
CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WI 54956
PHONE (414)-731-0381



Daniel W. Hoel
JUNE 4, 1998

PROJECT NO. 267-131
FIELD BOOK _____ PAGE _____
FILE _____ DISK csm267131
SHEET 1 OF 3
This instrument was drafted by: pae

CERTIFIED SURVEY MAP NO. 4005

SURVEYOR'S CERTIFICATE:

I, Daniel W. Hoel, Registered Land Surveyor, do hereby certify:

That I have surveyed, divided, mapped and dedicated at the direction of Roger Seelow part of the Northeast 1/4 of the Southeast 1/4 of Section 3, Township 20 North, Range 16 East, Town of Clayton, Winnebago County, Wisconsin described as follows:


Beginning at the East 1/4 corner of said Section 3 thence South 00 degrees 18 minutes 52 seconds West, along the East line of said Southeast 1/4, a distance of 314.58 feet; thence South 89 degrees 59 minutes 40 seconds West, 275.00 feet; thence South 00 degrees 18 minutes 52 seconds West, 180.95 feet; thence South 89 degrees 13 minutes 59 seconds West, 567.22 feet; thence South 38 degrees 35 minutes 53 seconds West, 146.56 feet; thence South 73 degrees 46 minutes 39 seconds West, 313.52 feet; thence South 44 degrees 43 minutes 49 seconds West, 172.14 feet; thence North 00 degrees 25 minutes 51 seconds East, 828.03 feet; thence South 89 degrees 58 minutes 52 seconds East, along the North line of said Southeast 1/4, a distance of 1352.28 feet to the point of beginning, containing 711343 square feet (16.330 acres), dedicating the East 33 feet presently used for right-of-way purposes. Subject to all easements and restrictions of record.

That I have fully complied with Chapter 236.34 of the Wisconsin Statutes in surveying, dividing, mapping and dedicating the same and the Town of Clayton, and Winnebago County Subdivision Ordinances.

This map is a correct representation of all of the exterior boundaries of land surveyed and the division thereof.

Given under my hand this 4 day of JUNE, 1998.

Daniel W. Hoel
Daniel W. Hoel, Reg. Wis. Land Surveyor, S-1786



OWNERS CERTIFICATE:

As owners we, the undersigned, hereby certify that we caused the land above described to be surveyed, divided and mapped all as shown and represented on this map.

Dated this 8th day of June, 1998

Roger F. Seelow
Roger F. Seelow

Lois M. Seelow
Lois M. Seelow

State of Wisconsin))SS
Winnebago County)

Personally came before me on the 8th day of June, 1998, the above owners to me known to be the persons who executed the foregoing instrument and acknowledge the same.

James M. Seelow
Notary

My Commission Expires 4-15-99

CERTIFIED SURVEY MAP NO. 4005

OWNERS CERTIFICATE:

As owner I, the undersigned, hereby certify that I caused the land above described to be surveyed, divided, mapped and dedicated all as shown and represented on this map.

Dated this 8th day of June, 1998

Timothy G. Johnson
Timothy G. Johnson

State of Wisconsin)
Winnebago County) SS

Personally came before me on the 8th day of June, 1998, the above owners to me known to be the persons who executed the foregoing instrument and acknowledge the same.

Joanne M. Sivert
Notary

My Commission Expires 4-15-99

CERTIFICATE OF PLANNING COMMITTEE:

Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This Minor Subdivision was approved by the Winnebago County Planning and Zoning Committee on 12th day of June, 1998.

John D. Schiller
Chairman, Planning and Zoning Committee

TREASURER'S CERTIFICATE:

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

Margaret L. Reindert
Town Treasurer
6/11/98
Date:

Mary E. Kuegel-Deputy
County Treasurer
6/2/98
Date:

TOWN BOARD APPROVAL:

We hereby certify that the Town of Clayton has reviewed and approved this certified survey map.

Arden E. Reindert 6/10/98
Town Chairman Date

Joanne M. Sivert 6/10/98
Town Clerk Date

Owners of record:


Roger F. &
Lois M. Seelow
Timothy G. Johnson

Recording information:

Document No. 788235
Document No. 735325

Parcel number:

006-0059-00
006-0060-00




PROJECT NO. 267-131
OF 3

1013086

Register's Office
Winnebago County, Wis.
Received for record this 12th
day of June A.D., 19 98
at 3:19 o'clock P. M. and
recorded in Vol. 1 of CSM
on page 4005
Susan Whanghoff
Register of Deeds

Chg
(602)




Stock No. 26273

CERTIFIED SURVEY MAP NO. 4118


BEING PART OF THE NORTHEAST 1/4 OF THE FRACTIONAL NORTHEAST 1/4 OF SECTION 3, TOWNSHIP 20 NORTH, RANGE 16 EAST, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN.

TAX NO.: 006-0041-01




- LEGEND:
- = 3/4" X 24" SOLID ROUND #6 IRON REBAR SET, WEIGHING 1.502 LBS. PER LIN. FT.
 - ⊙ = 3/4" SOLID ROUND IRON REBAR FOUND
 - ⊕ = 1" IRON PIPE FOUND
 - = P.K. NAIL SET
 - = P.K. NAIL FOUND
 - ⊗ = BERNTSEN MONUMENT FOUND
 - ⊙ = WELL
 - () = RECORDED AS

NORTH IS REFERENCED TO THE EAST LINE OF THE FRACTIONAL NORTHEAST 1/4 OF SECTION 3, TOWNSHIP 20 NORTH, RANGE 16 EAST, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN WHICH IS ASSUMED TO BEAR N00°18'23"W.



SHEET 1 OF 3 SHEETS




Keith J. Valentyne 10-19-98
KEITH J. VALENTYNE, RLS-2198 DATED
CAROW LAND SURVEYING CO., INC.
1837 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
A2404-98 (kv-tm RDD) 10-19-98

CERTIFIED SURVEY MAP NO. 4118

BEING PART OF THE NORTHEAST 1/4 OF THE FRACTIONAL NORTHEAST 1/4 OF SECTION 3, TOWNSHIP 20 NORTH, RANGE 16 EAST, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN.


TAX NO.: 006-0041-01




BUILDING SETBACKS:
STREET: 30 FEET MINIMUM
REAR: 25 FEET MINIMUM
SIDE: 7 FEET MINIMUM ONE SIDE;
10 FEET OTHER

- LEGEND:
- = 3/4" X 24" SOLID ROUND #6 IRON REBAR SET, WEIGHING 1.502 LBS. PER LIN. FT.
 - ⊙ = 3/4" SOLID ROUND IRON REBAR FOUND
 - ⊖ = 1" IRON PIPE FOUND
 - ⊕ = P.K. NAIL SET
 - ⊞ = P.K. NAIL FOUND
 - ⊗ = BERNTSEN MONUMENT FOUND
 - ⊘ = WELL
 - = RECORDED AS

NORTH IS REFERENCED TO THE EAST LINE OF THE FRACTIONAL NORTHEAST 1/4 OF SECTION 3, TOWNSHIP 20 NORTH, RANGE 16 EAST, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN WHICH IS ASSUMED TO BEAR N00°18'23"W.



SHEET 1 OF 3 SHEETS



Keith J. Valentyne 10-19-98
KEITH J. VALENTYNE, RLS-2198 DATED
CAROW LAND SURVEYING CO., INC.
1837 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
A2404-95 (kv-tm RDP) 10-19-98

CERTIFIED SURVEY MAP NO. 4118**SURVEYOR'S CERTIFICATE:**

I, KEITH J. VALENTYNE, REGISTERED WISCONSIN LAND SURVEYOR, CERTIFY THAT I HAVE SURVEYED, DIVIDED AND MAPPED PART OF THE NORTHEAST 1/4 OF THE FRACTIONAL NORTHEAST 1/4 OF SECTION 3, TOWNSHIP 20 NORTH, RANGE 16 EAST, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE NORTH 1/4 CORNER OF SAID SECTION 3; THENCE S89-23-59E, 1343.71 FEET ALONG THE NORTH LINE OF THE FRACTIONAL NORTHEAST 1/4 OF SECTION 3 TO THE WEST LINE OF THE NORTHEAST 1/4 OF THE FRACTIONAL NORTHEAST 1/4 OF SECTION 3 AS PREVIOUSLY SURVEYED BY JIM HEBERT ON JULY 16, 1974 AND THE POINT OF BEGINNING; THENCE CONTINUING S89-23-59E, 603.18 FEET (RECORDED AS 603.14 FEET) ALONG SAID NORTH LINE TO THE EAST LINE OF LANDS DESCRIBED IN DOCUMENT NUMBER 451659 AS PREVIOUSLY SURVEYED; THENCE S01-26-55W, 208.95 FEET (RECORDED AS 208.72 FEET) ALONG SAID EAST LINE TO THE SOUTH LINE OF SAID DESCRIBED LANDS AS PREVIOUSLY SURVEYED; THENCE N89-06-04W, 603.14 FEET ALONG SAID SOUTH LINE TO THE WEST LINE OF THE NORTHEAST 1/4 OF THE FRACTIONAL NORTHEAST 1/4 OF SECTION 30 AS PREVIOUSLY SURVEYED; THENCE N01-26-55E, 206.81 FEET (RECORDED AS 208.72 FEET) ALONG SAID WEST LINE TO THE POINT OF BEGINNING. SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD.

THAT I HAVE MADE SUCH SURVEY UNDER THE DIRECTION OF TOM PEETERS, 3377 WINNEGAMIE DRIVE, NEENAH, WISCONSIN 54956.

THAT THIS MAP IS A TRUE AND CORRECT REPRESENTATION OF THE EXTERIOR BOUNDARY LINES OF THE LAND SURVEYED.

THAT I HAVE FULLY COMPLIED WITH THE PROVISIONS OF CHAPTER 236.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION ORDINANCE OF THE TOWN OF CLAYTON AND WINNEBAGO COUNTY.



Keith J. Valentyne

10-19-98

KEITH J. VALENTYNE, RLS-2198 DATED
CAROW LAND SURVEYING CO., INC.
1837 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
A2404-98 (kv-tm DGV) 10-22-99

TOWN BOARD CERTIFICATION:

WE HEREBY CERTIFY THAT THE BOARD OF SUPERVISORS OF THE TOWN OF CLAYTON APPROVED AND ACCEPTED THIS CERTIFIED SURVEY MAP ON THE 16th DAY OF November, 1998.

Alden E. Schreder

TOWN CHAIRPERSON

Joanna M. Sievert

TOWN CLERK

TREASURER'S CERTIFICATE:

HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES OR UNPAID SPECIAL ASSESSMENTS ON ANY OF THE LAND INCLUDED ON THIS CERTIFIED SURVEY MAP.

Majorie L. Brundage

TOWN TREASURER

11/20/98
DATED

Burton Schmitt

COUNTY TREASURER

11/30/98
DATED

COUNTY PLANNING AND ZONING COMMITTEE APPROVAL:

PURSUANT TO THE WINNEBAGO COUNTY SUBDIVISION ORDINANCE, ALL REQUIREMENTS FOR APPROVAL HAVE BEEN FULFILLED.

THIS CERTIFIED SURVEY MAP WAS APPROVED THIS 30th DAY OF November, 1998.

Joanna M. Sievert

CHAIRPERSON, WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE



320-16

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 4043

Lot 2, CSM. No. 4043 being a part of the Southeast 1/4 of the Southeast 1/4, Section 3, T20N, R16E, Town of Clayton, Winnebago County, Wisconsin.

Prepared for:
James Heyenberg
9313 N. Oakwood Ave.
Neenah, WI 54956


Bearings are referenced to the East line of the SE 1/4, Section 3-20-16, recorded to bear N00°18'29"E.

NOTES:

1. This CSM is all of tax parcel No. 006-0065.
2. This CSM is contained wholly within the property described in Doc. No. 560499.
3. Property owners of record are: James R. & Ethel M. Heyenberg.
4. Building setbacks: Front = 30'; Rear = 25'; Side = 7' one side, 10' other.



E 1/4 CORNER
SEC. 3-20-16
(COUNTY MONUMENT)



SURVEYOR'S CERTIFICATE

I, Thomas M. Wood, Registered Wisconsin Land Surveyor, do hereby certify that I have surveyed, divided and mapped Lot 2, Certified Survey Map No. 4043, filed in Volume 1 of C.S.M.'s on Page 4043 as Document No. 1020500, being part of the Southeast 1/4 of the Southeast 1/4, Section 3, T20N, R16E, Town of Clayton, Winnebago County, Wisconsin.

That I have made such survey, map and land division as shown hereon, under the direction of James Heyenberg.

That this map is a correct representation of the exterior boundary lines of the land surveyed.

That I have fully complied with the provisions of Chapter 236.34 of the Wisconsin Statutes and the Subdivision Ordinances of the Town of Clayton and Winnebago County, Wisconsin, in surveying, dividing and mapping the same.

Thomas M. Wood
Thomas M. Wood RLS-1887

11-3-99
Date

LEGEND	
•	3/4" REBAR FOUND
○	3/4" x 24" REBAR SET WEIGHING 150 LBS./IN. FT.
⊙	WINNEBAGO COUNTY MONUMENT



HARRIS & ASSOCIATES, INC.
CONSULTING ENGINEERS
AND LAND SURVEYORS

216 NORTH LEASE ST.
APPLETON, WI 54911
TEL (920) 733-8311
FAX (920) 733-4139

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 4432

OWNERS CERTIFICATE

As Owner, I hereby certify that I caused the land described to be surveyed, divided, and mapped as shown and represented on this map.

Dated this 15 day of Dec., 1999.

James W. Weyenberg
James W. Weyenberg

Ethel M. Weyenberg
Ethel M. Weyenberg

State of Wisconsin / ss
Outagamie County /

Personally came before me this 15 day of Dec., 1999, the above named person to me known to be the person who executed the foregoing instrument and acknowledged the same.

Arthur Klingberg
Notary Public

My commission expires 4-28-2000

PLANNING COMMITTEE CERTIFICATE

This Certified Survey Map was approved by the Winnebago County Planning and Zoning Committee on this 16th day of December, 1999.

John A. Schaidler
John A. Schaidler, Chairperson

TREASURER'S CERTIFICATE

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands included in this Certified Survey Map.

Joanne M. Sievert 12/6/99
Town Treasurer Date


Mary Bruegel 12/16/99
County Treasurer Date

TOWN BOARD CERTIFICATE

We hereby certify that the Town of Clayton Board of Supervisors approved this Certified Survey Map with/without conditions at their regular meeting on this _____ day of _____, 1999.

Walter E. Schindler 12/15/99
Town Chairperson Date

Joanne M. Sievert 12/16/99
Town Clerk Date



Thomas M. Wood 11-3-99
Thomas M. Wood Date

1001913
REGISTER'S OFFICE
WINNEBAGO COUNTY, WI
RECORDED ON
12-17-1999 12:33 PM
SUSAN R. WILKINSON
REGISTER OF DEEDS
FEE \$12.00

SURVEYOR'S AFFIDAVIT OF CORRECTION

Document Number

1 1 7 3 7 6 9 7

REGISTER'S OFFICE
WINNEBAGO COUNTY, WI
RECORDED IN

83-15-2802 09:23 AM

CLERK WINNEBAGO
REGISTER OF DEEDS

RECEIVED FEB 11 1983
FEB 11 1983
1 17 37 69 7

I, Daniel W. Heel, State of Wisconsin Land Surveyor No. 1766, do hereby certify the following in connection with a final plat named **SECOND ADDITION TO WOOD-VIEW DRIVE**, recorded in the Winnebago County Register of Deeds Office, located in Section 2, Town 20 North, Range 10 East, Town of Clayton, Winnebago County, Wisconsin.

Mortenson & Eiselo, Inc.
1910 American Court
Hawthorn, WI 54956

The following note shown on sheet 1 of 2 of the plat of **SECOND ADDITION TO WOOD-VIEW DRIVE** shall be deleted from the plat.

SEWER SYSTEM NOTES

1. LOTS 16, 18, 17, 19, AND 20 ARE
SUITABLE FOR INSTALLATION OF MOUND PRIVATE
SEWAGE SYSTEMS ONLY.

The following note shall replace the deleted note.


SEWER SYSTEM NOTES

ALL LOTS ARE SUITABLE FOR SOIL
ABSORPTION "POPTS".

Dated this the 26th day of February, 2002

Daniel W. Heel

Daniel W. Heel, Reg. WI Land Surveyor S-1766




STATE OF WISCONSIN)
WINNEBAGO COUNTY) ss

PERSONALLY I, ME BEFORE ME THIS 26 DAY OF February, 2002,
THE ABOVE OWNERS TO ME KNOWN TO BE THE PERSONS WHO EXECUTED THE FOREGOING
INSTRUMENT AND ACKNOWLEDGE THE SAME.

Pamela Emerson
Notary Public

MY COMMISSION EXPIRES 08-01-04



This instrument drafted by Mortenson & Eiselo, Inc.



CERTIFIED SURVEY MAP NO. 4468

Part of the North 1/2 of the Southeast 1/4 of Section 1, Township 13N, Range 10E, T13N R10E, Town of Clayton, Winnebago County, Wisconsin

Survey for Roger L. Olson
3476 W. Shady Lane
Menasha, WI 54956

Owner: Roger L. Olson
For Parcel No. 4468-0014
DEPT. 1308

PLAT 1308

Measurements are referenced to the north line of the surveyed 1/4 section 1, Township 13N, Range 10E, T13N R10E.

SCALE IN FEET
0 100 200

NOTE:

The ordinary high water mark established is not based on an official determination and prior to any building, an official determination of the ordinary high water mark must be made by the Winnebago County Planning Department or other authorized person. Also all building setbacks and other land use requirements should be verified by the Winnebago County Planning office prior to any construction or other land use activity.

AGRICULTURAL NOTE:

The lots created in this Certified Survey Map are adjacent to property that, at the date of this document, may be used for agricultural purposes. Some individuals believe that the activities associated with the agriculture may constitute a nuisance or conflict with the good enjoyment of their property. This statement is included to provide third parties with notice that agricultural activities may exist in the adjacent properties.

NOTE:


A wetlands determination must be made by one of the following agencies: Winnebago County, Wisconsin Dept. of Natural Resources, or an independent wetlands specialist recognized by the State and Dept. of Natural Resources on July 1, 2001, prior to any construction or other land use activity.



Daniel W. Noel
Aug. 13, 2001

LEGEND

- 1/4" IRON RODS AND SET, 24" LONG, BEARING 1.000 LBS PER LIN. FOOT
- 1" IRON PIPE SET, 24" LONG, BEARING 1.000 LBS PER LIN. FOOT
- 1-1/4" IRON RODS AND SET, 24" LONG, BEARING 1.000 LBS PER LIN. FOOT
- CHECKED "X" SET
- 3/4" IRON PIPE FOUND
- 1" IRON PIPE FOUND
- 1-1/4" IRON PIPE FOUND
- 2" IRON PIPE FOUND
- CHECKED "S" FOUND
- COMPARISON CORNER
- FOUR LINE
- () RECORDED AS



N 00°18'31" E
1337.74'

SOUTHEAST CORNER
SECTION 1
T13N R10E

EAST 1/4 SECTION
T13N R10E



Martenson & Elsels, Inc.
Engineering - Surveying - Planning
1910 American Court
Menasha, WI 54956
(920) 731-0361
Fax (920) 731-8578
E-MAIL: martenson@martenson-elsels.com

PROJECT NO. 041-0014
FIELD BOOK PAGE
PLAT 1308 SHEET 1 OF 3
THIS INSTRUMENT WAS EXAMINED BY THE

CERTIFIED SURVEY MAP NO.

4268

SURVEYOR'S CERTIFICATE:

I, Daniel W. Noel, Registered Land Surveyor, do hereby certify:

That I have surveyed, divided and mapped at the direction of Roger Seckow, part of the north 1/2 of the Southeast 1/4 of Section 3, Town 20 North, Range 18 East, Tenth of Clayton, Winnebago County, Wisconsin, described as follows:

Commencing at the Southeast corner of said Section 3; thence North 00 degrees 18 minutes 12 seconds East, along the east line of said Southeast 1/4, a distance of 1322.78 feet; thence South 38 degrees 58 minutes 40 seconds West, along the south line of the North 1/2 of said Southeast 1/4, a distance of 275.00 feet to the point of beginning; thence continuing South 58 degrees 58 minutes 40 seconds West, along said south line, 2434.85 feet; thence North 00 degrees 32 minutes 51 seconds East, along the west line of said Southeast 1/4, a distance of 647.81 feet; thence South 89 degrees 58 minutes 52 seconds East, along the SECOND ADDITION TO WOODVIEW DRIVE, 1353.62 feet; thence South 00 degrees 25 minutes 31 seconds West, along the west right of way line of Brook Creek Drive, 172.01 feet; thence North 44 degrees 43 minutes 49 seconds East, along a south line of WOODVIEW DRIVE, 172.14 feet; thence North 73 degrees 46 minutes 38 seconds East, along a south line of said WOODVIEW DRIVE, 313.39 feet; thence North 38 degrees 33 minutes 53 seconds East, along a south line of said WOODVIEW DRIVE, 148.56 feet; thence North 38 degrees 13 minutes 58 seconds East, along a south line of said WOODVIEW DRIVE, 507.22 feet; thence North 00 degrees 18 minutes 52 seconds West, along the west line of Certified Survey Maps 1237 and 2101, a distance of 827.22 feet to the point of beginning, containing 1,708,387 square feet (39.173 acres). Subject to all easements and restrictions of record.

That I have fully complied with Chapter 238.33 of the Wisconsin Statutes in surveying, dividing and mapping the same and the Town of Clayton, and Winnebago County Subdivision Ordinances.

This map is a correct representation of all of the exterior boundaries of land surveyed and the division thereof.

Given under my hand this 12 day of AUGUST, 2001.

Daniel W. Noel

Daniel W. Noel, Reg. Wis. Land Surveyor, S-1788



OWNER'S CERTIFICATE:

We, the undersigned, hereby certify that we caused the land above described to be surveyed, divided, mapped and certified to the public as shown and represented on this map.

Jeffrey J. Kelly 7/28/01 Kevin Lecker 7/28/01
Owner Date Owner Date

State of Wisconsin)
Winnebago County) JSS

Personally came before me on the 28 day of Sept, 2001, the above named to me known to be the persons who executed the foregoing instrument and acknowledged the same.

Pamela Emerson My Commission Expires 06-01-04
Notary



PROJECT NO. 001-0014
FIELD BOOK PAGE
FILE S110010000 SHEET 1 OF 3
THIS INSTRUMENT WAS DRAWN BY JSS

CERTIFIED SURVEY MAP NO. 4868

CERTIFICATE OF PLANNING COMMITTEE

Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This Map Subdivision was approved by the Winnebago County Planning and Zoning Commission on 10-2-01.

[Signature]
Chairman, Planning and Zoning Commission

TREASURER'S CERTIFICATE

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

[Signature]
Treasurer

[Signature]
County Treasurer Deputy

10-2-01
Date:

10-2-01
Date:

TOWN BOARD APPROVAL

This Certified Survey Map in the Town of Clayton, is hereby approved as surveyed and mapped by the Town Board of the Town Clayton, Winnebago County, Wisconsin.

Date: 10-1-01

[Signature]
Town Chairman

This Certified Survey Map is contained wholly within the property described in the following recorded instruments:

Owners of record	Recording information	Parcel number
Roger & Leah Erickson	Document No. 01101261	008-0061-00
Roger & Leah Erickson	Document No. 01063333	008-0061-01



[Signature]
Daniel W. Noel
No. 132001

PROJECT NO. 561-0014
FIELD BOOK PAGE
FILE 5010014000 SHEET 3 OF 3
THIS INSTRUMENT WAS DRAWN BY: [blank]

CERTIFIED SURVEY MAP NO. 4868

CERTIFICATE OF PLANNING COMMITTEE

Pursuant to the Land Division Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This Survey Map was approved by the Winnebago County Planning and Zoning Committee on 10-1-01.

[Signature]
Chairman, Planning and Zoning Committee

TREASURER'S CERTIFICATE

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown herein.

[Signature]
Town Treasurer

[Signature]
County Treasurer Deputy

10-2-01
Date

10-2-01
Date

TOWN BOARD APPROVAL


This Certified Survey Map in the Town of Clayton, is hereby approved as surveyed and mapped by the Town Board of the Town Clayton, Winnebago County, Wisconsin.

Date: 10-1-01

Approved: *[Signature]*
Town Chairman

This Certified Survey Map is contained wholly within the property described in the following recorded instruments:

Owners of record:	Recording information	Parcel number:
Roger & Lois Seelow	Document No. 01101281	008-0081-00
Roger & Lois Seelow	Document No. 01083355	008-0081-01



[Signature]
Daniel W. Noel
Aug. 13, 2001

PROJECT NO. 881-2014
FIELD BOOK PAGE
FLS 881001 BOOK SHEET 2 OF 3
THIS INSTRUMENT WAS DATED BY 418

11-10-76

11-10-76

Book No. 26173

1148742

REGISTER'S OFFICE
VIRGINIA COUNTY, W.V.
RECORDED
10-17-76
10-17-76: 10:00 AM

DEAN VIRGINIA
REGISTERED OF DEEDS

RECORDS FE 17.00
TRANSFER FE
1 OF 2

Learow

CERTIFIED SURVEY MAP NO. 1183
BEING ALL OF THE NORTHEAST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 3, TOWNSHIP 20 NORTH,
RANGE 18 EAST, TOWN OF CLINTON, WISCONSIN COUNTY, WISCONSIN.

RECEIVED
JAN 14 1964
U.S. AIR FORCE
HQ USAF
WASHINGTON, D.C.

PARCEL NO.: 106-0951-00

WEST 1/4 CORNER
SECTION 3-20-16

NORTH LINE OF THE SOUTHWEST
1/4 OF SECTION 3-20-16

CENTER OF
SECTION 3-20-10

1338.19

18933270

207030



04' BUILDING, STEEL, LIME
FROM HEAVY, WIND WATER

LOT

ALL INFORMATION CONTAINED

CENTIMORE OF HAWAIIAN
RAILWAY PER OADR REPORT

DATA:

100

5491172

WICH PHE FOUND IS
0255348" N. 0 45' G
N. 100' CORNER

5893107W

Lot 8

766 013 8011

WOODVIEW DRIVE

12 PLAD

FOOD-VIET

DE (66)

EAST ONE OF THE WORMS
-1/4 SECTION 5-10-16

SECT 74-30-15
SECTION 3-20-15

UNPLATED 1000
CINCH 1000

NOTE

NOTE: THE LOTS CREATED IN THIS CERTIFIED SURVEY MAP ARE ADJACENT TO PROPERTY THAT, AS OF THE DATE OF THIS DOCUMENT, ARE BEING USED FOR AGRICULTURAL PURPOSES. SOME INDIVIDUALS BELIEVE THAT THE ACTIVITIES ASSOCIATED WITH THE AGRICULTURAL USE CONSTITUTE A HARBORANCE OR CONFLICT WITH THEIR QUIET ENJOYMENT OF THEIR PROPERTY. THIS STATEMENT IS INTENDED TO PROVIDE THIRD PARTIES WITH NOTICE THAT AGRICULTURAL ACTIVITIES MAY EXIST ON THE ADJACENT PROPERTY.

11240

- = 1" X 24" O.D. IRON PIPE SET,
WEIGHING 1.13 LBS. PER LIN. FT.
- = 1" O.D. IRON PIPE FOUND
- = BERTSCH MORTAR FOUND
- - - EXISTING FENCE
- △ = LATH SET FOR OWNERS REQUEST DUE
TO CONTINUING FARMING OPERATION

NOTE: NO BUILDING, ZONING OR SANITARY PERMITS WILL BE ISSUED FOR LOT 1 BY ITSELF UNTIL SUCH TIME THAT THE LOT MEETS THE MINIMUM REQUIREMENTS OF WINNEBAGO COUNTY AND THE TOWN OF CLAYTON. LOT 1 IS TO BE RETAINED BY AN ADJOINING LAND OWNER.

DRAFTING SCALE

1-302

20

0

150

300

100

600

NORTH IS REFERENCED TO THE EAST LINE
OF THE SOUTHEAST 1/4 OF SECTION 3,
TOWNSHIP 20 NORTH, RANGE 18 EAST,
TOWN OF CLAYTON, WINNEBAGO COUNTY,
WISCONSIN WHICH IS ASSUMED TO BEAR
S00°05'15"W. SEE

SHEET 1 OF 3 SHEETS

Robert F. Reider, RLS-1251 DATED
CARLOW LAND SURVEYS CO., INC.
1637 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
PHONE: (920) 731-4160
4214 29 (ca-lw 800) 7-10-03

CERTIFIED SURVEY MAP NO. 5308

SURVEYOR'S CERTIFICATE:

I, ROBERT F. REIDER, REGISTERED WISCONSIN LAND SURVEYOR, CERTIFY THAT I HAVE SURVEYED, DIVIDED AND MAPPED ALL OF THE NORTHEAST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 3, TOWNSHIP 20 NORTH, RANGE 16 EAST, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTH 1/4 CORNER OF SAID SECTION 3; THENCE N00°05'16"E, 1323.70 FEET ALONG THE EAST LINE OF THE SOUTHWEST 1/4 OF SAID SECTION 3 TO THE SOUTH LINE OF THE NORTHEAST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 3 AND THE POINT OF BEGINNING; THENCE S89°31'37"W, 1332.86 FEET ALONG SAID SOUTH LINE TO THE WEST LINE OF THE NORTHEAST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 3; THENCE N00°08'37"W, 1324.24 FEET ALONG SAID WEST LINE TO THE NORTH LINE OF THE SOUTHWEST 1/4 OF SECTION 3; THENCE N89°33'37"E, 1334.20 FEET ALONG SAID NORTH LINE TO THE EAST LINE OF THE SOUTHWEST 1/4 OF SECTION 3; THENCE S89°05'16"W, 1323.70 FEET ALONG SAID EAST LINE TO THE POINT OF BEGINNING. SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD.

THAT I HAVE MADE SUCH SURVEY UNDER THE DIRECTION OF ROGER SEELOW, 3476 SILADY LANE, NEENAH, WISCONSIN 54956.

THAT THIS MAP IS A CORRECT REPRESENTATION OF THE EXTERIOR BOUNDARY LINE OF THE LAND SURVEYED.

THAT I HAVE FULLY COMPLIED WITH THE PROVISIONS OF CHAPTER 235.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION ORDINANCE OF WINNEBAGO COUNTY.



Robert F. Reider 7-11-03
 ROBERT F. REIDER, RLS-1251
 CAROW LAND SURVEYING CO., INC.
 P.O. BOX 1297, 1837 W. WISCONSIN AVE.
 APPLETON, WISCONSIN 54912-1297
 PHONE 920-731-4168
 A036.29 (sp-bw RFR) 7-10-03

NOTES:

- 1) THIS CSM IS ALL OF TAX PARCEL NO. (S): 006-0051-03.
- 2) THE PROPERTY OWNER (S) OF RECORD IS (ARE): ROGER F. SEELOW, LOIS M. SEELOW AND JAY J. VANEVENHOVEN.
- 3) THE CSM IS WHOLLY CONTAINED WITHIN THE PROPERTY DESCRIBED IN THE FOLLOWING RECORDED INSTRUMENT (S): DOCUMENT NO. 1052177 AND 1216994.

TOWN BOARD CERTIFICATE:

WE HEREBY CERTIFY THAT THE TOWN OF CLAYTON BOARD OF SUPERVISORS APPROVED THIS CERTIFIED SURVEY MAP ON THE 7th DAY OF August 2003.

John E. Anderson
 TOWN CHAIRPERSON

James M. Sivert
 TOWN CLERK

TREASURER'S CERTIFICATE:

I HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES OR UNPAID SPECIAL ASSESSMENTS ON ANY OF THE LAND INCLUDED ON THIS CERTIFIED SURVEY MAP.

James M. Sivert
 TOWN TREASURER

DATED

Diana M. Williams
 COUNTY TREASURER

DATED

2-7-03

CERTIFIED SURVEY MAP NO. 5308

OWNER'S CERTIFICATE:

AS OWNER (S), I (WE) HEREBY CERTIFY THAT I (WE) CAUSED THE LAND DESCRIBED ON THIS CERTIFIED SURVEY MAP TO BE SURVEYED, DIVIDED AND MAPPED AS REPRESENTED HEREON. I (WE) ALSO CERTIFY THAT THIS MAP IS REQUIRED BY S 236.10 OR 236.12 OF THE WISCONSIN STATUTES TO BE SUBMITTED TO THE FOLLOWING FOR APPROVAL: TOWN OF CLAYTON AND WINNEBAGO COUNTY.

WITNESS THE HAND AND SEAL OF SAID OWNER (S) THIS 1st DAY OF August, 2003.

Jay J. Vanervenhoven
JAY J. VANERVENHOVEN

Robert F. Seelow
ROBERT F. SEELOW

Lois M. Seelow
LOIS M. SEELOW

STATE OF WISCONSIN)
COUNTY OF WINNEBAGO)

PERSONALLY CAME BEFORE ME THIS 1st DAY OF August, 2003, THE ABOVE NAMED PERSON (S) TO ME KNOWN TO BE THE PERSON (S) WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGED THE SAME.

Jeanne M. Suratt
NOTARY PUBLIC

MY COMMISSION EXPIRES: 4-15-07

COUNTY PLANNING AND ZONING COMMITTEE APPROVAL:
PURSUANT TO THE WINNEBAGO COUNTY SUBDIVISION ORDINANCE, ALL REQUIREMENTS FOR APPROVAL HAVE BEEN FULFILLED. THIS CERTIFIED SURVEY MAP WAS APPROVED THIS 7th DAY OF August, 2003.

Jeanne M. Suratt
CHAIRPERSON, WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE



Robert F. Seelow
ROBERT F. SEELOW, RES-1251
CAROW LAND SURVEYING CO., INC.
1837 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
PHONE 920-731-4168
A016 29 (cp-bw RTR) 7-10-01

7-11-03
DATED

SHEET 3 OF 3 SHEETS

126906.1
REGISTERED OFFICE
WINNEBAGO COUNTY, WI
RECORDED ON
08-04-2003 02:25PM
Vol 1 Pg 2308
SEAL OF WINNEBAGO COUNTY
REGISTERED OFFICE
08-04-2003 02:25PM

AUG 23, 1996

TO: Cartographer/Zoning Secretary

FM: Zoning Administrator

RE: Navigability Determination Map Updates

Diane/Lisa:

Please update the GIS for the following DNR navigability determinations:

1. NE SE S 03, T 20N, R 16E, Town of Clayton (SEELOW)

Tag the pond as navigable and show DNR intorp date. Make sure 1000' or 300' shoreland jurisdiction is shown and annotated on proper parcels.


Diane: After updating, determine the affected parcels where navigable and attach a list of parcel numbers affected and within 1000' or 300' so that file 13 can be updated. Tag stream section with DNR Determ & Date

Lisa: Update File 13, file in parcel file(s) and microfiche in Surveyors Records according to Section, Town, Range.

GIS Updated 8-23-96 by Diane Culver

File 13 Updated 10-21-96 by Lisa Tank

Verified by Zoning administrator [Signature] 10/23/96



STATE OF WISCONSIN \ DEPARTMENT OF NATURAL RESOURCES

George E. Meyer, Secretary
William Seelig, District Director

Oshkosh Area Office
905 Bayshore Drive
P.O. Box 2585
Oshkosh, WI 54903-2585
Telefax: 414/424-4404

August 20, 1996

File Ref:

Roger Seelow
3476 Shady Lane Road
Neenah, WI 54956

Dear Mr. Seelow:

This letter is in response to your request for a navigability determination of an unnamed ditch which flows into the Rat River.

On August 8, 1996 I located this ditch located in the NE 1/4, SE 1/4, section 3, T20N, R16E, Town of Clayton, Winnebago County and determined it to be navigable as there are defined banks, a bed and sufficient water to float a small recreational craft on, on an annual recurring basis.

You do not need a permit to remove fallen logs and vegetation from the ditch. However, if you disturb and remove the sediments you will need a permit from the Department of Natural Resources.

If you have any questions please call me at 414-746-2873.

Sincerely,

Tere Locke

Tere Locke
Water Management Specialist

TL:ks

cc: Robert Braun

Parcels determined to be WITHIN
shoreland area:

006-0027-03	006-0080	006-0143
006-0030	006-0084	006-0144
006-0030-01	006-0087	006-1246
006-0046	006-0091	
006-0048	006-0092	
006-0049	006-0093	
006-0051	006-0094	
006-0059	006-0095-02	
006-0059-01	006-0095-02-01	
006-0059-02	006-0099	
006-0059-06	006-0100	
006-0060	006-0101	
006-0061	006-0102	
006-0067	006-0120	
006-0068	006-0121	
006-0069	006-0127	
006-0070	006-0128	
006-0071	006-0129	
006-0072	006-0130-01	
006-0074	006-0132	
006-0075	006-0132-01	
006-0078	006-0134	
006-0079	006-0135	
	006-0136	

AUG 17, 1998

TO: Cartographer/Zoning Secretary

FM: Zoning Administrator

RE: Navigability Determination Map Updates

Diane/Janet:

Please update the GIS for the following DNR navigability determinations:

1. SE SE S 03, T 20 N, R 16 E, TOWN OF CLAYTON (ROSE)


Diane: After updating, determine the affected parcels where navigable and attach a list of parcel numbers affected and within 1000' or 300' so that file 13 can be updated. Tag stream section with DNR Determ & Date.

Janet: Update File 13, file in parcel file(s) and microfiche in Surveyors Records according to Section, Town, Range.

GIS Updated 8-19-98 by D. Culver

File 13 Updated 3/10/99 by JMO

Verified by Zoning administrator [Signature]



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor
George W. Meyer, Secretary
William R. Sebig, Regional Director

Oshkosh Service Center
805 Bay Shore Drive
P.O. Box 2565
Oshkosh, Wisconsin 54903
Telephone 920-424-3050
FAX 920-424-4404

August 7, 1998

File Ref: N/A

Fred Rose
1713 South Mohawk Dr.
Appleton, WI 54914

RECEIVED

AUG 17 1998

SUBJECT: Navigability Determination

WINNEBAGO CO.
PLANNING DEPT.

Dear Mr. Rose:

I am writing in regard to your written request for a navigability determination of an unnamed waterway in the SE 1/4 of the SE 1/4 of Section 3, Township 20 North, Range 16 East, Winnebago County, Wisconsin. See attached map for better detail.

On August 6, 1998, I inspected the waterway in the above mentioned location. James and Ethel Weyenberg (property owners) were present during the site inspection. The unnamed waterway and the 1/4 pond acre on the Weyenberg property are determined to be Non-navigable.

In your request letter you also mentioned that you would like a floodplain determination and a wetland delineation of the property. Please direct your floodplain questions to Rick Hoeft (920) 236-4844, Winnebago County Zoning, or Dick Koch (920) 492-5817, WDNR-NER. Wetland questions should be directed to Gary Knapton with the Corps of Engineers at (920) 448-2824, or contact a private consultant to get a wetland delineation.

Thank you for your time and cooperation. If you have any additional questions, please feel free to contact me at the above address.

Sincerely,

Brian H. Kalvelage
Water Management Specialist

cc:Linda VanPay-WDNR NER
Rob Braun-Winnebago Co. Zoning
Gary Knapton COE, Green Bay Office
Warden-Winnebago County
James Weyenberg, 9313 N. Oakwood Ave., Neenah, WI 54956




Quality Natural Resources Management
Through Excellent Customer Service



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

for Fred Rose
(potential buyer)
J+E Weyenberg are
property owners



FREQUENCY SUMMARY
FOR ACTIVE ID 7

ATTRIBUTE	FREQUENCY	PERCENT
00600310201	1	6.67
006003107 ✓	1	6.67
00600310701 ✓	1	6.67
006003108 ✓	1	6.67
006003109 ✓	1	6.67
006005903 ✓	1	6.67
006005904 ✓	1	6.67
006005905 ✓	1	6.67
0060066 ✓	1	6.67
006006601 ✓	1	6.67
0061256 ✓	1	6.67
0061257 ✓	1	6.67
0061277 ✓	1	6.67
0061282 ✓	1	6.67
0061283 ✓	1	6.67
TOTAL	15	100.00

parcels removed from
shoreland area as per DNR
determination.

D. Culver

AUG 22, 2003

TO: Cartographer/Zoning Secretary

FM: Zoning Administrator

RE: Navigability Determination Map Updates

Diane/Janet:

Please update the GIS for the following DNR navigability determinations:

1. NW, S 36 +, T 20 N, R 16 & 17 E (MCCANN)

TABLE STREAM SECTIONS AS APPROPRIATE. IF ANOTHER DETERMINATION WAS DONE, LIST THAT ONE FIRST AND THE MOST RECENT DETERMINATION AS A RE-DETERMINATION.

Diane: After updating, determine the affected parcels where navigable and attach a list of parcel numbers affected and within 1000' or 300' so that file 13 can be updated. Tag stream section with DNR Determ & Date. Modify shoreland zoning appropriately.

Janet: Update File 13, file in parcel file(s) and microfiche in Surveyors Records according to Section, Town, Range.

GIS Updated 8-22-03

by


D. Culver

File 13 Updated

by

Verified by Zoning administrator

[Signature]



State of Wisconsin | DEPARTMENT OF NATURAL RESOURCES

Scott McCallum, Governor
Darrell Bazzell, Secretary
Ronald W. Kazmierczak, Regional Director

Oshkosh Service Center
7525 E City Rd Y, Suite 700
Oshkosh, Wisconsin 54901-9731
Telephone 920-424-3050
FAX 920-424-4404

August 19, 2003

Rodney Wilson
Glenn McCann
646 4th Street
Menasha, WI 54952

Subject: Navigability Determination

Dear Mr. Wilson and Mr. McCann:

Thank you for contacting the Department regarding the waterway that crosses your property located in the NW 1/4, Section 36, Township 20 North, Range 16 East, Winnebago County.

A field investigation was completed on June 24, 2003. Based upon the site investigation the waterway on your property does not meet the state definition of navigable waterway. Enclosed is a copy of the USGS topographic map highlighting the waterway in question. As we discussed during a phone conversation on August 5, 2003, your culvert and pond project will not require a permit from the Department. It is your responsibility to obtain required permits from local and federal government agencies for this project.

There are also several small mapped wetlands on your property. If fill is being placed in any wetland the U.S. Army Corp of Engineers will determine if the wetlands are federal or nonfederal. Contact Gary Knapton at (920) 448-2824 for a determination. At that time the Department must grant a State Water Quality Certification prior to the placement of any fill. This will require submittal of an application to the Department showing the proposed impacts and a practical alternative analysis.


If you have any further questions, please contact me at (920) 303-5440 or Kristy Rogers, Water Management Specialist at (920) 424-7885.

Sincerely,

Cindy Lancaster
Assistant Water Management Specialist

cc: Robert Braun, Winnebago County Zoning
Gary Knapton, ACOE, Green Bay





0.7 MI TO U.S. 41

NEENAH 3378 IN NW

U.S. 41 TO U.S. 41
NEENAH 3307 2 C.M.

NON

NAVI

non navigable

NEENAH

NEENAH CORP. BLDG

T. 20 N.

T. 19 N.

120 000 FEET
(CENTRAL)

5

6

K-12/15
TL