


NO.	SURVEYED FOR	SURVEYOR	DATE	PLAT NO.	CERTIFIED MAP NO.	SURVEYS		SURVEY	LOCATION
						VOL.	PAGE		
	O. Sorenson	LaCrest	12-7-1978					11, T20N, R16E	NE 1/4
	D. Clark	Hawthornth	5-16-1977		535222	1	587	11, T20N, R16E	SE 1/4
	C. Meyer	Saunders	10-28-1976					11, T20N, R16E	SE 1/4
	A. Worth Earl	Stuber	12-11-1975					11, T20N, R16E	SW 1/4
	M. Westphal	McManis	3-28-1978					11, T20N, R16E	SE 1/4
	R. Luebke	Rice	5-13-1974					11, T20N, R16E	NW 1/4
	C. Brown	Rice	8-21-1969					11, T20N, R16E	SW 1/4
	M. Breaker	Hawthornth	1-29-1979		532487	1	556	11, T20N, R16E	NE 1/4
	M. Salee	Hebert	9-25-81					NW-NE	

N. 89° 05' 18" E.

598.22'



R.W. Nordin
5-22-86

AREA :
435,603 SQUARE FEET
10.00 ACRES

LEGEND AND NOTES

- DENOTES 1" IRON PIPE RECOVERED.
- ⊙ DENOTES 1" IRON PIPE w/ D.O.T. CAP RECOVERED.
- DENOTES 1" x 24" IRON PIPE SET.

NORDIN & ASSOC., INC.

PROFESSIONAL LAND SURVEYORS SHAWANO, WI

MAP OF PART OF THE SE 1/4 OF
THE SE 1/4, SECTION 11, T.20N.,
R.16E., TOWN OF CLAYTON, WINNEBAGO
COUNTY, WISCONSIN.

MAY 28 1986

ORN. BY CLIFF

SCALE 1" = 100'

CLIENT NOLAN

DATE 5/22/85

REVISED

NOTES NO 5261



SECTION
LINE

N. 02° 01' 55" W.

N. 02° 01' 55" W.

91° 07' 13"

S. 89° 05' 18" W.

SE CORNER OF SEC-
TION 11, T.20N.,
R.16E., BERNTSEN
MON. RECOVERED.

662.21'

S. 89° 05' 18" W.

185° 28' 58"

200.93'

S. 03° 09' 21" W.

399.26'

S. 02° 19' 37" E.

183° 36' 34"

84° 59' 31"

S. 05° 56' 11" E.

590.33'

" 45 "

U.S.H.



11-20-16

PARCEL DESCRIPTION

A PARCEL OF LAND LOCATED IN THE NW 1/4 OF THE NE 1/4 AND THE SW 1/4 OF THE NE 1/4, SECTION 11, T 20 N, R 16 E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN, WHICH IS MORE FULLY DESCRIBED AS FOLLOWS: COMMENCING AT THE NORTH 1/4 CORNER, SECTION 11, T 20 N, R 16 E, THENCE S87°-23'E, 625.13 FEET ALONG THE NORTH LINE OF SAID NW 1/4 TO THE POINT OF BEGINNING; THENCE CONTINUING S87°-23'E, 33.03 FEET ALONG THE NORTH LINE OF SAID NW 1/4; THENCE SOUTH, 1270.0 FEET; THENCE N87°-23'W, 300.0 FEET; THENCE SOUTH, 300.0 FEET; THENCE N87°-23'W, 209.16 FEET; THENCE NORTH, 719.0 FEET; THENCE S87°-23'E, 476.13 FEET; THENCE NORTH, 851.00 FEET TO THE POINT OF BEGINNING.


SAID PARCEL CONTAINS 6.98 ACRES OF LAND (MORE OR LESS) AND IS SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD, RESERVING THAT PART THAT IS DEDICATED AS ROADWAY.

James A. Herbert R.L.S. DATED 9-25-81
I, JAMES A. HERBERT R.L.S., DO HEREBY CERTIFY THAT THE ABOVE PLAT OF SURVEY IS A CORRECT REPRESENTATION OF THE DESCRIBED PROPERTY.



TOLERANCES (EXCEPT AS NOTED)	REVISIONS			Survey for J. Michael Sabze 1916 N. Birchwood Ave., Appleton, Wis. 54911 OUTAGAMIE LAND SURVEYING ph. 734-8373 2924 Peachtree Ln., Appleton, Wis. 54911		
	NO.	DATE	BY			
DECIMAL	1			DRAWN BY taw	SCALE 1"=200'	MATERIAL
±	2					
FRACTIONAL	3			CHK'D	DATE 9-24-81	DRAWING NO. 810284
±	4					
ANGULAR	5			TRACKED	APP'D	
±						

11 20 16 4



DESCRIPTION: A PARCEL OF LAND IN THE NW 1/4 OF THE SW 1/4 OF SECTION 11, T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS:

BEGINNING AT THE NORTHWEST CORNER OF THE SOUTHWEST 1/4 OF SAID SECTION 11; THENCE DUE SOUTH ALONG THE WEST LINE OF SECTION 11, 330.00 FEET; THENCE DUE EAST 297.00 FEET; THENCE DUE NORTH, PARALLEL WITH THE SAID WEST LINE OF THE SW 1/4 OF SECTION 11, A DISTANCE OF 330.00 FEET; THENCE DUE WEST 297.00 FEET TO THE POINT OF BEGINNING; LESS AND EXCEPTING THE WEST 33.00 FEET THEREOF FOR ROAD PURPOSES.

NOTE: NORTH IS REFERENCED TO THE WEST LINE OF SECTION 11, WHICH IS ASSUMED TO BEAR DUE NORTH.

DATE 8/21/69	DRAWN LEO	SURVEY FOR CAROLINE BROWN IN THE SW 1/4 OF SECTION 11, T20N, R16E, TOWN OF CLAYTON, WINNEBAGO CO., WISO.	NCE URBAN Ld	APPLICANT VIA	ENGINEER DRAWING
	CHECKED DDR SCALE 1"=100'				

(EXISTING MONUMENT)
NW CORNER, SECTION 11,
T20N - R16E

EAST SHADY LANE ROAD

S89°35'E

(NORTH LINE OF SECTION 11)

240.00'

NORTH

NORTH IS REFERENCED TO THE
WEST LINE OF SECTION 11,
WHICH IS ASSUMED TO BEAR
DUE NORTH & SOUTH.

DESCRIPTION

A PARCEL OF LAND IN THE NW $\frac{1}{4}$ OF THE NW $\frac{1}{4}$
OF SECTION 11, T20N, R16E, TOWN OF CLAYTON
WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND
DESCRIBED AS FOLLOWS:

BEGINNING AT THE NW CORNER OF SAID
SECTION 11; THENCE S89°35'E ALONG THE
NORTH LINE OF SAID SECTION 11, 240.00
FEET; THENCE DUE SOUTH 260.00 FEET;
THENCE N89°35'W 240.00 FEET TO A POINT
ON THE WEST LINE OF SAID SECTION 11; THENCE
DUE NORTH ALONG SAID WEST SECTION LINE
260.00 FEET TO THE POINT OF BEGINNING,
CONTAINING 1.43 ACRES MORE OR LESS AND
RESERVING THE NORTHERLY 33 FEET AND THE
WESTERLY 33 FEET THEREOF FOR PUBLIC
ROADWAY PURPOSES.

1.43 ACRES ±

1.08 ACRES ± EXCLUDING
ROADWAY

LEGEND

• DENOTES STEEL BAR MONUMENTS
SET. (5/9/74)

SURVEY FOR: RUSSELL LUEBKE



Engineering
Surveying
Land
Planning

APPLETON
WIS.

RICE &
ORTH
INC.

PROPERTY SURVEY
TOWN OF CLAYTON
WINNEBAGO COUNTY, WISCONSIN


DRAWN (J.M.)
CHECKED (D.D.R.)
SCALE 1" = 60'

DATE
5/13/74

FILE NO.
S-840

ARNOLD WERTH ET AL

PART OF THE SW 1/4 OF THE SW 1/4 AND PART OF THE SE 1/4
OF THE SW 1/4 OF SEC. 11, T. 20N., R. 16E IN THE TOWN OF
CLAYTON, WINNEBAGO COUNTY, WISCONSIN.



CLARENCE A. & BARBARA E. MEYER

PART OF THE SW 1/4 OF THE SE 1/4 OF SEC. 11, T. 20 N., R. 16 E.
IN THE TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN.


○ DENOTES CAPPED IRON PIPE SET

R. K. Saylor
SURVEYOR

S-417



EX. 4" DIAMETER I.P. SET IN
CONCRETE ON PROPERTY LINE



S-000649

Scale: 1 in. = 100 ft.

October 28, 1976


Bk. 35 P. 57

Plat of Survey

PART OF THE SE 1/4 OF THE NE 1/4 OF SEC. 11, T.20N., R.16E.
IN THE TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN.

CLIENT: DARRELL E. HOLMAN
9131 HWY. 45
NEENAH, WI. 54956

RELOCATION- U.S. "45" R.O.W.
(EAST 1/4 COR. REMONUMENTED SINCE
ORIGINAL SURVEY 4-19-76)



LEGEND

- = Existing monuments
- = 2" x 30" iron pipe set
- = 1" x 30" iron pipe set
- ⊙ = reference cops or R.R. spikes
- ⊙ = Berntsen or Harrison monuments
- X—X = fence
- () = recorded as
- = stone monument

⊙ R.O.W. MARKERS



SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. AUGUST 12, 19 87

Calvin W. Hawksworth
Wisconsin Registered Land Surveyor S-1290

SAYLER SURVEY, INC.
LAND SURVEYORS
WINNECONNE, WI 54986

SCALE 1 IN. = 100 FT.
PROJECT NO. S-601820
FIELD BOOK 25 PAGE 17

**SURVEY
FOR
TOM RUSCH**

A part of the Southwest Quarter (SW $\frac{1}{4}$) of the Southeast Quarter (SE $\frac{1}{4}$) of Section Eleven (11), Township Twenty (20) North, Range Sixteen (16) East, Town of Clayton, Winnebago County, Wisconsin containing 5.162 acres of land and being described by: Commencing at the South Quarter corner of said Section 11; thence N00°-40'-50"W 300.00 feet, along the West line of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of said Section 11 to the true point of beginning; thence continuing N00°-40'-50"W 450.00 feet, along the West line of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of said Section 11; thence S89°-23'-16"E 348.55 feet; thence S00°-40'-50"E 780.00 feet, to a point on the South line of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of said Section 11; thence N89°-23'-16"W 200.00 feet, to the Southeast corner of lands described in Certified Survey Map No. 587; thence N02°-49'-03"W 330.06 feet, along the East line of said Certified Survey Map to the Northeast corner of said Certified Survey Map; thence N89°-11'-59"W 136.25 feet, along the North line of said Certified Survey Map to its intersection with the West line of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of


LEGEND

O = 1" x 24" IRON PIPE SET
● = 1" IRON PIPE FOUND
DATE: 4-27-87
SCALE: 1" = 100'
() = RECORDED DATA

of said Section 11, to the true point of beginning.


I, Lawrence C. Kriescher, Wisconsin Registered Land Surveyor of Aero-Metric Engineering, Inc., certify that I have surveyed the above described property and that the map shown to the left is a true and accurate representation thereof to the best of my knowledge and belief.

Lot = 11.010 Ac.
R.W. = 0.152 Ac.
Total = 5.162 Acres




ALL BEARINGS REFERENCED TO THE SOUTHLINE
OF THE SW/4 SECTION 11, T.20N., R.16E.
ASSUMED TO BE N.89°-23'-16\"/>

SECTION 11, T.20N., R.16E.
WINNEBAGO COUNTY,
WISCONSIN



Lawrence C. Kriescher
WIS. REGISTERED LAND SURVEYOR S-1599

T.20N., R.16E.




AERO-METRIC ENGINEERING, INC.
PHOTOGRAMMETRIC ENGINEERS
LAND SURVEYORS
SHEBOYGAN, WISCONSIN

OCT 15 1984


PLAT OF SURVEY

Part of the Southeast 1/4 of the Southwest 1/4 of Section 11, Town 20 North,
Range 16 East, Town of Clayton, Winnebago County, Wisconsin



North is referenced to
the South Line of the
Southwest 1/4 of Section
11, which is assumed to
bear N 89°-39'-24" W

For: Rollio Winters Realtors
3003 W. College Ave.
Appleton, WI




LEGEND

- 1" IRON PIPE SET
- 1-1/4" STEEL REBAR SET
- ◆ SECTION MONUMENT
- ✕ P.K. NAIL
- ⊙ 1" IRON PIPE FOUND
- ⊗ 2" IRON PIPE FOUND
- 3/4" REBAR FOUND WITH PLASTIC CAP (BAYLER)
- ▽ 1-1/4" REBAR FOUND
- FENCE
- ✕ CHISEL TO "X"
- ▽ RAIL ROAD SPIKE
- () RECORDED AS

SURVEYOR'S CERTIFICATE

I, hereby certify that I have surveyed the property as shown and described, according to official records and that the plat above drawn is an accurate and correct representation of said survey, to the best of my knowledge and belief.

October 10, 1984 Charles F. Coopman
DATE REGISTERED LAND SURVEYOR



Martenson & Eisele, Inc.

CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH WIS. 54956
PHONE - 731-0381

FIELD BOOK 33
PAGE 40

PROJECT NO. 267-19



THIS INSTRUMENT WAS DRAFTED BY: CAZ

Plat of Survey

PART OF THE SE 1/4 OF THE NE 1/4 OF SEC. 11, T.20N., R.16E.
IN THE TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN.

CLIENT: JOHN HOPKINS
981 9TH ST
MENASHA, WI.

RELOCATION - U.S. "45" R.O.W.
(EAST 1/4 COR. REMONUMENTED SINCE
ORIGINAL SURVEY 4-19-76)



LEGEND

- = Existing monuments
- = 2" x 30" iron pipe set
- = 1" x 30" iron pipe set
- = reference cops or R.R. spikes
- = Bernsten or Harrison monuments
- X-X = fence
- () = recorded as
- = stone monument

⊙ R.O.W. MARKERS

SURVEYORS CERTIFICATE

I, hereby certify that I have surveyed the property as shown, according to official records and that the plat above drawn is an accurate and correct representation of said survey. AUGUST 11, 19 87

Calvin W. Hawksworth
Wisconsin Registered Land Surveyor S-1290




SAYLER SURVEY, INC.
LAND SURVEYORS
WINNECONNE, WI 54986

SCALE 1 IN. = 100 FT.
PROJECT NO. S-001819
FIELD BOOK 25 PAGE 17

PLAT OF SURVEY


Part of the Northeast 1/4 of the Southeast 1/4, of Section 11, Town 20 North, Range 16 East, Town of Clayton, Winnobago County, Wisconsin



North is referenced to the East line of the Southeast 1/4, Section 11, assumed to bear N 02° 34' 39" W

Survey for:
Randy Day

SCALE 1" = 200'



LEGEND


- 3/4" REBAR, SET
- WIS. DOT MONUMENT
- ◆ SECTION MONUMENT
- ▽ F.R. NAIL
- 1" IRON PIPE FOUND
- 2" IRON PIPE FOUND
- 3/4" REBAR FOUND
- 1-1/4" REBAR FOUND
- FENCE
- ✕ CHISELED "X"
- ▽ RAIL ROAD SPIKE
- (1) RECORDED AS

SURVEYOR'S CERTIFICATE

I, hereby certify that I have surveyed the property as shown and described, according to official records and that the plat above drawn is an accurate and correct representation of said survey, to the best of my knowledge and belief.

10/22/07
DATE

Charles F. Coopman
REGISTERED LAND SURVEYOR



Martenson & Eisele, Inc.

CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH WIS. 54956
PHONE - 731-0381


FIELD BOOK 58 PROJECT NO. 267-52
PAGE 40

THIS INSTRUMENT WAS DRAFTED BY: P.A.E.


11-20-16

Plat of Survey

PART OF THE N.E. 1/4 - N.E. 1/4, SECTION 11, T.20N., R.16E., TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN.



SCALE
1" = 100'



- LEGEND
- ▲ - EXISTING RAILROAD SPIKE FOUND.
 - X - P.K. NAIL SET.
 - - 1" x 24" ROUND IRON PIPE SET.


AUTHORIZATION CERTIFICATE:

I hereby certify that I have been authorized, under the direction of MRS. CLARABELLE SORENSON to survey, map and describe the property as shown on this plat. Said survey was made on DECEMBER 6, 1978.

SURVEYOR'S CERTIFICATE:

I hereby certify that I have surveyed the property as shown and described, according to official records and that the plat above drawn is an accurate and correct representation of said survey DECEMBER 7, 1978.

Donald F. La Count
Registered Land Surveyor




DESCRIPTION: A PARCEL OF LAND LOCATED IN THE SE 1/4 OF THE SE 1/4 OF SECTION 11, T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF SECTION 11; THENCE S89°-05'-18"W, 662.21 FEET (RECORDED AS 660.00 FEET) ALONG THE SOUTH LINE OF THE SE 1/4 OF SECTION 11 TO THE POINT OF BEGINNING; THENCE CONTINUING S89°-05'-18"W, 391.98 FEET ALONG SAID SOUTH LINE; THENCE N2°-01'-55"W, 566.86 FEET; THENCE N89°-05'-18"E, 391.98 FEET TO THE INTERSECTION WITH THE NORTHERLY EXTENSION OF THE WEST LINE OF LANDS RECORDED IN DOCUMENT NUMBER 624527; THENCE S2°-01'-55"E, 566.86 FEET ALONG SAID WEST LINE AND ITS EXTENSION TO THE POINT OF BEGINNING. SAID PARCEL OF LAND CONTAINING 5.10 ACRES OF LAND MORE OR LESS. SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD. RESERVING THAT PART PRESENTLY USED FOR ROAD PURPOSES.

I, THOMAS F. HALVERSON, CERTIFY THAT THIS PLAT OF SURVEY IS A CORRECT REPRESENTATION OF THE ABOVE DESCRIBED PROPERTY.

Thomas F. Halverson



7-29-86



REVISIONS	NOLAN SALES ATTN: JIM NOLAN MARION, WISCONSIN 54950		
	CAROW LAND SURVEYING CO., INC., P.O. BOX 1297 1837 W. WISCONSIN AVE. • APPLETON, WI 54912		
DRAWN BY FT-KV	TFH	SCALE 1"=200'	DRAWING NO. A863.142-1
APPD		DATE 7-29-86	


CERTIFIED SURVEY MAP NO. 1559

NORTH IS REFERENCED TO THE SOUTH LINE OF THE SW¹/₄ OF SECTION 11,
T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN,
WHICH IS ASSUMED TO BEAR S89°-05'-18"W.



- ⊕ = BERTISEN MONUMENT FOUND
- = 1" IRON PIPE FOUND
- = 3/4" x 24" SOLID ROUND #6 REBAR SET,
WEIGHING 1.502 lbs. per lin. ft.
- = P.K. NAIL SET
- = BUILDING SETBACK LINE

Robt F. Reid 3-17-86
ROBERT F. REIDER, RLS-1251 DATED
CAROW LAND SURVEYING CO., INC.
P.O. BOX 1297, 1837 W. WIS. AVE.
APPLETON, WISCONSIN 54912-1297
A863.142 rr kv RFR 3-17-86



Stock No. 26273

CERTIFIED SURVEY MAP NO. 1559

SURVEYOR'S CERTIFICATE:

I, ROBERT F. REIDER, REGISTERED WISCONSIN LAND SURVEYOR, CERTIFY THAT I HAVE SURVEYED, MAPPED AND DIVIDED PART OF THE SE $\frac{1}{4}$ OF THE SE $\frac{1}{4}$ OF SECTION 11, T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTHEAST CORNER OF SECTION 11; THENCE S89°-05'-18"W, 662.21 FEET (RECORDED AS 660.00 FEET) ALONG THE SOUTH LINE OF THE SE $\frac{1}{4}$ OF SECTION 11 TO THE SOUTHWEST CORNER OF LANDS DESCRIBED IN DOCUMENT NO. 624527 AS EVIDENCED; THENCE CONTINUING S89°-05'-18"W, 391.98 FEET ALONG SAID SOUTH LINE; THENCE N2°-01'-55"W, 333.44 FEET; THENCE N89°-05'-18"E, 391.98 FEET TO THE NORTHWEST CORNER OF LANDS DESCRIBED IN DOCUMENT NO. 624527 AS EVIDENCED; THENCE S2°-01'-55"E, 333.44 FEET (RECORDED AS 330.00 FEET) ALONG THE WEST LINE OF SAID DESCRIBED LANDS AS EVIDENCED TO THE POINT OF BEGINNING. SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD. RESERVING THAT PART PRESENTLY USED FOR ROAD PURPOSES. SAID PARCEL CONTAINS 3.00 ACRES OF LAND MORE OR LESS.

THAT I HAVE MADE SUCH SURVEY UNDER THE DIRECTION OF CLARENCE MEYER, 8957 HIGHWAY "45", NEEVAH, WISCONSIN 54956.

THAT THIS MAP IS A CORRECT REPRESENTATION OF THE EXTERIOR BOUNDARY LINES OF THE LAND SURVEYED.

THAT I HAVE FULLY COMPLIED WITH THE PROVISIONS OF CHAPTER 236.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY AND THE ZONING ORDINANCES OF THE TOWN OF CLAYTON.



Robert F. Reider 3-17-86
 ROBERT F. REIDER, RLS-1251 DATED
 CAROW LAND SURVEYING CO., INC.
 P.O. BOX 1297, 1837 W. WIS. AVE.
 APPLETON, WISCONSIN 54912-1297
 A863.112 rr kv RFR 3-17-86

OWNER'S CERTIFICATE:

AS OWNER, I HEREBY CERTIFY THAT I CAUSED THE LAND DESCRIBED ON THIS CERTIFIED SURVEY MAP TO BE SURVEYED, MAPPED AND DIVIDED AS REPRESENTED. I ALSO CERTIFY THAT THIS MAP REQUIRES APPROVAL OF THE WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE.

WITNESS THE HAND AND SEAL OF SAID OWNER THIS ____ DAY OF _____, 198__.

IN THE PRESENCE OF:

Clarence A. Meyer
 OWNER

Barbara E. Meyer
 OWNER

James P. Nolan
 WITNESS

STATE OF WISCONSIN
 COUNTY OF WAUPACA^{SS}

PERSONALLY CAME BEFORE ME THIS 30th DAY OF June, 1986, THE ABOVE NAMED PERSONS TO ME KNOWN TO BE THE PERSONS WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGED THE SAME.

James P. Nolan
 NOTARY PUBLIC JAMES P. NOLAN

MY COMMISSION: Expires 8-24-86

PERSUANT TO THE WINNEBAGO COUNTY SUBDIVISION REGULATIONS, ALL REQUIREMENTS FOR APPROVAL HAVE BEEN FULFILLED. THIS CERTIFIED SURVEY MAP WAS APPROVED ON THE 14th DAY OF July, 1986.

Carol O'Brien
 CHAIRPERSON, WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE

657015

Register's Office

Winnebago County, Wis.

Received for record this 15th
 day of July, A.D., 1986
 at 7:14 o'clock A.M. and
 recorded in Vol. 1 of CSM
 on page 1559.

James P. Nolan
 REGISTERED LAND SURVEYOR

SHEET TWO OF TWO SHEETS

PLAT OF SURVEY

North is referenced to the South Line of the Southwest 1/4 of Section 11, which is assumed to bear N 89°-39'-24" W

FAIRVIEW

ROAD

SOUTH 1/4 CORNER
SECTION 11
BERNTSEN ALUMINUM
MONUMENT

1" IRON PIPE SET
1-1/4" STEEL REBAR SET
SECTION MONUMENT
PK RAIL
2" IRON PIPE FOUND
3" IRON PIPE FOUND
3/4" REBAR FOUND WITH
CAP (WELDER)
1-1/4" REBAR FOUND

I, hereby certify that I have surveyed the property as shown and described, according to official records and that the plot above drawn is an accurate and correct representation of said survey, to the best of my knowledge and belief.

October 10, 1984

DATE REGISTERED LAND SURVEYOR
REVISED 10/23/84 C.F.C.

Martenson & Eisele, Inc.

CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH WIS. 54956
PHONE - 731-0381

FIELD BOOK 33 PROJECT NO. 267-19
PAGE 40

THIS INSTRUMENT WAS DRAFTED BY: GAZ


WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 556
 Part of the W $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Sec. 11, T.20N., R.16E., Town of Clayton.

I, Calvin W. Hawksworth, registered land surveyor, hereby certify:

That I have surveyed, divided and mapped the parcel of land located in part of the W $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Sec. 11, T.20N., R.16E., in the Town of Clayton, Winnebago County, Wisconsin, described as follows: Beginning at a point on the North line of the NE $\frac{1}{4}$ of said Sec. 11 that is 626.13 ft., S87°23'E of the NW corner of the NE $\frac{1}{4}$ of said Sec. 11. From that point running S87°23'E along said North line, 202.20 ft., thence S0°00'W, 2649.78 ft. to the South line of the NE $\frac{1}{4}$ of said Sec. 11, thence N88°32'33"W along said South line, 821.86 ft. to the West line of the NE $\frac{1}{4}$ of said Sec. 11, thence N0°07'35"W along said West line, 2040.50 ft., thence S87°23'E, 624.75 ft., thence N0°00'E, 626.13 ft. to the said point of beginning. Being a parcel of land of 41.33 acres, more or less.

That I have made such survey, land division and map by the direction of Marshall W. Breaker, 2987 E. Shady Lane, Neenah, Wisconsin, 54956; that such map is a true and correct representation of the exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Sec. 236.34 of the Wisconsin Statutes in surveying and mapping the same.



Calvin W. Hawksworth
 Calvin W. Hawksworth S-1290
 Wisconsin Registered Land Surveyor
 January 29, 1979.

OWNER'S CERTIFICATE

As owner(s) I(we) hereby certify that I(we) caused the land described on this Certified Survey Map to be surveyed, divided and mapped as represented hereon.

WITNESS the hand and seal of said owner(s) this 3rd day of March, 1979.

Marshall W. Breaker
 Witness

In presence of:
Lucile Breaker
Marshall Breaker
 Owner(s)
2987 E. Shady Lane
 Address
Neenah, Wis. 54956
 City-State Zip

STATE OF WISCONSIN) SS
 WINNEBAGO COUNTY)

Personally came before me this 3rd day of March, 1979, the above named Lucile Breaker & Marshall Breaker who are known to be the person(s) who executed the foregoing instrument, and acknowledged the same.

Robert C. [Signature]
 Notary Public, Wisconsin

My commission expires 4/5/81.


WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

This Certified Survey Map of part of the W $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Sec. 11, T.20N., R.16E., Town of Clayton, is hereby approved.

March 1, 1979
 Date


Robert C. [Signature]
 Authorized representative
 Winnebago Co. Planning Committee

11-20-16



DESCRIPTION OF PROPERTY

THE NORTH 180' OF THE EAST 242' OF THE
NE 1/4 OF THE SE 1/4 OF SEC. 11, T20N, R16E,
TOWN OF CLAYTON, WINNEBAGO CO., WIS.



MILTON WESTPHAL SURVEY
TOWN OF CLAYTON

DRAWN TCM-LEC
CHECKED
DATE 11-20-16
SCALE 1" = 100'

R. K. SAYLER, INC.
Winneconne, Wisconsin 54980
Surveyors

11 20 16 1

October 28, 1976

Clarence A. & Barbara E. Meyer

All that part of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec. 11, T20N., R16E.
in the Town of Clayton, Winnebago County, Wisconsin, described
as follows:- Beginning at the SW corner of the SE $\frac{1}{4}$ of said
Sec. 11.

From that point running N0°31'50"W along the West line of the
SE $\frac{1}{4}$ of said Sec. 11, 330.00 ft. to an iron pipe, thence S88°56'50"E,
132.00 ft. to an iron pipe, thence S0°31'50"E, 330.00 ft. to the
South line of said Sec. 11, thence N88°56'50"W, along said Sec.
line, 132.00 ft. to the said point of beginning.

Being a parcel of land of 1.00 acre, more or less.



R. K. Sayler
Surveyor S-417


Zoning

11-20-16


26
DUB
12-14-28

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 587.

Part of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec. 11, T.20N., R.16E., Town of Clayton.



- Section stone recovered May, 1977.
- 1"x30" capped iron pipe weighing 1.13 lbs./lineal ft.



Bearings are referenced to the N-S Section line, assumed bearing, NO° 17' 29\"



I, Calvin W. Hawksworth, registered land surveyor, hereby certify:

That I have surveyed and mapped the parcel of land located in the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec. 11, T.20N., R.16E. in the Town of Clayton, Winnebago County, Wisconsin, described as follows:- Beginning at the SW corner of the SE $\frac{1}{4}$ of said Sec. 11.

From that point running NO° 17' 29\"

That I have made such survey and map by the direction of Gene Clark, 3102 E. Fairview Rd., Neenah, Wisconsin, 54956; that said map is a true and correct representation of the exterior boundaries of the land surveyed.

That I have fully complied with the provisions of Sec. 236.34 of the Wisconsin Statutes in surveying and mapping the same.

Dated at Winneconne, Wisconsin this 16th day of May, 1977.

Calvin W. Hawksworth
Surveyor S-1290

Recertified September 6, 1978

Calvin W. Hawksworth
Calvin W. Hawksworth S-1290
Wisconsin Registered Land Surveyor

Sheet 1 of 2 sheets

R.K. SAYLER, INC.

Land Surveyors

WINNECONNE, WISCONSIN

WINNEBAGO COUNTY CERTIFIED SURVEY MAP NO. 587Part of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec. 11, T.20N., R.16E., Town of ClaytonOWNER'S CERTIFICATE

As owner(s) I(we) hereby certify that I(we) caused the land described on this Certified Survey Map to be surveyed and mapped as represented hereon.

WITNESS the hand and seal of said owner(s) this 8th day of December, 1978.

In presence of:

James Lincoln
WitnessGene Clark
Owner(s)
3102 W. Tanager Rd.
Address
Greenwich, Wis.
City-State 54956
ZipSTATE OF WISCONSIN) SS
WINNEBAGO COUNTY)Personally came before me this 8th day of December, 1978, the above named Gene Clark to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.Gene Weber
Notary Public, Winnebago Co., Wiso.My commission expires Apr 21, 1980.WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATEThis Certified Survey Map of part of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec. 11, T.20N., R.16E., Town of Clayton, is hereby approved.December 15, 1978
DateRobert M. Luntz
Authorized representative
Winnebago Co. Planning CommitteeOriginal: May 16, 1977
Recertification: September 6, 1978.Calvin W. Hawksworth
Calvin W. Hawksworth S-1290
Wisconsin Registered Land Surveyor

Sheet 2 of 2 sheets

REGISTER OF DEEDS

 Registered Office
 Winnebago County, Wis.
 Located in room 200, 19th
 day of June, A.D. 1979
 at 2:42 p.m. and
 recorded in Vol. 1 of S. 1100
 p. 587

535222

Book
2
1812

Plat of Survey

PART OF THE N.E. $\frac{1}{4}$ -N.E. $\frac{1}{4}$, SECTION 11, T.20N., R.16E., TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN.

LEGAL DESCRIPTION-PARCEL 1

A PARCEL OF LAND LOCATED IN PART OF THE N.E. $\frac{1}{4}$ -N.E. $\frac{1}{4}$, SECTION 11, T.20N., R.16E., TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN, MORE FULLY DESCRIBED AS FOLLOWS:


COMMENCING AT THE NORTHEAST CORNER OF SAID SECTION 11; THENCE S. $2^{\circ}30'06''$ E. ALONG THE EAST LINE OF SAID N.E. $\frac{1}{4}$, 507.06 FEET TO THE POINT OF BEGINNING:

THENCE CONTINUING S. $2^{\circ}30'06''$ E. ALONG THE EAST LINE OF SAID N.E. $\frac{1}{4}$, 800.00 FEET TO THE SOUTHEAST CORNER OF SAID N.E. $\frac{1}{4}$ -N.E. $\frac{1}{4}$; THENCE S. $89^{\circ}58'45''$ W. ALONG THE SOUTH LINE OF SAID N.E. $\frac{1}{4}$ -N.E. $\frac{1}{4}$, 540.51 FEET; THENCE N. $2^{\circ}30'06''$ W. PARALLEL WITH THE EAST LINE OF SAID N.E. $\frac{1}{4}$, 776.60 FEET; THENCE N. $87^{\circ}29'54''$ E., 540.00 FEET TO THE POINT OF BEGINNING.

SAID PARCEL OF LAND CONTAINING 9.772 ACRES MORE OR LESS.

SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD.

RESERVING THAT PART PRESENTLY BEING USED FOR U.S.H. "45" RIGHT-OF-WAY PURPOSES ON THE EAST.



AUTHORIZATION CERTIFICATE:

I hereby certify that I have been authorized, under the direction of MRS. CLARABELLE SORENSEN to survey, map and describe the property as shown on this plat. Said survey was made on DECEMBER 6, 1978

SURVEYOR'S CERTIFICATE:

I hereby certify that I have surveyed the property as shown and described, according to official records; and that the plat above drawn is an accurate and correct representation of said survey. DECEMBER 8, 1978
Donald F. La Count
Registered Land Surveyor

PHILLIPS AND ASSOCIATES, INC.
Engineers and Land Surveyors

LITTLE CHUTE, WIS.

FILE NO. 1178.200
SHEET 2 OF 3

Plat of Survey

PART OF THE N.E. $\frac{1}{4}$ -N.E. $\frac{1}{4}$, SECTION 11, T.20N., R.16E., TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN.

LEGAL DESCRIPTION OF REMAINING "40" ACRE PARCEL


A PARCEL OF LAND LOCATED IN PART OF THE N.E. $\frac{1}{4}$ -N.E. $\frac{1}{4}$, SECTION 11, T.20N., R.16E., TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN, MORE FULLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE NORTHEAST CORNER OF SAID SECTION 11. THENCE S. $2^{\circ}30'06''$ E., ALONG THE EAST LINE OF SAID N.E. $\frac{1}{4}$, 507.06 FEET; THENCE S. $87^{\circ}29'54''$ W., 540.00 FEET; THENCE S. $2^{\circ}30'06''$ E. PARALLEL WITH THE EAST LINE OF SAID N.E. $\frac{1}{4}$, 776.60 FEET TO A POINT ON THE SOUTH LINE OF SAID N.E. $\frac{1}{4}$ -N.E. $\frac{1}{4}$; THENCE S. $89^{\circ}58'45''$ W. ALONG THE SOUTH LINE OF SAID N.E. $\frac{1}{4}$ -N.E. $\frac{1}{4}$ TO THE SOUTH-WEST CORNER OF SAID N.E. $\frac{1}{4}$ -N.E. $\frac{1}{4}$; THENCE N. $2^{\circ}20'23''$ W. ALONG THE WEST LINE OF SAID N.E. $\frac{1}{4}$ -N.E. $\frac{1}{4}$ OF SAID SECTION, TO A POINT THAT IS S. $2^{\circ}20'23''$ E. OF AND 208.79 FEET DISTANT FROM THE NORTHWEST CORNER OF SAID N.E. $\frac{1}{4}$ -N.E. $\frac{1}{4}$; THENCE S. $89^{\circ}26'28''$ E. PARALLEL WITH THE NORTH LINE OF SAID N.E. $\frac{1}{4}$ -N.E. $\frac{1}{4}$, 417.58 FEET; THENCE N. $2^{\circ}20'23''$ W. PARALLEL WITH THE WEST LINE OF SAID N.E. $\frac{1}{4}$ -N.E. $\frac{1}{4}$, 208.79 FEET TO A POINT ON THE NORTH LINE OF SAID N.E. $\frac{1}{4}$ -N.E. $\frac{1}{4}$; THENCE S. $89^{\circ}26'28''$ E., ALONG THE NORTH LINE OF SAID N.E. $\frac{1}{4}$ -N.E. $\frac{1}{4}$, 897.21 FEET TO THE NORTHEAST CORNER OF SAID N.E. $\frac{1}{4}$ AND THE POINT OF BEGINNING.

SAID PARCEL OF LAND CONTAINING 27.881 ACRES MORE OR LESS.

SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD.

RESERVING THAT PART PRESENTLY BEING USED FOR U.S.H. "45" RIGHT-OF-WAY PURPOSES ON THE EAST AND RESERVING THAT PART PRESENTLY BEING USED FOR EAST SHADY LANE RIGHT-OF-WAY PURPOSES ON THE NORTH.



AUTHORIZATION CERTIFICATE:

I hereby certify that I have been authorized, under the direction of MRS. CLARABELLE SORENSEN to survey, map and describe the property as shown on this plot. Said survey was made on DECEMBER 6, 1978.

SURVEYOR'S CERTIFICATE:

I hereby certify that I have surveyed the property as shown and described, according to official records and that the plat above drawn is an accurate and correct representation of said survey. DECEMBER 7, 1978
Donald F. La Count
Registered Land Surveyor


PHILLIPS AND ASSOCIATES, INC.
Engineers and Land Surveyors

LITTLE CHUTE,
WISCONSIN

FILE NO. 1178.200
SHEET 3 OF 3

CERTIFIED SURVEY MAP # 2079

PART OF THE NW 1/4 OF THE NE 1/4, SECTION 11, T20N, R16E,
TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN.



SURVEYOR'S CERTIFICATE

STATE OF WISCONSIN)
WINNEBAGO COUNTY)SS


I, THOMAS M. WOOD, REGISTERED WISCONSIN LAND SURVEYOR, DO HEREBY CERTIFY THAT I HAVE SURVEYED, DIVIDED AND MAPPED ALL THAT PART OF THE NW 1/4 OF THE NE 1/4, SECTION 11, T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN WHICH IS MORE FULLY DESCRIBED AS FOLLOWS:


COMMENCING AT THE NE CORNER OF SAID SECTION 11; THENCE N87°23'00"W, 1732.03 FEET TO THE POINT OF BEGINNING; THENCE CONTINUING N87°23'00"W, 68.86 FEET; THENCE S0°04'40"W, 417.35 FEET; THENCE S87°23'00"E, 279.19 FEET; THENCE N0°08'39"W, 208.71 FEET; THENCE N87°23'00"W, 208.71 FEET; THENCE N0°08'39"W, 208.71 FEET TO THE POINT OF BEGINNING. THAT I MADE SUCH DIVISION BY ORDER OF MARSHALL BREAKER, OWNER OF SAID LANDS, AND THAT I HAVE COMPLIED WITH THE CODE OF ORDINANCES OF WINNEBAGO COUNTY, WISCONSIN, AND WITH CHAPTER 236.34 OF THE WISCONSIN STATUTES IN SURVEYING, DIVIDING AND MAPPING THE SAME.

Thomas M. Wood R.L.S. 9-20-89

THOMAS M. WOOD R.L.S.
HEBERT & ASSOCIATES
1110 W. Wisconsin Ave.,
Appleton, Wisconsin

SUBDIVIDER:
Mr. Marshall Breaker
2987 W. Shady Lane
Neenah, Wisconsin 54956





Thomas M. Wood, S. 8-3-89

OWNERS CERTIFICATE
STATE OF WISCONSIN)
WINNEBAGO COUNTY)SS

I (WE), AS OWNER(S) OF SAID LANDS, DO HEREBY CERTIFY THAT I (WE) CAUSED THE LAND DESCRIBED HEREON TO BE SURVEYED, DIVIDED AND MAPPED AS REPRESENTED ON THE CERTIFIED SURVEY MAP. I (WE) ALSO CERTIFY THAT THIS CERTIFIED SURVEY MAP IS REQUIRED BY LAW, UNDER CHAPTER 236.34 AND THE WINNEBAGO COUNTY LAND SUBDIVISION ORDINANCE, TO BE SUBMITTED TO THE WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE FOR APPROVAL OR OBJECTION.

OWNER Marshall W. Breaker ADDRESS 2997 N. Shady Ln. Milton Westphal
WITNESS Milton Westphal
OWNER Lucile W. Breaker ADDRESS 2997 N. Shady Ln. Milton Westphal
WITNESS Milton Westphal

STATE OF WISCONSIN)
WINNEBAGO COUNTY)SS

PERSONAL APPEARANCE BEFORE ME THIS 29th DAY OF September, 1989,
THE ABOVE NAMED OWNER OF SAID LAND Marshall W. Breaker, TO ME KNOWN TO
BE THE PERSON WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGE THE SAME.
NOTARY PUBLIC Wendy R. Rignak DATE 9/29/89

MY COMMISSION EXPIRES 7/19/92

COUNTY PLANNING AND ZONING COMMITTEE CERTIFICATE

PURSUANT TO THE LAND SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY, WISCONSIN, ALL OF THE REQUIREMENTS FOR APPROVAL HAVE BEEN FULFILLED.
THIS CERTIFIED SURVEY WAS APPROVED BY THE WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE ON October 4, 1989.

Carol Owens
CHAIRMAN OR DEPUTY

Register's Office 731148
Winnebago County, Wis.

Received for record this 4th
day of Oct, A.D., 1989
at 1:12 o'clock P.M. and
filed in Vol. 1 of SSM
on page 2079

TOWN BOARD CERTIFICATE
TOWN OF
WINNEBAGO COUNTY

THIS CERTIFIED SURVEY MAP WAS APPROVED BY THE TOWN BOARD ON THIS September DAY OF 1989

Robert L. Shindler
CHAIRMAN OR DEPUTY

TREASURER'S CERTIFICATE

I HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES OR UNPAID SPECIAL ASSESSMENTS ON ANY OF THE LANDS SHOWN HEREON.


Marjorie L. Reinhardt
TOWN TREASURER

DATE 9/21/89

Keith W. Bradley
COUNTY TREASURER DATE 9/29/89

CERTIFIED SURVEY MAP

PART OF THE NW ¼ OF THE SW ¼, SECTION 11, T20N,
R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN.



NORTH IS REFERENCED TO THE WEST
LINE OF THE SW ¼, SECTION 11, T20N,
R16E, AND IS ASSUMED TO BEAR
SO° 22' 42" W.


LEGEND

● = 3/4" X 24" IRON ROD, SET
(Wt. 1.502 lbs/lf)

▲ = MASONRY NAIL, SET

Subdivider: Carl Borchert
3140 W. Fairview Rd.
Neenah, WI 54956

Surveyed By: Hebert & Associates
1110 W. Wisconsin Ave.
Appleton, WI 54914



SURVEYOR'S CERTIFICATE

STATE OF WISCONSIN)
WINNEBAGO COUNTY) ss


I, THOMAS M. WOOD REGISTERED WISCONSIN LAND SURVEYOR, DO HEREBY CERTIFY THAT I HAVE SURVEYED, DIVIDED AND MAPPED THAT PART OF THE NW ¼ OF THE SW ¼, SECTION 11, T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN WHICH IS MORE FULLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE W ¼ CORNER OF SAID SECTION 11; THENCE SO° 22' 42" W, 330.00 FEET TO THE POINT OF BEGINNING; THENCE CONTINUING SO° 22' 42" W, 200.00 FEET; THENCE S89° 03' 14" E, 297.00 FEET; THENCE N 22° 42' 42" E, 200.00 FEET; THENCE N89° 03' 14" W, 297.00 FEET TO THE POINT OF BEGINNING.

I FURTHER CERTIFY THAT THIS SURVEY WAS MADE UNDER THE DIRECTION OF CARL BORCHERT, OWNER OF SAID LANDS, AND THAT I HAVE FULLY COMPLIED WITH THE CODE OF ORDINANCES OF WINNEBAGO COUNTY, AND WITH CHAPTER S. 236.34 OF THE WISCONSIN STATUTES IN SURVEYING, DIVIDING AND MAPPING THE SAME.

Thomas M. Wood R.L.S. 2-28-90
THOMAS M. WOOD R.L.S. DATE
S-1887

SIDE 1 OF 2
PAGE 1 OF 1
FILE #90011CM



Thomas M. Wood RLS. 22890

OWNERS CERTIFICATE

STATE OF WISCONSIN)
WINNEBAGO COUNTY)SS

I(WE), AS OWNER(S) OF SAID LANDS, DO HEREBY CERTIFY THAT I(WE) CAUSED THE LAND DESCRIBED HEREON TO BE SURVEYED, DIVIDED AND MAPPED AS REPRESENTED ON THE CERTIFIED SURVEY MAP. I(WE) ALSO CERTIFY THAT THIS CERTIFIED SURVEY MAP IS REQUIRED BY LAW, UNDER CHAPTER 236.34 AND THE WINNEBAGO COUNTY LAND SUBDIVISION ORDINANCE, TO BE SUBMITTED TO THE WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE FOR APPROVAL OR OBJECTION.

Robert W Kohls 736 Reed St Neenah Susan P. Esten
OWNER ADDRESS WITNESS

Nancy J. Kohls 736 Reed St. Neenah Susan P. Esten
OWNER ADDRESS WITNESS

STATE OF WISCONSIN)
WINNEBAGO COUNTY)SS

PERSONALLY CAME BEFORE ME THIS 22nd DAY OF August, 1990,
THE ABOVE NAMED OWNER OF SAID LAND

BE THE PERSON WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGE THE SAME.

Frederick W. Wolfe 8/22/90 6-13-93
NOTARY PUBLIC DATE MY COMMISSION EXPIRES

COUNTY PLANNING AND ZONING COMMITTEE CERTIFICATE

PURSUANT TO THE LAND SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY, WISCONSIN, ALL OF THE REQUIREMENTS FOR APPROVAL HAVE BEEN FULFILLED.
THIS CERTIFIED SURVEY WAS APPROVED BY THE WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE ON August 23, 1990.

Jeannette Diakoff
V CHAIRMAN OR DEPUTY

Register's Office
Winnebago County, Wis.
Received for record this 29th
day of Aug A.D., 1990
at 10:08 o'clock A.M. and
filed in Vol. 1 of CSM
on page 2239

TOWN BOARD CERTIFICATE
TOWN OF CLAYTON
WINNEBAGO COUNTY

THIS CERTIFIED SURVEY MAP WAS APPROVED BY THE TOWN BOARD ON THIS 5th DAY OF March, 1990.

Robert Guenzelmann
CHAIRMAN OR DEPUTY

TREASURER'S CERTIFICATE

I HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES OR UNPAID SPECIAL ASSESSMENTS ON ANY OF THE LANDS SHOWN HEREON.


Majorie L. Raines 8/22/90
TOWN TREASURER DATE
Bruce D. Bradley 8/22/90
COUNTY TREASURER DATE

751223

LEGEND

- - BERNTSEN MONUMENT FOUND
- - 3/4" X 24" IRON ROD SET
(WE. 1.502 lbs/lf)

NORTH IS REFERENCED TO THE WEST
LINE OF THE SW 1/4, SECTION 11,
T20N, R16E, AND IS ASSUMED TO BEAR
S0°22'42"W.



James A. Hebert PLS
I, JAMES A. HEBERT RLS, DO HEREBY
CERTIFY THAT THIS PLAT OF SURVEY
IS A CORRECT REPRESENTATION OF
THE DESCRIBED PROPERTY.

DESCRIPTION

A PARCEL OF LAND LOCATED IN THE NW 1/4 OF THE SW 1/4, SECTION
11, T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN
WHICH IS MORE FULLY DESCRIBED AS FOLLOWS:
COMMENCING AT THE WEST 1/4 CORNER OF SAID SECTION 11; THENCE
S0°22'42"W, 596.00 FEET ALONG THE WEST LINE OF SAID SW 1/4 TO
THE POINT OF BEGINNING; THENCE CONTINUING S0°22'42"W, 400.00
FEET ALONG SAID WEST LINE; THENCE S89°03'14"E, 588.50
FEET; THENCE N0°22'42"E, 400.00 FEET; THENCE N89°03'14"W,
588.50 FEET TO THE POINT OF BEGINNING.
SAID PARCEL CONTAINS 5.40 ACRES OF LAND MORE OR LESS (5.10
LESS ROAD) AND IS SUBJECT TO ALL EASEMENTS AND RESTRICTIONS
OF RECORD, RESERVING THAT PART THAT IS PRESENTLY BEING USED
FOR ROAD PURPOSES.


235388 SQ.FT. OR 5.40 ACRES ±

222184 SQ.FT. LESS ROAD OR 5.10 ACRES ±

TOLERANCES (EXCEPT AS NOTED)	REVISIONS			HEBERT & ASSOCIATES ph 414-734-8373		
	NO	DATE	BY	1110 W. Wisconsin Ave., Appleton, WI. 54914		
DECIMAL	1			Surveyed for Carl Borchert 3140 W. FAirview Rd., Neenah, Wisconsin 54956		
±	2					
FRACTIONAL	3			DRAWN BY	SCALE	MATERIAL
±	4			jah	1"=100'	
ANGULAR	5			CHK'D	DATE	DRAWING NO.
±				TRACED	12-13-90	
					APP'D	90011A

CERTIFIED SURVEY MAP

ALL OF LOT 1, CERTIFIED SURVEY MAP NUMBER 2079 AND PART OF THE NW $\frac{1}{4}$ OF THE NE $\frac{1}{4}$, SECTION 11, T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN.



LEGEND

- = 3/4" IRON ROD FOUND
- = 1" IRON PIPE FOUND
- ⊙ = Government Mounment Found


OWNER / SUBDIVIDER
Thomas Hoffmann
3015 W. Shady Lane
Neenah, WI. 54956

SURVEYOR'S CERTIFICATE

STATE OF WISCONSIN)
WINNEBAGO COUNTY) SS

I, JAMES A. HEBERT, REGISTERED WISCONSIN LAND SURVEYOR, DO HEREBY CERTIFY THAT I HAVE SURVEYED, DIVIDED AND AMPPED ALL THAT PART OF THE NW $\frac{1}{4}$ OF THE NE $\frac{1}{4}$ AND OF LOT 1, CERTIFIED SURVEY MAP NUMBER 2079, ALL BEING LOCATED IN SECTION 11, T20N, R16E, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN AND MORE FULLY DESCRIBED AS FOLLOWS:
COMMENCING AT THE NORTHEAST CORNER OF SAID SECTION 11; THENCE N87°23'00"W, 1523.32 FEET ALONG THE NORTH LINE OF THE NW $\frac{1}{4}$ TO THE POINT OF BEGINNING; THENCE CONTINUING N87°23'00"W, 277.57 FEET; THENCE S0°04'40"W, 417.35 FEET; THENCE S87°23'00"E, 279.19 FEET; THENCE N0°08'39"W, 417.42 FEET TO THE POINT OF BEGINNING.
THAT I MADE SUCH DIVISION BY ORDER AND UNDER THE DIRECTION OF THOMAS HOFFMANN, OWNER OF SAID LANDS, AND THAT I HAVE COMPLIED WITH THE CODE OF ORDINANCES OF WINNEBAGO COUNTY, WISCONSIN AND WITH CHAPTER 236.34 OF THE WISCONSIN STATUTES IN SURVEYING, DIVIDING AND MAPPING THE SAME.

James A. Hebert PLS 7-2-91
JAMES A. HEBERT PLS DATED
Drafted by:
HEBERT & ASSOCIATES
1110 W. Wisconsin Ave.
Appleton, Wisconsin 54914
ph 414-734-8373



File # 81028

Sheet 1 of 1
Side 1 of 2

OWNER'S CERTIFICATE

STATE OF WISCONSIN) SS
WINNEBAGO COUNTY)

WE, AS OWNERS OF SAID LANDS, DO HEREBY CERTIFY THAT WE CAUSED THE LAND DESCRIBED HEREON TO BE TO BE SURVEYED, DIVIDED AND MAPPED AS REPRESENTED ON THE CERTIFIED SURVEY MAP. WE ALSO CERTIFY THAT THIS CERTIFIED SURVEY MAP IS REQUIRED BY LAW, UNDER CHAPTER 236.34 AND THE WINNEBAGO COUNTY LAND SUBDIVISION ORDINANCE, TO BE SUBMITTED TO THE WINNEBAGO PLANNING AND ZONING COMMITTEE FOR APPROVAL OR OBJECTION.

OWNER

DATED

OWNER

DATED

STATE OF WISCONSIN) SS
WINNEBAGO COUNTY)

PERSONALLY CAME BEFORE ME THIS 8th DAY OF July, 1991, THE ABOVE NAMED OWNER OF SAID LAND, THOMAS HOFFMANN (and WIFE), TO ME KNOW TO BE THE PERSON(S) WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGE THE SAME.

NOTARY PUBLIC

DATED

MY COMMISSION EXPIRES

COUNTY PLANNING AND ZONING COMMITTEE CERTIFICATE

PURSUANT TO THE LAND SUBDIVISION REGULATIONS OF WINNEBAGO COUNTY, WISCONSIN, ALL OF THE REQUIREMENTS FOR APPROVAL HAVE BEEN FULFILLED.

THIS CERTIFIED SURVEY WAS APPROVED BY THE WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE ON JULY 20th, 1991.

CHAIRMAN OR DEPUTY

TOWN BOARD CERTIFICATE

TOWN OF CLAYTON) SS
WINNEBAGO COUNTY)

THIS CERTIFIED SURVEY MAP WAS APPROVED BY THE TOWN BOARD ON THIS 20th DAY OF July, 1991.

CHAIRMAN OR DEPUTY

TREASURER'S CERTIFICATE


I HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES OR UNPAID SPECIAL ASSESSMENTS ON ANY OF THE LANDS SHOWN HEREON.

TOWN TREASURER

DATED

COUNTY TREASURER

DATED



804670

Register's Office

Winnebago County, Wis.

File # 81028

Sheet 1 of 1

Received for record this 22nd day of July A.D., 1992.

Side 2 of 2

at 12:20 o'clock P.M. andfiled in Vol. 1 of CSMon page 2554

Register of Deeds

Pd 12.00

Sec 11.

AFFIDAVIT

720R16

STATE OF WISCONSIN)
COUNTY OF WINNEBAGO) SS

I, James A. Hebert, registered land surveyor no. S-980 depose and say;

That I am a land surveyor registered in the State of Wisconsin;

That I have surveyed and described the lands shown on Certified Survey Map 2554, Document no. 804670 and recorded in the Winnebago County Register of Deeds Office;

That under OWNER / SUBDIVIDER the following names should be added;

Marshall W. and Lucile Breaker

That Marshall W. and Lucile Breaker are under land contract with Thomas Hoffmann for that part of Certified Survey Map no. 2554 shown as Lot 1, CSM 2079;


That I make this affidavit for the purpose of clarifying the ownership and for no other purpose.

James A. Hebert PLS 9-15-92.
James A. Hebert PLS S-980 dated

Subscribed and sworn to before me this 15th day of Sept, 1992

Barbara A. Hildeman
Notary Public


My commission expires 11-12-, 1995.



Marshall Breaker 9/15/92 Lucile Breaker 9/15/92
Marshall W. Breaker dated Lucile Breaker dated

Subscribed and sworn to before me this

15TH day of SEPTEMBER 1992.



James A. Hebert
Notary Public, Outagamie County

My commission expires on OCT. 25, 1992.

Drafted by:
✓ HEBERT & ASSOCIATES
1110 W. Wisconsin Ave.
Appleton, WI. 54914

File # 81028
Sheet 1 of 1
Side 1 of 1

Register's Office
Winnebago County, Wis.
Received for record
this 17th Day of
Sept
A.D. 1992 at
9:00 o'clock A.M.
Barbara A. Hildeman
REGISTER OF DEEDS


1- CSM 2554
804670

810230

01
10.00

PLAT OF SURVEY

PART OF THE SOUTHWEST 1/4 OF THE SOUTHWEST 1/4
OF SECTION 11, TOWN 20 NORTH, RANGE 16 EAST, TOWN
OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN



LEGEND

- 3/4" x 24" STEEL REBAR SET
- 1" x 24" IRON PIPE SET
- △ 1-1/4" x 30" STEEL REBAR SET
- × CHISELED "X" SET
- 3/4" REBAR POUND
- 1" IRON PIPE FOUND
- ▲ P.K. NAIL SET
- ◻ 2" IRON PIPE FOUND
- ◼ CHISELED "X" FOUND
- ⊙ GOVERNMENT CORNER

SURVEYOR'S CERTIFICATE:

I hereby certify that I have surveyed this property and this map is a true representation thereof and shows the size and location of the property, its exterior boundaries, the location of all visible structures thereon, fences, apparent easements and roadways and visible encroachments, if any. This survey is made for the exclusive use of the present owner of the property, and also those who purchase, mortgage or guarantee the title thereto within one (1) year from date hereof; and as to them I hereby certify that said survey and map were made in accordance with acceptable Professional Standards and that the information contained thereon is, to the best of my knowledge, information and belief a true and accurate representation thereof.

FENCE
RECORDED AS

July 9, 1993
DATE

Daniel W. Noel
REGISTERED LAND SURVEYOR

Martenson & Eisele, Inc.


CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WIS 54956
PHONE (414)-731-0381

PROJECT NO. 267-098

FIELD BOOK GRID PAGE FILE
DISK FILE


THIS INSTRUMENT WAS DRAFTED BY: pae

CERTIFIED SURVEY MAP NO. 3068
 Part of the Southwest 1/4 of the Southwest 1/4 of
 Section 11, Town 20 North, Range 10 East
 Town of Clayton, Winnebago County, Wisconsin



Bearings are referenced to the South line of the Southwest 1/4 of Section 11, which is recorded to bear N 89°39'24" W


Survey for:
 Gerald O. Meyer
 3204 W. Fairview Road
 Neenah, WI 54956



LEGEND

- 3/4" STEEL REINFORCING BAR SET, 24" LONG, WEIGHING 1.502 LBS. PER LIN. FOOT
- 1" IRON PIPE SET, 24" LONG, WEIGHING 1.130 LBS. PER LIN. FOOT
- △ 1-1/4" STEEL REINFORCING BAR SET, 30" LONG, WEIGHING 4.303 LBS. PER LIN. FOOT
- × CHISELED "X" SET
- 3/4" REBAR FOUND
- 1" IRON PIPE FOUND
- ▲ 1-1/4" REBAR FOUND
- ▣ 2" IRON PIPE FOUND
- ⊗ CHISELED "X" FOUND
- ⊙ GOVERNMENT CORNER

--- FENCE LINE
 () RECORDED AS



Daniel W. Hoel
 12/5/94

Martenson & Eisele, Inc.
 CONSULTING ENGINEERING & LAND SURVEYING
 1919 AMERICAN COURT
 NEENAH, WIS. 54956
 PHONE (414) 731-0381

PROJECT NO. 207-098
 FIELD BOOK FILE PAGE 612
 DISK _____ FILE _____
 SHEET 1 OF 3

THIS INSTRUMENT WAS DRAFTED BY:

CERTIFIED SURVEY MAP NO. 3068

SURVEYOR'S CERTIFICATE:

I, Daniel W. Hoel, Registered Land Surveyor, do hereby certify:

That I have surveyed, divided and mapped, at the direction of Gerald O. Meyer, part of the Southwest 1/4 of the Southwest 1/4 of Section 11, Town 20 North, Range 16 East, Town of Clayton, Winnebago County, Wisconsin described as follows:

Commencing at the Southwest corner of said Section 11; thence South 89 degrees 39 minutes 24 seconds East, along the South line of the Southwest 1/4 of said Section 11, a distance of 1214.66 feet to the point of beginning; thence North 00 degrees 09 minutes 02 seconds East, 822.84 feet; thence South 89 degrees 39 minutes 24 seconds East, 140.00 feet; thence South 00 degrees 09 minutes 02 seconds West, 822.64 feet; thence North 89 degrees 39 minutes 24 seconds West, along the South line of the Southwest 1/4 of said Section 11, a distance of 140.00 feet to the point of beginning, reserving the South 33 feet for right-of-way purposes, subject to all easements and restrictions of record.

That I have fully complied with Chapter 236.34 of the Wisconsin Statutes in surveying, dividing, and mapping the same and the Town of Clayton, and Winnebago County Subdivision Ordinances.

This map is a correct representation of all of the exterior boundaries of land surveyed and the division thereof.

Given under my hand this 5TH day of DECEMBER, 1994.

Daniel W. Hoel

Daniel W. Hoel, Reg. Wis. Land Surveyor, S-1788



OWNERS CERTIFICATE:

As owners we, the undersigned, hereby certify that we caused the land above described to be surveyed, divided and mapped and dedicated to the public all as shown and represented on this map.

Gerald O. Meyer

Date

Joanne M. Meyer

Date

State of Wisconsin)
Winnebago County } SS

Personally came before me on the 7th day of DECEMBER, 1994, the above owners to me known to be the persons who executed the foregoing instrument and acknowledge the same.

Notary

My Commission Expires May 18, 1997



PROJECT NO. 267-098
SHEET 2 OF 3

CERTIFIED SURVEY MAP NO. 3068

CORPORATE OWNER'S CERTIFICATE:

The Raymond H. Vander Heiden and Rosella M. Vander Heiden Joint Revocable Trust, duly organized and existing under and by virtue of the Laws of the State of Wisconsin, hereby certify that we caused the land above described to be surveyed, divided and mapped all as shown and represented on this map.

Dated this 7th day of DECEMBER, 1994.

RAYMOND H. VANDER HEIDEN
(Print Name) Trustee

ROSSELLA M. VANDER HEIDEN
(Print Name) Trustee


Raymond H. Vander Heiden
(Signature) Trustee

Rosella M. Vander Heiden
(Signature) Trustee

State of Wisconsin }
Winnebago County } SS

Personally came before me on the 7th day of DECEMBER, 1994, the above owners to me known to be the persons who executed the foregoing instrument and acknowledge the same.

[Signature] My Commission Expires May 18, 1997
Notary



CERTIFICATE OF PLANNING COMMITTEE:

Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This Minor Subdivision was approved by the Winnebago County Planning and Zoning Committee on 13th day of December, 1994.

Jeanette Diskoff
Chairman, Planning and Zoning Committee

TREASURER'S CERTIFICATE:

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

Margie L. Reunders
Town Treasurer

Margie Reunders, Deputy
County Treasurer

12/10/94
Date:

12-12-94
Date:

Owners of record:

Recording information:

Parcel number:

Gerald O. Meyer &
Joanne M. Meyer


Doc. No. 762401

008-0316-01

The Raymond H. Vander Heiden
and Rosella M. Vander Heiden
Joint Revocable Trust

Doc. No. 762060

008-0316



Daniel W. Hoel SURVEYOR 12/15/94

PROJECT NO. 267-098
SHEET 3 OF 3

893712

FORM NO. 985-A
REGISTER

Stock No. 26273

Register's Office

Winnebago County, Wis.


Received for record this 14th
day of Dec A.D., 19 94
at 9:48 o'clock A M. and
filed in Vol. 1 of CSM
on page 3068

Marjorie K. Kneeland
Register of Deeds

*Pd a
16*

CERTIFIED SURVEY MAP NO. _____

Part of the Southwest 1/4 of the Southwest 1/4 of
Section 11, Town 20 North, Range 16 East,
Town of Clayton, Winnebago County, Wisconsin



Bearings are referenced to the South line of
the Southwest 1/4 of Section 11, which is
recorded to bear N 89°39'24" W

Survey for:
Gerald O. Meyer
3204 Y. Fairview Road
Neenah, WI 54956

Southwest corner
Section 11
T. 20 N., R. 16 E.
Aluminum county
monument found

South 1/4 corner
Section 11
T. 20 N., R. 16 E.
Aluminum county
monument found

LOT 1
82,549 sq. ft.


Exist.
House

FAIRVIEW ROAD

LEGEND

- 3/4" STEEL REINFORCING BAR SET, 24' LONG,
WEIGHING 1,602 LBS., PER LIN. FOOT
- 1" IRON PIPE SET, 24' LONG,
WEIGHING 1,130 LBS., PER LIN. FOOT
- △ 1-1/4" STEEL REINFORCING BAR SET, 30' LONG,
WEIGHING 4,303 LBS., PER LIN. FOOT
- × CHISELED "X" SET
- 3/4" REBAR FOUND
- 1" IRON PIPE FOUND
- ▲ 1-1/4" REBAR FOUND
- ▣ 2" IRON PIPE FOUND
- ⊙ CHISELED "X" FOUND
- ⊕ GOVERNMENT CORNER

--- FENCE LINE
() RECORDED AS



Daniel W. Hoel
12/5/94



Martenson & Eisele, Inc.

CONSULTING ENGINEERING & LAND SURVEYING
1919 AMERICAN COURT
NEENAH, WIS. 54956
PHONE (414) 731-0381

PROJECT NO. 267-098
FIELD BOOK FILE PAGE 681D
DISK FILE FILE FILE
SHEET 1 OF 3

THIS INSTRUMENT WAS DRAFTED BY:

CERTIFIED SURVEY MAP NO. _____

SURVEYOR'S CERTIFICATE:

I, Daniel W. Hoel, Registered Land Surveyor, do hereby certify:

That I have surveyed, divided and mapped, at the direction of Gerald O. Meyer, part of the Southwest 1/4 of the Southwest 1/4 of Section 11, Town 20 North, Range 16 East, Town of Clayton, Winnebago County, Wisconsin described as follows:

Commencing at the Southwest corner of said Section 11; thence South 89 degrees 39 minutes 24 seconds East, along the South line of the Southwest 1/4 of said Section 11, a distance of 1214.66 feet to the point of beginning; thence North 00 degrees 09 minutes 02 seconds East, 622.64 feet; thence South 89 degrees 39 minutes 24 seconds East, 140.00 feet; thence South 00 degrees 09 minutes 02 seconds West, 622.64 feet; thence North 89 degrees 39 minutes 24 seconds West, along the South line of the Southwest 1/4 of said Section 11, a distance of 140.00 feet to the point of beginning, reserving the South 33 feet for right-of-way purposes, subject to all easements and restrictions of record.


That I have fully complied with Chapter 236.34 of the Wisconsin Statutes in surveying, dividing, and mapping the same and the Town of Clayton, and Winnebago County Subdivision Ordinances.

This map is a correct representation of all of the exterior boundaries of land surveyed and the division thereof.

Given under my hand this 5TH day of DECEMBER, 1994.

Daniel W. Hoel

Daniel W. Hoel, Reg. Wis. Land Surveyor, S-1786



OWNERS CERTIFICATE:

As owners we, the undersigned, hereby certify that we caused the land above described to be surveyed, divided and mapped and dedicated to the public all as shown and represented on this map.

Gerald O. Meyer

Date

Joanne M. Meyer

Date

State of Wisconsin }
Winnebago County } SS

Personally came before me on the _____ day of _____, 1994, the above owners to me known to be the persons who executed the foregoing instrument and acknowledge the same.

Notary

My Commission Expires _____

PROJECT NO. 267-098
SHEET 2 OF 3

CERTIFIED SURVEY MAP NO. _____

CORPORATE OWNER'S CERTIFICATE:

The Raymond H. Vander Heiden and Rosella M. Vander Heiden Joint Revocable Trust, duly organized and existing under and by virtue of the Laws of the State of Wisconsin, hereby certify that we caused the land above described to be surveyed, divided and mapped all as shown and represented on this map.

Dated this _____ day of _____, 1994.

(Print Name) Trustee

(Print Name) Trustee

(Signature) Trustee

(Signature) Trustee

State of Wisconsin }
Winnebago County } SS

Personally came before me on the _____ day of _____, 1994, the above owners to me known to be the persons who executed the foregoing instrument and acknowledge the same.

Notary My Commission Expires _____

CERTIFICATE OF PLANNING COMMITTEE:

Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This Minor Subdivision was approved by the Winnebago County Planning and Zoning Committee on _____ day of _____, 1994.

Chairman, Planning and Zoning Committee

TREASURER'S CERTIFICATE:

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

Town Treasurer

County Treasurer

Date:

Date:

Owners of record:

Recording information:

Parcel number:

Gerald O. Meyer &
Joanne M. Meyer


Doc. No. 762401

008-0318-01

The Raymond H. Vander Heiden
and Rosella M. Vander Heiden
Joint Revocable Trust

Doc. No. 762058

008-0318



Daniel W. Hoel

2/5/94

PROJECT NO. 267-098
SHEET 3 OF 3

Plat of Survey


Part of the SE 1/4 of the NE 1/4, Section 11,
T20N, R16E, Town of Clayton, Winnebago
County, Wisconsin

NE Corner
Section 11-20-16
Berntsen monument

DAVID
HEBERT
S-2312
APPLETON
WI


David Hebert 10-2-00

I, David Hebert, RLS, do hereby certify that this
plat of survey is a correct representation of the lands described



LEGEND

- ⊙ = Government corner
- = Found 3/4" iron rod
- () = Recorded as



East 1/4 Corner
Section 11-20-16
Berntsen monument

HAI Hebert Associates, Inc.
Land Surveying • Soil Testing • Engineering Systems
2003 N. Meade Street
Appleton, WI 54911
920-734-8373
Fax: 920-734-3968

A SURVEY FOR:
**Darrell and Nancy
Holman**

DATE: 9-1-00
DRAFTED BY: dh
SCALE: 1"=100'
DRAWING NUMBER:
81028A10

#4580

Certified Survey Map

Part of the East 1/2 of the NE 1/4, Section 11, T20N, R16E, Town of Clayton, Winnebago County, Wisconsin.

Doc # 9847454

EAST SHADY LANE (66')

NE Corner
Section 11-20-16
Bernsen monument

Doc # 9889316

Doc # 9884291

Doc # 9866869


Doc # 9866869

Doc # 9868894

Doc # 9476661

Doc # 9892618

David Hebert 4-27-00
date
David Hebert RLS



North is referenced to the east line of the NE 1/4, Section 11, T20N, R16E, and is assumed to bear N00°52'33"W.

D.O.T. approval number: 70-045-0349-00-C

Access restrictions to American Drive, seen note #7 on Page 2 of 3

This survey is made for: Michael and Marlan Sobee

LEGEND

- = Government corner
- = Set 3/4" x 24" Iron rebar Wt. = 1.502 lbs/lf
- ▲ = Set PK nail
- ⊙ = Found Iron pipe
- = Found 3/4" Iron rod
- (50') = Right-of-way width from centerline of road per right-of-way project # 8432 4 21
- = Welland boundary

AMERICAN DRIVE (80')

HAI

Hebert Associates, Inc.

Land Surveying • Soil Testing • Engineering

2003 N. Meade Street
Appleton, WI 54911

920-734-6373
Fax: 920-734-3968

PAGE # 1 of 3

FILE # 81028M07

U.S.H. "4.5"

CAUTION: Highway setback restrictions prohibit improvements. See page 2 of 3.

#4580


SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)
WINNEBAGO COUNTY)^{SS}

I, David Hebert, Registered Wisconsin Land Surveyor, do hereby certify that I have surveyed, divided and mapped all that part of the East 1/4 of the NE 1/4 of Section 11, T20N, R16E, Town of Clayton, Winnebago County, Wisconsin which is more fully described as follows:

Commencing at the East 1/4 Corner of said Section 11; thence N89°06'05"W, 538.61 feet to the point of beginning; thence continuing N89°06'05"W, 665.67 feet; thence N00°33'45"W, 1322.73 feet; thence S89°42'34"W, 119.17 feet; thence N00°45'12"W, 1111.58 feet; thence S87°55'41"E, 417.58 feet; thence N00°45'12"W, 208.79 feet; thence S87°55'41"E, 746.77 feet; thence S32°57'26"E, 188.52 feet; thence S01°03'34"E, 335.09 feet; thence S89°00'11"W, 491.19 feet; thence S00°52'19"E, 796.60 feet; thence S88°30'57"E, 459.26 feet; thence S01°03'34"E, 73.47 feet; thence S04°38'09"E, 400.78 feet; thence S01°03'34"E, 213.11 feet; thence S89°35'57"W, 484.38 feet; thence S00°52'33"E, 611.18 feet to the point of beginning.

I further certify that I have made said division by order and under direction of the owners of said lands and that I have fully complied with the code of ordinances of Winnebago County, Wisconsin and with Chapter 236.34 of the Wisconsin statutes in surveying, dividing and mapping the same.

David Hebert 4-27-00
David Hebert RLS Date:



NOTES

1. This Certified Survey Map is a portion of tax parcel #s 0060306 and 0060309.
2. This Certified Survey Map is contained wholly within the lands described in Doc. #s 0898893 and 0866869.
3. The owners of record are Michael J. Sabee and Marian Sabee, 3033 W. Shady Lane, Neenah, WI 54956.
4. There may be easements which affect the lands described on this Certified Survey Map but are not shown hereon. This Certified Survey Map does not constitute a warranty as to the existence or non-existence of any easements or agreements which may affect said lands. A complete and accurate abstract of the described property would reveal any easements or agreements of record.
5. No improvements or structures are allowed between the right-of-way line and the highway setback line. Improvements and structures include, but are not limited to, signs, parking areas, driveways, wells, septic systems, drainage facilities, buildings and retaining walls. It is expressly intended that this restriction is for the benefit of the public as provided in section 236.293, Wisconsin Statutes, and shall be enforceable by the Wisconsin Department of Transportation or its assigns. Contact the Wisconsin Department of Transportation for more information. The phone number may be obtained by contacting the County Highway Department.
6. As owners we hereby restrict all lots and blocks so that no owner, possessor, user licensee or other person may have any right of direct vehicular ingress from or egress to any highway lying within the right-of-way of U.S.H. 45, except for the two access points as shown on the land division map; it is expressly intended that this restriction constitute a restriction for the benefit of the public as provided in s.236.293, Stats., and shall be enforceable by the department or its assigns.
7. As a condition of approval of this Certified Survey Map, there shall be no direct access to American Drive from any of the lots of this Certified Survey Map. Future access may be granted by the Town of Clayton upon such terms and conditions as may be determined by the Town of Clayton. There will not be any future assessment until road access is granted by request.

#4580

OWNER'S CERTIFICATE

I (We), as owner(s), do hereby certify that I (we) caused the lands described on this Certified Survey Map to be surveyed, divided, and mapped as represented on this map. I (we) also certify that this Certified Survey Map is required by law, under Chapter 236.34 and the Winnebago County land subdivision ordinance, to be submitted to the Winnebago County Planning and Zoning Committee for approval or objection.


Owner [Signature] 7-25-00 Dated Owner [Signature] 7/25/00 Dated

STATE OF WISCONSIN
OUTAGAMIE COUNTY^{SS}

Personally came before me on this _____ day of _____, 200____, the above named owner(s) is (are) known to be the person(s) who executed the foregoing instrument and acknowledge the same.

[Signature]
Notary Public, State of Wisconsin

OCT 15 200
My commission expires



WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

Pursuant to the land subdivision regulations of Winnebago County, Wisconsin, all of the requirements for approval have been fulfilled. This Certified Survey was approved by the Winnebago County Planning and Zoning Committee

on this 26th day of July, 200____, [Signature]
V-Chairman or deputy

TOWN BOARD CERTIFICATE

TOWN OF CLAYTON
WINNEBAGO COUNTY

This Certified Survey Map was approved by the Town Board on this 25th day of


July 25, 200____, [Signature]
Chairman or deputy

TREASURER'S CERTIFICATE

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

[Signature] 7/26/00 Date [Signature] 7-26-00 Date
Town Treasurer County Treasurer Deputy

[Signature] 4-27-00 Date
David Hebert RLS





1101512
REGISTER'S OFFICE
WINNEBAGO COUNTY, WI
RECORDED ON
07-26-2000 01:26 PM
VCL 110 0580
SUSAN WINNINGBOFF
REGISTER OF DEEDS
RECORDING FEE 14.00
TOWNSHIP FEE 3
C PAGES 3
Pd

CERTIFIED SURVEY MAP NO. 4466


BEING ALL OF LOT 2 OF CERTIFIED SURVEY MAP NUMBER 3522 AS RECORDED IN VOLUME 1 OF CERTIFIED SURVEY MAPS ON PAGE 3522 AND PART OF THE NORTHEAST 1/4 OF THE SOUTHEAST 1/4, ALL IN SECTION 11, TOWNSHIP 20 NORTH, RANGE 16 EAST, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN.

TAX PARCEL NUMBERS:
D948040-2 & 006032003

- LEGEND:
- = 3/4" X 24" SOLID ROUND IRON REBAR SET, WEIGHING 1.502 LBS. PER LIN. FT.
 - ⊙ = 3/4" SOLID ROUND IRON REBAR FOUND
 - ⊙ = 1" IRON PIPE FOUND
 - ⊙ = BERNTSEN MONUMENT
 - = EXISTING FENCE



Robert F. Reider 1-17-00
ROBERT F. REIDER, RLS-1251 DATED
CAROW LAND SURVEYING CO., INC.
1837 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
A9510.40-99 (ac-jw DGV) 12-23-99



OWNERS: THOMAS RUSCH &
RICHARD GABER

DOCUMENT NO. 0778396

SOUTHEAST CORNER
SECTION 11-20-16

NORTH IS REFERENCED TO THE EAST LINE
OF THE SOUTHEAST 1/4 OF SECTION 11,
TOWNSHIP 20 NORTH, RANGE 16 EAST, TOWN
OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN,
WHICH IS ASSUMED TO BEAR N02°36'13"W.


CERTIFIED SURVEY MAP NO. 4466**SURVEYOR'S CERTIFICATE:**

I, ROBERT F. REIDER, REGISTERED WISCONSIN LAND SURVEYOR, CERTIFY THAT I HAVE SURVEYED, DIVIDED, AND MAPPED ALL OF LOT 2 OF CERTIFIED SURVEY MAP NUMBER 3522 AS RECORDED IN VOLUME 1 OF CERTIFIED SURVEY MAPS ON PAGE 3522 AND PART OF THE NORTHEAST ¼ OF THE SOUTHEAST ¼, ALL IN SECTION 11, TOWNSHIP 20 NORTH, RANGE 16 EAST, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCING AT THE EAST ¼ CORNER OF SAID SECTION 11; THENCE S89°23'17"W, 485.25 FEET ALONG THE NORTH LINE OF THE SOUTHEAST ¼ OF SECTION 11 TO A POINT ON THE NORTHERLY EXTENSION OF AN EAST LINE OF LOT 2 OF CERTIFIED SURVEY MAP NUMBER 3522; THENCE S00°36'43"E, 80.00 FEET ALONG SAID NORTHERLY EXTENSION TO THE POINT OF BEGINNING; THENCE CONTINUING S00°36'43"E, 470.00 FEET ALONG SAID NORTHERLY EXTENSION AND THE EAST LINE OF SAID LOT 2 TO A SOUTH LINE OF SAID LOT 2; THENCE S89°23'17"W, 47.00 FEET ALONG SAID SOUTH LINE TO AN EAST LINE OF SAID LOT 2; THENCE S00°36'43"E, 103.85 FEET ALONG SAID EAST LINE TO A SOUTH LINE OF SAID LOT 2; THENCE S89°18'49"W, 957.20 FEET ALONG SAID SOUTH LINE TO THE WEST LINE OF SAID LOT 2; THENCE N02°36'13"W, 575.44 FEET ALONG SAID WEST LINE TO THE NORTH LINE OF SAID LOT 2; THENCE N89°23'17"E, 1024.19 FEET ALONG SAID NORTH LINE AND ITS EXTENSION TO THE EAST TO THE POINT OF BEGINNING. SUBJECT TO ALL EASEMENTS AND RESTRICTIONS OF RECORD.

THAT I HAVE MADE SUCH SURVEY UNDER THE DIRECTION OF JEFF OGDEN, P.O. BOX 689, NEENAH, WI 54957.

THAT THIS MAP IS A CORRECT REPRESENTATION OF THE EXTERIOR BOUNDARY LINES OF THE LAND SURVEYED.

THAT I HAVE FULLY COMPLIED WITH THE PROVISIONS OF CHAPTER 236.34 OF THE WISCONSIN STATUTES AND THE SUBDIVISION ORDINANCE OF WINNEBAGO COUNTY.



Robert F. Reider 2-3-00
 ROBERT F. REIDER, RLS-1251 DATED
 CAROW LAND SURVEYING CO., INC.
 P.O. BOX 1297, 1837 W. WISCONSIN AVE.
 APPLETON, WISCONSIN 54912-1297
 A9510.40-99 (ac-jw DGV) 12-23-99

NOTES:

- (1) THIS CSM IS ALL OF TAX PARCEL NO. (S): 006-0320 & 006-0320-03-01
- (2) THE PROPERTY OWNER (S) OF RECORD IS (ARE): JEFFREY D. OGDEN.
- (3) THE CSM IS WHOLLY CONTAINED WITHIN THE PROPERTY DESCRIBED IN THE FOLLOWING RECORDED INSTRUMENT (S): DOCUMENT NUMBERS 995337 & 1030911.

TOWN BOARD CERTIFICATE:

WE HEREBY CERTIFY THAT THE TOWN OF CLAYTON BOARD OF SUPERVISORS APPROVED THIS CERTIFIED SURVEY MAP ON THE 24 DAY OF Feb

2000.

William E. Schaefer
 TOWN CHAIRPERSON

Joanne M. Schaefer
 TOWN CLERK

CERTIFIED SURVEY MAP NO. 4466**OWNER'S CERTIFICATE:**

AS OWNER(S), I(WE) HEREBY CERTIFY THAT I(WE) CAUSED THE LAND DESCRIBED ON THIS CERTIFIED SURVEY MAP TO BE SURVEYED, DIVIDED AND MAPPED AS REPRESENTED HEREON. I(WE) ALSO CERTIFY THAT THIS MAP IS REQUIRED BY S.236.10 OR 236.12 OF THE WISCONSIN STATUTES TO BE SUBMITTED TO THE FOLLOWING FOR APPROVAL: TOWN OF CLAYTON AND WINNEBAGO COUNTY.

WITNESS THE HAND AND SEAL OF SAID OWNER(S) THIS 17TH DAY OF JANUARY, 2000.


Jeffrey D. Ogden
JEFFREY D. OGDEN

STATE OF WISCONSIN)
)SS
COUNTY OF WINNEBAGO)

PERSONALLY CAME BEFORE ME THIS 17TH DAY OF JANUARY, 2000, THE ABOVE NAMED PERSON(S) TO ME KNOWN TO BE THE PERSON(S) WHO EXECUTED THE FOREGOING INSTRUMENT AND ACKNOWLEDGED THE SAME.

Thomas R. Palmer
NOTARY PUBLIC

MY COMMISSION EXPIRES: 1-21-01

**COUNTY PLANNING AND ZONING COMMITTEE APPROVAL:**

PURSUANT TO THE WINNEBAGO COUNTY SUBDIVISION ORDINANCE, ALL REQUIREMENTS FOR APPROVAL HAVE BEEN FULFILLED. THIS CERTIFIED SURVEY MAP WAS APPROVED THIS 15TH DAY OF February, 2000.

Joanne M. Sievert
CHAIRPERSON, WINNEBAGO COUNTY PLANNING AND ZONING COMMITTEE

TREASURER CERTIFICATE:

I HEREBY CERTIFY THAT THERE ARE NO UNPAID TAXES OR UNPAID SPECIAL ASSESSMENTS ON ANY OF THE LAND INCLUDED ON THIS CERTIFIED SURVEY MAP.

Joanne M. Sievert
TOWN TREASURER

2/16/2000
DATED

Marie K. Hager
COUNTY TREASURER

2/15/00
DATED

Robert F. Reider
ROBERT F. REIDER, RLS-1251

12-27-99
DATED


CAROW LAND SURVEYING CO., INC.

1837 W. WISCONSIN AVE., P.O. BOX 1297

APPLETON, WISCONSIN 54912-1297

A9510.40-99 (ac-jw DGV) 12-23-99

SHEET 3 OF 3 SHEETS



1086300

REGISTER'S OFFICE
WINNEBAGO COUNTY, WI
RECORDED ON

02-15-2000 01:40 PM

Vol. 1 p. 446
SUSAN WINNINGHOFF
REGISTER OF DEEDS


RECORDING FEE 16.00
TRANSFER FEE
OF PAGES 4

Alcorn

Plat of Survey


Part of the SE 1/4 of the NE 1/4, Section 11,
T20N, R16E, Town of Clayton, Winnebago
County, Wisconsin

NE Corner
Section 11-20-16
Berrtsen monument



David Hebert 9-1-00

I, David Hebert, RLS, do hereby certify that this
plat of survey is a correct representation of the lands described



LANDS DESCRIBED IN
DOCUMENT # 476661

AREA
202322 S.F.
4.64 AC±

garage


house

barn

LEGEND

- = Government corner
- = Found 3/4" Iron rod
- () = Recorded as

SCALE: 1"=100'



East 1/4 Corner
Section 11-20-16
Berrtsen monument

HAI Hebert Associates, Inc.
Land Surveying • Soil Testing • Engineering Systems
2003 N. Meade Street
Appleton, WI 54911
920-734-0373
Fax: 920-734-3968

A SURVEY FOR:
Darrell and Nancy
Holman

DATE: 9-1-00
DRAFTED BY: dh
SCALE: 1"=100'
DRAWING NUMBER:
81028A10

#4579

SCALE: 1"=400'



A horizontal scale bar with a black and white alternating pattern. It is marked with the numbers 0, 250, 500, and 1000, representing feet.

- Government corner
- Spt 3/4" x 24" iron rebar
- Wt. = 1.502 lbs/ft
- ▲ Set PK nail
- Found 3/4" iron rod
- ◎ Found iron pipe
- X-X Fence line

NOTE: No sanitary or zoning permit will be issued for Lots 2, 3, and 4 until the lots front on a public street and have the appropriate lot width as required.

Doc. # 0703521

S89°12'33"E 1336.79'
North line, SE 1/4, NW 1/4

1220976.62 S.F.
28.236 A/C±

1262688.58 S.F.
28.987 AC±

1179617.20 S.F.
27.080 AC±

This survey is made for:
Michael and Marion Sabee

Center
Section 11-20-16
Bernsen monument

Access restrictions to American Drive.
See note # 5 on Page 2 of 3.

HA *Hebert Associates, Inc.*
Land Surveying • Soil Testing • Engineering

2003 N. Meade Street
Appleton, WI 54911

920-734-8373
Fax: 920-734-3968

David Hebert RLS

Date _____

PAGE # 1 of 3

FILE # 81028M09

North is referenced to the north line of the NE $1/4$, Section 17, T20N, R16E, and is assumed to bear S87°55'41"E

#4579

SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN)
WINNEBAGO COUNTY)⁶⁵


I, David Hebert, Registered Wisconsin Land Surveyor, do hereby certify that I have surveyed, divided and mapped all of Certified Survey Map 556 and part of the NE ¼ of Section 11, and all of the SE ¼ of the NW ¼, Section 11, all in T20N, R16E, Town of Clayton, Winnebago County, Wisconsin which is more fully described as follows:

Commencing at the North ¼ Corner of said Section 11; thence S87°55'41"E, 626.13 feet to the point of beginning; thence continuing S87°55'41"E, 202.20 feet; thence S00°32'41"E, 417.35 feet; thence S87°55'41"E, 487.74 feet; thence S00°45'12"E, 902.95 feet; thence N89°42'34"E, 119.17 feet; thence S00°33'45"E, 1322.73 feet; thence N89°06'05"W, 1433.89 feet; thence N89°00'17"W, 1346.47 feet; thence N00°13'19"W, 1328.75 feet; thence S89°12'33"E, 1336.79 feet; thence N00°38'01"W, 1125.05 feet; thence S87°55'41"E, 626.13 feet; thence N00°38'01"W, 208.71 feet to the point of beginning.

I further certify that I have made said division by order and under direction of the owners of said lands and that I have fully complied with the code of ordinances of Winnebago County, Wisconsin and with Chapter 236.34 of the Wisconsin statutes in surveying, dividing and mapping the same.

David Hebert
David Hebert PLS

3-15-00
Date



NOTES

1. This Certified Survey Map is all of tax parcel #s 006-0307, 006-0307-04, 006-0307-06, 006-0308 and 006-0313, and part of 006-0309.
2. This Certified Survey Map is contained wholly within the lands described in Doc. #s 0866869, 0898893, 0744599, and 01030308.
3. The owners of record are Michael J. Sabee and Marian Sabee, 3033 W. Shady Lane, Neenah, WI 54956
4. There may be easements which affect the lands described on this Certified Survey Map but are not shown hereon. This Certified Survey Map does not constitute a warranty as to the existence or non-existence of any easements or agreements which may affect said lands. A complete and accurate abstract of the described property would reveal any easements or agreements of record.
5. As a condition of approval of this Certified Survey Map, there shall be no direct access to American Drive from any of the lots of this Certified Survey Map. Future access may be granted by the Town of Clayton upon such terms and conditions as may be determined by the Town of Clayton. There will not be any future assessment until road access is granted by request.

#4579

OWNER'S CERTIFICATE

I (We), as owner(s), do hereby certify that I (we) caused the lands described on this Certified Survey Map to be surveyed, divided, and mapped as represented on this map. I (we) also certify that this Certified Survey Map is required by law, under Chapter 236.34 and the Winnebago County land subdivision ordinance, to be submitted to the Winnebago County Planning and Zoning Committee for approval or objection.

Keene
Owner

7-25-00
Dated

Hebert
Owner


7/25/00
Dated

STATE OF WISCONSIN
OUTAGAMIE COUNTY)

Personally came before me on this 25TH day of July, 2000, the above named owner(s) is (are) known to be the person(s) who executed the foregoing instrument and acknowledge the same.

James A. Hebert
Notary Public, State of Wisconsin

Oct. 15, 2000
My commission expires



WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

Pursuant to the land subdivision regulations of Winnebago County, Wisconsin, all of the requirements for approval have been fulfilled. This Certified Survey was approved by the Winnebago County Planning and Zoning Committee

on this 26th day of July, 2000

Joanne M. Sievert
V-Chairman or deputy

TOWN BOARD CERTIFICATE

TOWN OF CLAYTON
WINNEBAGO COUNTY

This Certified Survey Map was approved by the Town Board on this 25th day of

July 25, 2000
John E. Hebert
Chairman or deputy

TREASURER'S CERTIFICATE

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

Joanne M. Sievert 7/26/00
Town Treasurer Date

Diana M. Hellman 7-26-00
County Treasurer Deputy Date

David Hebert 3-15-00
David Hebert RLS Date


1101511
REGISTER'S OFFICE
WINNEBAGO COUNTY, WI
RECORDED ON
07-26-2000 03:36 PM
SUSAN WINNIMORE
REGISTER OF DEEDS
RECORDING FEE 14.00
TRANSFER FEE 3
OF PAGES 3

#5393

Certified Survey Map

All of Lots 1, 2, 3 and 4 of Certified Survey Map 4680, being part of the East 1/2 of the NE 1/4, Section 11, T20N, R10E, Town of Clayton, Winnebago County, Wisconsin.

Doc # 047454

NE Corner
Section 11-20-10
Boundary monument

Doc # 0988216

EAST SHADY LANE (66')

DEDICATED TO THE PUBLIC
24,998.18 s.f.
0.574 ac

Doc # 0984201

PROPOSED
IMPROVEMENT ZONE 2

LOT 1

1,160,620.78 s.f.
26.851 acNOTE: Access is continued
per project 6432-4-21

Doc # 0881869

Doc # 0482894

UNRECLAIMED
LANDSPROPOSED
IMPROVEMENT ZONE 3

Doc # 0476801

Doc # 0476801

UNRECLAIMED
LANDS

Doc # 0892618

Lot 1, 2, 3, 4

S.T.H. 76

SCALE: 1"=300'
0 100 200 300 400D.T. for number
D-043-1307-04Access restrictions
to American Drive,
see note 27
on Page 2 of 3This survey is for:
School and Marion School

LEGEND

- = Government corner
- = Set 1/4" x 24" iron rod
- ▲ = Set 1/4" x 24" iron rod
- ⊙ = Found iron pipe
- = Found 3/4" iron rod
- = Right-of-way width from centerline of road
- = Right-of-way project # 6432-4-21
- = Wetland boundary

LOT 1

LOT 2

CSU

3522

AMERICAN DRIVE (60')

HAI

Hubert Associates, Inc.

Land Surveying • Soil Testing • Engineering Systems

1116 R. Wisconsin Ave.
Appleton, WI 54911870-734-8133
Fax: 870-734-3008

Page 1

1 of 3

Page 1

01028M11

#5393

**SURVEYOR'S CERTIFICATE
STATE OF WISCONSIN
WINNEBAGO COUNTY**

I, David Helbert, Registered Wisconsin Land Surveyor, do hereby certify that I have surveyed, divided and mapped all of Lots 1, 2, 3 and 4 of Certified Survey Map 4126, being part of the East 1/2 of the NE 1/4 of Section 11, T28N, R12E, Town of Clayton, Winnebago County, Wisconsin which is more fully described as follows:

Commencing at the East 1/2 Corner of said Section 11; thence 189°06'05"W, 318.61 feet to the point of beginning; thence continuing N89°06'05"W, 645.67 feet; thence N00°11'45"W, 1111.75 feet; thence S89°42'34"W, 119.17 feet; thence N00°45'11"W, 1111.58 feet; thence S87°35'41"E, 917.58 feet; thence N00°45'11"W, 710.79 feet; thence S87°35'41"E, 746.77 feet; thence S12°51'26"E, 163.52 feet; thence S01°01'31"E, 113.09 feet; thence S89°00'11"W, 491.18 feet; thence S00°12'19"E, 796.60 feet; thence S88°30'37"E, 652.26 feet; thence S01°01'34"E, 73.47 feet; thence S04°13'09"E, 400.78 feet; thence S01°01'34"E, 213.11 feet; thence S89°12'37"W, 484.16 feet; thence S83°12'12"E, 611.18 feet to the point of beginning.

I further certify that I have made said division by order and under direction of the owners of said lands and that I have fully complied with the code of ordinances of Winnebago County, Wisconsin, Chapter 236.34 of the Wisconsin Statutes in surveying, dividing and mapping the same.

David Helbert
David Helbert RLS

11-20-83
Due



NOTES

1. This Certified Survey Map is all of tax parcel 85 0060306, 0060309, 006030606 and 106030704.
2. This Certified Survey Map is contained wholly within the lands described in Doc. # 0098897 and 0044847.
3. The owners of record are Michael J. Sabo and Marian Sabo, 1011 W. Shady Lane, Neenah, WI 54956.
4. There may be easements which affect the lands described on this Certified Survey Map but are not shown hereon. This Certified Survey Map does not constitute a warranty as to the existence or non-existence of any easements or agreements which may affect said lands. A complete and accurate abstract of the described property would reveal any easements or agreements of record.
5. No improvements or structures are allowed between the right-of-way line and the highway setback line. Improvements and structures include, but are not limited to, signs, parking areas, driveways, wells, sewage systems, drainage facilities, buildings and retaining walls. It is expressly intended that this restriction is for the benefit of the public as provided in section 236.297, Wisconsin Statutes, and shall be enforceable by the Wisconsin Department of Transportation or its assignee. Contact the Wisconsin Department of Transportation for more information. The phone number may be obtained by contacting the County Highway Department.
6. All lots and blocks are hereby restricted so that no owner, possessor, user, licensee or other person may have any right of direct vehicular ingress from or egress to any highway lying within the right-of-way of 5711 76. It is expressly intended that this restriction constitute a restriction for the benefit of the public as provided in s.236.295, Stats., and shall be enforceable by the department or its assignee. Any access shall be allowed only by special exception. Any access allowed by special exception shall be confirmed and granted only through the driveway permitting process and all permits are revocable.
7. As a condition of approval of this Certified Survey Map, there shall be no direct access to American Drive from any of the lots of this Certified Survey Map. Future access may be granted by the Town of Clayton upon such terms and conditions as may be determined by the Town of Clayton. There will not be any future easement until road access is granted by request.

#5393

OWNER'S CERTIFICATE

I (We), as owner(s), do hereby certify that I (we) owned the lands described on this Certified Survey Map to be surveyed, divided, and mapped as represented on this map. I (we) also certify that this Certified Survey Map is required by law, under Chapter 236.34 and the Winnebago County land subdivision ordinance, to be submitted to the Winnebago County Planning and Zoning Committee for approval or objection.

Kennerly 11/20/03 Kennerly 11/22/03
Owner Date Date

**STATE OF WISCONSIN
OUTAGAMIE COUNTY**

Personally came before me on this 22 day of Nov, 2003, the above named owner(s) is (are) known to be the person(s) who executed the foregoing instrument and acknowledges the same.

Kennerly
Notary Public, State of Wisconsin My commission expires 12 permanent

WINNEBAGO COUNTY PLANNING COMMITTEE CERTIFICATE

Pursuant to the land subdivision regulations of Winnebago County, Wisconsin, all of the requirements for approval have been fulfilled. This Certified Survey Map was approved by the Winnebago County Planning and Zoning Committee.

on this 16th day of December, 2003 James M. Hennessey
Chairman or Deputy

**TOWN BOARD CERTIFICATE
TOWN OF CLAYTON
WINNEBAGO COUNTY**

This Certified Survey Map was approved by the Town Board on this 16th day of December, 2003.

James M. Hennessey
Chairman or Deputy


TREASURER'S CERTIFICATE

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown herein.

James M. Hennessey 12/16/03
Town Treasurer Date
James M. Hennessey 12/16/03
County Treasurer Date

David Hoken 11-20-03
David Hoken RLS Date

12/16/2003 11:00 AM
JAMES M. HENNESSEY
COUNTY CLERK
WINNEBAGO COUNTY, WI
RECEIVED



STATE OF WISCONSIN \ DEPARTMENT OF NATURAL RESOURCES

George E. Meyer, Secretary
William Selby, District Director

Oshkosh Area Office
905 Bayshore Drive
P.O. Box 2588
Oshkosh, WI 54903-2588

Telex: W4141421-4404

May 26, 1994

RECEIVED

File Ref: 3500

MAY 31 1994

Karen & Steve Wedl
9290 N. Oakwood
Neenah, WI 54956

WINNEBAGO COUNTY
PLANNING DEPT.

Dear Mr. and Mrs. Wedl:

This letter is in response to your request for a navigability determination of an unnamed creek located adjacent to your property in the NW 1/4, NW 1/4, Section 11, T23N, R16E, Town of Clayton, Winnebago County.

On May 24, 1994 I was at the site and determined the creek to be navigable as there are defined banks, a bed, and sufficient water to float a small recreational craft on, on an annual recurring basis. The 1800's survey maps also show that this stream was present at the time of those surveys.

If you have any questions please contact me at the above address or call me at 414-424-4003.

Sincerely,

Tere Locke

Tere Locke
Water Management Specialist

TL:ks

cc: Ron Fassbender
Robert Braun