


BEING PART OF THE SOUTHWEST 1/4, OF THE SOUTHEAST 1/4 OF SECTION 36, TOWNSHIP 20 NORTH, RANGE 16 EAST, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN. BEING LANDS DESCRIBED IN VOLUME 1040 PAGE 522-524, LESS HIGHWAY RIGHT-OF-WAY.

NOTE: 100' ROAD RIGHT-OF-WAY
AS OFFICIALLY MAPPED BY
THE CITY OF NEENAH.


- = 3/4" x 24" SOLID ROUND IRON REBAR SET,
WEIGHING 1.502 LBS. PER LIN. FT.
- = 3/4" SOLID ROUND IRON REBAR FOUND
- = P.K. NAIL SET
- ◎ = 1" IRON PIPE WITH D.O.T. CAP FOUND
- ⊙ = BRANTZEN MONUMENT FOUND

A = N66°-18'-59"W 45.82'
B = N66°-18'-59"W 28.89'
C = N66°-18'-59"W 16.93'
D = N00°-37'-19"W 47.01'



**NOTE: 80' ROAD RIGHT-OF-WAY
AS OFFICIALLY MAPPED BY THE
CITY OF MEEHAN.**

RUBY SCHULZ
C/O PAT KIESOW
2804 C.T.H. "JJ"
NEENAH, WISCONSIN 54956



I HEREBY CERTIFY THAT I HAVE SURVEYED THE ABOVE DESCRIBED PROPERTY AS SHOWN
ACCORDING TO THE OFFICIAL RECORDS AND THAT THIS PLAT OF SURVEY IS A CORRECT
REPRESENTATION OF SAID SURVEY

Robert F. Reider 7-20-98
ROBERT F. REIDER, RLS-1251 DATED



CAROW LAND SURVEYING CO., INC.

1837 W. WISCONSIN AVE., P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
PHONE 920-731-4168 FAX 731 567/3


SCALE	1"=100'
DRAWN BY	ac-jw DG
PROJECT NO	A987.14

BEING PART OF THE SOUTHWEST 1/4 OF THE SOUTHEAST 1/4 OF SECTION 36, TOWNSHIP
20 NORTH, RANGE 16 EAST, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN. BEING
LANDS DESCRIBED IN VOLUME 1040 PAGE 522-524, LESS HIGHWAY RIGHT-OF-WAY.


NOTE: 100' ROAD RIGHT-OF-WAY
AS OFFICIALLY MAPPED BY
THE CITY OF NEENAH.

- = 3/4" x 24" SOLID ROUND IRON REBAR SET,
WEIGHING 1.502 LBS. PER LIN. FT.
- = 3/4" SOLID ROUND IRON REBAR FOUND
- = P.K. NAIL SET
- ◎ = 1" IRON PIPE WITH D.O.T. CAP FOUND
- ⊙ = BERNITSEN MONUMENT FOUND

A= N66°-18'-59"W 45.82'
B= N66°-18'-59"W 28.89'
C= N66°-18'-59"W 16.93'
D= N00°-37'-19"W 47.01'



RUBY SCHULZ
C/O PAT KIESOW
2804 C.T.H. "JJ"
NEENAH, WISCONSIN 54956



Robert F. Reider 7-20-98
ROBERT F. REIDER, RIS-1251 DATED



1837 W. WISCONSIN AVE, P.O. BOX 1297
APPLETON, WISCONSIN 54912-1297
PHONE 920-731-4168 FAX 731-5673

SCALE	1"=100'
DRAWN BY	ac-jw DG
PROJECT NO.	A987.14


CERTIFIED SURVEY MAP NO.

ALL OF LOT 1, CERTIFIED SURVEY MAP 3370,
PART OF THE NORTHWEST 1/4 OF THE NORTHWEST 1/4 AND PART OF THE
SOUTHWEST 1/4 OF THE NORTHWEST 1/4, SECTION 36, TOWNSHIP 20 NORTH,
RANGE 16 EAST, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN

BEARINGS ARE REFERENCED TO THE WEST
LINE OF THE NORTHWEST 1/4, SECTION 36,
RECORDED TO BEAR S 01°31'27" E

D.O.T. Access Restriction

As owner I hereby restrict all lots so that no owner, possessor, user, licensee or
other person may have any right of direct vehicular ingress from or egress to any
highway lying within the right-of-way as per WSDOT Proj. 6432-4-71 except as
shown on this Certified Survey Map; it is expressly intended that this restriction
constitute a restriction for the benefit of the public as provided in s.236.283, Stats.,
and shall be enforceable by the Department or its agents.



SCALE IN FEET

OAKRIDGE ROAD

S 89°30'28" W

NORTH 1/4 CORNER
SECTION 36
T 20 N, R 16 E

NORTHWEST 1/4 CORNER
SECTION 36
T 20 N, R 16 E

DETAIL

ZONED A-2 GENERAL FARMING

UNPLATTED LANDS

SURVEY FOR: GLENN McCANN
646 FOURTH ST
MENASHA, WI 54952

Note: Lot 2 is not a buildable parcel
until it has the required frontage and
complies with all Town and County ordinances.

LOT 2

1,395,939 sq.ft.
32.046 acres

ZONED A-1 AGRI-BUSINESS DISTRICT

LOT 1

435,638 sq.ft.
10.001 acres

LOT 3

552,809 sq.ft.
12.691 acres

Note: The commercial entrance to Lot 3 is a
joint use driveway that accesses Lot 3 and
the property directly south of Lot 3.

LEGEND

- 1" IRON PIPE SET, 24" LONG,
WEIGHING 1.130 LBS. PER LH. FOOT
- 3/4" REBAR FOUND
- 1" IRON PIPE FOUND
- GOVERNMENT CORNER
- FENCE LINE

WISDOT # 70-045-0249-99-C

Martenson & Eisele, Inc.


Engineering - Surveying - Planning
1919 American Court
Menasha, WI 54956
(920) 731-0381
Fax (920) 733-8578
E-MAIL mail@martenson-eisele.com

PROJECT NO. 267-1376

FIELD BOOK PAGE

FILE 2671376.dwg SHEET 1 OF 4

THIS INSTRUMENT WAS DRAFTED BY:



D.O.T. Sublot Restriction

No improvements or structures are allowed between the right-of-way line and the highway setback line. Improvements
and structures include, but are not limited to, signs, parking areas, driveways, wells, septic systems, drainage facilities,
buildings and retaining walls. It is expressly intended that this restriction be for the benefit of the public as provided in
Section 236.283, Wisconsin Statutes, and shall be enforceable by the Wisconsin Department of Transportation or its agents.
Contact the Wisconsin Department of Transportation for more information. The phone number may be obtained by
contacting the County Highway department.

CERTIFIED SURVEY MAP NO. _____

SURVEYOR'S CERTIFICATE:

I, Daniel W. Hoel, Registered Land Surveyor, do hereby certify:

That I have surveyed, divided and mapped at the direction of Glenn McCann, all of Lot 1, Certified Survey Map 3370, part of the Northwest $\frac{1}{4}$ of the Northwest $\frac{1}{4}$ and part of the Southwest $\frac{1}{4}$ of the Northwest $\frac{1}{4}$, Section 36, Town 20 North, Range 16 East, Town of Clayton, Winnebago County, Wisconsin, described as follows:

Commencing at the West $\frac{1}{4}$ corner of said Section 36; thence North 01 degrees 31 minutes 27 seconds West, along the west line of said Northwest $\frac{1}{4}$, a distance of 342.12 feet; thence North 88 degrees 17 minutes 27 seconds East, 54.91 feet to the point of beginning; thence North 01 degrees 28 minutes 52 seconds West, along the east right of way line of U.S.H. "45", a distance of 354.45 feet; thence North 04 degrees 20 minutes 37 seconds West, continuing along said right of way line, 79.69 feet; thence North 88 degrees 19 minutes 06 seconds, 145.19 feet; thence North 01 degrees 39 minutes 36 seconds East, 228.40 feet; thence South 88 degrees 19 minutes 06 seconds West, 145.44 feet; thence North 01 degrees 28 minutes 52 seconds West, along the east right of way line of U.S.H. "45", a distance of 92.14 feet; thence North 04 degrees 00 minutes 26 seconds East, along said right of way line, 79.16 feet; thence North 89 degrees 20 minutes 17 seconds East, along the south line of Certified Survey Map 489, a distance of 204.96 feet; thence North 01 degrees 31 minutes 28 seconds West, along the east line of said Certified Survey Map, 177.00 feet; thence South 84 degrees 08 minutes 14 seconds West, along the north line of said Certified Survey Map, 182.13 feet; thence North 15 degrees 03 minutes 56 seconds East, along the east right of way line of U.S.H. "45", a distance of 63.82 feet; thence North 01 degrees 42 minutes 17 seconds East, continuing along said right of way line, 464.74 feet; thence North 88 degrees 30 minutes 00 seconds East, 82.88 feet; thence North 01 degrees 31 minutes 28 seconds West, 300.71 feet; thence South 60 degrees 51 minutes 41 seconds West, 103.55 feet; thence North 09 degrees 36 minutes 12 seconds West, along the east right of way of U.S.H. "45", a distance of 21.30 feet; thence North 70 degrees 48 minutes 32 seconds East, 1281.58 feet; thence South 01 degrees 21 minutes 07 seconds East, along the east line of the west $\frac{1}{4}$ of the Northwest $\frac{1}{4}$ of Section 36, a distance of 2177.27 feet; thence South 88 degrees 17 minutes 27 seconds West, 1273.65 feet to the point of beginning, containing 2,384,386 square feet (54.738 acres). Subject to all easements and restrictions of record.


That I have fully complied with Chapter 236.34 of the Wisconsin Statutes in surveying, dividing and mapping the same and the Town of Clayton, and Winnebago County Subdivision Ordinances.

This map is a correct representation of all of the exterior boundaries of land surveyed and the division thereof.

Given under my hand this 29 day of NOVEMBER, 1999.

Daniel W. Hoel

Daniel W. Hoel, Reg. Wis. Land Surveyor, S-1786



PROJECT NO. 267-137b
FIELD BOOK PAGE
FILE 267137b SHEET 2 OF 4
THIS INSTRUMENT WAS DRAFTED BY: poe

CERTIFIED SURVEY MAP NO. _____

OWNERS CERTIFICATE:

As owner I, the undersigned, hereby certify that I caused the land above described to be surveyed and divided to the public all as shown and represented on this map.

Owner _____ Date _____

State of Wisconsin)
Winnebago County) SS

Personally came before me on the _____ day of _____, 1999,
the above owner to me known to be the person who executed the foregoing
instrument and acknowledge the same.

Notary _____ My Commission Expires _____

OWNERS CERTIFICATE:


As owners we, the undersigned, hereby certify that we caused the land above described to be surveyed, divided, mapped and dedicated to the public all as shown and represented on this map.

Owner _____ Date _____ Owner _____ Date _____

State of Wisconsin)
Winnebago County) SS

Personally came before me on the _____ day of _____, 1999,
the above owners to me known to be the persons who executed the foregoing
instrument and acknowledge the same.

Notary _____ My Commission Expires _____



PROJECT NO. 267-137
FIELD BOOK PAGE
FILE 267137b SHEET 3 OF 4
THIS INSTRUMENT WAS DRAFTED BY: p44

CERTIFIED SURVEY MAP NO. _____

CERTIFICATE OF PLANNING COMMITTEE:

Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This Minor Subdivision was approved by the Winnebago County Planning and Zoning Committee on _____ day of _____, 1999.

Chairman, Planning and Zoning Committee

TREASURER'S CERTIFICATE:

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

Town Treasurer

County Treasurer

Date:

Date:

TOWN APPROVAL:

We hereby certify that the Town of _____ has reviewed and approved this certified survey map.

Town Chairman

Date

Town Clerk

Date

CITY OF NEENAH APPROVAL:

This Certified Survey Map was approved by the City of Neenah on this 4th day of October, 1999.

Dean Meyer 10/4/99
City Clerk Date

This Certified Survey Map is contained wholly within the property described in the following recorded instruments:


Owners of record:
Glenn McCann

Recording information:
Doc. No. 929758

Parcel number:
006-0897-00
006-0895-00
006-0897-04

Gerald & Connie Sauer

Doc. No. 929758



Daniel W. Hoel
Nov. 29, 1999

PROJECT NO. 267-137U

FIELD BOOK PAGE

FILE 267137b SHEET 4 OF 4

THIS INSTRUMENT WAS DRAFTED BY: pda


CERTIFIED SURVEY MAP NO.

ALL OF LOT 1, CERTIFIED SURVEY MAP 3370,
PART OF THE NORTHWEST 1/4 OF THE NORTHWEST 1/4 AND PART OF THE
SOUTHWEST 1/4 OF THE NORTHWEST 1/4, SECTION 38, TOWNSHIP 20 NORTH,
RANGE 16 EAST, TOWN OF CLAYTON, WINNEBAGO COUNTY, WISCONSIN

BEARINGS ARE REFERENCED TO THE WEST
LINE OF THE NORTHWEST 1/4, SECTION 38,
RECORDED TO BEAR S 01°31'27" E

D.O.T. Access Restriction

As owner I hereby restrict all lots so that no owner, possessor, user, licensee or
other person may have any right of direct vehicular ingress from or egress to any
highway lying within the right-of-way as per WISDOT Proj. 6432-4-21 except as
shown on this Certified Survey Map. It is expressly intended that this restriction
constitute a restriction for the benefit of the public as provided in s.236.293, Stats.
and shall be enforceable by the department or its assigns.



SCALE IN FEET

OAKRIDGE ROAD

S 88°30'08" W
2870.84'

NORTH 1/4 CORNER
SECTION 38
T 20 N, R 16 E

NORTHWEST 1/4 CORNER
SECTION 38
T 20 N, R 16 E

DETAIL

ZONED A-2 GENERAL FARMING

SURVEY FOR: GLENN McCANN
848 FOURTH ST
MENASHA, WI 54952

Note: Lot 2 is not a buildable parcel
until it has the required frontage and
complies with all Town and County ordinances.

LOT 2

1,395,939 sq.ft.
32.046 acres

ZONED A-1 AGRI-BUSINESS DISTRICT

LOT 1

435,638 sq.ft.
10.001 acres

ZONED A-1 AGRI-BUSINESS DISTRICT

LOT 3


552,809 sq.ft.
12.691 acres

ZONED B-3 GENERAL BUSINESS DISTRICT

Note: The commercial entrance to Lot 3 is a
joint use driveway that accesses Lot 3 and
the property directly south of Lot 3.

LEGEND

- 1" IRON PIPE SET 24" LONG
WEIGHING 1.130 LBS. PER LN. FOOT
- 3/4" REBAR FOUND
- 1" IRON PIPE FOUND
- GOVERNMENT CORNER
- FENCE LINE



Daniel W. Hoel
Nov 29, 1999

WisDOT # 70-043-0249-99-C

Martenson & Eisele, Inc.
Engineering - Surveying - Planning
1919 American Court
Neenah, WI 54956
(920) 731-0381
Fax (920) 733-8578
E-MAIL mail@martenson-eisele.com

PROJECT NO. 287-1376
FIELD BOOK PAGE
FILE 287137.dwg SHEET 1 OF 4
THIS INSTRUMENT WAS DRAFTED BY:

No improvements or structures are allowed between the right-of-way line and the highway setback line. Improvements
and structures include, but are not limited to, signs, parking areas, driveways, wells, septic systems, drainage facilities,
buildings and retaining walls. It is expressly intended that this restriction is for the benefit of the public as provided in
Section 236.293, Wisconsin Statutes, and shall be enforceable by the Wisconsin Department of Transportation or its assigns.
Contact the Wisconsin Department of Transportation for more information. The photo number may be obtained by
contacting the County Highway Department.

D.O.T. Setback Restriction

CERTIFIED SURVEY MAP NO. _____

SURVEYOR'S CERTIFICATE:

I, Daniel W. Hoel, Registered Land Surveyor, do hereby certify:

That I have surveyed, divided and mapped at the direction of Glenn McCann, all of Lot 1, Certified Survey Map 3370, part of the Northwest $\frac{1}{4}$ of the Northwest $\frac{1}{4}$ and part of the Southwest $\frac{1}{4}$ of the Northwest $\frac{1}{4}$, Section 36, Town 20 North, Range 16 East, Town of Clayton, Winnebago County, Wisconsin, described as follows:

Commencing at the West $\frac{1}{4}$ corner of said Section 36; thence North 01 degrees 31 minutes 27 seconds West, along the west line of said Northwest $\frac{1}{4}$, a distance of 342.12 feet; thence North 88 degrees 17 minutes 27 seconds East, 54.91 feet to the point of beginning; thence North 01 degrees 28 minutes 52 seconds West, along the east right of way line of U.S.H. "45", a distance of 354.45 feet; thence North 04 degrees 20 minutes 37 seconds West, continuing along said right of way line, 79.69 feet; thence North 88 degrees 19 minutes 06 seconds, 145.19 feet; thence North 01 degrees 39 minutes 36 seconds East, 228.40 feet; thence South 88 degrees 19 minutes 06 seconds West, 145.44 feet; thence North 01 degrees 28 minutes 52 seconds West, along the east right of way line of U.S.H. "45", a distance of 92.14 feet; thence North 04 degrees 00 minutes 26 seconds East, along said right of way line, 79.16 feet; thence North 89 degrees 20 minutes 17 seconds East, along the south line of Certified Survey Map 489, a distance of 204.96 feet; thence North 01 degrees 31 minutes 28 seconds West, along the east line of said Certified Survey Map, 177.00 feet; thence South 84 degrees 08 minutes 14 seconds West, along the north line of said Certified Survey Map, 182.13 feet; thence North 15 degrees 03 minutes 56 seconds East, along the east right of way line of U.S.H. "45", a distance of 63.82 feet; thence North 01 degrees 42 minutes 17 seconds East, continuing along said right of way line, 464.74 feet; thence North 88 degrees 30 minutes 00 seconds East, 82.88 feet; thence North 01 degrees 31 minutes 28 seconds West, 300.71 feet; thence South 60 degrees 51 minutes 41 seconds West, 103.55 feet; thence North 09 degrees 36 minutes 12 seconds West, along the east right of way of U.S.H. "45", a distance of 21.30 feet; thence North 70 degrees 40 minutes 32 seconds East, 1281.58 feet; thence South 01 degrees 21 minutes 07 seconds East, along the east line of the west $\frac{1}{4}$ of the Northwest $\frac{1}{4}$ of Section 36, a distance of 2177.27 feet; thence South 88 degrees 17 minutes 27 seconds West, 1273.65 feet to the point of beginning, containing 2,384,386 square feet (.54738 acres). Subject to all easements and restrictions of record.


That I have fully complied with Chapter 236.34 of the Wisconsin Statutes in surveying, dividing and mapping the same and the Town of Clayton, and Winnebago County Subdivision Ordinances.

This map is a correct representation of all of the exterior boundaries of land surveyed and the division thereof.

Given under my hand this 29 day of NOVEMBER, 1999.

Daniel W. Hoel

Daniel W. Hoel, Reg. Wis. Land Surveyor, S-1786



PROJECT NO. 287-1376

FIELD BOOK PAGE

FILE 2871376 SHEET 2 OF 4

THIS INSTRUMENT WAS DRAFTED BY: ppe

CERTIFIED SURVEY MAP NO. _____

OWNERS CERTIFICATE:

As owner I, the undersigned, hereby certify that I caused the land above described to be surveyed and divided to the public all as shown and represented on this map.

Owner _____ Date _____

State of Wisconsin)
Winnebago County) SS

Personally came before me on the _____ day of _____, 1999,
the above owner to me known to be the person who executed the foregoing
instrument and acknowledge the same.

Notary _____ My Commission Expires _____

OWNERS CERTIFICATE:


As owners we, the undersigned, hereby certify that we caused the land above described to be surveyed, divided, mapped and dedicated to the public all as shown and represented on this map.

Owner _____ Date _____ Owner _____ Date _____

State of Wisconsin)
Winnebago County) SS

Personally came before me on the _____ day of _____, 1999,
the above owners to me known to be the persons who executed the foregoing
instrument and acknowledge the same.

Notary _____ My Commission Expires _____



PROJECT NO. 267-137b
FIELD BOOK _____ PAGE _____
FILE 267137b SHEET 3 OF 4
THIS INSTRUMENT WAS DRAFTED BY: pss

CERTIFIED SURVEY MAP NO. _____

CERTIFICATE OF PLANNING COMMITTEE:

Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This Minor Subdivision was approved by the Winnebago County Planning and Zoning Committee on _____ day of _____, 1999.

Chairman, Planning and Zoning Committee

TREASURER'S CERTIFICATE:

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

Town Treasurer

County Treasurer

Date:

Date:

TOWN APPROVAL:

We hereby certify that the Town of _____ has reviewed and approved this certified survey map.

Town Chairman

Date

Town Clerk

Date

CITY OF NEENAH APPROVAL:

This Certified Survey Map was approved by the City of Neenah on this 4th day of October, 1999.

Joan Myron 10/4/99
City Clerk Date

This Certified Survey Map is contained wholly within the property described in the following recorded instruments:

Owners of record:
Glenn McCann

Recording information:
Doc. No. 929758

Parcel number:


006-0897-00

006-0895-00

006-0897-04

Gerald & Connie Sauer

Doc. No. 929758



Daniel W. Hoel
Nov. 29, 1999

PROJECT NO. 267-137b

FIELD BOOK PAGE

FILE 267137b SHEET 4 OF 4

THIS INSTRUMENT WAS DRAFTED BY: jmw

I, Craig A. Keach, hereby certify that none of the property described hereon is within a flood plane or wetlands area as defined by FEMA or Wisconsin DNR.

SURVEYOR'S CERTIFICATE

I, Craig A. Keach, Wisconsin Registered Land Surveyor of Aero-Metric Incorporated, certify that I have surveyed the described property and that the map shown is a true and accurate representation thereof to the best of my knowledge and belief.

Dated this 25th day of JULY, 2001.

Craig A. Keach
WISCONSIN REGISTERED LAND SURVEYOR
Craig A. Keach, S-2333

LOT 1
C.S.M. 3370
VOL 1 PG. 3370
DOC. No. 928436

PROPERTY OWNER:
S & B ENTERPRISES LLC
7526 S.T.H. '45'
NEENAH, WI 54956

TAX KEY NUMBER:
006-089705

ZONED:
BUSINESS 3


SURVEYED FOR:
WESTCHESTER SERVICES L.L.C.
960 ROUTE 22
SUITE 209
FOX RIVER GROVE, IL 60021

TELECORP REALTY, LLC
1010 NORTH GENE RD
SUITE 800
ARLINGTON, VA 22201
(703) 236-1100 (PHONE)
(703) 236-1101 (FAX)

TELECORP REALTY, LLC
N922 TOWER VIEW DR
SUITE 101
GREENVILLE, WI 54942
(920) 757-1614 (PHONE)
(920) 757-1613 (FAX)

WHALEN & COMPANY, Inc.
3675 W. GARDEN BLVD.
SUITE 360
LA FAYETTE, CA 94549

SITE SURVEY
FOR
TELECORP REALTY, LLC
A PART OF THE SW 1/4 OF THE NW 1/4,
SECTION 36, T.20N., R.16E., TOWN OF
CLAYTON, WINNEBAGO COUNTY, WISCONSIN



SITE NAME
OAKWOOD
MIL195A
7526 S.T.H. '45'
NEENAH, WI 54956

AERO-METRIC

Aero-Metric, Incorporated
Land Planning & Design Division

920-848-7708 800-472-5313 FAX (848-7708)
536 NORTH MADISON STREET CHILTON, WISCONSIN 53014

DWG. FILE: TC-MIL195 DATE: 04-06-01

PRJT. NO.: 2010373

DRAWN BY: T.R.K. CHECKED BY: C.A.K.

NOTEBOOK: 48 PAGE(S): 56-57

SITE SURVEY
SITE TOPO

DRAWING NUMBER

D-22970


SHEET 1 OF 2

BENCHMARK INFORMATION:

SITE BENCHMARK: (BMA) 6" NAIL SET IN EAST
FACE OF POWER POLE #201636W1
±1' ABOVE GROUND LEVEL
ELEVATION = 851.84'

UNPLATTED LANDS
TAX KEY No. 006 0900

SCALE: 1" = 60'



CORN STUBBLE

LEGEND

- = REBAR FOUND
- = 1" IRON PIPE FOUND
- = 1"x24" IRON PIPE SET
- = 8" NAIL SET
- ⊙ = COUNTY MONUMENT FOUND
- () = RECORDED INFORMATION
- ⊕ = POWER POLE
- * = 1" TREE
- = TELEPHONE PEDESTAL
- = PROPERTY LINE
- ⊠ = GAS METER
- ⊡ = ELECTRIC METER
- OFL- = OVERHEAD POWER LINE
- T-E- = BURIED TELEPHONE & ELECTRIC

BEARINGS REFERENCED TO THE
WISCONSIN STATE PLANE COORDINATE
SYSTEM (NAD27) - SOUTH ZONE

LEASE PARCEL

Two (2) of Certified Survey Map No. 3370 recorded in Volume 1, Page 3370 as No. 928436 of Winnebago County Records, located in the Southwest Quarter the Northwest Quarter (NW1/4) of Section Thirty-Six (36), Township Twenty Range Sixteen (16) East, Town of Clayton, Winnebago County, Wisconsin 3,600 square feet (0.083 acres) of land and being described by:

g at the West Quarter Corner of said Section 36; thence N88°-17'-26"E as N88°-17'-14"E) 339.28 feet along the South line of the NW1/4 of said (also being the South line of said Lot 2) to the point of beginning; thence N01°-42'-34"E 60.00 feet; thence N88°-17'-26"E 60.00 feet; thence S01°-42'-34"E 60.00 feet on the South line of said Lot 2; thence S38°-17'-26"W 60.00 feet along said to the point of beginning; being subject to any and all easements and restrictions

20 FOOT WIDE INGRESS/EGRESS EASEMENT


wide Ingress/Egress Easement being a part of Lot Two (2) of Certified Survey 370 recorded in Volume 1, Page 3370 as Document No. 928436 of Winnebago Records, located in the Southwest Quarter (SW1/4) of the Northwest Quarter Section Thirty-Six (36), Township Twenty (20) North, Range Sixteen (16) East, Clayton, Winnebago County, Wisconsin containing 11,380 square feet (0.261 and and being 10 feet either side of and parallel to the following described line:

g at the West Quarter Corner of said Section 36; thence N88°-17'-26"E as N88°-17'-14"E) 339.28 feet along the South line of the NW1/4 of said (also being the South line of said Lot 2); thence N01°-42'-34"W 60.00 feet; thence N88°-17'-26"E 50.00 feet to the point of beginning; thence N01°-42'-34"W 136.49 feet; thence S87°-51'-34"W 234.06 feet; thence N02°-27'-54"W 83.73 feet; thence N60°-14.73 feet to a point on the East Right-of-Way line of U.S.H. "45" and the point of termination.

8 FOOT WIDE UTILITY EASEMENT

wide Utility Easement being a part of Lot Two (2) of Certified Survey Map No. 3370 recorded in Volume 1, Page 3370 as Document No. 928436 of Winnebago County Records, located in the Southwest Quarter (SW1/4) of the Northwest Quarter (NW1/4) of Section Thirty-Six (36), Township Twenty (20) North, Range Sixteen (16) East, Town of Clayton, Winnebago County, Wisconsin containing 2,407 square feet (0.055 acres) of land and being 4 feet either side of and parallel to the following described line:



g at the West Quarter Corner of said Section 36; thence N88°-17'-26"E as N88°-17'-14"E) 339.28 feet along the South line of the NW1/4 of said (also being the South line of said Lot 2); thence N01°-42'-34"W 52.00 feet to the point of beginning; thence N72°-26'-40"W 300.87 feet to a point on the East Right-of-Way line of U.S.H. "45" and the point of termination.



- LEGEND -

- = REBAR FOUND
- = 1" IRON PIPE FOUND
- = 1"x24" IRON PIPE SET
- = 8" NAIL SET
- ⊙ = COUNTY MONUMENT FOUND
- () = RECORDED INFORMATION
- ⌘ = POWER POLE
- * = 1" TREE
- = TELEPHONE PEDESTAL
- = PROPERTY LINE
- ⊠ = GAS METER
- ⊞ = ELECTRIC METER
- OPL- = OVERHEAD POWER LINE
- TVE- = BURIED TELEPHONE & ELECTRIC

BEARINGS REFERENCED TO THE WISCONSIN STATE PLANE COORDINATE SYSTEM (NAD27) - SOUTH ZONE



I, Craig A. Keach, hereby certify that none of the property described hereon is within a flood plane or wetlands area as defined by FEMA or Wisconsin DNR.

SURVEYOR'S CERTIFICATE

I, Craig A. Keach, Wisconsin Registered Land Surveyor of Aero-Metric Incorporated, certify that I have surveyed the described property and that the map shown is a true and accurate representation thereof to the best of my knowledge and belief.

Dated this 25th day of JULY, 2001.

Craig A. Keach
WISCONSIN REGISTERED LAND SURVEYOR
Craig A. Keach, S-2333

- PROPOSED TOWER BASE -

Latitude: 44°-09'-48.70"
Longitude: 88°-32'-33.21
(Per North American Datum of 1983/91)

Elevation: 851.0'
(Per National Geodetic Vertical Datum of 1929)

TELECORP REALTY, LLC
1010 NORTH GLEBE RD
SUITE 800
ARLINGTON, VA 22201
(703) 236-1100 (PHONE)
(703) 236-1131 (FAX)

TELECORP REALTY, LLC
N922 TOWER VIEW DR.
SUITE 101
GREENWILE, WI 54942
(920) 757-1814 (PHONE)
(920) 757-1813 (FAX)

WHALEN & COMPANY, Inc.
3675 MT. Diablo BLVD.
SUITE 360
LAFAYETTE, CA 94549

SITE SURVEY FOR
TELECORP REALTY, LLC
A PART OF THE SW1/4 OF THE NW1/4,
SECTION 36, T.20N., R.16E., TOWN OF
CLAYTON, WINNEBAGO COUNTY, WISCONSIN



SITE NAME
OAKWOOD
MIL195A
7526 S.T.H. "45"
NEENAH, WI 54956

AERO-METRIC

Aero-Metric, Incorporated
Land Planning & Design Division
920-848-7708 800-472-5313 FAX (848-7708)
539 NORTH MADISON STREET CHILTON, WISCONSIN 53014

DWG. FILE: TC-MIL155 DATE: 04-06-01

PRJT. NO.: 2010373

DRAWN BY: T.R.K. CHECKED BY: C.A.K.

NOTEBOOK: 48 PAGE(S): 56-57

1 7/24/01 MOVED TOWER TEL OK
NO. DATE REVISIONS BY CHECKED

DRAWING TITLE
SITE DETAIL
LEGAL DESCRIPTION

DRAWING NUMBER
D-22970

SHEET 2 OF 2

CERTIFIED SURVEY MAP NO. 5006

SURVEYOR'S CERTIFICATE:

I, Daniel W. Hoel, Registered Land Surveyor, do hereby certify:

That I have surveyed, divided and mapped at the direction of Glenn McCann, all of Lot 1, Certified Survey Map 1,775, part of the Northwest 1/4 of the Northwest 1/4 and part of the Southwest 1/4 of the Northwest 1/4, Section 36, Town 20 North, Range 14 East, Town of Clayton, Winnebago County, Wisconsin, described as follows:

Commencing at the West 1/4 corner of said Section 36; thence North 01 degree 31 minutes 27 seconds West, along the west line of said Northwest 1/4, a distance of 362.12 feet; thence North 86 degrees 17 minutes 27 seconds East, 84.31 feet to the point of beginning; thence North 01 degree 36 minutes 52 seconds West, along the east right of way line of U.S.H. "45", a distance of 354.45 feet; thence North 01 degree 20 minutes 37 seconds West, continuing along said right of way line, 79.65 feet; thence North 88 degrees 15 minutes 06 seconds East, 145.18 feet; thence North 01 degree 39 minutes 19 seconds East, 2211.40 feet; thence South 80 degrees 19 minutes 06 seconds West, along the east right of way line of U.S.H. "45", a distance of 92.24 feet; thence North 14 degrees 00 minutes 26 seconds East, along said right of way line, 79.16 feet; thence North 89 degrees 20 minutes 17 seconds East, along the south line of Certified Survey Map 482, a distance of 208.96 feet; thence North 01 degree 31 minutes 28 seconds West, along the east line of said Certified Survey Map, 177.00 feet; thence South 86 degrees 08 minutes 14 seconds West, along the north line of said Certified Survey Map, 192.13 feet; thence North 13 degrees 53 minutes 56 seconds East, along the east right of way line of U.S.H. "45", a distance of 82.62 feet; thence North 01 degree 42 minutes 17 seconds East, continuing along said right of way line, 44.74 feet; thence North 88 degrees 36 minutes 00 seconds East, 82.88 feet; thence North 01 degree 31 minutes 28 seconds West, 360.71 feet; thence North 60 degrees 52 minutes 41 seconds West, 163.51 feet; thence North 60 degrees 36 minutes 12 seconds West, along the east right of way of U.S.H. "45", a distance of 21.70 feet; thence North 70 degrees 48 minutes 32 seconds East, 1241.58 feet; thence South 01 degree 21 minutes 57 seconds East, along the east line of the west 1/4 of the Northwest 1/4 of Section 36, a distance of 2177.27 feet; thence South 88 degrees 17 minutes 27 seconds West, 1273.65 feet to the point of beginning, containing 2,364,361 square feet (54.718 acres). Subject to all easements and restrictions of record.

That I have fully complied with Chapter 236.34 of the Wisconsin Statutes in surveying, dividing and mapping the same and the Town of Clayton, and Winnebago County Subdivision Ordinances.

This map is a correct representation of all of the exterior boundaries of land surveyed and the division thereof.

Given under my hand this 29 day of November, 1999.

Daniel W. Hoel

Daniel W. Hoel, Reg. Wis. Land Surveyor, 8-1782



CERTIFIED SURVEY MAP NO. 5026

OWNER CERTIFICATE:

As owner I, the undersigned, hereby certify that I caused the land above described to be surveyed and divided to the public all as shown and represented on this map.

W. M. Miller 1-14-00
Owner Date

State of Wisconsin)
Winnebago County) ss

Personally came before me on the 24 day of January, 1900, the above owner to me known to be the person who executed the foregoing instrument and acknowledge the same.

Pamela Emerson My Commission Expires 08-06-00
Notary



OWNER CERTIFICATE:

As owners we, the undersigned, hereby certify that we caused the land above described to be surveyed, divided, mapped and dedicated to the public all as shown and represented on this map.

David W. Miller *Conrad L. Brown* 1-25-00
Owner Date

State of Wisconsin)
Winnebago County) ss

Personally came before me on the 25 day of January, 1900, the above owners to me known to be the persons who executed the foregoing instrument and acknowledge the same.

Pamela Emerson My Commission Expires 08-06-00
Notary



Daniel W. Hoel
Nov. 29, 1999

PROJECT NO. 01-1276
FILE NO. PAGE
FILE NO. SHEET 1 OF 1
THE INSTRUMENT WAS RECORDED ON JAN 29 1900

CERTIFIED SURVEY MAP NO. 6024

CERTIFICATE OF PLANNING COMMITTEE:

Pursuant to the Land Subdivision Regulations of the County of Winnebago, Wisconsin, all the requirements for approval have been fulfilled. This Minor Subdivision was approved by the Winnebago County Planning and Zoning Committee on 12th day of February, 1999.

James M. Sauer
Chairman, Planning and Zoning Committee

TREASURER'S CERTIFICATE:

I hereby certify that there are no unpaid taxes or unpaid special assessments on any of the lands shown hereon.

James M. Sauer
Treasurer

James M. Sauer
County Treasurer

10/4/99
Date

10/7/02
Date

TOWN APPROVAL:

We hereby certify that the Town of Clayton has reviewed and approved this certified survey map.

James M. Sauer
Town Chairman

James M. Sauer
Town Clerk

CITY OF NEENAH APPROVAL:

This Certified Survey Map was approved by the City of Neenah on this 11th day of October, 1999.

James M. Sauer
City Clerk

This Certified Survey Map is contained wholly within the property described in the following recorded instrument:

Owners of record:
Glenn McGraw

Recording information:
Doc. No. 929756

Parcel number:

006-0837-00

006-0837-00

006-0837-01

Gerald & Connie Sauer

Doc. No. 929758



Daniel W. Hoel
Nov 29, 1999

PROJECT NO. 92-134
FIELD BOOK PAGE
FILE 92134 SHEET 1 OF 1
THIS INSTRUMENT WAS SUBMITTED BY 344

FILED 1973 4
MAR 25 1973

West No. 26273

1183489
REGISTER'S OFFICE
VIRGINIA COUNTY, W.
RECORDED ON

4-27-2002 02:13 PM
104 12 2002
DEEDS & INSTRUMENTS
REGISTER OF DEEDS

RECORDS BY FILE
TRANSFER BY
1 2 2002 2



LEASE PARCEL

Lot Two (2) of Certified Survey Map No. 3370 recorded in Volume 1, Page 1370 of the 1984-85 of Winnebago County Records, located in the Southwest Quarter (SW 1/4) of Section Thirty-Six (36), Township Twenty-North, Range Sixteen (16) East, Town of Clayton, Winnebago County, Wisconsin containing 2.800 square feet (0.063 acres) of land and being described by:

Beginning at the West Quarter Corner of said Section 36; thence N88°-17'-25"E 339.28 feet along the South line of the NW 1/4 of said Section 36 (also being the South line of said Lot 2) to the point of beginning; thence N87°-17'-25"E 60.00 feet; thence S88°-17'-25"E 60.00 feet; thence S87°-17'-25"E 60.00 feet along said line to the point of beginning; being subject to any and all easements and restrictions.

20 FOOT WIDE EGRESS/EGRESS EASEMENT

20 foot wide Egress/Egress Easement being a part of Lot Two (2) of Certified Survey Map No. 3370 recorded in Volume 1, Page 1370 of Document No. 828436 of Winnebago County Records, located in the Southwest Quarter (SW 1/4) of the Northwest Quarter of Section Thirty-Six (36), Township Twenty (20) North, Range Sixteen (16) East, Winnebago County, Wisconsin containing 1,500 square feet (0.281 acres) of land and being 10 feet wider side of and parallel to the following described line:

Beginning at the West Quarter Corner of said Section 36; thence N88°-17'-25"E 339.28 feet along the South line of the NW 1/4 of said Section 36 (also being the South line of said Lot 2) to the point of beginning; thence N87°-17'-25"E 60.00 feet; thence S88°-17'-25"E 60.00 feet; thence S87°-17'-25"E 60.00 feet to a point on the East Right-of-Way line of U.S.H. "45" and the point of beginning.

8 FOOT WIDE UTILITY EASEMENT


8 foot wide Utility Easement being a part of Lot Two (2) of Certified Survey Map No. 3370 recorded in Volume 1, Page 1370 of Document No. 828436 of Winnebago County Records, located in the Southwest Quarter (SW 1/4) of the Northwest Quarter of Section Thirty-Six (36), Township Twenty (20) North, Range Sixteen (16) East, Winnebago County, Wisconsin containing 2,407 square feet (0.223 acres) of land and being 4 feet wider side of and parallel to the following described line:

Beginning at the West Quarter Corner of said Section 36; thence N88°-17'-25"E 339.28 feet along the South line of the NW 1/4 of said Section 36 (also being the South line of said Lot 2) to the point of beginning; thence N87°-17'-25"E 60.00 feet; thence S88°-17'-25"E 60.00 feet to a point on the East Right-of-Way line of U.S.H. "45" and the point of beginning.

LEGEND

- • • • • ROAD FRONT
- • • • • 1" DIA. PIPE FRONT
- • • • • 2" DIA. PIPE FRONT
- • • • • 4" DIA. SET
- • • • • COUNTY HIGHWAY FRONT
- () • • • • • RECESSED INFORMATION
- • • • • • POWER POLE
- • • • • 1" DIA.
- • • • • TELEPHONE FEEDLINE
- PROPERTY LINE
- • • • • GAS METER
- • • • • ELECTRIC METER
- • • • • OVERHEAD POWER LINE
- • • • • BARRIED TELEPHONE & ELECTRIC

MEASUREMENTS REFERENCED TO THE
WISCONSIN STATE PLANE COORDINATE
SYSTEM (NAD 83) - SOUTH ZONE



I, Gary A. Kuehn, Surveyor, certify that none of the property described herein is within a flood zone or within area so defined by FEMA or Wisconsin Dept. of Natural Resources.

I, Gary A. Kuehn, Wisconsin Registered Land Surveyor of Wisconsin, Incorporated, certify that I have surveyed the described property and that the same shows a true and accurate representation thereof to the best of my knowledge and belief.


Surveyed on 2/20/03 by APRIL
Gary A. Kuehn
Registered Professional Land Surveyor
Wisconsin No. 9-2220

PROPOSED TOWER BASE
Latitude: 44°-09'-48.47"
Longitude: 88°-32'-33.21"
(Per North American Datum of 1983/91)
Elevation: 851.0'
(Per National Geodetic Vertical Datum of 1929)

AERO-METRIC
Aero-Metric, Incorporated
Land Planning & Design Division
1000 W. 10th St. Suite 100
Oshkosh, WI 54901
Phone: 920-231-1111 Fax: 920-231-1112
E-Mail: info@aero-metric.com Website: www.aero-metric.com

DATE: 04-04-03
PROJECT: 200303
DRAWN BY: TPK CHECKED BY: LAK
INTERIOR: 40 PAGES: 14-57

SITE NAME GARYCO	
MIL 195A	
725 S.W. 1st St. Medford, WI 54601	
DATE: 04-04-03	
DRAWN BY: TPK	
CHECKED BY: LAK	
INTERIOR: 40 PAGES: 14-57	
SITE DETAIL LEGAL DESCRIPTION	
D-22870	
SHEET 2 OF 2	



SITE SURVEY FOR
TELECOM REALTY, LLC
A PART OF THE SW 1/4 OF THE NW 1/4
SECTION 36, T.20N., R.16E., TOWN OF
CLAYTON, WINNEBAGO COUNTY, WISCONSIN

TELECOM REALTY, LLC
1000 W. 10th St. Suite 100
Oshkosh, WI 54901
Phone: 920-231-1111 Fax: 920-231-1112
E-Mail: info@telecom-realty.com Website: www.telecom-realty.com

CERTIFIED SURVEY MAP NO. 5226

SURVEYOR'S CERTIFICATE:

I, Daniel W. Hoel, Registered Land Surveyor, do hereby certify:

That I have surveyed, divided and mapped at the direction of Glenn McCann, all of Lot 1, Certified Survey Map 1179, part of the Northwest 1/4 of the Northwest 1/4 and part of the Southwest 1/4 of the Northwest 1/4, Section 16, Town 29 North, Range 16 East, Town of Clayton, Winnebago County, Wisconsin, described as follows:

Commencing at the West 1/4 corner of said Section 16; thence North 01 degrees 31 minutes 27 seconds West, along the west line of said Northwest 1/4, a distance of 342.12 feet; thence North 88 degrees 17 minutes 27 seconds East, 54.91 feet to the point of beginning; thence North 01 degree 35 minutes 52 seconds West, along the east right of way line of U.S.M. "15", a distance of 354.45 feet; thence North 01 degree 20 minutes 37 seconds West, continuing along said right of way line, 79.49 feet; thence North 88 degrees 19 minutes 06 seconds, 145.19 feet; thence North 01 degree 19 minutes 06 seconds West, 145.44 feet; thence South 88 degrees 19 minutes 06 seconds East, 145.44 feet; thence North 01 degree 28 minutes 52 seconds West, along the east right of way line of U.S.M. "15", a distance of 92.14 feet; thence North 01 degree 50 minutes 26 seconds East, along said right of way line, 79.16 feet; thence North 89 degrees 20 minutes 17 seconds East, along the south line of Certified Survey Map 189, a distance of 306.96 feet; thence North 01 degree 31 minutes 28 seconds West, along the east line of said Certified Survey Map, 175.00 feet; thence South 84 degrees 08 minutes 14 seconds West, along the north line of said Certified Survey Map, 187.12 feet; thence North 13 degrees 01 minutes 14 seconds East, along the east right of way line of U.S.M. "15", a distance of 63.82 feet; thence North 01 degree 12 minutes 17 seconds East, continuing along said right of way line, 44.74 feet; thence North 88 degrees 30 minutes 00 seconds East, 82.88 feet; thence North 01 degree 31 minutes 28 seconds West, 101.53 feet; thence South 50 degrees 51 minutes 41 seconds West, 101.53 feet; thence North 08 degrees 28 minutes 12 seconds West, along the east right of way of U.S.M. "15", a distance of 21.39 feet; thence North 78 degrees 42 minutes 32 seconds East, 1281.58 feet; thence South 01 degree 21 minutes 07 seconds East, along the east line of the West 1/4 of the Northwest 1/4 of Section 16, a distance of 2177.87 feet; thence South 88 degrees 17 minutes 27 seconds West, 1273.65 feet to the point of beginning, containing 2,384.386 square feet (54.758 acres). Subject to all easements and restrictions of record.


That I have fully complied with Chapter 236.14 of the Wisconsin Statutes in surveying, dividing and mapping the same and the Town of Clayton, and Winnebago County Subdivision Ordinances.

This map is a correct representation of all of the exterior boundaries of land surveyed and the division thereof.

Given under my hand this 29 day of November, 1911.

Daniel W. Hoel

Daniel W. Hoel, Reg. No. Land Surveyor, W-1787



PROJECT NO. 103-1156

FILED DATE PAGE

FILE 1071376 DEPT. 1 OF 1

THIS SURVEY MAP WAS RECORDED IN THE

CERTIFIED SURVEY MAP NO. 5026

OWNER'S CERTIFICATE:

As owner I, the undersigned, hereby certify that I caused the land above described to be surveyed and divided to the public all as shown and represented on this map.

C. M. Miller 1-24-00
Owner Date

State of Wisconsin
Winnebago County

Personally came before me on the 24 day of January, 1900, the above owner to me known to be the person who executed the foregoing instrument and acknowledge the same.

Pamela Emerson My Commission Expires 08-06-00
Notary



OWNER'S CERTIFICATE:


As owners we, the undersigned, hereby certify that we caused the land above described to be surveyed, divided, mapped and dedicated to the public all as shown and represented on this map.

Daniel W. Hoel Conrad Johnson 1-25-00
Owner Date

State of Wisconsin
Winnebago County

Personally came before me on the 25 day of January, 1900, the above owners to me known to be the persons who executed the foregoing instrument and acknowledge the same.

Pamela Emerson My Commission Expires 08-06-00
Notary



Daniel W. Hoel
Nov. 29, 1900

I, Craig A. Smith, hereby certify that none of the property described herein is within a flood plain or wetlands area as defined by FEMA or Wisconsin DNR.

MEASUREMENT CERTIFICATE

I, Craig A. Smith, Wisconsin Registered Land Surveyor at Aero-Metric Incorporated, hereby certify that I have surveyed the described property and that the map shown is a true and accurate representation thereof to the best of my knowledge and belief.

Craig A. Smith, Registered Land Surveyor
 Wisconsin Registered Land Surveyor
 Craig A. Smith, D-22970

100' ±
 CLS. 1320
 VOL. 1, PG. 1320
 DOC. NO. 100438

PROPERTY OWNER:
 T & B ENTERPRISES, LLC
 7308 S. 14TH ST.
 MILWAUKEE, WI 53228

TAX KEY NUMBER:
 008-085705

ZONED:
 BUSINESS 3


SERVICES FOR:
 TELECOM SERVICES, LLC
 880 ROUTE 22
 SUITE 200
 FOX RIVER DRIVE, E. 50021

TELECOM REALTY, LLC
 880 ROUTE 22
 SUITE 200
 FOX RIVER DRIVE, E. 50021

TELECOM REALTY, LLC
 880 ROUTE 22
 SUITE 200
 FOX RIVER DRIVE, E. 50021

TELECOM REALTY, LLC
 880 ROUTE 22
 SUITE 200
 FOX RIVER DRIVE, E. 50021

SITE SURVEY FOR
 TELECOM REALTY, LLC
 A PART OF THE S1/4 OF THE NW1/4
 SECTION 36, T14N, R14E, S14W OF
 CLAYTON, WINNEBAGO COUNTY, WISCONSIN




SITE NAME:
 OAKWOOD
 MIL195A
 7308 S. 14TH ST.
 MILWAUKEE, WI 53228

LEGEND

- • BEAR POND
- • RICH POND
- • RICH POND SET
- • 1/2" HOLE SET
- • COUNTY MONUMENT POND
- • MONUMENT INFORMATION
- • POWER POLE
- • 1" DIRT
- • TELEPHONE MONUMENT
- PROPERTY LINE
- • GAS METER
- • ELECTRIC METER
- • OVERHEAD POWER LINE
- • BURIED TELEPHONE & CABLE

BEARINGS REFERENCED TO THE
 WISCONSIN STATE PLANE COORDINATE
 SYSTEM (NAD83) - 2011 EPOCH



BENCHMARK INFORMATION

SITE BENCHMARK (BMA) 6" HOLE SET IN EAST
 FACE OF POWER POLE FOUNDATION
 21" HIGH GROUND LEVEL
 ELEVATION = 338.84'



AERO-METRIC
 Aero-Metric, Incorporated
 Land Planning & Design Division
 100-100-1000 100-100-1000 100-100-1000
 100-100-1000 100-100-1000 100-100-1000

ENG. FILE: 10-1000 DATE: 04-09-12
 PROJ. NO.: 100000
 DRAWN BY: JAK CHECKED BY: C.A.K.
 PROJECT: 46 PAGES: 56-57

SITE SURVEY
SITE TOPO
D-22970
SHEET 1 OF 2